#### MASP INSTRUCTIONS

\*Pages <u>1-11</u> or through map and aerial hazard analysis page (due to extended risk assessment) require total completion for submission, review, and approval signature (mission approver signature-appropriate level line officer). Subsequent pages see instructions below\*

**Subsequent pages include:** Pilot information, flight following, frequencies, MTR's / MOA's, crash rescue /medivac, and additional appendices. Complete these pages as information becomes available. Partial completion of these pages is recommended during the submission process. (Subsequent pages shall be filled out prior to mission initiation).

#### **RISK MATRIX INSTRUCTIONS**

Appropriate management level for operational risk decision will remain the same in the color-coded format. The number system on page (6) in the risk management scale is incorporated into the drop-down menu of risk assessment attached. Values of risk level are as follows:

Low-1 Medium-2

Serious-3 High-4

In no case will the overall risk of the mission be less than the highest specific factor. (Example: One high, one serious, and two medium threats couldn't result in anything less than a high).

#### **SIGNATURE'S**

Signature blocks are in order of how the MASP will move forward for review and signature. Route all MASP's through the Zone Aviation Officer or delegated acting. The tan colored fields are required to be signed for at the Line Officer level. The MASP's will be routed back down through the Zone Aviation Officer or delegated acting after signature from the Regional Aviation Officer. MASP will come back in PDF for approving official to sign in signature block and risk assessment (See tan highlighted areas).

Signing: All signature boxes up to the Zone Aviation Officer will be signed in typed text. See below.

Example: /s/ John M. Smith

Regional Aviation Safety Manager and Regional Aviation Officer will sign with a link pass digital signature. Approval of risk assessment and line officer plan approval final signature will be wet signature or link pass digital signature (line officer discretion). These areas are a tan color. The mission aviation safety plan will come back to the field in PDF format for ease of link pass signatures.

#### **RETENTION AND FILING OF PLAN**

Once the mission safety plan is approved, the plan will be maintained in the dispatch office and referenced during flight. Retention of the plan and daily briefing sheets by the forest, refuge or unit shall be one year: reference NSHO Chapter 3, Mission Aviation Safety Plans, or any other governing policies that refer to MASP retention per aircraft type.

Forest-Refuge-Unit: National Forest in Florida   District-Unit: Ocala National Forest										
Agency	Requesting	Mission	Anticipated Date(s) \	res 🗌 no 🖂	Calendar Year					
FS 🔀	NPS 🗌 E	ВІМ	Calendar Year YES	No □→	2023					
F'	WS 🗌 BIA		Date Variance Accept							
STAT	Е 🗌 ОТН	IER 🗌	*Document variance							
			briefing sheet or ICS 2							
	Aircraft Typ	<u>e</u>								
Fixed	Rotor	UAS	Start Date	End Date	MASP Objectives					
					Training					
			1/1/2023	12/31/2023	Resource 🖂					
					LE&I Mission(s)					
					Incident					
					Emr. Ops					
					Emr. Readiness					

Mission prepared by: /s/ Ryan Hudgins	Title: Helicopter Crewmember	8/9/2022
,		, ,
Mission reviewed by: (OPTIONAL) Forest Level:	Title: Choose an item.	Click here to enter
Click here to enter text.		a date.
Mission review by: (OPTIONAL) Regional Level:	Title: Choose an item.	Click here to enter
Click here to enter text.		a date.
Mission review by: (OPTIONAL) Zone Aviation	<u>Title</u> : Zone Aviation Officer	10/26/2022
Officer: /s/ Joshua Pierotte	(south)	
Mission reviewed by: (REQUIRED) RASM:	<u>Title</u> : Regional Aviation	See signature for
	Safety Manager or Acting	date.
Mission reviewed By: (REQUIRED) RAO:	<u>Title</u> : Regional Aviation Officer	See signature for
	or Acting	date.
Mission-Risk Assessment approved by:	<u>Title</u> : Forest Supervisor	See signature for
Forest Service Line, IC, or Ops Section Chief-	or Acting	date.

Mission Supervisor: Helicopter Manager **Alternate Mission Supervisor:** 

**Forest Aviation Officer or Zone Aviation Officer** 

\*\* Participant's qualifications and responsibilities verified/discussed during daily briefing\*\*

#### **Mission Name**

#### Ocala N.F Aerial Ignition (PSD) Rx Burning CY 2023

#### **Mission Description:**

Note: Compliance with the operational procedures outlined in the Mission Aviation Safety Plan is required.

Aerial ignition in support of prescribed fire and forest ecosystem management. These missions will consist of pre-burn recon of the unit(s) and aerial ignition operations and may also include post-burn recons, smoke dispersion recons, and helitack operations (bucket support, personnel transport, cargo, etc.). Aerial ignition will be accomplished with Exclusive Use, Call-When-Needed (CWN), or agency owned aircraft (WCF). Incoming unit will receive a local aviation in-briefing. (Airspace, Frequencies, DOE/DOD areas, Etc.)

#### **Mission Objectives**:

Reduce hazardous fuels/fuel loading and severity of wildfires, restore/maintain ecosystems, and enhance wildlife habitat. Conduct prescribed burn operations to achieve agency objectives while generally minimizing cost per acre, limiting exposure to personnel, and reducing impacts to communities.

Reference unit burn plan for specific objectives, prescriptions, goals, firing patterns, etc.

#### **Aircraft Justification for Mission:**

Using rotor-wing aircraft and aerial ignition for prescribed burning operations is the most efficient means of meeting mission objectives. This method of conducting burns allows for the following:

- Personnel Safety: Limits exposure and mitigates the need for additional personnel. Reduces the need for ground ignitions, particularly inside the burn unit, where vegetation is often thick and impenetrable.
- Cost-Effectiveness: Expedites time frames, lowers personnel requirements for conducting landscape burns and achieves agency goals while generally reducing cost per acre.
- Smoke Management: Smoke management issues are better mitigated with aerial ignition. Burns can be completed earlier in the day to take maximum advantage of mixing heights and transport winds. Aerial ignition allows enhanced burn patterns and ignition strategies, increasing coverage within a burn unit. This reduces ignition times and allows for better overall consumption within the unit and more time for smoke dispersion.

Aircraft Information: *Refer to Appropriate page for UAS information*						
*Check all that apply, if name is unknown, add information to safety plan briefing sheet*  *Leave text fields blank if unknown*						
*All cooperators require an annual approv	val letter onboard except DOJ-DHS aircraft*					
Cooperator Click here to enter te	ext. <b>Agency</b> Click here to enter text.					
<b>Vendor</b> Click here to enter text.	Military Click here to enter text.					
Other Click h	nere to enter text.					
Rotor Wing: Type One Type	Two 🖂 Type Three 🖂					
* Additional document requirements beyond standard typing in aircraft justification and resource order* (performance capabilities, equipment, Etc.)						
Fixed Wing: Single Engine	Twin Engine					
	conditioning, high or low wing, pressurized cabin, ts in aircraft justification and resource order*					
	n briefing sheet for vendor name, make, FAA#, and					
model (helicopter or fixed-wing only below).						
Vendor: HELOAIR Tail numb	er: N196TA					
Model: Bell 407 Unknown CWN	Unknown EU 🔀					
** CWN heliconter information	n attained after hiring process**					
•	U)- mark appropriate boxes, have CWN inspection					
	on file with MASP for aircraft data**					
Procurement and Cost Information: Check unknown information.	wn if unable to provide accurate or estimated					
mornation.						
Procurement Type: EU or CWN	Estimated Flight Hour Cost: Click here to enter					
Unknown	text. Unknown 🔀					
Missioned Flight Hours: Click here to enter text.	Circiowii 🖂					
Unknown 🖂	Estimated Miscellaneous Cost(s): Click here to					
Charge Code: Click here to enter text. Unknown	enter text. Unknown					

\*\*Mission risk assessment completed prior to mission approval\*\*

\*\*Risk assessment hazards shall be re-assessed prior to mission engagement\*\*

\*\*See appropriate management level for approval and dynamic flowchart decision-making tool\*\*

Mission Risk Assessment Matrix Scale											
	Severity										
Likelihood	Negligible	Marginal	Critical	Catastrophic							
	IV	III	II	I							
Frequent											
А											
Probable				High 4							
В											
Occasional											
С			Serious 3								
Remote		Medium 2									
D		Wedium 2									
Improbable	Low 1										
Е											

Severity and Likelihood Scale Definitions							
Severity			Likelihood				
Catastrophic	Fatalities and or loss of the system.		Frequent	Likely to occur and continuously experienced.			
Critical	Severe injury and or major system damage.		Probable Occasional	Will occur several times and occur often.			
Marginal	Minor injury and or minor system damage.		Remote	Likely to occur sometimes and will occur several times. Unlikely to occur, but possible.			
Negligible	Less than minor injury and or less than minor damage.		Improbable	Unlikely, but expected to occur.  So unlikely, assume it will not occur. Unlikely to occur, but possible.			
				Unlikely to occur, but possible.			

Appropriate Management Level for Operational Risk Decisions								
Risk Level	Fire	Mission (non-fire)						
High	Incident Commander or Operations Sections Chief	Line Officer/Manager						
Serious	Incident Commander or Operations Sections Chief	Line Officer/Manager						
Medium	Air Operations Branch Director	Mission Aviation Manager						
Low	Base Manager	Helicopter or Flight Manager						

SAFETY MANAGEMENT SYSTEM ASSESSMENT AND MITIGATION								
System Being I	Evaluated: Aerial Ignition- PSD	Pre Mitigation		ation	Post Mitiga		ation	
Sub System(s)	Hazards	Likelihood	Severity	Risk Level	Mitigation	Likelihood	Severity	Risk Level
Aerial Hazards	Avoid known hazards and aerial obstacles such as bird strikes, embers, smoke, etc.	Probable	Critical	High-4	Brief personnel to be aware of known physical hazards using the Aerial Hazards Map. See and avoid birds and other obstacles. Use quality crew communication and implement crew resource management.	Remote	Critical	Medium-2
Capability	Aircraft capabilities/limitations are not appropriate to mission. Overloaded aircraft. Adverse wind speed and direction.	Occasional	Catastrophic	High-4	Ensure appropriate aircraft is ordered and utilized. Conduct a thorough pre-mission briefing. Complete load calculations and weight & balance. Pilot to obtain updated weather briefing and continually monitor wind speed and direction. Operate aircraft in accordance with RFM.	Remote	Catastrophic	Serious-3
Communications	Unclear on assignments or unclear briefing. Miscommunication from air to ground. Poor communication such as non-standard wording etc. Loss of communications (FM, AM, or ICS).	Occasional	Critical	Serious-3	PLDO/FIRB to perform a complete briefing. Use clear text and proper nomenclature in all communications. Utilize read-back to ensure instructions are understood. Follow established firing commands. Suspend all operations until communications can be restored.	Remote	Critical	Medium-2
Equipment	Equipment not properly connected or installed for the specific type of aircraft. Improper wiring of the 3-pin plug. Flying in and around smoke. Malfunction of the restraint system for personnel.	Occasional	Critical	Serious-3	Refer to the IAIG, STC's, and 337's for proper procedures- contact HOS or AMI with questions and to initiate requests for additional approvals. Perform function test prior to ignition to confirm wiring is correct. Check restraint prior to takeoff. Repair or replace damaged or worn components.	Remote	Critical	Medium-2

SAFETY MANAGEMENT SYSTEM ASSESSMENT AND MITIGATION								
System Bein	System Being Evaluated: Aerial Ignition- PSD			ation	Post Mitigation		ation	
Sub System(s)	Hazards	Likelihood	Severity	Risk Level	Mitigation	Likelihood	Severity	Risk Level
Environment	Unimproved landing sites. Visibility.	Probable	Critical	High-4	Identify alternate landing areas in pre-burn recon. Perform an aerial recon of the site before landing, notify flight following personnel of landing location. Limit time flying in smoke. Coordinate ignitions to minimize exposure to smoke.	Occasional	Critical	Serious-3
Mission Planning	Military training routes, military operating areas, and general aviation traffic.	Occasional	Catastrophic	High-4	Consult up-to-date materials to identify routes. Ensure dispatch is appropriately using deconflicting procedures. See and avoid general aviation traffic.	Remote	Catastrophic	Serious-3
Mission	Inability to identify the Fireline location. Impact on people and animals in the proximity of the burn.	Occasional	Critical	Serious-3	Ensure adequate recon to identify Fireline, people, and animals. Use mapping technology to aid in boundary identification. If appropriate, have ground personnel light Fireline. Complete preburn notifications. Stop firing operations if necessary.	Occasional	Critical	Serious-3
Pilot Experience and Capabilities	Lack of pilot proficiency. Inadequate performance planning. Lack of recognition of adverse wind speed and direction, inexperienced in low-level helicopter operations.	Occasional	Catastrophic	High-4	Ensure an understanding of mission, hazards, and mitigations. Complete recon. Ensure pilot is carded for aerial ignition. Perform adequate planning using agency policy and guides. Refer to FSAPB 16-01 Helicopter Maneuvering and Power Management.	Remote	Catastrophic	Serious-3

SAFETY MANAGEMENT SYSTEM ASSESSMENT AND MITIGATION									
System Beir	ng Evaluated: Aerial Ignition- PSD	Pre Mitigation			Post Mit		t Mitiga	ition	
Sub System	Hazard	Likelihood	Severity	Risk Level	Mitigation		Likelihood	Severity	Risk Level
Plastic Sphere Dispenser	Malfunction of the machine. Improper installation. Improper or lack of maintenance. Improper securing of spheres, backup water supply, and other loose items for doors off operations.	Occasional	Critical	Serious-3	Inspect and test machine prior to use. Ass proper installation- ensure pilot or mecha verifies. Follow policies on maintenance, of and store machine after each use. Send to manufacturer as needed. Ensure items are properly secured for doors off operations.	inic clean, o e	Remote	Critical	Medium-2
Human Factor	Failure to follow policy and procedures. Sense of urgency/time pressure or mission pressure. Lack of familiarity with others working on the operation.	Occasional	Critical	Serious-3	Confirm policy and procedures are identifunderstood, and followed. Ensure not plaundue pressure on others. Conduct daily briefings, utilize standardized procedures, practice CRM, and limit rotation of persor possible, to maintain CRM.	cing	Remote	Critical	Medium-2
Final Assessment: Low-1 Medium-2 Serious -3 High-4		Prepared By: Joshua Pierotte				10/26/2022			

Map Of Mission Area: Refer to page 18 of the MASP for the forest hazard map. The map of the mission area will be reviewed before all flights.
Aerial Hazard Analysis: Ocala Helibase has completed a Flight Hazard Map, which identifies existing, known hazards. A copy of the hazard map will be provided to the pilot as a working reference. Along with such aviation hazards as airports, towers, power lines, major highways, and subdivisions, there are seven Restricted Areas on the Ocala National Forest. These Restricted Areas shall be given top priority to avoid airspace confliction with its users. The Pilot and Helicopter Manager shall coordinate all operations with FICC & SEALORD to eliminate any airspace confliction within the Restricted Areas. The assigned Helicopter Manager and the Pilot will review the Aviation Flight Hazard Map before flight operations commence.

#### **Aircraft Performance Planning:**

The pilot is responsible for the accurate completion of load calculations or PPC (military performance planning). Trained personnel shall ensure that aircraft scheduled are capable of performing the mission(s) safely and within the capabilities of the aircraft selected. The helicopter or flight manager shall ensure that manifests, load calculations, weight & balance are completed properly using accurate environmental and aircraft data. Reference NSHO chapter 7 or chapter 70 of the Military Use Handbook for additional information.

Personal Protective Equipment: * Alw	vays refer back to current ALSE, NSHO, and manual direction*
Type of Operation- Check applicable boxes that may apply to mission or mission	Personnel protective equipment requirements
	Fire-resistant clothing, hard hat w/chin strap or SPH-5 flight helmet or other approved model, fire resistant and/or leather gloves, all leather boots, eye protection, hearing protection.  *Refer to appropriate guides or policies for UAS PPE pending mission*
⊠ Rotor Wing	Fire-resistant clothing, SPH-5 flight helmet or other approved model, hard hat w/chin strap, fire resistant and/or leather gloves, all leather boots, eye protection, hearing protection. Additional personnel restraints needed in the helicopter pending type of mission. * Refer to appropriate guides or policies. * Charter flights, (non-agency controlled mission), shall comply with 14 CFR 135 requirements.
□ Doors Off Flight(s)	Personnel will remain seated and inside fuselage during all flights, approved secondary restraint harness for doors off flights (only for PLDO, HRAP, HRSP, Aerial Photography, IR Operator, ACETA Gunner, Cargo Letdown, Short Haul Spotter, Cargo Free Fall Operations-type 3 helicopter) * Refer to appropriate guides or policies*
Cargo Free Fall Operations	Fire-resistant clothing, SPH-5 flight helmet or other approved model, fire resistant and/or leather gloves, all leather boots, eye protection, hearing protection. Additional qualifications, compliance with rotorcraft manual, and approved restraint requirement apply. * Refer to NSHO chapter eleven for additional details or other agency guides and policies. *
Fixed Wing	Refer to current IASG, ALSE, and 5700 manual directions for PPE requirements.

Helicopter, Fixed Wing, or UAS Pilot Information: \*Fixed wing: Use "other" box, and state approved mission(s) \*\* National Guard, DOJ, DHS, and Co-Op pilots do not require this section, refer to current agency or cooperative letters for information and guidance\*\* Pilot Name (P1): PIC/Primary **Pilot Phone Number:** Click here to enter text. Click here to enter text. Pilot Name (P2): Co-Pilot/Relief **Pilot Phone Number:** Click here to enter text. Click here to enter text. Pilot Carded For Mission: Yes No Pilot Card (P1) Expiration Date: Click here to enter a date. Charter Pilot | 135 Certificate and FAR's Apply FAA-UAS Lic. # Click here to enter text. \*\* Use of charter pilot requires regional forester approval\*\* Pilot Card (P2) Expiration Date: Check all boxes that apply to pilot(s) carding Click here to enter a date. below: FAA-UAS Lic. # Click here to enter text. Low-Level Recon & Survey P1 P2 Designated "Pilot Trainer" P1 P2 Helitack-Passenger Transport P1 P2 "Trainee Only" Pilot P1 P2 External Load (Belly Hook) P1 P2 Short Haul LE SAR P1 P2 Water-Retardant Delivery P1 P2 Float Operations (Fixed) P1 P2 Longline VTR (150') P1 P2 Platform Landings-Offshore P1 P2 Snorkel VTR Mirror P1 P2 Vessel Landings P1 P2 Night Vision Goggle Operations P1 P2 Mountainous Terrain Flying P1 P2 Aerial Ignition (PSD) P1 P2 ACETA Net Gun (All ACETA) P1 P2 Aerial Ignition (Torch) P1 P2 ACETA Eradication P1 P2 Rappel Operations P1 P2 ACETA (Herding) P1 P2 Cargo Letdown P1 P2 ACETA Darting-Paintball P1 P2 Snow Operations (Deep Snow) P1 P2 STEP P1 P2 Hoist P1 P2 Other P1 P2 UAS P1 P2 Check and complete next Click here to enter text. section

#### **UAS Section:**

Procurement:						
Public- Agency Owned Commercial- Contract						
Comments- Click here to enter text.						
Aircraft Information: *Attach addendum page if runni	ng multiple aircraft*					
Fixed-Wing UAS Make – Choose an item	n. <b>UAS Model –</b> Choose an item.					
Rotor-Wing (VTOL)						
Carded for Mission - YES NO						
Card Expiration Date - Click here to enter text.						
Registration #- Click here to enter text.						
Aircraft Color Scheme - Click here to enter text.						
Crew: Other Than Pilot: Pilot(s) information found on	Helicopter and Fixed-Wing Pilot Information Sheet					
UAS Crew Leader – Click here to enter text.	Contact Number - Click here to enter text.					
UAS Data Specialist (1) - Click here to enter text.	Contact Number - Click here to enter text.					
UAS Data Specialist (2) - Click here to enter text.	Contact Number - Click here to enter text.					
UAS Visual Observer (1) - Click here to enter text.	Contact Number - Click here to enter text.					
UAS Visual Observer (2) - Click here to enter text.	Contact Number - Click here to enter text.					
Additional Crew - Click here to enter text.	Contact Number - Click here to enter text.					
Trainee Pilot/FAA UAS Lic. # - Click here to enter text.	Contact Number - Click here to enter text.					
Trainee Pilot/FAA UAS Lic. # - Click here to enter text.	Contact Number - Click here to enter text.					
Trainee Pilot/FAA UAS Lic. # - Click here to enter text. Contact Number - Click here to enter text.						
TFR Information:						
Click here to enter text.						

Airspace Authorization:				
☐ Part 107	107/LAANC	SGI Waiver	СОА	FAA/DOI MOA
Authorization Comment	s – Click here to enter	text.		
Lost Link and Flyaway Pr	ocedures-Protocols:			
Click here to enter text.				
Special Consideration-Sa	fety Concerns-Comm	ents Section:		
Click here to enter text.				

Flight Following And Frequencies	<u>:</u>	
*Confirm f	requencies during the briefing prio	r to flight*
*FAA Flight Plan (chartered a	ircraft non-agency controlled missi	on) no frequencies required*
	ator is responsible for communicat	
	FF Radio (Local or GAC	
• •	or agency contracted aircraft mission	
FAA Flight Plan: (Charter aircraft		7
	· · · · ·	_
FM Receive: 172.3750	FM Transmit: 165.2250	
		RX: No Tone
		TX: Tone 2 123.0
		Digital-\$4CE
FM Receive: 168.6750	FM Transmit: 168.6750	
		RX: No Tone
		TX: No Tone
FM Receive: 167.6250	FM Transmit: 167.6250	
		RX: No Tone
		TX: No Tone
		174110 10110
AM Receive: 122.125	AM Transmit: 122.125	
AWI Neceive. 122.123	ANI ITALISHIIC. 122.125	No Tone
		No rone
de de la constantina		
**Manager or Mission Supervis	or will coordinate Temporary Fligh	t Restrictions (TFR) if needed**
Military Training Pouto(s) (MTP'	6) or Military Operating Area(s) (M	DA'S)
ivilitary framing houte(s) (WITK 3	of or winitary Operating Area(s) (ivid	UR 3

Mission supervisor, alternate supervisor, or delegated manager shall confirm deconfliction in these routes and areas prior to the flight with dispatch or other approved local methods.

Deconfliction will be addressed during the aviation safety plan briefing.

MTR-MOA	Route Legs-Altitudes	Activity	Time	Time Zone
		•	Start: Check Daily with	
R-2906 and	VR-1010, VR-1041, and	Hot 🗌	Sealord	UTC 🗌
2907	VR-1040.			
	VR- 1500 ft. AGL and	Cold	Stop: Click here to enter	Local 🔀
	above.		text.	
		N/A 🗌		
			Start: Check daily with	
	VR-1009, VR-1008, VR-	Hot 🗌	Sealord	UTC 🗌
R-2910	1005, VR-1039, and IR-	_		_
	023	Cold	Stop: Click here to enter	Local 🖂
	VR- 1500 ft. AGL and		text.	
	above. IR- 1500 ft. AGL	N/A 🗌		
	and below.			

Crash Rescue/Medivac Plan						
General Instructions (in the event of an incident): Mission site duties and actions to be coordinated through dispatch in accordance with local search & rescue (SAR) and emergency crash rescue plan(s). These items will be discussed and recorded during the daily safety briefing.						
Specified crash rescue duties will be assigned to ground operations personnel each day before flights of any kind. Crash rescue and first aid equipment will be located near the helicopter operations site, and equipment's location made known to all personnel. Information and instructions will be sent/received through the local dispatch office or communications.						
EMT(s) on-site: YES NO						
Names:						
Click here to enter text.						
First responder(s) on-site: YES NO						
Names:						
Click here to enter text. Click here to enter text. Click here to enter text.						
Available medivac helicopter(s)? YES UNKNOWN						
*Unknown: Select if medivac helicopter is not to be ordered for the mission or incident before need. The helicopter will be requested on-demand through the dispatch process. Dispatch will provide medivac ship call sign or tail number, including capabilities and contact information. *  Medivac helicopter on-site?  YES  NO						
Level of care medivac helicopter personnel can provide: ALS BLS Unknown						
FAA Tail #(s) Click here to enter text.  Contact Information: Click here to enter text.						
Hoist/Rappel/Extraction Capable? YES NO						
Check all that apply: Hoist Rappel Short Haul						


### Additional medical information attached? YES NO

MEDICAL FACILITY	Name/Location/Helipad Inform	ation	Helipad		
Florida Hospital Waterman	Waterman Hospital/City of	YES 🖂			
	Helipad marked with H and Ligh	NO 🗌			
Latitude N 28 48.50'	Longitude W 081 52.04'		eq EMS Med 7 Rx 468.150 Tone 94.8		

MEDICAL FACILITY  Putman Community	Name/Location/Helipad Inform Putman Community / City of P next to ER on the ground	Helipad YES ⊠ NO □	
Latitude N29 38.60'	Longitude W081 41.60'	•	None have dispatch Il by Landline 386-

NEAREST BURN FACILITY	Name/Location/Helipad Inform	Helipad	
Shands Hospital	Shands/ Gainesville/ On Roof o	YES 🔀	
	side Pad 2		NO 🗌
Latitude N29 38.42'	Longitude W082 20.55	Contact Freq R	x 123.02 Tx 123.02

#### Flight Hazard Map CY23



☑ Doors Off or Doors Open Flight(s)	secondary ru Photograph Free Fall Op **Safety Ale "Agency pe aircraft door	estraint harness y, IR Operator, A erations-type 3 ert IASA 18-03 la ersonnel involved es to be removed	d and inside fuselage during all flights, a for doors off flights (only for PLDO, HRACETA Gunner, Cargo Letdown, Short Hahelicopter) * Refer to appropriate guide nguage**  I in any public aircraft operations mission of prior to flight, or open during flight, sher training prior to conducting flight of	AP, HRSP, Aerial aul Spotter, Cargo as*  In that require all receive hands-
Doors Off or Open Operations ch	ecklist: **All item	ns shall be co	overed and signed for prior to	o operations**
Aircraft connection point and				
Potential of secondary restration  Know location and use of se  Perform buddy–check and P	ne secondary restra aint interference w condary restraint i ilot in Command c ary restraint quick-	with Airbus Anteraction of	cion with FAA approved seat l	oplicable. t.
Vendor Name:	Aircraft Model:		Aircraft Make:	FAA#:
Mission Supervisor/Manager:	Date:	Pilot:		Date:
Participant's Name: Print	Date		Participant's Name: Print	Date

### **Appendix 1**

#### **Hazardous Materials Manifest**

### Form (cont.) DOT-SP-9198

Date: Click or tap to enter a date. Aircraft #: Click or tap here to enter text. Bureau/Agency: Click or tap here to enter text.

Common Name	Shipping Name	Hazard Class	UN#	ERG#	QTY	WT
Acetylene	Acetylene, dissolved	2.1 Flammable Gas	UN1001	116		
Aerosols	Aerosols non-flammable each not exceeding one-liter capacity	2.2 Non-Flammable Gas	UN1950	126		
Aerosols starting fluid, WD-40	Aerosols flammable each not exceeding one-liter capacity	2.1 Flammable Gas	UN1950	126		
Batteries dry	Batteries dry, containing potassium hydroxide solid electric storage	8 Corrosive	UN3028	154		
Batteries wet	Batteries wet filled with acid	8 Corrosive	UN2794	151		
Batteries wet	Batteries wet filled with alkali	8 Corrosive	UN2795	131		
Batteries wet	Batteries wet non-spillable	8 Corrosive	UN2800	154		
Bear spray, irritants	Aerosols flammable each not exceeding one-liter capacity	2.1 Flammable Gas	UN1950	126		
Biomedical waste	Infectious substances affecting humans	6.2	UN2814	158		
Cartridge	Cartridge for small arms	1.4s	UN0012	114		
Clorox, liquid bleach	Hypochlorite Solutions	8 Corrosive	UN1791	154		
Diesel	Diesel, fuel	3 Flammable	UN1993	128		
Drip torch fuel	Gasoline/ Diesel	3 Flammable	UN1203	128		
Engine, internal combustion	Engine, internal combustion, flammable gas powered <i>or</i> Engine, fuel cell, flammable gas powered <i>or</i> Machinery, internal combustion, flammable gas powered <i>or</i> Machinery, fuel cell, flammable gas powered	2.1	UN3529	135, A200		

#### **Hazardous Materials Manifest**

### Form (cont.) DOT-SP-9198

Date: Click or tap to enter a date. Aircraft #: Click or tap here to enter text. Bureau/Agency: Click or tap here to enter text.

Common Name	Shipping Name	Hazard Class	UN#	ERG#	QTY	WT
Engine, internal combustion	Engine, internal combustion, flammable liquid powered <i>or</i> Engine, fuel cell, flammable liquid powered <i>or</i> Machinery, internal combustion, flammable liquid powered <i>or</i> Machinery, fuel cell, flammable liquid powered	3	UN3528	135, A20 0		
Engine, internal combustion	Engine, internal combustion <i>or</i> Machinery, internal combustion	9	UN3530	135, A20 0		
Engines internal combustion	Engine internal combustion flammable gas powered	9 Misc.	UN3166	128		
Fire extinguisher	Fire extinguisher	2.2 Non-Flammable Gas	UN1044	126		
Fireline explosives FLE	Explosive blasting type E	1.1D EXPLOSIVES	UN0241	112		
Flare shell Pistol flare	Flammable solid, inorganic, nos (Aluminum powder)	4.1 Flammable Solid	UN3178	133		
Fuel white gas	Petroleum distillates, nos, (Naphtha solvent)	3 Flammable	UN1268	128		
Fuel, aviation jet- A	Fuel aviation, turbine engine	3 Flammable	UN1863	128		
Fusee	Fusee (rail or highway)	4.1 Flammable Solid	UN1325	133		
Gasoline	Gasoline	3 Flammable	UN1203	128		
Lithium battery	Lithium battery	9 Misc.	UN3090	138		
MAPP gas helitorch	Methyl acetylene propadiene propane mixtures stabilized	2.1 Flammable Gas	UN1060	116P		
Nitrogen	Nitrogen, compressed	2.2 Non-Flammable Gas	UN1066	121		
Nitrogen refrigerated	Nitrogen, refrigerated liquid, cryogenic liquid	2.2 Non-Flammable Gas	UN1977	120		

#### **Hazardous Materials Manifest**

### Form (cont.) DOT-SP-9198

Date: Click or tap to enter a date. Aircraft #: Click or tap here to enter text. Bureau/Agency: Click or tap here to enter text.

Common Name	Shipping Name	Hazard Class	UN#	ERG#	QTY	WT
Oxygen	Oxygen, compressed	2.2 Non-Flammable Gas	UN1072	122		
Paint	Paint including lacquer, enamel, stain, shellac, solutions, varnish, polish, liquid filler, and lacquer base, wood preservative	3 Flammable	UN1263	128		
Petro-gel helitorch	Gelling agent-helitorch	3 Flammable	UN1230	131		
Petroleum oil	Petroleum oil	3 Flammable	UN1270	128		
Plastic spheres	Potassium permanganate	5.1 Oxidizer	UN1490	140		
Propane	Petroleum gases, liquefied	2.1 Flammable Gas	UN1075	115		
Total Weight						
Shipper's Signature		Location				
Pilot's Signature						