MASP INSTRUCTIONS

Pages <u>1-11</u> or through map and aerial hazard analysis page (due to extended risk assessment) require total completion for submission, review, and approval signature (mission approver signatureappropriate level line officer). Subsequent pages see instructions below

Subsequent pages include: Pilot information, flight following, frequencies, MTR's / MOA's, crash rescue /medivac, and additional appendices. Complete these pages as information becomes available. Partial completion of these pages is recommended during the submission process. (Subsequent pages shall be filled out prior to mission initiation).

RISK MATRIX INSTRUCTIONS

Appropriate management level for operational risk decision will remain the same in the color-coded format. The number system on page (6) in the risk management scale is incorporated into the drop-down menu of risk assessment attached. Values of risk level are as follows:

Low-1 Medium-2

Serious-3 High-4

In no case will the overall risk of the mission be less than the highest specific factor. (Example: One high, one serious, and two medium threats couldn't result in anything less than a high).

SIGNATURE'S

Signature blocks are in order of how the MASP will move forward for review and signature. Route all MASP's through the Zone Aviation Officer or delegated acting. The tan colored fields are required to be signed for at the Line Officer level. The MASP's will be routed back down through the Zone Aviation Officer or delegated acting after signature from the Regional Aviation Officer. MASP will come back in PDF for approving official to sign in signature block and risk assessment (See tan highlighted areas).

Signing: All signature boxes up to the Zone Aviation Officer will be signed in typed text. See below.

Example: /s/ John M. Smith

Regional Aviation Safety Manager and Regional Aviation Officer will sign with a link pass digital signature. Approval of risk assessment and line officer plan approval final signature will be wet signature or link pass digital signature (line officer discretion). These areas are a tan color. The mission aviation safety plan will come back to the field in PDF format for ease of link pass signatures.

RETENTION AND FILING OF PLAN

Once the mission safety plan is approved, the plan will be maintained in the dispatch office and referenced during flight. Retention of the plan and daily briefing sheets by the forest, refuge or unit shall be one year: reference NSHO Chapter 3, Mission Aviation Safety Plans, or any other governing policies that refer to MASP retention per aircraft type.

Forest-Refuge-Unit:	District-Unit:
Apalachicola National Forest	Apalachicola & Wakulla Ranger District

FS ⋈ NPS □ BLM □ Calendar Year YES ⋈ NO □ → FWS □ BIA □ Date Variance Acceptable YES □ NO □	2023			
STATE OTHER <u>*Document variance in aviation safety p</u> briefing sheet or ICS 214*	<u>n</u>			
Aircraft Type				
Fixed Rotor UAS Start Date End Date	MASP Objectives			
Image: Markov m Narkov markov mark	Training Image: Constraint of the second consecond conseconstraint of the second constraint of the s			

Mission prepared by: /s/ Trixie Smith	Title: Helicopter Manager	10/31/2022
Mission reviewed by: (OPTIONAL) Forest Level: Click here to enter text.	<u>Title</u> : Choose an item.	Click here to enter a date.
Mission review by: (OPTIONAL) Regional Level: Click here to enter text.	Title: Choose an item.	Click here to enter a date.
Mission review by: (OPTIONAL) Zone Aviation Officer: /s/ Joshua Pierotte	<u>Title</u> : Zone Aviation Officer (south)	11/2/2022
Mission reviewed by: (REQUIRED) RASM:	Title: Regional Aviation Safety Manager or Acting	See signature for date.
Mission reviewed By: (REQUIRED) RAO:	<u>Title</u> : Regional Aviation Officer or Acting	See signature for date.
Mission-Risk Assessment approved by: Forest Service Line, IC, or Ops Section Chief-	Title: Forest Supervisor or Acting	See signature for date.

Mission Supervisor:	Alternate Mission Supervisor:
ANF Helicopter Manager or Flight Manager	Forest Aviation Officer or Zone Aviation Officer

** Participant's qualifications and responsibilities verified/discussed during daily briefing**

Mission Name Apalachicola N.F Ecosystem Management (EM) Flights CY 2023

Mission Description:

Note: Compliance with the operational procedures outlined in the Mission Aviation Safety Plan is required.

Ecosystem Management (EM) missions consist of reconnaissance and missions that can require flight profiles under 500' above ground level (AGL). These missions are generally accomplished using a helicopter. The use of fixed- wing aircraft to accomplish these missions are authorized if operating 500' AGL or above. The flight profiles associated with EM are used to accomplish (resource) missions such as, but not limited to wildlife management, timber management, animal tracking, storm damage assessment, and biological/hydrologic flights.

Missions described above will be accomplished with Exclusive Use, Call-When-Needed (CWN), or agency owned aircraft (WCF). Incoming units will receive a local aviation in-briefing (airspace, frequencies, DOD areas, etc.).

Mission Objectives:

- Provide a safe, timely, and cost-effective alternative to ground-based operations.
- Enhance the ability of the user to provide real-time and accurate data for outlined missions stated in the mission description.
- Accomplish agency goals/expectations with limited resources and personnel.

Aircraft Justification for Mission:

Using rotor and/or fixed-wing aircraft for these operations is the most efficient means of meeting mission objectives. This method of conducting aerial resource mission(s) allows for the following:

- Personnel Safety: Limits exposure and mitigates the need for additional personnel. Reduces the need for ground operations, particularly in remote, adverse terrain and thick, impenetrable vegetation.
- Cost-Effectiveness: Expedites timeframes, lowers personnel requirements for conducting resource missions, and achieves agency goals while generally reducing costs.
- Timeliness: Resource mission objectives can be determined quickly from the air, assisting managers in making real-time and critical decisions to meet agency goals.
- Land stewardship: Enables mission objectives/goals to be met while being light on the land.

Aircraft Information: *Refer to Appropriate page	e for UAS information*				
Check all that apply, if name is unknown, add information to safety plan briefing sheet *Leave text fields blank if unknown* *All cooperators require an annual approval letter onboard except DOJ-DHS aircraft*					
Cooperator Click here to enter text.	Agency 🔀 Click here to enter text.				
Vendor 🔀 Click here to enter text.	Military 🗌 Click here to enter text.				
Other 🗌 Click H	nere to enter text.				
Rotor Wing: Type One Type	: Two 🔀 Type Three 🔀				
	andard typing in aircraft justification and resource pabilities, equipment, Etc.)				
Fixed Wing: Single Engine	Twin Engine 🔀				
	conditioning, high or low wing, pressurized cabin, ts in aircraft justification and resource order*				
Aircraft Make and Model: Refer to the safety pla model (helicopter or fixed-wing only below).	n briefing sheet for vendor name, make, FAA#, and				
	umber: <u>Model:</u>				
Trans Aero N3	57TA AS-350B3				
Unknown CWN 🛛	Unknown EU 🔀				
•	n attained after hiring process**				
	U)- mark appropriate boxes, have CWN inspection on file with MASP for aircraft data**				
Procurement and Cost Information: Check unknow information.					
Procurement Type: EU and CWN Unknown	Estimated Flight Hour Cost: Unknown 🔀				
Missioned Flight Hours: Unknown 🔀	Estimated Miscellaneous Cost(s): Unknown 🔀				
Charge Code: Unknown 🔀					

Mission risk assessment completed prior to mission approval

Risk assessment hazards shall be re-assessed prior to mission engagement

See appropriate management level for approval and dynamic flowchart decision-making tool

	Mission Risk Assessment Matrix Scale						
		Severity					
Likelihood	Negligible	Marginal	Critical	Catastrophic			
	IV	Ш	Ш	I			
Frequent							
А							
Probable				High 4			
В		(erious 3				
Occasional							
С							
Remote		Medium 2					
D							
Improbable	Low 1						
E							

Severity and Likelihood Scale Definitions						
	Severity		Likelihood			
Catastrophic	Fatalities and or loss of the system.	Frequent	Likely to occur and continuously experienced.			
Critical	Severe injury and or major system damage.	Probable Occasional	Will occur several times and occur often.			
Marginal	Minor injury and or minor system damage.	Remote	Likely to occur sometimes and will occur several times. Unlikely to occur, but possible.			
Negligible	Less than minor injury and or less than minor damage.	Improbable	Unlikely, but expected to occur.			

Appropriate Management Level for Operational Risk Decisions								
Risk Level	Fire	Mission (non-fire)						
High	Incident Commander or Operations Sections Chief	Line Officer/Manager						
Serious	Incident Commander or Operations Sections Chief	Line Officer/Manager						
Medium	Air Operations Branch Director	Mission Aviation Manager						
Low	Base Manager	Helicopter or Flight Manager						

SAFETY MANAGEMENT SYSTEM ASSESSMENT AND MITIGATION								
System Be	ing Evaluated: EM Flights	Pre	Mitiga	ation	Post Mi			ation
Sub System(s)	Hazards	Likelihood	Severity	Risk Level	Mitigation	Likelihood	Severity	Risk Level
Aerial Hazards	Avoid known hazards and aerial obstacles such as bird strikes, embers, smoke, etc.	Probable	Critical	High-4	Brief personnel to be aware of known physical hazards using the Aerial Hazards Map. Perform high-level recon before commencing low-level operations. See and avoid birds and other obstacles. Use quality crew communication and implement crew resource management.	Remote	Critical	Medium-2
Capability	Aircraft capabilities/limitations are not appropriate to mission. Overloaded aircraft. Adverse wind speed and direction.	Occasional	Catastrophic	High-4	Ensure appropriate aircraft is ordered and utilized. Conduct a thorough pre-mission briefing. Complete load calculations and weight & balance. Pilot to obtain updated weather briefing and continually monitor wind speed and direction. Operate aircraft in accordance with RFM.	Remote	Catastrophic	Serious-3
Communications	Unclear on assignments or unclear briefing. Miscommunication from air to ground. Poor communication such as non-standard wording etc. Loss of communications (FM, AM, or ICS).	Occasional	Critical	Serious-3	Mission leader in performing a complete briefing. Use clear text and proper nomenclature in all communications. Utilize read-back to ensure instructions are understood. Suspend all operations until communications can be restored. Ensure AFF is working properly for resource tracking.	Remote	Critical	Medium-2
Weather	Extreme weather- thunderstorms, high winds, etc. Lack of visibility due to fog, smoke, shadows/glare, loss of daylight, etc.	Occasional	Critical	Serious-3	Obtain weather briefings. Continuously monitor conditions. Abort missions as necessary until conditions improve. Be prepared for changing conditions and identify alternative landing locations.	Remote	Critical	Medium-2

SAFETY MANAGEMENT SYSTEM ASSESSMENT AND MITIGATION								
System	Being Evaluated: EM Flights	Pre	Mitiga	ation	Post Mitig		st Mitig	ation
Sub System(s)	Hazards	Likelihood	Severity	Risk Level	Mitigation	Likelihood	Severity	Risk Level
Faviranment	Unimproved landing sites.	Probable	Critical	High-4	Identify alternate landing areas before the mission, as necessary. Perform an aerial recon of the site before landing, notify flight following personnel of landing location. Plan flight(s) for best access to alternate landing areas.	Occasional	Critical	Serious-3
Environment	Mountainous terrain.	Probable	Critical	High-4	Ensure pilot is trained, experienced, and qualified for the mission. Aircraft appropriate for mission and carded. Conduct high recon before any low- level operations.	Occasional	Critical	Serious-3
Mission Planning	Military training routes, military operating areas, and general aviation traffic.	Occasional	Catastrophic	High-4	Consult up-to-date materials to identify routes. Ensure dispatch is appropriately using de- conflicting procedures. See and avoid general aviation traffic.	Remote	Catastrophic	Serious-3
Pilot Experience and Capabilities	Lack of pilot proficiency. Inadequate performance planning. Lack of recognition of adverse wind speed and direction. Inexperienced in low-level helicopter operations.	Occasional	Catastrophic	High-4	Ensure an understanding of mission, hazards, and mitigations. Complete recon. Ensure pilot is carded for aerial ignition. Perform adequate planning using agency policy and guides. Refer to FSAPB 16-01 Helicopter Maneuvering and Power Management.	Remote	Catastrophic	Serious-3

	SAFETY MANAGEMENT SYSTEM ASSESSMENT AND MITIGATION								
System	Being Evaluated: EM Flights	Pre	Pre Mitigation				Post Mitigation		
Sub System	Hazard	Likelihood	Severity	Risk Level	Mitigation		Likelihood	Severity	Risk Level
	Failure to follow policy and procedures. Sense of urgency/time pressure or mission pressure. Lack of familiarity with others working on the operation.	Occasional	Critical	Serious-3	Confirm policy and procedures are identified understood, and followed. Ensure not place undue pressure on others. Conduct daily briefings, utilize standardized procedures, practice CRM, and limit rotation of person	cing	Remote	Critical	Medium-2
Human Factors	Airsickness of passengers.	Probable	Negligible	Medium-2	Poll employees for known airsickness issue before the pre-flight briefing. Obtain locat brief on the use of sickness sack on board aircraft. Open-air vents and ask pilot to lan soon as possible if sickness happens in flig	es tion and the nd as	Probable	Negligible	Medium-2
Final Assessment: Low-1 Medium-2 Serious -3 High-4 Prepared By: Joshua Pierotte 11/2/2022									

<u>Map Of Mission Area</u>: Depict aerial hazards in this map if known. If map or supporting documents do not fit page format, attach as an appendix. Attach the addendum to the end of the MASP.

**See attachment Appendix 2 (Page 21) **

Aerial Hazard Analysis:

Northeast corner of the Apalachicola Nation Forest (ANF) on the Wakulla Ranger District, side is a Class C airspace, which is Tallahassee International Airport (KTLH), in the KTLH airspace it contains 32 burn units. On the ANF we have 2 Military Operational Areas (MOA) on the Apalachicola Ranger District, Tyndall D, and E MOA for special military activity contact Gainesville Radio on 122.2 or 122.45 for activity status. There is total of 100 burn units inside Tyndall MOA. We also have 3 Military Training Route VFR (IR021, IR015, and IR019) and 1 Military Training Route IFR (V521). They are all on the East side of the Forest and located on Wakulla Ranger District. Another hazard to look out for on the Forest is transmission lines or towers. Transmission lines are across forests or near private/state land. One well-known tower is FSU Repeater (T82) 1000' AGL high-intensity white strobe & red; it is in burn unit 209. The Apalachicola National Forest has 3 Wilderness areas, 2 of which are on the Wakulla Ranger District (Bradwell Bay Wilderness and Clear Lake Wilderness Study Area) and 1 on the Apalachicola Ranger District (Mud Swamp New River wilderness).

Aircraft Performance Planning:

The pilot is responsible for the accurate completion of load calculations or PPC (military performance planning). Trained personnel shall ensure that aircraft scheduled are capable of performing the mission(s) safely and within the capabilities of the aircraft selected. The helicopter or flight manager shall ensure that manifests, load calculations, weight & balance are completed properly using accurate environmental and aircraft data. Reference NSHO chapter 7 or chapter 70 of the Military Use Handbook for additional information.

Personal Protective Equipment: * Alw	vays refer back to current ALSE, NSHO, and manual direction*
Type of Operation- Check applicable boxes that may apply to mission or mission	Personnel protective equipment requirements
Rotor Wing Ground Operations Including UAS	Fire-resistant clothing, hard hat w/chin strap or SPH-5 flight helmet or other approved model, fire resistant and/or leather gloves, all leather boots, eye protection, hearing protection. *Refer to appropriate guides or policies for UAS PPE pending mission*
Rotor Wing	Fire-resistant clothing, SPH-5 flight helmet or other approved model, hard hat w/chin strap, fire resistant and/or leather gloves, all leather boots, eye protection, hearing protection. Additional personnel restraints needed in the helicopter pending type of mission. * Refer to appropriate guides or policies. * Charter flights, (non-agency controlled mission), shall comply with 14 CFR 135 requirements.
Doors Off Flight(s)	Personnel will remain seated and inside fuselage during all flights, approved secondary restraint harness for doors off flights (only for PLDO, HRAP, HRSP, Aerial Photography, IR Operator, ACETA Gunner, Cargo Letdown, Short Haul Spotter, Cargo Free Fall Operations-type 3 helicopter) * Refer to appropriate guides or policies*
Cargo Free Fall Operations	Fire-resistant clothing, SPH-5 flight helmet or other approved model, fire resistant and/or leather gloves, all leather boots, eye protection, hearing protection. Additional qualifications, compliance with rotorcraft manual, and approved restraint requirement apply. * Refer to NSHO chapter eleven for additional details or other agency guides and policies. *
☐ Fixed Wing	Refer to current IASG, ALSE, and 5700 manual directions for PPE requirements.

Helicopter, Fixed Wing, or UAS Pilot Information: *	Fixed wing: Use "other" box, and state approved				
mission(s) <u>**</u> National Guard, DOJ, DHS, and Co-Op pilots do not require this section, refer to current					
agency or cooperative letters for information and guidance**					
Pilot Name (P1): PIC/Primary	Pilot Phone Number:				
Pilot Name (P2): Co-Pilot/Relief	Pilot Phone Number:				
Pilot Carded for Mission: Yes No	Pilot Card (P1) Expiration Date:				
Charter Pilot 🗌 135 Certificate and FAR's Apply	FAA-UAS Lic. #:				
** Use of charter pilot requires regional forester					
approval**	Pilot Card (P2) Expiration Date:				
Check all boxes that apply to pilot(s) carding below:					
	FAA-UAS Lic. #:				
Low-Level Recon & Survey P1 🗌 P2 🗌	Designated "Pilot Trainer" P1 🗌 P2 🗌				
Helitack-Passenger Transport P1 P2	"Trainee Only" Pilot P1 🗌 P2 🗌				
External Load (Belly Hook) P1 🗌 P2 🗌	Short Haul LE SAR P1 P2				
Water-Retardant Delivery P1 P2	Float Operations (Fixed) P1 P2				
Longline VTR (150') P1 🗌 P2 🗌	Platform Landings-Offshore P1 P2				
Snorkel VTR Mirror P1 P2	Vessel Landings P1 P2				
Mountainous Terrain Flying P1 P2	Night Vision Goggle Operations P1 P2				
Aerial Ignition (PSD) P1 P2	ACETA Net Gun (All ACETA) P1 🗌 P2 🗌				
Aerial Ignition (Torch) P1 🗌 P2 🗌	ACETA Eradication P1 P2				
Rappel Operations P1 P2	ACETA (Herding) P1 🗌 P2 🗌				
Cargo Letdown P1 🗌 P2 🗌	ACETA Darting-Paintball P1 P2				
Snow Operations (Deep Snow) P1 P2	STEP P1 P2				
Hoist P1 P2	Other P1 P2				
UAS P1 P2 Check and complete next section					

UAS Section:

Proc	curement:		
	Public- Agency Owned		Commercial- Contract
Com	ments- Click here to ente	er text.	

Aircraft Information: *Attach addendum page if running multiple aircraft*					
Fixed-Wing	UAS Make – Choose an item.	UAS Model – Choose an item.			
Rotor-Wing (VTOL)					
Carded for Mission - 🗌 YES 🗌 NO					
Card Expiration Date - Click here to enter text.					
Registration #- Click here to enter text.					
Aircraft Color Scheme -	Click here to enter text.				

Crew: Other Than Pilot: Pilot(s) information found on Helicopter and Fixed-Wing Pilot Information Sheet

UAS Crew Leader:	
UAS Data Specialist (1):	 Contact Number:
UAS Data Specialist (2):	 Contact Number:
UAS Visual Observer (1):	 Contact Number:
UAS Visual Observer (2):	 Contact Number:
Additional Crew:	 Contact Number:
Trainee Pilot/FAA UAS Lic. #:	 Contact Number:
Trainee Pilot/FAA UAS Lic. #:	 Contact Number:
Trainee Pilot/FAA UAS Lic. #:	 Contact Number:

TFR Information:

Click here to enter text.

Airspace Authorization:					
Part 107	107/LAANC	SGI Waiver	Ο Ο Ο Ο	🗌 FAA/DOI MOA	
Authorization Comments – Click here to enter text.					

Lost Link and Flyaway Procedures-Protocols: Click here to enter text.

Special Consideration-Safety Concerns-Comments Section:

Click here to enter text.

Flight Following	g and Frequencies	<u>:</u>			
Confirm frequencies during the briefing prior to flight					
FAA Flight	Plan (chartered a	ircraft non-agency-controlled missi	ion) no frequencies required		
C	hartered 135 oper	ator is responsible for communicat	tions and flight plan		
	g Method: A				
		or agency contracted aircraft missi			
		non-agency-controlled mission)	, <u></u>		
FM Receive:	(FM Transmit:			
F	SU		RX: No Tone		
170	.5500	164.1250	TX: Tone 7 167.9		
			Digital- \$68F		
FM Receive:		FM Transmit:			
	natra		RX: No Tone		
	.5500	164.1250	TX: Tone 5 146.2		
170	.5500	104.1250	Digital-\$5B6		
FM Receive:		FM Transmit:	Digital-3580		
	467 5350	Fivi Transmit:	No Taxa		
Pri: A/G 15	167.5250		No Tone		
Sec: A/G 71	168.6750	Same as receive	No Tone		
AM Receive: AM Transmit:					
Pri: A/A 1	122.9250	No Tone			
Sec: A/A 2	122.2750	Same as receive	No Tone		

Manager or Mission Supervisor will coordinate Temporary Flight Restrictions (TFR) if needed

Military Training Route(s) (MTR'S) or Military Operating Area(s) (MOA'S)

The mission supervisor, alternate supervisor, or delegated manager shall confirm deconfliction in these routes and areas prior to the flight with dispatch or other approved local methods. Deconfliction will be addressed during the aviation safety plan briefing.

MTR-MOA	Route Legs-Altitudes	Activity	Time	Time Zone
Tyndall D MOA	300' AGL to 6000' MSL	Hot 🖂 Cold 🗌 N/A 🗌	Start: 09:00am Stop: 23:00pm	UTC 🗌 Local 🔀
Tyndall E MOA	300' AGL to 6000' MSL	Hot 🖂 Cold 🗌 N/A 🗌	Start: 09:00am Stop: 23:00pm	UTC 🗌 Local 🔀

Crash Rescue/Medivac Plan
General Instructions (in the event of an incident): Mission site duties and actions to be coordinated
through dispatch in accordance with local search & rescue (SAR) and emergency crash rescue
plan(s). These items will be discussed and recorded during the daily safety briefing.
Specified crash rescue duties will be assigned to ground operations personnel each day before flights
of any kind. Crash rescue and first aid equipment will be located near the helicopter operations site,
and equipment's location made known to all personnel. Information and instructions will be sent/
received through the local dispatch office or communications.
EMT(s) on-site: YES NO
Names:
First responder(s) on-site: YES NO
Names:
Available medivac helicopter(s)? YES UNKNOWN
*Unknown: Select if medivac helicopter is not to be ordered for the mission or incident before need.
The helicopter will be requested on-demand through the dispatch process. Dispatch will provide
medivac ship call sign or tail number, including capabilities and contact information. *
Medivac helicopter on-site? YES NO
Level of care medivac helicopter personnel can provide: ALS 🗌 BLS 🗌 Unknown 🖂
FAA Tail #(s) Contact Information:
Hoist/Rappel/Extraction Capable? YES NO
Check all that apply: Hoist Rappel Short Haul

Additional medical information attached? YES NO 🗌 (See Appendix 3) Page 22

MEDICAL FACILITY

	Helipad		
Tallahassee Memorial HealthCare			Helipad H1
		YES ⊠→	ROOF-TOP, 54 x 54 ft. Elevation:
130 Miccosukee Rd.		· - · <u> </u>	279.0 ft. Max GWT 10,500 lbs.
Tallahassee, FL 32308	FAA#: FD18		
	FAA#. FDTO		Helipad H2
(850) 431-1155	Travel Time:		ROOF-TOP, 50 x 50 ft. Elevation:
			-
(ER)- 850-431-0911	Air 20 min a	nd Ground 60 min	273.0 ft. Max GWT 10,500 lbs.
Coordinates		Contact Frequencies	
Hospital: N30°27.44' / W84°15.66		AM Receive: 168.65	00 AM Transmit: 168.6500
Helipad H1: N30°27.42' / W84°15.69		RX Tone: No To	ne TX Tone: No Tone
Helipad H2: N30°27.45' / W84°15.64			
	lanager: PHILI	P DOYLE, (850) 431-5184	

Capital Regional Medical Center 2626 Capital Medical Blvd Tallahassee, FL 32308 (850) 325-5000	FAA#: 68FL		·	Helipad H1 Concrete, 40 x 40 ft. Elevation: 149.5 ft. Max GWT 10,500 lbs. Helipad H2 N/A
Coordinates Hospital: Helipad H1: <u>N30°28.56' / W84°13.86'</u> Helipad H2:	·	Contact Freque AM Receive: RX Tone:		
		Manager:		

NEAREST BURN FACILITY

1515 Gaine	h Shands Hospital SW Archer Rd esville, FL 32608 52) 265-0111	FAA#: FA12 Travel Time:	YES 🖂 nd Ground 2.5 hrs.	· →	Helipad H1- North Elevated Pad Concrete, 72 x 72 ft. Elevation: 334.0 ft. Max GWT 11,000 Ibs. Helipad H2- South Elevated Pad Concrete, 75 x 75 ft. Elevation: 334.0 ft. Max GWT 11,000 Ibs.
Coordinates			Contact Frequenci	ies	
Hospital:			AM Receive: 16	61.62	50 AM Transmit: 161.6250
Helipad H1:	N29°38.35' / W82°20.72'		RX Tone: N	lo Tor	ne TX Tone: No Tone
Helipad H2:	N29°38.36' / W82°20.55'				
			Manager:		

☑ Doors Off or Doors Open Flight(s)	Personnel will remain seated and inside fuselage during all flights, approved secondary restraint harness for doors off flights (only for PLDO, HRAP, HRSP, Aerial Photography, IR Operator, ACETA Gunner, Cargo Letdown, Short Haul Spotter, Cargo Free Fall Operations-type 3 helicopter) * Refer to appropriate guides* **Safety Alert IASA 18-03 language** "Agency personnel involved in any public aircraft operations mission that require aircraft doors to be removed prior to flight, or open during flight, shall receive hands- on secondary restraint refresher training prior to conducting flight operations".
	All items shall be covered and signed for prior to operations lary restraint configuration (Interagency Safety Alert IASA 17-02)
Proper donning and adjustment of second s	econdary restraint system.
Have an understanding of the second	dary restraint interaction with FAA approved seat belts.
Potential of secondary restraint inte	rference with Airbus AS 350 fuel shut off lever if applicable.
Know location and use of secondary	restraint interaction quick- release.
Perform buddy–check and Pilot in Co	ommand check of secondary restraints before flight.
Practice egress with secondary restration	aint quick-release mechanism and function of seatbelt.
_	

Know location and use of rescue knife.

Vendor Name:	Aircraft Model:		Aircraft Make:	FAA#:
Mission Supervisor/Manager:	Date:	Pilot:		Date:

Participant's Name: Print	Date	Participant's Name: Print	Date

Appendix 1 – Hazardous Material Manifest Form DOT-SP-9198


 Date:

 Aircraft #:

Common Name	Shipping Name	Hazard Class	UN #	ERG #	QTY	WT
Acetylene	Acetylene, dissolved	2.1 Flammable Gas	UN1001	116		
Aerosols	Aerosols non-flammable each not exceeding one-liter capacity	2.2 Non-Flammable Gas	UN1950	126		
Aerosols starting fluid, WD-40	Aerosols flammable each not exceeding one-liter capacity	2.1 Flammable Gas	UN1950	126		
Batteries dry	Batteries dry, containing potassium hydroxide solid electric storage	8 Corrosive	UN3028	154		
Batteries wet	Batteries wet filled with acid	8 Corrosive	UN2794	151		
Batteries wet	Batteries wet filled with alkali	8 Corrosive	UN2795	131		
Batteries wet	Batteries wet non- spillable	8 Corrosive	UN2800	154		
Bear spray, irritants	Aerosols flammable each not exceeding one-liter capacity	2.1 Flammable Gas	UN1950	126		
Biomedical waste	Infectious substances affecting humans	6.2	UN2814	158		
Cartridge	Cartridge for small arms	1.4s	UN0012	114		
Clorox, liquid bleach	Hypochlorite Solutions	8 Corrosive	UN1791	154		
Diesel	Diesel, fuel	3 Flammable	UN1993	128		
Drip torch fuel	Gasoline/ Diesel	3 Flammable	UN1203	128		
Engine, internal combustion	Engine, internal combustion, flammable gas powered or Engine, fuel cell, flammable gas powered or Machinery, internal combustion, flammable gas powered or Machinery, fuel cell, flammable gas powered	2.1	UN3529	135, A200		
Engine, internal combustion	Engine, internal combustion, flammable liquid powered or Engine, fuel cell, flammable liquid powered or Machinery, internal combustion, flammable liquid powered or Machinery, fuel cell, flammable liquid powered	3	UN3528	135, A200		
Engine, internal combustion	Engine, internal combustion or Machinery, internal combustion	9	UN3530	135, A200		
Engines internal combustion	Engine internal combustion flammable gas powered	9 Misc.	UN3166	128		
Fire extinguisher	Fire extinguisher	2.2 Non-Flammable Gas	UN1044	126		
Fireline explosives FLE	Explosive blasting type E	1.1D EXPLOSIVES	UN0241	112		
Flare shell Pistol flare	Flammable solid, inorganic, nos (Aluminum powder)	4.1 Flammable Solid	UN3178	133		
Fuel white gas	Petroleum distillates, nos, (Naphtha solvent)	3 Flammable	UN1268	128		
Fuel, aviation jet-A	Fuel aviation, turbine engine	3 Flammable	UN1863	128		
Fusee	Fusee (rail or highway)	4.1 Flammable Solid	UN1325	133		

Common Name	Shipping Name	Hazard Class	UN #	ERG #	QTY	WT
Gasoline	Gasoline	3 Flammable	UN1203	128		
Lithium battery	Lithium battery	9 Misc.	UN3090	138		
MAPP gas helitorch	Methyl acetylene propadiene propane mixtures stabilized	2.1 Flammable Gas	UN1060	116P		
Nitrogen	Nitrogen, compressed	2.2 Non-Flammable Gas	UN1066	121		
Nitrogen refrigerated	Nitrogen, refrigerated liquid, cryogenic liquid	2.2 Non-Flammable Gas	UN1977	120		
Oxygen	Oxygen, compressed	2.2 Non-Flammable Gas	UN1072	122		
Paint	Paint including lacquer, enamel, stain, shellac, solutions, varnish, polish, liquid filler, and lacquer base, wood preservative	3 Flammable	UN1263	128		
Petro-gel helitorch	Gelling agent-helitorch	3 Flammable	UN1230	131		
Petroleum oil	Petroleum oil	3 Flammable	UN1270	128		
Plastic spheres	Potassium permanganate	5.1 Oxidizer	UN1490	140		
Propane	Petroleum gases, liquefied	2.1 Flammable Gas	UN1075	115		
Total Weight:						
Shipper's Signature		Location				
Pilot's Signature						

Continued Hazardous Materials Manifest Form DOT-SP-9198



Appendix 2- Aerial Hazards Map CY23

Appendix 3 Additional Medical Information

General Instructions (in the event of transporting the patient in EU or CWN helicopter): Contract vendors are "okay with transporting patient to Medical Facility." IC or Incident within an Incident IC will "inform dispatch of the use of government contract aircraft for medivac transportation of the patient to Medical Facility." Dispatch will call Medical Facility provide them with the government aircraft call sign or tail number, verify contact frequencies, what helipad to use at Medical Facility, and verify helipad Lat/long.

Additional Hospitals

Calhoun-Liberty Hospital 20370 Burns Ave Blountstown, FL 32424		YES ⊠→	Helipad H1 Concrete, 50 x 50 ft. Elevation: 75.0 ft. Max GWT 10,500 lbs.
(850) 674-5411	FAA#: Travel Time: Air 20 min a	nd Ground 60 min	Helipad H2 <i>N/A</i>
Coordinates		Contact Frequencies	
Hospital:		AM Receive:	AM Transmit:
Helipad H1: N30°27.511' / W85°02.90	68'	RX Tone: No To	ne TX Tone: No Tone
Helipad H2:			
		Manager:	

Ambulance Services

Name	Address	Phone	Advanced Life Support
Liberty County	12499 NW Pogo St Bristol, FL 32321	850-643-2235	Yes 🖂 No 🗌
Wakulla County	340 Trice Lane Crawfordville, FL 32327	850-926-5424	Yes 🖂 No 🗌
Leon County	911 Easterwood Drive Tallahassee, FL 32311	850-606-2100	Yes 🛛 No 🗌
Franklin County	135 Avenue G Apalachicola, FL 32320	850-653-8853	Yes 🖂 No 🗌

Incident Medical Aid Station

Medical Aid Station	Address	Phone	Paramedics
Tallahassee Fire	327 N Adams St	850-891-6600	Yes 🖂 No 🗌
Department	Tallahassee, FL 32305	050-051-0000	
Bristol Fire Department	Rural US Highway 20 E	850-643-2427	Yes 🖂 No 🗌
Bristor rife Department	Bristol, FL 32321	050-045-2427	
Crawfordville Fire	88 Cedar Ave	850-926-6220	Yes 🗌 No 🖂
Department	Crawfordville, FL 32327	000-920-0220	Yes 📙 No 🖂