#### MASP INSTRUCTIONS

\*Pages <u>1-11</u> or through map and aerial hazard analysis page (due to extended risk assessment) require total completion for submission, review, and approval signature (mission approver signature-appropriate level line officer). Subsequent pages see instructions below\*

**Subsequent pages include:** Pilot information, flight following, frequencies, MTR's / MOA's, crash rescue /medivac, and additional appendices. Complete these pages as information becomes available. Partial completion of these pages is recommended during the submission process. (Subsequent pages shall be filled out prior to mission initiation).

#### **RISK MATRIX INSTRUCTIONS**

Appropriate management level for operational risk decision will remain the same in the color-coded format. The number system on page (6) in the risk management scale is incorporated into the drop-down menu of risk assessment attached. Values of risk level are as follows:

Low-1 Medium-2

Serious-3 High-4

In no case will the overall risk of the mission be less than the highest specific factor. (Example: One high, one serious, and two medium threats couldn't result in anything less than a high).

#### **SIGNATURE'S**

Signature blocks are in order of how the MASP will move forward for review and signature. Route all MASP's through the Zone Aviation Officer or delegated acting. The tan colored fields are required to be signed for at the Line Officer level. The MASP's will be routed back down through the Zone Aviation Officer or delegated acting after signature from the Regional Aviation Officer. MASP will come back in PDF for approving official to sign in signature block and risk assessment (See tan highlighted areas).

Signing: All signature boxes up to the Zone Aviation Officer will be signed in typed text. See below.

Example: /s/ John M. Smith

Regional Aviation Safety Manager and Regional Aviation Officer will sign with a link pass digital signature. Approval of risk assessment and line officer plan approval final signature will be wet signature or link pass digital signature (line officer discretion). These areas are a tan color. The mission aviation safety plan will come back to the field in PDF format for ease of link pass signatures.

#### **RETENTION AND FILING OF PLAN**

Once the mission safety plan is approved, the plan will be maintained in the dispatch office and referenced during flight. Retention of the plan and daily briefing sheets by the forest, refuge or unit shall be one year: reference NSHO Chapter 3, Mission Aviation Safety Plans, or any other governing policies that refer to MASP retention per aircraft type.

Forest-Refuge-Unit:	<u>District-Unit</u> :
Apalachicola National Forest	Apalachicola & Wakulla Ranger District

Agency Requesting Mission Anticipated D			Date(s) Y	ES 🗌 NO 🖂	Calendar Year			
FS NPS BLM Calendar Yea			ar YES 🔀	] NO □→	2023			
F	WS 🗌 BIA		Date Variand	e Accept	able YES 🗌 NO 🖂			
STAT	E OTH	IER 🗌	*Document of briefing sheet		in aviation safety plan 214*			
	Aircraft Typ	<u>e</u>						
Fixed	Rotor	UAS	Start Da	ate	End Date	MASP Objectives		
			1/1/20	23	12/31/2023	Training Resource LE&I Mission(s) Incident Emr. Ops Emr. Readiness		
Mission p	repared by:	/s/ Trixie S	mith	Title: He	elicopter Manager	10/31/2022		
	eviewed by: to enter tex		Forest Level:	Title: Ch	noose an item.	Click here to enter a date.		
	eview by: (O to enter tex	· ·	egional Level:	Title: Ch	noose an item.	Click here to enter a date.		
Mission review by: (OPTIONAL) Zone Aviation Officer: /s/ Joshua Pierotte			Title: 2 (south)	Zone Aviation Officer	11/2/2022			
Mission reviewed by: (REQUIRED) RASM:					egional Aviation Manager or Acting	See signature for date.		
Mission reviewed By: (REQUIRED) RAO:				Title: Re or Actin	egional Aviation Officer g	See signature for date.		

or Acting

<u>Title</u>: Forest Supervisor

See signature for

date.

Mission-Risk Assessment approved by:

Forest Service Line, IC, or Ops Section Chief-

Mission Supervisor:
ANF Helicopter Manager

Alternate Mission Supervisor:

**Forest Aviation Officer or Zone Aviation Officer** 

\*\* Participant's qualifications and responsibilities verified/discussed during daily briefing\*\*

#### **Mission Name**

Apalachicola N.F Aerial Ignition (PSD) Rx Burning CY 2023

#### **Mission Description:**

Note: Compliance with the operational procedures outlined in the Mission Aviation Safety Plan is required.

Aerial ignition in support of prescribed fire and forest ecosystem management. These missions will consist of pre-burn recon of the unit(s) and aerial ignition operations and may also include post-burn recons, smoke dispersion recons, and helitack operations (bucket support, personnel transport, cargo, etc.). Aerial ignition will be accomplished with Exclusive Use, Call-When-Needed (CWN), or agency owned aircraft (WCF). Incoming unit will receive a local aviation in-briefing. (Airspace, Frequencies, DOE/DOD areas, Etc.)

#### **Mission Objectives:**

Reduce hazardous fuels/fuel loading and severity of wildfires, restore/maintain ecosystems, and enhance wildlife habitat. Conduct prescribed burn operations to achieve agency objectives while generally minimizing cost per acre, limiting exposure to personnel, and reducing impacts to communities.

Reference unit burn plan for specific objectives, prescriptions, goals, firing patterns, etc.

#### **Aircraft Justification for Mission:**

Using rotor-wing aircraft and aerial ignition for prescribed burning operations is the most efficient means of meeting mission objectives. This method of conducting burns allows for the following:

- Personnel Safety: Limits exposure and mitigates the need for additional personnel. Reduces the need for ground ignitions, particularly inside the burn unit, where vegetation is often thick and impenetrable.
- Cost-Effectiveness: Expedites time frames, lowers personnel requirements for conducting landscape burns and achieves agency goals while generally reducing cost per acre.
- Smoke Management: Smoke management issues are better mitigated with aerial ignition. Burns can be completed earlier in the day to take maximum advantage of mixing heights and transport winds. Aerial ignition allows enhanced burn patterns and ignition strategies, increasing coverage within a burn unit. This reduces ignition times and allows for better overall consumption within the unit and more time for smoke dispersion.

<u>Aircraft Information:</u> *Refer to Appropriate page for UAS information*							
*Check all that apply, if name is unknown, add information to safety plan briefing sheet*							
*Leave text fields blank if unknown*							
*All cooperators require an annual approval letter onboard except DOJ-DHS aircraft*							
Cooperator Click here to enter text.	Agency Click here to enter text.						
<b>Vendor</b> Click here to enter text.	Military Click here to enter text.						
Other Click I	here to enter text.						
Rotor Wing: Type One Type	e Two ⊠ Type Three ⊠						
* Additional document requirements beyond sta	andard typing in aircraft justification and resource						
order* (performance cap	pabilities, equipment, Etc.)						
Fixed Wing: Single Engine	Twin Engine						
	conditioning, high or low wing, pressurized cabin, its in aircraft justification and resource order*						
· ·	n briefing sheet for vendor name, make, FAA#, and						
model (helicopter or fixed-wing only below).							
<u>Vendor:</u> <u>Tail n</u>	umber: Model:						
Trans Aero N3	57TA AS-350B3						
Unknown CWN	Unknown EU 🔀						
** CWN helicopter information	n attained after hiring process**						
•	(U)- mark appropriate boxes, have CWN inspection						
	on file with MASP for aircraft data**						
Procurement and Cost Information: Check unknown information.	wn if unable to provide accurate or estimated						
Procurement Type: EU and CWN Unknown	Estimated Flight Hour Cost: Unknown						
	Onknown 🖂						
Missioned Flight Hours:	Estimated Miscellaneous Cost(s):						
Unknown 🔀	Unknown 🖂						
Charge Code:							
NFHF0521 (0805) or HFDH0119 (0805) Unknown							
Chikhowh							

\*\*Mission risk assessment completed prior to mission approval\*\*

\*\*Risk assessment hazards shall be re-assessed prior to mission engagement\*\*

\*\*See appropriate management level for approval and dynamic flowchart decision-making tool\*\*

Mission Risk Assessment Matrix Scale											
		Severity									
Likelihood	Negligible	Marginal	Critical	Catastrophic							
	IV	III	II	I							
Frequent											
A											
Probable				High 4							
В			erious 3	9							
Occasional		)	C110 43 5								
С											
Remote		Medium 2									
D		ivieululli 2									
Improbable	Low 1										
E											

Severity and Likelihood Scale Definitions							
Severity			Likelihood				
Catastrophic	Fatalities and or loss of the system.		Frequent	Likely to occur and continuously experienced.			
Critical	Severe injury and or major system damage.		Probable Occasional	Will occur several times and occur often.			
Marginal	Minor injury and or minor system damage.		Remote	Likely to occur sometimes and will occur several times. Unlikely to occur, but possible.			
Negligible	Less than minor injury and or less than minor damage.		Improbable	Unlikely, but expected to occur.  So unlikely, assume it will not occur. Unlikely to occur, but possible.			
				Unlikely to occur, but possible.			

Appropriate Management Level for Operational Risk Decisions								
Risk Level	Fire	Mission (non-fire)						
High	Incident Commander or Operations Sections Chief	Line Officer/Manager						
Serious	Incident Commander or Operations Sections Chief	Line Officer/Manager						
Medium	Air Operations Branch Director	Mission Aviation Manager						
Low	Base Manager	Helicopter or Flight Manager						

SAFETY MANAGEMENT SYSTEM ASSESSMENT AND MITIGATION								
System Being I	Evaluated: Aerial Ignition- PSD	Pre	Mitiga	ation	Pos		ost Mitigation	
Sub System(s)	Hazards	Likelihood	Severity	Risk Level	Mitigation	Likelihood	Severity	Risk Level
Aerial Hazards	Avoid known hazards and aerial obstacles such as bird strikes, embers, smoke, etc.	Probable	Critical	High-4	Brief personnel to be aware of known physical hazards using the Aerial Hazards Map. See and avoid birds and other obstacles. Use quality crew communication and implement crew resource management.	Remote	Critical	Medium-2
Capability	Aircraft capabilities/limitations are not appropriate to mission. Overloaded aircraft. Adverse wind speed and direction.	Occasional	Catastrophic	High-4	Ensure appropriate aircraft is ordered and utilized. Conduct a thorough pre-mission briefing. Complete load calculations and weight & balance. Pilot to obtain updated weather briefing and continually monitor wind speed and direction. Operate aircraft in accordance with RFM.	Remote	Catastrophic	Serious-3
Communications	Unclear on assignments or unclear briefing. Miscommunication from air to ground. Poor communication such as non-standard wording etc. Loss of communications (FM, AM, or ICS).	Occasional	Critical	Serious-3	PLDO/FIRB to perform a complete briefing. Use clear text and proper nomenclature in all communications. Utilize read-back to ensure instructions are understood. Follow established firing commands. Suspend all operations until communications can be restored.	Remote	Critical	Medium-2
Equipment	Equipment not properly connected or installed for the specific type of aircraft. Improper wiring of the 3-pin plug. Flying in and around smoke. Malfunction of the restraint system for personnel.	Occasional	Critical	Serious-3	Refer to the IAIG, STC's, and 337's for proper procedures- contact HOS or AMI with questions and to initiate requests for additional approvals. Perform function test prior to ignition to confirm wiring is correct. Check restraint prior to takeoff. Repair or replace damaged or worn components.	Remote	Critical	Medium-2

SAFETY MANAGEMENT SYSTEM ASSESSMENT AND MITIGATION								
System Bein	System Being Evaluated: Aerial Ignition- PSD Pre Mitigation		Post Mit		st Mitiga	ation		
Sub System(s)	Hazards	Likelihood	Severity	Risk Level	Mitigation	Likelihood	Severity	Risk Level
Environment	Unimproved landing sites. Visibility.	Probable	Critical	High-4	Identify alternate landing areas in pre-burn recon. Perform an aerial recon of the site before landing, notify flight following personnel of landing location. Limit time flying in smoke. Coordinate ignitions to minimize exposure to smoke.	Occasional	Critical	Serious-3
Mission Planning	Military training routes, military operating areas, and general aviation traffic.	Occasional	Catastrophic	High-4	Consult up-to-date materials to identify routes. Ensure dispatch is appropriately using deconflicting procedures. See and avoid general aviation traffic.	Remote	Catastrophic	Serious-3
Mission	Inability to identify the Fireline location. Impact on people and animals in the proximity of the burn.	Occasional	Critical	Serious-3	Ensure adequate recon to identify Fireline, people, and animals. Use mapping technology to aid in boundary identification. If appropriate, have ground personnel light Fireline. Complete preburn notifications. Stop firing operations if necessary.	Occasional	Critical	Serious-3
Pilot Experience and Capabilities	Lack of pilot proficiency. Inadequate performance planning. Lack of recognition of adverse wind speed and direction, inexperienced in low-level helicopter operations.	Occasional	Catastrophic	High-4	Ensure an understanding of mission, hazards, and mitigations. Complete recon. Ensure pilot is carded for aerial ignition. Perform adequate planning using agency policy and guides. Refer to FSAPB 16-01 Helicopter Maneuvering and Power Management.	Remote	Catastrophic	Serious-3

SAFETY MANAGEMENT SYSTEM ASSESSMENT AND MITIGATION									
System Beir	g Evaluated: Aerial Ignition- PSD	Pre	Mitiga	ation			Pos	t Mitiga	tion
Sub System	Hazard	Likelihood	Severity	Risk Level	Mitigation		Likelihood	Severity	Risk Level
Plastic Sphere Dispenser	Malfunction of the machine. Improper installation. Improper or lack of maintenance. Improper securing of spheres, backup water supply, and other loose items for doors off operations.	Occasional	Critical	Serious-3	Inspect and test machine prior to use. Ass proper installation- ensure pilot or mecha verifies. Follow policies on maintenance, cand store machine after each use. Send to manufacturer as needed. Ensure items are properly secured for doors off operations.	nic clean, o e	Remote	Critical	Medium-2
Human Factor	Failure to follow policy and procedures. Sense of urgency/time pressure or mission pressure. Lack of familiarity with others working on the operation.	Occasional	Critical	Serious-3	Confirm policy and procedures are identifunderstood, and followed. Ensure not place undue pressure on others. Conduct daily briefings, utilize standardized procedures, practice CRM, and limit rotation of person possible, to maintain CRM.	cing	Remote	Critical	Medium-2
Final Assessment Serious -3	Final Assessment: Low-1 Medium-2 Serious -3 High-4 Prepared By: Joshua Pierotte					11/2/	2022		

Map Of Mission Area: Depict aerial hazards in this map if known. If map or supporting documents do not fit page format, attach as an appendix. Attach the addendum to the end of the MASP.				
**See attachment Appendix 2 (Page 21) **				
Aerial Hazard Analysis:				
Northeast corner of the Apalachicola Nation Forest (ANF) on the Wakulla Ranger District, side is a				
Class C airspace, which is Tallahassee International Airport (KTLH), in the KTLH airspace it contains 32				
burn units. On the ANF we have 2 Military Operational Areas (MOA) on the Apalachicola Ranger District, Tyndall D, and E MOA for special military activity contact Gainesville Radio on 122.2 or 122.45				
for activity status. There is total of 100 burn units inside Tyndall MOA. We also have 3 Military				
Training Route VFR (IRO21, IRO15, and IRO19) and 1 Military Training Route IFR (V521). They are all on				
the East side of the Forest and located on Wakulla Ranger District. Another hazard to look out for on				
the Forest is transmission lines or towers. Transmission lines are across forests or near private/state				
land. One well-known tower is FSU Repeater (T82) 1000' AGL high-intensity white strobe & red; it is in				
burn unit 209. The Apalachicola National Forest has 3 Wilderness areas, 2 of which are on the Wakulla				
Ranger District (Bradwell Bay Wilderness and Clear Lake Wilderness Study Area) and 1 on the Apalachicola Ranger District (Mud Swamp New River wilderness).				

#### **Aircraft Performance Planning:**

The pilot is responsible for the accurate completion of load calculations or PPC (military performance planning). Trained personnel shall ensure that aircraft scheduled are capable of performing the mission(s) safely and within the capabilities of the aircraft selected. The helicopter or flight manager shall ensure that manifests, load calculations, weight & balance are completed properly using accurate environmental and aircraft data. Reference NSHO chapter 7 or chapter 70 of the Military Use Handbook for additional information.

Type of Operation- Check applicable boxes that may apply to mission or mission	Personnel protective equipment requirements
Rotor Wing Ground Operations Including UAS	Fire-resistant clothing, hard hat w/chin strap or SPH-5 flight helmet or other approved model, fire resistant and/or leather gloves, all leather boots, eye protection, hearing protection.  *Refer to appropriate guides or policies for UAS PPE pending mission*
⊠ Rotor Wing	Fire-resistant clothing, SPH-5 flight helmet or other approved model, hard hat w/chin strap, fire resistant and/or leather gloves, all leather boots, eye protection, hearing protection. Additional personnel restraints needed in the helicopter pending type of mission. * Refer to appropriate guides or policies. * Charter flights, (non-agency controlled mission), shall comply with 14 CFR 135 requirements.
☑ Doors Off Flight(s)	Personnel will remain seated and inside fuselage during all flights, approved secondary restraint harness for doors off flights (only for PLDO, HRAP, HRSP, Aerial Photography, IR Operator, ACETA Gunner, Cargo Letdown, Short Haul Spotter, Cargo Free Fall Operations-type 3 helicopter) * Refer to appropriate guides or policies*
Cargo Free Fall Operations	Fire-resistant clothing, SPH-5 flight helmet or other approved model, fire resistant and/or leather gloves, all leather boots, eye protection, hearing protection. Additional qualifications, compliance with rotorcraft manual, and approved restraint requirement apply. * Refer to NSHO chapter eleven for additional details or other agency guides and policies. *
Fixed Wing	Refer to current IASG, ALSE, and 5700 manual directions for PPE requirements.

Helicopter, Fixed Wing, or UAS Pilot Information: \*Fixed wing: Use "other" box, and state approved mission(s) \*\* National Guard, DOJ, DHS, and Co-Op pilots do not require this section, refer to current agency or cooperative letters for information and guidance\*\* Pilot Name (P1): PIC/Primary **Pilot Phone Number:** Pilot Name (P2): Co-Pilot/Relief **Pilot Phone Number:** Pilot Carded for Mission: Yes No Pilot Card (P1) Expiration Date: Charter Pilot 135 Certificate and FAR's Apply FAA-UAS Lic. #: \*\* Use of charter pilot requires regional forester approval\*\* Pilot Card (P2) Expiration Date: Check all boxes that apply to pilot(s) carding below: FAA-UAS Lic. #: Low-Level Recon & Survey P1 P2 Designated "Pilot Trainer" P1 P2 Helitack-Passenger Transport P1 P2 "Trainee Only" Pilot P1 P2 Short Haul LE SAR P1 P2 External Load (Belly Hook) P1 P2 Float Operations (Fixed) P1 P2 Water-Retardant Delivery P1 P2 Longline VTR (150') P1 P2 Platform Landings-Offshore P1 P2 Snorkel VTR Mirror P1 P2 P Vessel Landings P1 P2 Mountainous Terrain Flying P1 P2 Night Vision Goggle Operations P1 P2 Aerial Ignition (PSD) P1 P2 ACETA Net Gun (All ACETA) P1 P2 Aerial Ignition (Torch) P1 P2 ACETA Eradication P1 P2 Rappel Operations P1 P2 ACETA (Herding) P1 P2 Cargo Letdown P1 P2 ACETA Darting-Paintball P1 P2 Snow Operations (Deep Snow) P1 P2 STEP P1 P2 Hoist P1 P2 Other P1 P2 UAS P1 P2 Check and complete next section

#### **UAS Section:**

Procurement:						
Public- Agency Owned Commercial- Contract						
Comments- Click here to enter text.						
Aircraft Information: *Attach addendum page if runni	ing multiple aircraft*					
Fixed-Wing UAS Make – Choose an item	n. <b>UAS Model –</b> Choose an item.					
Rotor-Wing (VTOL)						
Carded for Mission - YES NO						
Card Expiration Date - Click here to enter text.						
Registration #- Click here to enter text.						
Aircraft Color Scheme - Click here to enter text.						
Crew: Other Than Pilot: Pilot(s) information found on	Helicopter and Fixed-Wing Pilot Information Sheet					
UAS Crew Leader:	Contact Number:					
UAS Data Specialist (1):						
UAS Data Specialist (2):						
UAS Visual Observer (1):						
UAS Visual Observer (2):						
Additional Crew:						
Trainee Pilot/FAA UAS Lic. #:	Contact Number:					
Trainee Pilot/FAA UAS Lic. #:	Contact Number:					
Trainee Pilot/FAA UAS Lic. #:	Contact Number:					
TED Information						
TFR Information:						
Click here to enter text.						

Airspace Authorization:				
☐ Part 107	☐ 107/LAANC	SGI Waiver	СОА	FAA/DOI MOA
Authorization Comments	s – Click here to ente	r text.		
Lost Link and Flyaway Pr	ocedures-Protocols:			
Click here to enter text.				
Special Consideration-Sa	fety Concerns-Comm	ents Section:		
Click here to enter text.				

Elizabet Fall acciona	and Francisco	_							
Flight Following	Flight Following and Frequencies:								
*Confirm frequencies during the briefing prior to flight*									
*FAA Flight Plan (chartered aircraft non-agency-controlled mission) no frequencies required*									
	*Chartered 135 operator is responsible for communications and flight plan*								
•	Flight Following Method: AFF 🗵 Radio (Local or GACC aircraft desk) 🖂								
	: (Agency-owned				on) 🔀				
	FAA Flight Plan: (Charter aircraft non-agency-controlled mission)								
FM Receive:		FM Trans	smit:						
	SU				RX: No T				
170.	5500		164.1250		TX: Tone 7	167.9			
					Digital- \$	668F			
FM Receive:		FM Trans	smit:						
Sum	natra				RX: No T	one			
170.	5500		164.1250		TX: Tone 5	146.2			
					Digital-\$	5B6			
FM Receive:		FM Trans	smit:						
Pri: A/G 15	167.5250				No Tor	ne			
Sec: A/G 71	168.6750	S	ame as receive	No Tor	ne				
AM Receive: AM Transmit:									
Pri: A/A 1	122.9250				No Tone				
•	122.2750	S	ame as receive		No Tone				
**Manager or	Mission Supervis	or will coo	ordinate Tempora	ry Fligh	t Restrictions (TFR)	if needed**			
Military Trainin	g Route(s) (MTR'S	6) or Milita	ry Operating Are	a(s) (M	DA'S)				
The mission of		to our omi	an andalametad		au aball agustium dae	aufliction in			
	•	•		_	er shall confirm ded er approved local m				
	•		-		er approved local in Ifety plan briefing.	ietiious.			
	econniction win i	je address	eu during the avi	iation sa	nety plan briefing.				
MTR-MOA	Route Legs-Al	titudes	Activity		Time	Time Zone			
	110010 2080 711		710017104	Start:					
			Hot 🔀	09:00	am	итс 🗌			
				03.00	4111				
Tyndall D	300' AGL to 6000	n' MSI	Cold 🗌	Stop:		Local 🔀			
MOA	300 AGE 10 000	JIVIJL	Cold _	23:00	nm	Local 🖂			
IVIOA	IVIOA			23.00	JIII				
			N/A						
				Start:					
			Hot 🔀	09:00	nm	итс 🗌			
			HOT 🖂	09.00	3111				
Tyndall E	300' AGL to 60	00' MSL	Cold	Stop:		Local 🔀			
MOA			Colu 🔝	23:00 <sub>1</sub>	nm	LUCAI 🔼			
			N/A	25.00	Jiii				
			N/A						

Crash Rescue/Medivac Plan				
General Instructions (in the event of an incident): Mission site duties and actions to be coordinated through dispatch in accordance with local search & rescue (SAR) and emergency crash rescue plan(s). These items will be discussed and recorded during the daily safety briefing.				
Specified crash rescue duties will be assigned to ground operations personnel each day before flights of any kind. Crash rescue and first aid equipment will be located near the helicopter operations site, and equipment's location made known to all personnel. Information and instructions will be sent/received through the local dispatch office or communications.				
EMT(s) on-site: YES NO				
Names:				
First responder(s) on-site: YES NO				
Names:				
Available medivac helicopter(s)? YES UNKNOWN				
*Unknown: Select if medivac helicopter is not to be ordered for the mission or incident before need. The helicopter will be requested on-demand through the dispatch process. Dispatch will provide medivac ship call sign or tail number, including capabilities and contact information. *				
Medivac helicopter on-site? YES ☐ NO ☒				
Level of care medivac helicopter personnel can provide: ALS  BLS Unknown				
FAA Tail #(s) Contact Information:				
Hoist/Rappel/Extraction Capable? YES NO				
Check all that apply: Hoist Rappel Short Haul				

Additional medical information attached? YES NO (See Appendix 3) Page 22

#### **MEDICAL FACILITY**

Tallahassee Memorial HealthCare	Helipad	YES 🛭	<b>→</b>	Helipad H1  ROOF-TOP, 54 x 54 ft. Elevation:			
130 Miccosukee Rd,				279.0 ft. Max GWT 10,500 lbs.			
Tallahassee, FL 32308	FAA#: FD18						
				Helipad H2			
(850) 431-1155	Travel Time:			ROOF-TOP, $50 \times 50$ ft. Elevation:			
(ER)- 850-431-0911	Air 20 min a	nd Ground 60 min		273.0 ft. Max GWT 10,500 lbs.			
Coordinates		Contact Frequencie	es				
Hospital: N30°27.44' / W84°15.66'		AM Receive: 16	8.650	00 AM Transmit: 168.6500			
Helipad H1: N30°27.42' / W84°15.69'		RX Tone: No	o Ton	e TX Tone: No Tone			
Helipad H2: N30°27.45' / W84°15.64'							
N	Manager: PHILIP DOYLE, (850) 431-5184						

2626 Ca Tallah	pital Medical Center pital Medical Blvd assee, FL 32308 50) 325-5000	FAA#: 68FL Travel Time:	YES		Helipad H1 Concrete, 40 x 40 ft. Elevation: 149.5 ft. Max GWT 10,500 lbs. Helipad H2 N/A	
Coordinates Hospital: Helipad H1: Helipad H2:	N30°28.56' / W84°13.86'		Contact Freque AM Receive: RX Tone:		7	
Manager:						

#### **NEAREST BURN FACILITY**

UF Health Shands Hospital  1515 SW Archer Rd Gainesville, FL 32608  (352) 265-0111	FAA#: FA12 Travel Time:	NO		Helipad H1- North Elevated Pad Concrete, 72 x 72 ft. Elevation: 334.0 ft. Max GWT 11,000 lbs. Helipad H2- South Elevated Pad Concrete, 75 x 75 ft. Elevation: 334.0 ft. Max GWT 11,000		
Coordinates		Contact Freque	ncies	lbs.		
Hospital:		AM Receive:		250 AM Transmit: 161.6250		
Helipad H1: N29°38.35' / W82°20.72'		RX Tone:	No To	ne TX Tone: No Tone		
Helipad H2: N29°38.36' / W82°20.55'						
Manager:						

☑ Doors Off or Doors Open Flight(s)	secondary Photograp Free Fall O **Safety A "Agency p aircraft do	Personnel will remain seated and inside fuselage during all flights, approved secondary restraint harness for doors off flights (only for PLDO, HRAP, HRSP, Aerial Photography, IR Operator, ACETA Gunner, Cargo Letdown, Short Haul Spotter, Cargo Free Fall Operations-type 3 helicopter) * Refer to appropriate guides*  **Safety Alert IASA 18-03 language**  "Agency personnel involved in any public aircraft operations mission that require aircraft doors to be removed prior to flight, or open during flight, shall receive handson secondary restraint refresher training prior to conducting flight operations".					
Doors Off or Open Operations	checklist: **All ite	ms shall be c	overed and signed for prior to	o operations**			
_			ation (Interagency Safety Ale	•			
Potential of secondary res  Know location and use of Perform buddy–check and	the secondary restraint interference secondary restraint I Pilot in Command adary restraint quick	raint interact with Airbus A interaction of	cion with FAA approved seat	pplicable. nt.			
_							
ndor Name:	Aircraft Model:		Aircraft Make:	FAA#:			
ssion Supervisor/Manager:	Date:	Pilot:		Date:			
Participant's Name: Print	Date		Participant's Name: Print	Date			

## **Appendix 1** – Hazardous Material Manifest Form DOT-SP-9198


Date:	Aircraft #:	Bureau/Agency:

Common Name	Shipping Name	Hazard Class	UN#	ERG#	QTY	WT
Acetylene	Acetylene, dissolved	2.1 Flammable Gas	UN1001	116		
Aerosols	Aerosols non-flammable each not exceeding one-liter capacity	2.2 Non-Flammable Gas	UN1950	126		
Aerosols starting fluid, WD-40	Aerosols flammable each not exceeding one-liter capacity	2.1 Flammable Gas	UN1950	126		
Batteries dry	Batteries dry, containing potassium hydroxide solid electric storage	8 Corrosive	UN3028	154		
Batteries wet	Batteries wet filled with acid	8 Corrosive	UN2794	151		
Batteries wet	Batteries wet filled with alkali	8 Corrosive	UN2795	131		
Batteries wet	Batteries wet non- spillable	8 Corrosive	UN2800	154		
Bear spray, irritants	Aerosols flammable each not exceeding one-liter capacity	2.1 Flammable Gas	UN1950	126		
Biomedical waste	Infectious substances affecting humans	6.2	UN2814	158		
Cartridge	Cartridge for small arms	1.4s	UN0012	114		
Clorox, liquid bleach	Hypochlorite Solutions	8 Corrosive	UN1791	154		
Diesel	Diesel, fuel	3 Flammable	UN1993	128		
Drip torch fuel	Gasoline/ Diesel	3 Flammable	UN1203	128		
Engine, internal combustion	Engine, internal combustion, flammable gas powered or Engine, fuel cell, flammable gas powered or Machinery, internal combustion, flammable gas powered or Machinery, fuel cell, flammable gas powered	2.1	UN3529	135, A200		
Engine, internal combustion	Engine, internal combustion, flammable liquid powered or Engine, fuel cell, flammable liquid powered or Machinery, internal combustion, flammable liquid powered or Machinery, fuel cell, flammable liquid powered	3	UN3528	135, A200		
Engine, internal combustion	Engine, internal combustion or Machinery, internal combustion	9	UN3530	135, A200		
Engines internal combustion	Engine internal combustion flammable gas powered	9 Misc.	UN3166	128		
Fire extinguisher	Fire extinguisher	2.2 Non-Flammable Gas	UN1044	126		
Fireline explosives FLE	Explosive blasting type E	1.1D EXPLOSIVES	UN0241	112		
Flare shell Pistol flare	Flammable solid, inorganic, nos (Aluminum powder)	4.1 Flammable Solid	UN3178	133		
Fuel white gas	Petroleum distillates, nos, (Naphtha solvent)	3 Flammable	UN1268	128		
Fuel, aviation jet-A	Fuel aviation, turbine engine	3 Flammable	UN1863	128		
Fusee	Fusee (rail or highway)	4.1 Flammable Solid	UN1325	133		

## Continued Hazardous Materials Manifest Form DOT-SP-9198

Common Name	Shipping Name	Hazard Class	UN#	ERG#	QTY	WT
Gasoline	Gasoline	3 Flammable	UN1203	128		
Lithium battery	Lithium battery	9 Misc.	UN3090	138		
MAPP gas helitorch	Methyl acetylene propadiene propane mixtures stabilized	2.1 Flammable Gas	UN1060	116P		
Nitrogen	Nitrogen, compressed	2.2 Non-Flammable Gas	UN1066	121		
Nitrogen refrigerated	Nitrogen, refrigerated liquid, cryogenic liquid	2.2 Non-Flammable Gas	UN1977	120		
Oxygen	Oxygen, compressed	2.2 Non-Flammable Gas	UN1072	122		
Paint	Paint including lacquer, enamel, stain, shellac, solutions, varnish, polish, liquid filler, and lacquer base, wood preservative	3 Flammable	UN1263	128		
Petro-gel helitorch	Gelling agent-helitorch	3 Flammable	UN1230	131		
Petroleum oil	Petroleum oil	3 Flammable	UN1270	128		
Plastic spheres	Potassium permanganate	5.1 Oxidizer	UN1490	140		
Propane	Petroleum gases, liquefied	2.1 Flammable Gas	UN1075	115		
Total Weight:						
Shipper's Signature		Location				
Pilot's Signature						

Appendix 2- Aerial Hazards Map CY23



### **Appendix 3** Additional Medical Information

General Instructions (in the event of transporting the patient in EU or CWN helicopter): Contract vendors are "okay with transporting patient to Medical Facility." IC or Incident within an Incident IC will "inform dispatch of the use of government contract aircraft for medivac transportation of the patient to Medical Facility." Dispatch will call Medical Facility provide them with the government aircraft call sign or tail number, verify contact frequencies, what helipad to use at Medical Facility, and verify helipad Lat/long.

#### **Additional Hospitals**

Oalhann Lib	anta Harrital	Helipad			U-E	
Cainoun-Lib	erty Hospital	NO 🗆	YES 🖂	<del>-</del>	Helipad H1 Concrete, 50 x 50 ft. Elevation: 75.0 f	ft.
20370 Bi	urns Ave	_	- <u></u>	·	Max GWT 10,500 lbs.	
Blountstow	vn, FL 32424	FAA#:				
					Helipad H2	
(850) 6	74-5411	Travel Time:			N/A	
		Air 20 min a	nd Ground 60 mir	า		
Coordinates			Contact Freque	ncies		
Hospital:			AM Receive:		AM Transmit:	
Helipad H1: N30	0°27.511' / W85°02.96	8'	RX Tone:	No To	one TX Tone: No Tone	
Helipad H2:		_				
			Manager:			

#### **Ambulance Services**

Name	Address	Phone	Advanced Life Support
Liberty County	12499 NW Pogo St Bristol, FL 32321	850-643-2235	Yes ⊠ No □
Wakulla County	340 Trice Lane Crawfordville, FL 32327	850-926-5424	Yes ⊠ No □
Leon County	911 Easterwood Drive Tallahassee, FL 32311	850-606-2100	Yes ⊠ No □
Franklin County	135 Avenue G Apalachicola, FL 32320	850-653-8853	Yes ⊠ No □

#### **Incident Medical Aid Station**

Medical Aid Station	Address	Phone	Paramedics
Tallahassee Fire	327 N Adams St	850-891-6600	Yes ⊠ No □
Department	Tallahassee, FL 32305	030-091-0000	res 🖂 No 🗀
Bristol Fire Department	Rural US Highway 20 E	850-643-2427	Yes ⊠ No □
	Bristol, FL 32321		
Crawfordville Fire	88 Cedar Ave	850-926-6220	Yes □ No ⊠
Department	Crawfordville, FL 32327	030-920-0220	res 🔲 No 🖂