#### MASP INSTRUCTIONS

\*Pages <u>1-11</u> or through map and aerial hazard analysis page (due to extended risk assessment) require total completion for submission, review, and approval signature (mission approver signature-appropriate level line officer). Subsequent pages see instructions below\*

**Subsequent pages include:** Pilot information, flight following, frequencies, MTR's / MOA's, crash rescue /medivac, and additional appendices. Complete these pages as information becomes available. Partial completion of these pages is recommended during the submission process. (Subsequent pages shall be filled out prior to mission initiation).

#### **RISK MATRIX INSTRUCTIONS**

Appropriate management level for operational risk decision will remain the same in the color-coded format. The number system on page (6) in the risk management scale is incorporated into the drop-down menu of risk assessment attached. Values of risk level are as follows:

Low-1 Medium-2

Serious-3 High-4

In no case will the overall risk of the mission be less than the highest specific factor. (Example: One high, one serious, and two medium threats couldn't result in anything less than a high).

### **SIGNATURE'S**

Signature blocks are in order of how the MASP will move forward for review and signature. Route all MASP's through the Zone Aviation Officer or delegated acting. The tan colored fields are required to be signed for at the Line Officer level. The MASP's will be routed back down through the Zone Aviation Officer or delegated acting after signature from the Regional Aviation Officer. MASP will come back in PDF for approving official to sign in signature block and risk assessment (See tan highlighted areas).

Signing: All signature boxes up to the Zone Aviation Officer will be signed in typed text. See below.

Example: /s/ John M. Smith

Regional Aviation Safety Manager and Regional Aviation Officer will sign with a link pass digital signature. Approval of risk assessment and line officer plan approval final signature will be wet signature or link pass digital signature (line officer discretion). These areas are a tan color. The mission aviation safety plan will come back to the field in PDF format for ease of link pass signatures.

### **RETENTION AND FILING OF PLAN**

Once the mission safety plan is approved, the plan will be maintained in the dispatch office and referenced during flight. Retention of the plan and daily briefing sheets by the forest, refuge or unit shall be one year: reference NSHO Chapter 3, Mission Aviation Safety Plans, or any other governing policies that refer to MASP retention per aircraft type.

Forest-Refuge-Unit:	District-Unit:
Apalachicola National Forest	Apalachicola & Wakulla Ranger District

Agency	Requesting	Mission	Anticipated Date(s) Y	ES NO	<u>Calendar Year</u>		
FS 🔀	NPS 🗌 E	BLM	Calendar Year YES	NO □	2023		
F	WS BIA		Date Variance Accept	able YES 🗌 NO 🔀			
STAT		IER 🗌	*Document variance i				
	Aircraft Typ	<u>e</u>					
Fixed	Rotor	UAS	Start Date	End Date	MASP Objectives		
			1/1/2023	12/31/2023	Training Resource LE&I Mission(s) Incident Emr. Ops Emr. Readiness		

Mission prepared by: /s/ Trixie Smith	<u>Title</u> : Helicopter Manager	10/31/2022
Mission reviewed by: (OPTIONAL) Forest Level: Click here to enter text.	Title: Choose an item.	Click here to enter a date.
Mission review by: (OPTIONAL) Regional Level: Click here to enter text.	Title: Choose an item.	Click here to enter a date.
Mission review by: (OPTIONAL) Zone Aviation Officer: /s/ Joshua Pierotte	<u><b>Title</b></u> : Zone Aviation Officer (south)	11/2/2022
Mission reviewed by: (REQUIRED) RASM:	<u>Title</u> : Regional Aviation Safety Manager or Acting	See signature for date.
Mission reviewed By: (REQUIRED) RAO:	<u>Title</u> : Regional Aviation Officer or Acting	See signature for date.
Mission-Risk Assessment approved by: Forest Service Line, IC, or Ops Section Chief-	<u>Title</u> : Forest Supervisor or Acting	See signature for date.

Mission Supervisor:
UAS Pilot or UAS Module Leader

Alternate Mission Supervisor:
Forest Aviation Officer or Zone Aviation Officer

\*\* Participant's qualifications and responsibilities verified/discussed during daily briefing\*\*

### **Mission Name**

Apalachicola N.F sUAS Interdisciplinary Flights (Non-Ariel Ignition) CY2023

<u>Mission Description:</u> Note: Compliance with the operational procedures outlined in the Mission Aviation Safety Plan is required.

Use of sUAS within the National Forests in Florida to support local staff officers and subordinates with real-time still, video image data, and other payload products for all functional program areas (including incidents) with an unmanned flight system. These unmanned flights will be conducted within applicable rules and regulations outlined in 14 CFR part 107, cooperative letters-agreements, and Forest Service policy. The pilot shall determine airspace authorizations before mission commencement for waivers and approvals to conduct specific missions or flight profiles. Pilots have the final say on the conduction of flights based on current terms, conditions, or limitations of their governing agency/bureau or the agency/bureau of operational control (most restrictive applies).

\*Simultaneous manned aircraft flights in the planned mission area may be prohibited\*

\*\*Use of visual observers is recommended unless required by agency policy\*\*

\*\*\*Obtain applicable waivers if operating outside Part 107 or COA\*\*\*

<u>Mission Objectives</u>: Obtain high-resolution imagery, video, data collection, and other payload products with the use of an unmanned aircraft supporting agency priorities, incidents, landscape management efforts. This MASP is for fixed image or fixed sensor payload use only, non-dispensary.

<u>Aircraft Justification for Mission:</u> Using sUAS for still and video imagery is an effective alternative to manned flights for meeting stated mission objectives and mission considerations below.

- Personnel Safety: Reduces exposure for those involved in the mission and mitigates the need for additional personnel associated with a manned aircraft mission.
- Cost-Effectiveness: Agency-owned, Cooperator, or contracted sUAS aircraft <a href="should">should</a> provide significant overall cost savings versus manned aircraft pending mission types and times frames.
- Payload Options: The vast assortment of payload options for a single sUAS platform can far
  exceed what may be available by contract from a rotor or fixed-wing vendor unless multiple
  aircraft are ordered to cover the array of possible missions requested.

Aircraft Information: *Refer to Appropriate page	e for UAS information*
*Leave text fields	add information to safety plan briefing sheet* blank if unknown* val letter onboard except DOJ-DHS aircraft*
An cooperators require an annual approx	valietter onboard except DOJ-DHS aircraft
Cooperator 🔀 Click here to enter te	ext. <b>Agency</b> Click here to enter text.
Vendor Pending FS/DOI policy and conti	ract Military Click here to enter text.
Other Click h	nere to enter text.
Rotor Wing: Type One Type	Two Type Three
	andard typing in aircraft justification and resource pabilities, equipment, Etc.)
Fixed Wing: Single Engine	Twin Engine
the contract of the contract o	conditioning, high or low wing, pressurized cabin, ts in aircraft justification and resource order*
	n briefing sheet for vendor name, make, FAA#, and
model (helicopter or fixed-wing only below).	
Vendor: Click here to enter text.	Tail number: Click here to enter text.
Model: Click here to enter text. Unknow	n CWN Unknown EU
** CWN helicopter information	n attained after hiring process**
	U)- mark appropriate boxes, have CWN inspection
	on file with MASP for aircraft data**
Procurement and Cost Information: Check unknown information.	whili unable to provide accurate or estimated
Procurement Type:_ Agency Owned Unknown Co-Op (per approval letter) or Vendor-Pending Missioned Flight Hours: Click here to enter text. Unknown	Estimated Flight Hour Cost: Click here to enter text. Unknown   Estimated Miscellaneous Cost(s): Click here to enter text.
Charge Code: Click here to enter text. Unknown ⊠	Unknown 🖂

\*\*Mission risk assessment completed prior to mission approval\*\*

\*\*Risk assessment hazards shall be re-assessed prior to mission engagement\*\*

\*\*See appropriate management level for approval and dynamic flowchart decision-making tool\*\*

	Mission Risk	Assessment Matrix	Scale	
		Severity		
Likelihood	Negligible	Marginal	Critical	Catastrophic
	IV	III	II	I
Frequent				
А				
Probable				High 4
В			erious 3	
Occasional			C11043 3	
С				
Remote		Medium 2		
D		iviedium 2		
Improbable	Low 1			
E				

Severity and Likelihood Scale Definitions							
Severity			Likelihood				
Catastrophic	Fatalities and or loss of the system.		Frequent	Likely to occur and continuously experienced.			
Critical	Severe injury and or major system damage.		Probable Occasional	Will occur several times and occur often.			
Marginal	Minor injury and or minor system damage.		Remote	Likely to occur sometimes and will occur several times. Unlikely to occur, but possible.			
Negligible	Less than minor injury and or less than minor damage.		Improbable	Unlikely, but expected to occur.  So unlikely, assume it will not occur. Unlikely to occur, but possible.			
				Unlikely to occur, but possible.			

Appropr	iate Management Level for Operation	nal Risk Decisions
Risk Level	Fire	Mission (non-fire)
High	Incident Commander or Operations Sections Chief	Line Officer/Manager
Serious	Incident Commander or Operations Sections Chief	Line Officer/Manager
Medium	Air Operations Branch Director	Mission Aviation Manager
Low	Base Manager	Helicopter or Flight Manager

	SAFETY MA	NAGE	MENT :	SYSTEM	ASSESSMENT AND MITIGATION			
System Being E	valuated: sUAS-Imagery Operations	Pre	Mitiga	ation		Post Mitigation		ation
Sub System(s)	Hazards	Likelihood	Severity	Risk Level	Mitigation	Likelihood	Severity	Risk Level
Aerial Hazards	Collision with another aircraft	Remote	Catastrophic	Serious-3	The remote pilot will utilize a visual observer (VO), scanning the area for air traffic and other hazards to aviation. The remote pilot will file a NOTAM as per agency/FAA policy. Flights within TFRs will be coordinated with the controlling authority and participating aircraft. The remote pilot will give way to manned aircraft. Deconflict with local dispatch.	Improbable	Catastrophic	Medium-2
Aerial Hazards	Collision with personnel or vehicles	Occasional	Critical	Serious-3	The remote pilot will conduct a pre-flight briefing, which will include flight patterns and safe observation/parking areas. The remote pilot will not fly the sUAS over personnel or vehicles.	Remote	Critical	Medium-2
Aerial Hazards	Collision with fixed or other aerial hazards (trees, towers, birds)	Probable	Critical	High-4	The remote pilot will conduct a survey of the operations area prior to flight operations. Utilize a visual observer (VO), review aerial hazard maps.	Remote	Critical	Medium-2
Aerial Hazards/ Equipment	Aircraft flyaway (loss of control)	Occasional	Critical	Serious-3	Aircraft, personnel, and ATC having jurisdiction over the airspace will be notified with the last location, heading, speed and approximate battery/time remaining on the sUAS. The crew actions to recover the sUAS will be relayed as well.	Remote	Critical	Medium-2

	SAFETY MANAGEMENT SYSTEM ASSESSMENT AND MITIGATION							
System Being Eval	uated: sUAS-Imagery Operations	Pre	Pre Mitigation				Post Mitigation	
Sub System(s)	Hazards	Likelihood	Severity	Risk Level	Mitigation	Likelihood	Severity	Risk Level
Communications	Unclear on assignments or unclear briefing.  Miscommunication from air to ground. Poor communication such as non-standard wording etc. Loss of communications.	Occasional	Critical	Serious-3	sUAS crew to perform a complete briefing. Use clear text and proper nomenclature in all communications. Suspend all operations until communications can be restored.	Remote	Critical	Medium-2
Aircraft Equipment	Aircraft loss of link with ground control station	Probable	Critical	Serious-3	sUAS will be programmed with proper parameters to return to home and land.	Occasional	Negligible	Low-1
Personnel	Injury caused by spinning propellers	Remote	Critical	Medium-2	Preflight briefing will include safety precautions when working around sUAS with motors running.	Improbable	Critical	Medium-2
Environmental	Adverse Weather (wind, thunderstorms, etc.)	Probable	Critical	Serious-3	Remote pilot will obtain a current forecast and ensure the aircraft is flown within approved parameters. The crew will monitor weather conditions periodically during flights.	Remote	Critical	Medium-2
Environmental	Night operations – difficulty seeing sUAS and landing areas	Occasional	Critical	Serious-3	The sUAS will have an agency approved illuminated launch and recovery area.	Remote	Critical	Medium-2

	SAFETY MA	NAGE	MENT :	SYSTEM	ASSESSMENT AND MITIGATION			
System Being E	valuated: sUAS-Imagery Operations	Pre Mitigatio		ation		Post Mitigation		ation
Sub System(s)	Hazards	Likelihood	Severity	Risk Level	Mitigation	Likelihood	Severity	Risk Level
Aircraft Equipment	Battery fire	Occasional	Critical	Serious-3	Batteries will be stored in approved containers. A fire extinguisher will be available on site.	Remote	Critical	Medium-2
Human Factors	Operating aircraft outside of published parameters	Occasional	Marginal	Medium-2	The remote pilot will ensure the aircraft is operated within policy and the provisions of the aircraft operations manual.	Remote	Marginal	Medium-2
Human Factors	Failure to follow policy and procedures. Sense of urgency/time pressure or mission pressure. Lack of familiarity with others working on the operation.	Occasional	Critical	Serious-3	Confirm policy and procedures are identified, understood, and followed. Ensure not placing undue pressure on others. Conduct daily briefings, utilize standardized procedures, practice CRM, and limit rotation of personnel- if possible, to maintain CRM.	Remote	Critical	Medium-2

	SAFETY MA	NAGEI	MENT S	SYSTEM	ASSESSMENT AND MITIGATION				
System Being E	valuated: sUAS-Imagery Operations	Pre	Mitig	ation		Post Mitiga		ation	
Sub System	Hazard	Likelihood	Severity	Risk Level	Mitigation		Likelihood	Severity	Risk Level
Mission Planning	Military training routes, military operating areas, and general aviation traffic.	Occasional	Critical	High-4	Consult up-to-date materials to identify Ensure dispatch is appropriately usin conflicting procedures. See and avoid g aviation traffic.	g de-	Remote	Critical	Medium-2
Aircraft Equipment	Improper installation of item required for flight or accessories used to perform specific mission. Improper or lack of maintenance.	Occasional	Critical	Serious-3	Emergency procedures covered by Remo Visual Observer and others associated w mission in the pre-flight briefing. Inspect machine prior to use. Assure proper inst Follow policies on maintenance.	with the and test tallation.	Remote	Critical	Medium-2
Final Assessment	nt: Low-1 Medium-2 High-4	Prepared By: Joshua Pierotte				11/2/	2022		
	**Attach	Additio	onal Mi	ssion Ri	sk Assessment If Necessary**				

Map Of Mission Area: Depict aerial hazards in this map if known. If map or supporting documents do not fit page format, attach as an appendix. Attach the addendum to the end of the MASP.
**See attachment Appendix 2 (Page 22) **
Aerial Hazard Analysis: Northeast corner of the Apalachicola Nation Forest (ANF) on the Wakulla Ranger District, side is a Class C airspace, which is Tallahassee International Airport (KTLH), in the KTLH airspace it contains 32 burn units. On the ANF we have 2 Military Operational Areas (MOA) on the Apalachicola Ranger District, Tyndall D, and E MOA for special military activity contact Gainesville Radio on 122.2 or 122.45 for activity status. There is total of 100 burn units inside Tyndall MOA. We also have 3 Military Training Route VFR (IR021, IR015, and IR019) and 1 Military Training Route IFR (V521). They are all on the East side of the Forest and located on Wakulla Ranger District. Another hazard to look out for on the Forest is transmission lines or towers. Transmission lines are across forests or near private/state land. One well-known tower is FSU Repeater (T82) 1000' AGL high-intensity white strobe & red; it is in burn unit 209. The Apalachicola National Forest has 3 Wilderness areas, 2 of which are on the Wakulla Ranger District (Bradwell Bay Wilderness and Clear Lake Wilderness Study Area) and 1 on the Apalachicola Ranger District (Mud Swamp New River wilderness).

### **Aircraft Performance Planning:**

The pilot is responsible for the accurate completion of load calculations or PPC (military performance planning). Trained personnel shall ensure that aircraft scheduled are capable of performing the mission(s) safely and within the capabilities of the aircraft selected. The helicopter or flight manager shall ensure that manifests, load calculations, weight & balance are completed properly using accurate environmental and aircraft data. Reference NSHO chapter 7 or chapter 70 of the Military Use Handbook for additional information.

Personal Protective Equipment: * Alw	vays refer back to current ALSE, NSHO, and manual direction*
Type of Operation- Check applicable boxes that may apply to mission or mission	Personnel protective equipment requirements
	Fire-resistant clothing, hard hat w/chin strap or SPH-5 flight helmet or other approved model, fire resistant and/or leather gloves, all leather boots, eye protection, hearing protection.  *Refer to appropriate guides or policies for UAS PPE pending mission*
Rotor Wing	Fire-resistant clothing, SPH-5 flight helmet or other approved model, hard hat w/chin strap, fire resistant and/or leather gloves, all leather boots, eye protection, hearing protection. Additional personnel restraints needed in the helicopter pending type of mission. * Refer to appropriate guides or policies. * Charter flights, (non-agency controlled mission), shall comply with 14 CFR 135 requirements.
Doors Off Flight(s)	Personnel will remain seated and inside fuselage during all flights, approved secondary restraint harness for doors off flights (only for PLDO, HRAP, HRSP, Aerial Photography, IR Operator, ACETA Gunner, Cargo Letdown, Short Haul Spotter, Cargo Free Fall Operations-type 3 helicopter) * Refer to appropriate guides or policies*
Cargo Free Fall Operations	Fire-resistant clothing, SPH-5 flight helmet or other approved model, fire resistant and/or leather gloves, all leather boots, eye protection, hearing protection. Additional qualifications, compliance with rotorcraft manual, and approved restraint requirement apply. * Refer to NSHO chapter eleven for additional details or other agency guides and policies. *
Fixed Wing	Refer to current IASG, ALSE, and 5700 manual directions for PPE requirements.

Helicopter, Fixed Wing, or UAS Pilot Information: *Fixed wing: Use "other" box, and state approved				
mission(s) ** National Guard, DOJ, DHS, and Co-Op				
agency or cooperative letters for information and gu	idance**			
Pilot Name (P1): PIC/Primary	Pilot Phone Number:			
Click here to enter text.	Click here to enter text.			
Pilot Name (P2): Co-Pilot/Relief	Pilot Phone Number:			
Click here to enter text.	Click here to enter text.			
	D'' : 0 1/04) 5 : : : D :			
Pilot Carded for Mission: Yes No	Pilot Card (P1) Expiration Date:			
	Click here to enter a date.			
Charter Pilot 135 Certificate and FAR's Apply				
	<b>FAA-UAS Lic. #</b> Click here to enter text.			
** Use of charter pilot requires regional forester				
approval**	Pilot Card (P2) Expiration Date:			
Check all boxes that apply to pilot(s) carding	Click here to enter a date.			
below:				
	FAA-UAS Lic. # Click here to enter text.			
Low-Level Recon & Survey P1 P2 P	Designated "Pilot Trainer" P1 P2			
· — —				
Helitack-Passenger Transport P1 P2	"Trainee Only" Pilot P1 P2			
	, ]			
External Load (Belly Hook) P1 P2	Short Haul LE SAR P1 P2			
Water-Retardant Delivery P1 P2	Float Operations (Fixed) P1 P2			
,	. , ]			
Longline VTR (150') P1 P2	Platform Landings-Offshore P1 P2			
Snorkel VTR Mirror P1 P2	Vessel Landings P1 P2 P			
	• 1			
Mountainous Terrain Flying P1 P2	Night Vision Goggle Operations P1 P2			
, • 🗆 🗆	<b>5</b>			
Aerial Ignition (PSD) P1 P2 P	ACETA Net Gun (All ACETA) P1 P2			
<b>3</b>	, ,			
Aerial Ignition (Torch) P1 P2 P	ACETA Eradication P1 P2 P			
Rappel Operations P1 P2 P	ACETA (Herding) P1 P2			
<b>,,,</b>				
Cargo Letdown P1 P2 P2	ACETA Darting-Paintball P1 P2			
ongo romonii : - 🗀 : 🗀	7.02177.241.4118.7411.15411.12			
Snow Operations (Deep Snow) P1 P2	STEP P1 P2			
Hoist P1 P2	Other P1 P2			
UAS P1 P2 Check and complete next	Click here to enter text.			
section	charter to chief text			

### **UAS Section:**

Procurement:	
Public- Agency Owned Commercial- Co	ontract
Comments- Click here to enter text.	
Aircraft Information: *Attach addendum page if runi	ning multiple aircraft*
☐ Fixed-Wing UAS Make − Choose an ite	m. <b>UAS Model –</b> Choose an item.
Rotor-Wing (VTOL)	
Carded for Mission - YES NO	
Card Expiration Date - Click here to enter text.	
Registration #- Click here to enter text.	
Aircraft Color Scheme - Click here to enter text.	
Crew: Other Than Pilot: Pilot(s) information found or	n Helicopter and Fixed-Wing Pilot Information Sheet
Crew: Other Than Pilot: Pilot(s) information found or UAS Crew Leader –	n Helicopter and Fixed-Wing Pilot Information Sheet  Contact Number -
	·
UAS Crew Leader –	Contact Number -
UAS Crew Leader –  UAS Data Specialist (1) -	Contact Number -
UAS Crew Leader –  UAS Data Specialist (1) -  UAS Data Specialist (2) -	Contact Number - Contact Number - Contact Number -
UAS Crew Leader –  UAS Data Specialist (1) -  UAS Data Specialist (2) -  UAS Visual Observer (1) -	Contact Number - Contact Number - Contact Number - Contact Number -
UAS Crew Leader –  UAS Data Specialist (1) -  UAS Data Specialist (2) -  UAS Visual Observer (1) -  UAS Visual Observer (2) -	Contact Number -
UAS Crew Leader –  UAS Data Specialist (1) -  UAS Data Specialist (2) -  UAS Visual Observer (1) -  UAS Visual Observer (2) -  Additional Crew -	Contact Number -
UAS Crew Leader –  UAS Data Specialist (1) -  UAS Data Specialist (2) -  UAS Visual Observer (1) -  UAS Visual Observer (2) -  Additional Crew -  Trainee Pilot/FAA UAS Lic. # -	Contact Number -

### **TFR Information:**

NOTAMS can be utilized as needed in accordance with policy requirements and FAA guidelines. TFR's cannot be requested for mission flights.

Airspace Authorization:
☐ Part 107 ☐ 107/LAANC ☐ SGI Waiver ☐ COA ☐ FAA/DOI MOA
Authorization Comments – UAS Pilot will make the determination for LAANC (Low altitude authorization and notification capability) and NOTAM submission and coordinate with dispatch.
Lost Link and Flyaway Procedures-Protocols:
If lost GPS signal, the pilot will return aircraft to launch in "manual" mode. If this is a lost controller link, the aircraft will initiate an auto "return to launch." If both lost and "Flyaway" occurs, note location, the direction of travel, time, and estimated battery life.
Notify Local dispatch who can then notify the FAA.
Notify local airports if applicable.
The pilot in command will File a SAFECOM and notify the Regional UAS Program Manager.
Special Consideration-Safety Concerns-Comments Section:
CRM will be utilized during all UAS operations. (Decision making, Assertiveness, Mission Analysis, Communication, Leadership, Adaptability/Flexibility, Situational Awareness.
If other UAS are used that are not listed here, the make/model, reg. # and agency card information will be recorded and attached to this plan. Operations will utilize only agency approved and carded UAS. The pilot must be carded for that aircraft/mission.
If multiple UAS are utilized within the same airspace, deconfliction will occur locally between UAS pilots along with dispatch. Coordination and flight following with multiple aircraft of different types (i.e., helicopter and UAS) will be done locally using effective communication and deconfliction techniques, with local dispatch center, and using Automated Flight Following (AFF) or other approved tracking system. UAS will <u>ALWAYS</u> give way to manned aircraft.

Flight Following and Frequencies:								
*Confirm frequencies during the briefing prior to flight*								
*FAA Flight Plan (chartered aircraft non-agency-controlled mission) no frequencies required*								
*Chartered 135 operator is responsible for communications and flight plan*								
Flight Following Method: AFF 🛛 Radio (Local or GACC aircraft desk) 🖂								
FAA Flight Plan: (Agency-owned or agency contracted aircraft mission)								
FAA Flight Plan: (Charter aircraft non-agency-controlled mission)								
FM Receive: FM Transmit:								
FS	SU			RX: N	o Tone			
170.	5500		164.1250	TX: Tone	7 167.9			
				Digita	l- \$68F			
FM Receive: FM Transmit:								
Sum	natra			RX: N	o Tone			
170.	5500		164.1250	TX: Tone	5 146.2			
				Digita	I-\$5B6			
FM Receive:		FM Trans	smit:					
Pri: A/G 15	167.5250			No '	<b>Tone</b>			
Sec: A/G 71	168.6750	S	ame as receive	No '	<b>Tone</b>			
AM Receive:		AM Trans	smit:					
•	122.9250				No Tone			
Sec: A/A 2	122.2750	S	ame as receive	No Tone				
to the con-					-1			
**Manager or	Mission Supervis	or will coo	ordinate Tempora	ry Flight Restrictions (TI	R) if needed**			
Military Trainin	g Route(s) (MTR'S	S) or Milita	ry Operating Are	a(s) (MOA'S)				
The mission	supervisor alter	nata sunai	rvisor or manage	r shall confirm deconflic	tion in these			
	The state of the s	•		other approved local m				
	•	_	•	ation safety plan briefin				
	CCOMMCCION WIII	oc addi coo	ed during the dvi	ation safety plan briefin	ь.			
MTR-MOA	Route Legs-Al	titudes	Activity	Time	Time Zone			
	•		•	Start:				
Tyndall D	300' AGL to 60	00' MSL	Hot 🔀	09:00am	итс 🗌			
MOA								
			Cold	Stop:	Local 🔀			
				23:00pm				
N/A □   ==================================								
				Start:				
			Hot 🔀	09:00am	итс 🗌			
Tyndall E	300' AGL to 60	00' MSL	-					
MOA			Cold	Stop:	Local 🔀			
				23:00pm				
			N/A 🗌					

Crash Rescue/Medivac Plan					
General Instructions (in the event of an incident): Mission site duties and actions to be coordinated through dispatch in accordance with local search & rescue (SAR) and emergency crash rescue plan(s). These items will be discussed and recorded during the daily safety briefing.					
Specified crash rescue duties will be assigned to ground operations personnel each day before flights of any kind. Crash rescue and first aid equipment will be located near the helicopter operations site, and equipment's location made known to all personnel. Information and instructions will be sent/received through the local dispatch office or communications.					
EMT(s) on-site: YES NO					
Names:					
Click here to enter text.					
First responder(s) on-site: YES NO					
Names:					
Click here to enter text. Click here to enter text. Click here to enter text.					
Available medivac helicopter(s)? YES UNKNOWN 🗵					
*Unknown: Select if medivac helicopter is not to be ordered for the mission or incident before need. The helicopter will be requested on-demand through the dispatch process. Dispatch will provide medivac ship call sign or tail number, including capabilities and contact information. *  Medivac helicopter on-site?  YES  NO					
Level of care medivac helicopter personnel can provide: ALS  BLS  Unknown  Unknown					
FAA Tail #(s) Click here to enter text.  Contact Information: Click here to enter text.					
Hoist/Rappel/Extraction Capable? YES NO NO					
Check all that apply: Hoist Rappel Short Haul					

Additional medical information attached? YES NO (See Appendix 3) Page 24

### **MEDICAL FACILITY**

Tallahassaa	Memorial HealthCare	Helipad			Helipad H1
Tallallassee	Memorial riealthoare	NO 🗌	YES 🖾	<del>&gt;</del>	ROOF-TOP, 54 x 54 ft. Elevation:
130 N	liccosukee Rd,				279.0 ft. Max GWT 10,500 lbs.
Tallah	assee, FL 32308	FAA#: FD18			
		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Helipad H2
(85	50) 431-1155	Travel Time:	:		ROOF-TOP, 50 x 50 ft. Elevation:
(ER)	- 850-431-0911		nd Ground 60 mir	1	273.0 ft. Max GWT 10,500 lbs.
Coordinates			Contact Freque	<u>ncies</u>	
Hospital:	N30°27.44' / W84°15.66'		AM Receive:	168.65	00 AM Transmit: 168.6500
Helipad H1:	N30°27.42' / W84°15.69'		RX Tone:	No To	ne TX Tone: No Tone
Helipad H2:	N30°27.45' / W84°15.64'				
	M	anager: PHILI	P DOYLE, (850) 4	31-5184	

Capital Regional Me 2626 Capital Med Tallahassee, FL	lical Blvd NO □	YES ⊠	Helipad H1 Concrete, 40 x 40 ft. Elevation: 149.5 ft. Max GWT 10,500 lbs.
(850) 325-50	Traver riiii	e: and Ground 60 min	Helipad H2  N/A
Coordinates		Contact Frequencies	
Hospital:		AM Receive: 164.3	3250 AM Transmit: 164.3250
Helipad H1: N30°28	.56' / W84°13.86'	RX Tone: No T	one TX Tone: No Tone
Helipad H2:			
		Manager:	

### **NEAREST BURN FACILITY**

UF Health Shands Hospita 1515 SW Archer Rd Gainesville, FL 32608 (352) 265-0111	NO  FAA#: FA12  Travel Time	NO  YES   FAA#: FA12  Travel Time: Air 50 min and Ground 2.5 hrs.		Helipad H1- North  Elevated Pad Concrete, 72 x 72 ft.  Elevation: 334.0 ft. Max GWT 11,000 lbs.  Helipad H2- South  Elevated Pad Concrete, 75 x 75 ft.  Elevation: 334.0 ft. Max GWT 11,000 lbs.		
Coordinates		Contact Frequen	<u>icies</u>			
Hospital:		AM Receive:	161.625	60 AM Transmit:	161.6250	
Helipad H1: N29°38.35' / W8	2°20.72'	RX Tone:	No Ton	e TX Tone:	No Tone	
Helipad H2: N29°38.36' / W8	2°20.55'					
		Manager:				

☑ Doors Off or Doors Open Flight(s)	secondary ru Photograph Free Fall Op **Safety Ale "Agency pe aircraft door	Personnel will remain seated and inside fuselage during all flights, approved secondary restraint harness for doors off flights (only for PLDO, HRAP, HRSP, Aerial Photography, IR Operator, ACETA Gunner, Cargo Letdown, Short Haul Spotter, Cargo Free Fall Operations-type 3 helicopter) * Refer to appropriate guides*  **Safety Alert IASA 18-03 language**  "Agency personnel involved in any public aircraft operations mission that require aircraft doors to be removed prior to flight, or open during flight, shall receive handson secondary restraint refresher training prior to conducting flight operations".						
Doors Off or Open Operations ch	     necklist: **All item	ns shall be co	overed and signed for prior to	operations**				
Aircraft connection point and								
Potential of secondary restr  Know location and use of se  Perform buddy–check and P	ne secondary restra aint interference w condary restraint i vilot in Command c ary restraint quick-	aint interact vith Airbus A nteraction of heck of seco	ion with FAA approved seat I	oplicable. t.				
Vendor Name:	Aircraft Model:		Aircraft Make:	FAA#:				
Mission Supervisor/Manager:	Date:	Pilot:		Date:				
Participant's Name: Print	Date		Participant's Name: Print	Date				

## **Appendix 1** – Hazardous Material Manifest Form DOT-SP-9198


Date:	Aircraft #:	Bureau/Agency:
		O V

Common Name	Shipping Name	Hazard Class	UN#	ERG#	QTY	WT
Acetylene	Acetylene, dissolved	2.1 Flammable Gas	UN1001	116		
Aerosols	Aerosols non-flammable each not exceeding one-liter capacity	2.2 Non-Flammable Gas	UN1950	126		
Aerosols starting fluid, WD-40	Aerosols flammable each not exceeding one-liter capacity	2.1 Flammable Gas	UN1950	126		
Batteries dry	Batteries dry, containing potassium hydroxide solid electric storage	8 Corrosive	UN3028	154		
Batteries wet	Batteries wet filled with acid	8 Corrosive	UN2794	151		
Batteries wet	Batteries wet filled with alkali	8 Corrosive	UN2795	131		
Batteries wet	Batteries wet non- spillable	8 Corrosive	UN2800	154		
Bear spray, irritants	Aerosols flammable each not exceeding one-liter capacity	2.1 Flammable Gas	UN1950	126		
Biomedical waste	Infectious substances affecting humans	6.2	UN2814	158		
Cartridge	Cartridge for small arms	1.4s	UN0012	114		
Clorox, liquid bleach	Hypochlorite Solutions	8 Corrosive	UN1791	154		
Diesel	Diesel, fuel	3 Flammable	UN1993	128		
Drip torch fuel	Gasoline/ Diesel	3 Flammable	UN1203	128		
Engine, internal combustion	Engine, internal combustion, flammable gas powered or Engine, fuel cell, flammable gas powered or Machinery, internal combustion, flammable gas powered or Machinery, fuel cell, flammable gas powered	2.1	UN3529	135, A200		
Engine, internal combustion	Engine, internal combustion, flammable liquid powered or Engine, fuel cell, flammable liquid powered or Machinery, internal combustion, flammable liquid powered or Machinery, fuel cell, flammable liquid powered	3	UN3528	135, A200		
Engine, internal combustion	Engine, internal combustion or Machinery, internal combustion	9	UN3530	135, A200		
Engines internal combustion	Engine internal combustion flammable gas powered	9 Misc.	UN3166	128		
Fire extinguisher	Fire extinguisher	2.2 Non-Flammable Gas	UN1044	126		
Fireline explosives FLE	Explosive blasting type E	1.1D EXPLOSIVES	UN0241	112		
Flare shell Pistol flare	Flammable solid, inorganic, nos (Aluminum powder)	4.1 Flammable Solid	UN3178	133		
Fuel white gas	Petroleum distillates, nos, (Naphtha solvent)	3 Flammable	UN1268	128		
Fuel, aviation jet-A	Fuel aviation, turbine engine	3 Flammable	UN1863	128		
Fusee	Fusee (rail or highway)	4.1 Flammable Solid	UN1325	133		

## Continued Hazardous Materials Manifest Form DOT-SP-9198

Common Name	Shipping Name	Hazard Class	UN#	ERG#	QTY	WT
Gasoline	Gasoline	3 Flammable	UN1203	128		
Lithium battery	Lithium battery	9 Misc.	UN3090	138		
MAPP gas helitorch	Methyl acetylene propadiene propane mixtures stabilized	2.1 Flammable Gas	UN1060	116P		
Nitrogen	Nitrogen, compressed	2.2 Non-Flammable Gas	UN1066	121		
Nitrogen refrigerated	Nitrogen, refrigerated liquid, cryogenic liquid	2.2 Non-Flammable Gas	UN1977	120		
Oxygen	Oxygen, compressed	2.2 Non-Flammable Gas	UN1072	122		
Paint	Paint including lacquer, enamel, stain, shellac, solutions, varnish, polish, liquid filler, and lacquer base, wood preservative	3 Flammable	UN1263	128		
Petro-gel helitorch	Gelling agent-helitorch	3 Flammable	UN1230	131		
Petroleum oil	Petroleum oil	3 Flammable	UN1270	128		
Plastic spheres	Potassium permanganate	5.1 Oxidizer	UN1490	140		
Propane	Petroleum gases, liquefied	2.1 Flammable Gas	UN1075	115		
Total Weight:						
Shipper's Signature		Location				
Pilot's Signature						

Appendix 2- Aerial Hazards Map CY23



### **Appendix 3** Additional Medical Information

General Instructions (in the event of transporting the patient in EU or CWN helicopter): Contract vendors are "okay with transporting patient to Medical Facility." IC or Incident within an Incident IC will "inform dispatch of the use of government contract aircraft for medivac transportation of the patient to Medical Facility." Dispatch will call Medical Facility provide them with the government aircraft call sign or tail number, verify contact frequencies, what helipad to use at Medical Facility, and verify helipad Lat/long.

### **Additional Hospitals**

		Helipad					
Calhoun-L	iberty Hospital				Helipad H1		
		NO 🗌	YES 🖂	<del>&gt;</del>	Concrete, 50 x 50 ft. Elevation: 75.0 ft.		
20370	Burns Ave				Max GWT 10,500 lbs.		
Blountstown, FL 32424		FAA#:					
					Helipad H2		
(850) 674-5411		Travel Time:			N/A		
		Air 20 min ar	nd Ground 60 min	1			
Coordinates			Contact Freque	ncies			
Hospital:			AM Receive:		AM Transmit:		
Helipad H1: N	N30°27.511' / W85°02.96	8'	RX Tone:	No To	ne TX Tone: No Tone		
Helipad H2:							
			Manager:				

#### **Ambulance Services**

Name	Address	Phone	Advanced Life Support
Liberty County	12499 NW Pogo St Bristol, FL 32321	850-643-2235	Yes ⊠ No □
Wakulla County	340 Trice Lane Crawfordville, FL 32327	850-926-5424	Yes ⊠ No □
Leon County	911 Easterwood Drive Tallahassee, FL 32311	850-606-2100	Yes ⊠ No □
Franklin County	135 Avenue G Apalachicola, FL 32320	850-653-8853	Yes ⊠ No □

#### **Incident Medical Aid Station**

Medical Aid Station	Address	Phone	Paramedics
Tallahassee Fire Department	327 N Adams St Tallahassee, FL 32305	850-891-6600	Yes ⊠ No □
Bristol Fire Department	Rural US Highway 20 E Bristol, FL 32321	850-643-2427	Yes ⊠ No □
Crawfordville Fire Department	88 Cedar Ave Crawfordville, FL 32327	850-926-6220	Yes □ No ⊠