

HUMBOLDT

COMPLEX


CA HUU 005606

INCIDENT ACTION PLAN

OPERATIONAL PERIOD

August 12 – August 13, 2015

0700-0700

INCIDENT OBJECTIVES	1. INCIDENT NAME Humboldt Complex	2. DATE 8/11/15	3. TIME 2041																		
4. OPERATIONAL PERIOD (DATE/TIME) 0700 – 0700 8/12/2015 to 8/13/2015																					
5. MANAGEMENT OBJECTIVES <ul style="list-style-type: none"> • Provide for firefighter and public safety. • Protect prime grazing land and other natural resources. • Establish and maintain positive relationships with cooperating agencies and the public. • Keep costs commensurate with values at risk. 6. GENERAL CONTROL OBJECTIVES <ul style="list-style-type: none"> • Keep all fires within the containment lines. • Keep the Bluford and Pine fires: <ul style="list-style-type: none"> North of Zenia Bluff Road South of Forest Service Road 02S08, Goat Rock, and Mountain Creek East of Alder Point Road West of Big Meadow 																					
7. WEATHER FORECAST FOR OPERATIONAL PERIOD <p>Partly cloudy conditions will continue through the period. Gusty southerly winds will continue with the strongest gusts this afternoon across the ridgetops. Max temps: 76-86. Min RH: 30-45%</p>																					
8. GENERAL SAFETY MESSAGE <p>Monitor fire personnel on the line for signs and symptoms of heat illness. If it occurs, provide treatment and follow the medical plan.</p>																					
9. Attachments (☒ if attached) <table border="0" style="width: 100%;"> <tr> <td><input checked="" type="checkbox"/> Organization List (ICS 203)</td> <td><input checked="" type="checkbox"/> Air Operations 220</td> <td><input type="checkbox"/> Demob Plan</td> </tr> <tr> <td><input checked="" type="checkbox"/> Weather Forecast</td> <td><input checked="" type="checkbox"/> Communications Plan (ICS 205)</td> <td><input checked="" type="checkbox"/> Travel Map</td> </tr> <tr> <td><input checked="" type="checkbox"/> Suppression Repair</td> <td><input checked="" type="checkbox"/> Medical Plan (ICS 206)</td> <td><input checked="" type="checkbox"/> Facility Map</td> </tr> <tr> <td><input checked="" type="checkbox"/> Safety Message</td> <td><input checked="" type="checkbox"/> Information</td> <td><input checked="" type="checkbox"/> Water Usage Report</td> </tr> <tr> <td><input checked="" type="checkbox"/> Assignment List (ICS 204)</td> <td></td> <td><input checked="" type="checkbox"/> Unit Log 214</td> </tr> <tr> <td></td> <td></td> <td><input checked="" type="checkbox"/> Shift Ticket</td> </tr> </table>				<input checked="" type="checkbox"/> Organization List (ICS 203)	<input checked="" type="checkbox"/> Air Operations 220	<input type="checkbox"/> Demob Plan	<input checked="" type="checkbox"/> Weather Forecast	<input checked="" type="checkbox"/> Communications Plan (ICS 205)	<input checked="" type="checkbox"/> Travel Map	<input checked="" type="checkbox"/> Suppression Repair	<input checked="" type="checkbox"/> Medical Plan (ICS 206)	<input checked="" type="checkbox"/> Facility Map	<input checked="" type="checkbox"/> Safety Message	<input checked="" type="checkbox"/> Information	<input checked="" type="checkbox"/> Water Usage Report	<input checked="" type="checkbox"/> Assignment List (ICS 204)		<input checked="" type="checkbox"/> Unit Log 214			<input checked="" type="checkbox"/> Shift Ticket
<input checked="" type="checkbox"/> Organization List (ICS 203)	<input checked="" type="checkbox"/> Air Operations 220	<input type="checkbox"/> Demob Plan																			
<input checked="" type="checkbox"/> Weather Forecast	<input checked="" type="checkbox"/> Communications Plan (ICS 205)	<input checked="" type="checkbox"/> Travel Map																			
<input checked="" type="checkbox"/> Suppression Repair	<input checked="" type="checkbox"/> Medical Plan (ICS 206)	<input checked="" type="checkbox"/> Facility Map																			
<input checked="" type="checkbox"/> Safety Message	<input checked="" type="checkbox"/> Information	<input checked="" type="checkbox"/> Water Usage Report																			
<input checked="" type="checkbox"/> Assignment List (ICS 204)		<input checked="" type="checkbox"/> Unit Log 214																			
		<input checked="" type="checkbox"/> Shift Ticket																			
10. PREPARED BY (PLANNING SECTION CHIEF) Jeff Adams 	11. APPROVED BY (INCIDENT COMMANDERS) Tom Nix																				



INCIDENT Weather Forecast

FORECAST NO: 9
PREDICTION FOR: 24 Hour SHIFT
SHIFT DATE: 8/12/15 – 8/13/15 (0700-0700)
TIME AND DATE FORECAST ISSUED: 8/11/15 @ 1830

NAME OF FIRE: Humboldt Complex
UNIT: CalFire
SIGNED: Richard Thompson *[Signature]*
Incident Meteorologist

WEATHER DISCUSSION: A general southerly flow pattern will prevail through the period. The strongest wind gusts will be the afternoon hours at the ridgetops as well as favored north-south orientated valleys. Temperatures will remain at seasonable levels. Humidity will fall to low levels this afternoon with moderate to excellent recoveries overnight.

Slightly cooler conditions will prevail on Thursday. For Friday through the weekend... a noticeable warming and drying trend is expected. On Friday and Saturday... there will be some persistent north to northeast winds at the higher elevations.

WEATHER FORECAST:

WEATHER: Partly cloudy.

TEMPERATURES: Max: 78-86 below 3500 feet... 70-78 above 3500 feet.
 Min: 53-60.

HUMIDITY: Min: 30-45%
 Max: 70-90% below 3500 feet... 50-70% above 3500 feet.

20 FT WINDS:
RIDGETOP - 0700-1200: Southeast to south 5-10 MPH.
 1200-2100: Southwest 6-12 MPH Gust 18 MPH.
 2100-0700: Southeast to south 3-6 MPH.

SLOPE/VALLEY - 0700-1100: Variable/upslope 3-6 MPH.
 1100-2100: Upvalley 6-12 MPH Gust 18 MPH.
 2100-0700: Downslope/downvalley 3-6 MPH.

OUTLOOK FOR THURSDAY: Partly to mostly cloudy. Highs: 76-84 below 3500 feet... 68-76 above 3500 feet. Lows: 51-57. Min RH: 35-50%. Max RH: 70-90%. Ridgetop winds: west to northwest 5-10 MPH Gust 15 MPH. Slope/valley winds: upvalley 5-10 MPH Gust 15 MPH daytime and downvalley 3-6 MPH nighttime.

EXTENDED FORECAST (FRIDAY THROUGH SUNDAY):

FRIDAY: Mostly clear. Highs: 82-90 below 3500 feet... 74-82 above 3500 feet. Lows: 54-62. Min RH: 20-35%. Max RH: 70-90%. Ridgetop winds: north to northeast 5-10 MPH Gust 15 MPH. Slope/valley winds: northeast 4-8 MPH becoming upvalley 5-10 MPH Gust 15 MPH by afternoon.

SATURDAY: Mostly clear. Highs: 84-94. Lows: 54-62. Min RH: 15-25%. Max RH: 60-80%. Ridgetop winds: northeast 5-10 MPH becoming west to northwest 6-12 MPH in afternoon. Slope/valley winds: northeast 4-8 MPH becoming upvalley 5-10 MPH Gust 15 MPH in the afternoon.

SUNDAY: Mostly clear. Highs: 86-96. Lows: 56-64. Min RH: 15-25%. Max RH: 60-80%. Ridgetop winds: southwest to west 5-10 MPH Gust 15 MPH. Slope/valley winds: upvalley 5-10 MPH Gust 15 MPH daytime... downvalley 3-6 MPH nighttime.



Humboldt Complex

CA HUU 005606 August 12, 2015 0700-0700

TERRAIN

Fire is located in canyon topography

- Steep, rocky slopes create hazardous rolling material.
- Snakes & ground-nesting bees are present.

Mitigation:

- Maintain adequate footing on steep slopes & watch for stump holes.
- Identify & flag off bee nests as necessary.

FUELS

Fire is burning in decadent fuels & hazard trees are present:

- Strong spotting potential exists when extreme fire behavior occurs.
- Reburn potential may exist where fire has backed downslope.
- Trees burned at the base may drop without warning.

Mitigation:

- Maintain situational awareness as necessary given fire activity.....use LOOKOUTS.
- Look up and around when working around trees.
- Flag off identified snag or green tree hazards and notify the division supervisor.

HEAT ILLNESS

Elevated temperatures mean high potential for heat illness:

- **Heat stress** is the mild syndrome of weakness, fatigue, & nausea that occurs early when the body begins to overheat.
- **Heat exhaustion** presents with headache, profuse sweating, dizziness, drowsiness and confusion.
- **Heat stroke** is a medical emergency that presents as confusion, irrational behavior, loss of consciousness, hot, dry skin, and elevated body temperature.

Mitigation:

- Monitor your crews for signs & symptoms.
- Drink plenty of water – the equivalent of one cup every 15-minutes, even if not thirsty.
- If heat illness occurs: The individual should be removed from the fireline, PPE removed, placed in a cool environment w/AC if available, and re-hydrated. Follow the Medical Plan and make the appropriate notifications.

Prepared By: Lou Sciocchetti, Safety Officer

Approved By: Tom Nix, Incident Commander

Tom Sciocchetti
Tom Nix

S
A
F
E
T
Y

S
A
F
E
T
Y

S
A
F
E
T
Y

I
T
'
S

U
P

T
O

Y
O
U
!
!
!
!
!

DIVISION ASSIGNMENT LIST		1. Branch I/III		2. Division/Group Wildcat			
3. Incident Name Humboldt Complex		4. Operational Period Date: 8/12/15 to 8/13/15 Time: 0700-0700					
5. Operations Personnel							
Operations Chief	Felix Berbena (D) Vince Bergland (N)	Safety Officer		Greg Alex			
Branch Director	Kevan Fox	Division/Group Supervisor		Larry Ochoa			
6. Resources Assigned this Period							
Strike Team/Task Force/ Resource Designator	Leader	Number Persons	Trans. Needed	Drop Off PT./Time	Pick Up PT./Time		
STC OES 1870C	Tom Ewaid	22	No	DP 3 / 0700	1900		
ENG WHT 5330	Allison Murphy	3	No	DP 3 / 0700	0700		
Humboldt TF 3	Michael Balizen	15	No	DP 3 / 0700	1900		
CRW2 Pacific Oasis C-6	Jason Maza	20	No	DP 3 / 0700	2300		
CRW2 Pacific Oasis C-9	Wess Dodds	20	No	DP 3 / 0700	2300		
CRW2 CNA Crew 5 C-43	Eric Keilhorn	25	No	DP 3 / 0700	1900		
W/T PVT Cattlelack Ranch E-72	Al Cash	2	No	DP 3 / 0700	1900		
W/T PVT Cattlelack Ranch E-74	Benita Maplesden	2	No	DP 3 / 0700	1900		
Faller Rolls O-400	Justin Rolls	1	No	DP 3 / 0700	1900		
Faller Rosebush O-401	AJ Rosebush	1	No	DP 3 / 0700	1900		
7. Control Operations Continue tactical patrols, continue to improve and hold existing hand and dozer line. Construct direct line where possible and continue to mop up 300 feet inside line. Notify your supervisor of any safety hazards (trees) and insure the area has been flagged off, request faller if required. Bag trash and identify surplus hose and equipment for backhaul.							
8. Special Instructions *Bold indicates a 24-hour shift. All others are 12-hour, unless noted. Water cannot be withdrawn from anywhere in the Alderpoint Water District, i.e. do not pull water from anywhere within the Alderpoint town limits. A new water source is located in Dobbyn Creek and staffed by a firefighter. Location of water source: 22689 Alderpoint Road, Alderpoint, CA 95511; N 40° 13.318 / W 123° 36.217 SOFL, FEMPs, and FEMTs working throughout the Branch in all Divisions.							
9. Division/Group Communication Summary							
Function	Frequency	System	Channel	Function	Frequency	System	Channel
Command	Tx 159.3000 N Rx 151.3550 N	King NIFC	CMD1 (Tone 10)	Command	Tx 159.3000 N Rx 151.3550 N	King NIFC	CMD1 (Tone 15)
Tactical Div/Group	Tx/Rx 151.4000 N	King NIFC	CDF Tac 10	Air to Ground	Tx/Rx 151.3175	King NIFC	CDF Tac 24
Prepared by (Resource Unit Leader) Mike Petro		Approved by (Planning Section Chief) Jeff Adams			Date 8/11/15		Time 2050

DIVISION ASSIGNMENT LIST		1. Branch IV		2. Division/Group Pine C			
3. Incident Name Humboldt Complex		4. Operational Period Date: 8/12/15 to 8/13/15 Time: 0700-0700					
5. Operations Personnel							
Operations Chief	Felix Berbena (D) Vince Bergland (N)	Safety Officer		Scott Marglin			
Branch Director	Dennis King/Kurt McCray (T)	Division/Group Supervisor		Jeffrey McCarroll/Shane Galvez (T)			
6. Resources Assigned this Period							
Strike Team/Task Force/ Resource Designator	Leader	Number Persons	Trans. Needed	Drop Off PT./Time	Pick Up PT./Time		
STC MEU 9110C	Tony Howard	17	No	DP 10 / 0700	0700		
Humboldt TF 2	Robert De La Rosa	16	No	DP 10 / 0700	1900		
CRW1 HUU Alder 2 C-26	Don Perez	16	No	DP 10 / 0700	0700		
DOZ BEU 4643 E-234	Darren Heinsen	2	No	DP 10 / 0700	0700		
W/T MIR 6066 E-127	Jimi Hensley	2	No	DP 10 / 0700	0700		
W/T PVT Fireline E-25	Matt Lovell	2	No	DP 10 / 0700	0700		
W/T PVT Cattlelack Ranch E-73	Zane Palmerton	2	No	DP 10 / 0700	0700		
W/T PVT John Hertzog E-100	Bob Saunders	2	No	DP 10 / 0700	0700		
Faller Hillskemper O-402	Jared Hillskemper	2	No	DP 10 / 0700	2300		
Faller Kuny O-381	Danny Kuny	2	No	DP 10 / 0700	2300		
7. Control Operations Anchor fire and continue direct line construction when possible. Continue implementing contingency lines. Mop up 150 feet inside the line. Bag trash and identify surplus hose and equipment for backhaul.							
8. Special Instructions *Bold indicates a 24-hour shift. All others are 12- hour, unless noted. Water cannot be withdrawn from anywhere in the Alderpoint Water District, i.e. do not pull water from anywhere within the Alderpoint town limits. A new water source is located in Dobbyn Creek and staffed by a firefighter. Location of water source: 22689 Alderpoint Road, Alderpoint, CA 95511; N 40° 13.318, W 123° 36.217 SOFL, FEMPs, and FEMTs working throughout the Branch in all Divisions.							
9. Division/Group Communication Summary							
Function	Frequency	System	Channel	Function	Frequency	System	Channel
Command	Tx 159.3000 N Rx 151.3550 N	King NIFC	CMD1 (Tone 10)	Command	Tx 159.3000 N Rx 151.3550 N	King NIFC	CMD1 (Tone 15)
Tactical Div/Group	Tx/Rx 154.2725 N	King NIFC	VFIRE 24	Air to Ground	Tx/Rx 151.3175	King NIFC	CDF Tac 24
Prepared by (Resource Unit Leader) Mike Petro		Approved by (Planning Section Chief) Jeff Adams			Date 8/11/15		Time 2330

DIVISION ASSIGNMENT LIST		1. Branch IV		2. Division/Group Pine R			
3. Incident Name Humboldt Complex		4. Operational Period Date: 8/12/15 to 8/13/15 Time: 0700-0700					
5. Operations Personnel							
Operations Chief		Felix Berbena (D) Vince Bergland (N)		Safety Officer Bret McTigue			
Branch Director		Dennis King/Kurt McCray (T)		Division/Group Supervisor Cliff Bramlette/Joel Burgett			
6. Resources Assigned this Period							
Strike Team/Task Force/ Resource Designator	Leader	Number Persons	Trans. Needed	Drop Off PT./Time	Pick Up PT./Time		
STC XPL 4125C	Mitchell Higgins	19	No	DP 10 / 0700	1900		
STC SKU 9263C	Darryl Laws	18	No	DP 10 / 0700	0700		
STG HUU 9125G	David Tikkanen	28	No	DP 10 / 0700	0700		
STG HUU 9124G	Orlando Payne	29	No	DP 10 / 0700	0700		
W/T PVT Willmore E-26	Kalen Souza	2	No	DP 10 / 0700	0700		
W/T PVT Willmore E-28	Steve Bosworth	2	No	DP 10 / 0700	0700		
FEMP	Robert Sime	1	No	DP 10 / 0700	0700		
FEMP	Todd Pennington	1	No	DP 10 / 0700	0700		
7. Control Operations Anchor fire and continue direct line execution. Continue implementing contingency lines. When possible, construct direct line; mop up 150 feet into the burn. Bag trash and identify surplus hose and equipment for backhaul.							
8. Special Instructions *Bold indicates a 24-hour shift. All others are 12- hour, unless noted. Water cannot be withdrawn from anywhere in the Alderpoint Water District, i.e. do not pull water from anywhere within the Alderpoint town limits. A new water source is located in Dobbyn Creek and staffed by a firefighter. Location of water source: Location of water source: 22689 Alderpoint Road, Alderpoint, CA 95511; N 40° 13.318 / W 123° 36.217 FEMPs and FEMTs will be shared by Divisions "C", "L", and "R".							
9. Division/Group Communication Summary							
Function	Frequency	System	Channel	Function	Frequency	System	Channel
Command	Tx 159.3000 N Rx 151.3550 N	King NIFC	CMD1 (Tone 10)	Command	Tx 159.3000 N Rx 151.3550 N	King NIFC	CMD1 (Tone 15)
Tactical Div/Group	Tx/Rx 154.3025 N	King NIFC	VFIRE 26	Air to Ground	Tx/Rx 151.3175	King NIFC	CDF Tac 24
Prepared by (Resource Unit Leader) Mike Petro		Approved by (Planning Section Chief) Jeff Adams		Date 8/11/15		Time 2330	

DIVISION ASSIGNMENT LIST		1. Branch IV	2. Division/Group Contingency	3. Page 2 of 2			
3. Incident Name Humboldt Complex		4. Operational Period Date: 8/12/15 to 8/13/15 Time: 0700-0700					
5. Operations Personnel							
Operations Chief	Felix Berbena (D) Vince Bergland (N)	Safety Officer	Roy Stephenson				
Branch Director	Dennis King/Kurt McCray (T)	Division/Group Supervisor	Keith Hill				
6. Resources Assigned this Period							
Strike Team/Task Force/ Resource Designator	Leader	Number Persons	Trans. Needed	Drop Off PT./Time	Pick Up PT./Time		
DOZ PVT Don Davis E-32	Harland Leaverton	2	No	DP 10 / 0700	0700		
DOZ PVT Northwestern E-34	Ron Stevenson	2	No	DP 10 / 0700	0700		
DOZ PVT Frank Zabel E-75		2	No	DP 10 / 0700	0700		
Chipper Cut Wright E-228	Todd Wright	1	No	DP 10 / 0700	2300		
Chipper Simpson E-229	Greg Simpson	1	No	DP 10 / 0700	2300		
Chipper Miller E-297	M.M. Miller	1	No	DP 10 / 0700	2300		
Chipper Ridge Logging E-299	Austin Berry	1	No	DP 10 / 0700	2300		
HEQB O-269	Justin Wass	1	No	DP 10 / 0700	0700		
HEQB (T) O-353	William Williams	1	No	DP 10 / 0700	0700		
HEQB O-318	Joel Hanson	1	No	DP 10 / 0700	0700		
HEQB O-348	Trevor Johnson	1	No	DP 10 / 0700	0700		
HEQB (T) O-317	Ryan Winchester	1	No	DP 10 / 0700	0700		
HEQB O-375	Thomas Hutchinson	1	No	DP 10 / 0700	0700		
HEQB (T) O-373	Roger Petersen	1	No	DP 10 / 0700	0700		
HEQB (T) O-387	Casey Deal	1	No	ICP / 0700	0700		
Faller Fullcircle O-34	Dave Kahan	1	No	DP 10 / 0700	2300		
Faller Claborn O-103	Alan Claborn	1	No	DP 10 / 0700	2300		
Masticator Premier	Aaron Einsele	1	No	DP 10 / 0700	2300		
7. Control Operations Construct identified contingency lines in Branch IV.							
8. Special Instructions *Bold indicates a 24-hour shift. All others are 12- hour, unless noted. Water cannot be withdrawn from anywhere in the Alderpoint Water District, i.e. do not pull water from anywhere within the Alderpoint town limits. A new water source is located in Dobbyn Creek and staffed by a firefighter. Location of water source: 22689 Alderpoint Road, Alderpoint, CA 95511: N 40° 13.318/ W 123° 36.217 SOFL, FEMPs, and FEMTs working throughout the Branch in all Divisions.							
9. Division/Group Communication Summary							
Function	Frequency	System	Channel	Function	Frequency	System	Channel
Command	Tx 159.3000 N Rx 151.3550 N	King NIFC	CMD1 (Tone 10)	Logistics	Tx 159.3000 N Rx 151.3550 N	King NIFC	CMD1 (Tone 15)
Tactical Div/Group	Tx/Rx 159.3075N	King NIFC	CDF Tac 27	Air to Ground	Tx/Rx 151.3175	King NIFC	CDF Tac 24
Prepared by (Resource Unit Leader) Mike Petro		Approved by (Planning Section Chief): Jeff Adams		Date 8/11/15		Time 2130	

DIVISION ASSIGNMENT LIST		1. Branch		2. Division/Group Humboldt Staging			
3. Incident Name Humboldt Complex		4. Operational Period Date: 8/12/15 to 8/13/15 Time: 0700-0700					
5. Operations Personnel							
Operations Chief	Felix Berbena (D) Vince Bergland (N)		Safety Officer				
Branch Director			Staging Area Manager		Domenic Devincenzi/Zach Downing		
6. Resources Assigned this Period							
Strike Team/Task Force/ Resource Designator	Leader	Number Persons	Trans. Needed	Drop Off PT./Time	Pick Up PT./Time		
STC OES 1472C	Laurie Donnelly	18	No	ICP / 0700	1900		
STC XTB 4227C	Brad Zlendick	20	No	ICP / 0700	1900		
STC SBC 9322C	Michael Patarak	22	No	ICP / 0700	1900		
STC OES 4802C	Lloyd Ogan	22	No	ICP / 0700	1900		
Humboldt TF 1	Claud Love	16	No	ICP / 0700	1900		
W/T PVT AKA Water E-30	Randy Auker	2	No	ICP / 0700	1900		
W/T PVT Willmore E-29	Doug Oilar	2	No	ICP / 0700	1900		
HEQB O-316	Nathan Opie	1	No	ICP / 0700	1900		
HEQB O-371	Jake Bibby	1	No	ICP / 0700	1900		
HEQB O-377	Darren Beaty	1	No	ICP / 0700	1900		
HEQB O-16	Luke Bourgault	1	No	ICP / 0700	1900		
HEQB O-315	David Pietrczak	1	No	ICP / 0700	1900		
DIVS O-166	Brian Renner	1	No	ICP / 0700	1900		
7. Control Operations All resources in staging must be available to respond within three minutes.							
8. Special Instructions Any heavy equipment assigned to staging and currently on the line stay on the line. Please contact staging for work assignment. DO NOT transport equipment back to ICP for staging.							
9. Division/Group Communication Summary							
Function	Frequency	System	Channel	Function	Frequency	System	Channel
Command	Tx 159.3000 N Rx 151.3550 N	King NIFC	CMD1 (Tone 10)	Command	Tx 159.3000 N Rx 151.3550 N	King NIFC	CMD1 (Tone 15)
Tactical Div/Group		King NIFC		Air to Ground	Tx/Rx 151.3175	King NIFC	CDF Tac 24



MEDICAL PLAN

1. INCIDENT NAME

Humboldt Complex

2. DATE PREPARED

8/11/2015

3. TIME PREPARED

1900

4. OPERATIONAL PERIOD

8/12/2015
0700-0700

5. INCIDENT MEDICAL AID STATIONS

MEDICAL AID STATIONS	LOCATION	PARAMEDICS	
		YES	NO
Humboldt Complex Medical Unit	Humboldt Complex Base Camp		XX

6. TRANSPORTATION

A. Air Ambulances

NAME	ADDRESS	PHONE	PARAMEDICS	
			YES	NO
Reach Air 18	Willits, CA	1-800-622-4045	XX	
Copter 102 -DAY HOIST	Humboldt Complex Helibase	COMM UNIT		XX
Air Guard H825 – NIGHT HOIST	Redding, CA	COMM UNIT	XX	
CHP H16 – DAY/NIGHT HOIST	Redding	530-225-2040	XX	

B. Ground Ambulances

CITY AMBULANCE – DEDICATED TO INCIDENT	ALDERPOINT STATION – CAL FIRE	COMM UNIT	PARAMEDICS	
			YES	NO
City Ambulance	814 Redwood Dr. Garberville, CA	707-442-4553	XX	

7. HOSPITALS

NAME	ADDRESS	TRAVEL TIME		PHONE	HELIPAD		BURN CENTER	
		AIR	GRND		YES	NO	YES	NO
Phelps Community	733 Cedar St Garberville, CA	N/A	15 min	707-923-3921		X		X
Redwood Memorial	3300 Renner Dr Fortuna, CA	N/A	45 min	707-725-4562		X		X
Mercy Hospital – LEVEL II TRAUMA	2175 Rosaline Redding, CA	40 min	1 hr	530-225-7201	X			X
UC Davis Med Center	2315 Stockton Blvd Sacramento, CA	1 hr 20 min	6 hrs	916-734-3790	X		X	

8. MEDICAL EMERGENCY PROCEDURES

LINE EMERGENCY: Crew Supervisor to contact Division Supervisor with patient complaint/condition and location.

- Division Supervisor contacts:
 - Line EMT / PM
 - Communications Unit
- **Communication Unit will clear command channel for emergency traffic**
- **Communications will switch all emergency traffic to CALCORD**
- Communications Unit contacts:
 - Medical Unit
 - Safety
 - Operations
- Division Supervisor will run medical emergency on CALCORD
- Comm Unit will:
 1. Dispatch air/ground ambulance to as appropriate.
 2. If necessary, after patient pickup, dispatch ambulance to helibase for transportation
 3. Notify receiving hospital of injury status.

INJURY REPORTING PROCEDURES

NATURE OF INJURY _____

LOCATION OF PATIENT _____

TRANSPORTATION REQUESTED BY: AIR ___ GROUND ___

POINT OF PICKUP _____

LAT _____ LONG _____

PATIENT UNIT ID _____

REMINDER: DO NOT GIVE PT NAME OVER RADIO
IS AN EMT WITH PATIENT: YES ___ NO ___

AGE _____

SEX: MALE ___ FEMALE ___

ALL EMERGENCIES---Secure the area and identify witnesses for later investigation. Keep an accurate log of events.

Medical Unit (909) 234-7970

9. PREPARED BY (MEDICAL UNIT LEADER)

Kris Yeary, MEDL

10. REVIEWED BY (SAFETY OFFICER)

Louis Sciocchetti, SOFR

ICS 206 8-78

Incident Phone List

Communications Trailer (559) 906-7770

CELL		
Incident Commander & Staff		
Incident Commander	Tom Nix	(707) 499-8699
Deputy Incident Commander	Mark McKey	(707) 499-9251
Safety (Day)	Dave Esteves	(209) 304-4576
Safety (Night)	Mike Sugaski	(719) 221-0774
Information Officer	Dan Merwin	(916) 599-5585
Operations		
Operations Section Chief (Day)	Felix Berbena	(530) 200-2547
Operations Section Chief (Night)	Vince Bergland	(559) 281-4315
Deputy Operations Section Chief	Rich Drozen	(559) 706-8803
Air Operations Branch Director	Matt Stanford	(951) 545-8205
Planning		
Plans Section Chief	Pam Linstedt	(707) 391-6706
Deputy Plans Section Chief	Jeff Adams	(714) 323-2061
Resources Unit	Jeff Dapper	(909) 286-6450
Resources Unit	Mike Petro	(714) 319-7152
Situation Unit	James Robbins	(707) 599-6435
Fire Behavior Analyst	Scott Jones	(530) 717-0667
Check-In	N/A	(707) 499-0561
DeMob Unit	Ray Wedel	(707) 599-6554
Training Technical Specialist	Lynn Webb	(707) 391-6754
Logistics		
Logs Section Chief	Frank Reilly	(951) 692-5227
Supply Unit	James Beckmann	(951) 760-5058
Ordering AM	Josh Randol	(209) 564-9433
Ordering PM	Chris Campmas	(805) 748-3533
Facilities Unit	Shawn Burriss	(909) 266-4752
Grnd Support Unit	Robert Tooker	(805) 903-3433
Grnd Support Unit	Nik Harris	(530) 945-8394
Communications Unit	Bob Ellis	(707) 499-2244
Motel Unit	Glenn Flamik	(916) 201-8942
Medical Unit	Kris Yeary	(909) 234-7970
Medical Unit	Steve Stone	(970) 318-8471
Medical Unit trainee	Samantha Sweeden	(916) 952-8381
Finance		
Finance Section Chief	Michael Borelli	(650) 245-1719

<< For changes, please stop by the Communications Unit >>

8/11/2015 ver. 1

8/11/201518:36

2 operator, 24 hour shift

EMERGENCY SHIFT TICKET and EVALUATION FORM					Contractor Name		
The responsible Government Officer will complete this form each shift					Water Haulers		
Incident or Project Name Wild		Incident Number CALNU 123456		Request Number E-64		Operator #1 Sean Rodgers	Operator #2 Wayne Rodgers
Agreement Number LNU22223333					Operator Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government		
Equipment Make Peterbilt		Equipment Model / Type 4000 Gallon		Operating Supplies Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government			
Serial Number 11343N		Licence Number 6A256483		Equipment Status Inspected <input type="checkbox"/> Released by Government <input type="checkbox"/> Withdrawn by Contractor <input type="checkbox"/> <input checked="" type="checkbox"/> Under Agreement			
Equipment Use					Remarks/Comments **		
Date	Start	Stop	(Circle) Hours	Days / Miles	2 Operators		
Mo / Day			Work	Assignment			
7/16	1300	1500	2	Travel In			
7/16	1500	2400	9	Division B			
Vendor Rating					Govt. Rep. Name and Position - PRINT Mike Brown, Div B		
Met Performance Expectations					Govt. Rep. Signature <i>Mike Brown</i>		
Equipment in Safe Working Condition					Contractor Signature <i>Jim Smith</i>		
Operator Skill Level					Date 07/17/12		
Operates Safely					Time 0800		
Operator's Cooperation Level					CALFIRE 297		
Overall Performance					(Rev 3-2011)		

* NOTE: Any rating of POOR requires an explanation in Comment Section.
**Final evaluation or for more documentation, use an ICS Form 230 or equivalent.

Pink - Finance Blue - Home Unit HE Coordinator Yellow - Vendor White - Govt Representative

1 operator, 12 hour shift

EMERGENCY SHIFT TICKET and EVALUATION FORM					Contractor Name		
The responsible Government Officer will complete this form each shift					H2O For You		
Incident or Project Name Wild		Incident Number CALNU 123456		Request Number E-65		Operator #1 James Russell	Operator #2
Agreement Number LNU11111119					Operator Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government		
Equipment Make Peterbilt		Equipment Model / Type 2000 Gallon		Operating Supplies Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government			
Serial Number 111454N		Licence Number SE653574		Equipment Status Inspected <input checked="" type="checkbox"/> Released by Government <input type="checkbox"/> Withdrawn by Contractor <input type="checkbox"/> <input checked="" type="checkbox"/> Under Agreement			
Equipment Use					Remarks/Comments **		
Date	Start	Stop	(Circle) Hours	Days / Miles	1 Operator		
Mo / Day			Work	Assignment			
7/17	0001	0800	8	Off Shift			
7/17	0800	2000	12	Division B			
7/17	2000	2400	4	Off Shift			
Vendor Rating					Govt. Rep. Name and Position - PRINT Steve Hampton, Div B		
Met Performance Expectations					Govt. Rep. Signature <i>Steve Hampton</i>		
Equipment in Safe Working Condition					Contractor Signature <i>James Russell</i>		
Operator Skill Level					Date 07/17/12		
Operates Safely					Time 2000		
Operator's Cooperation Level					CALFIRE 297		
Overall Performance					(Rev 3-2011)		

* NOTE: Any rating of POOR requires an explanation in Comment Section.
**Final evaluation or for more documentation, use an ICS Form 230 or equivalent.

Pink - Finance Blue - Home Unit HE Coordinator Yellow - Vendor White - Govt Representative

Instructions for Use of CDF 101 Property Certification of Location or Damage

Document Number: for use as a local number system or when attached to a FC-40 document.

Location / Incident Name: Enter the CDF facility property is assigned to. If submitting to an incident base, enter the Incident Name.

Incident Number: Enter the appropriate incident number

Unit: Enter the Unit the property is assigned to. If submitting to an incident base, enter the request number of the person certifying damage example E-320, C-14 or O-355.

Region: Enter the CDF Region where the property was assigned. If submitting to an incident base, enter the CDF Region responsible for the incident.

Date: Enter the date the P.L. or D. was completed.

The following items were: Enter either 'Broken', 'Left on Line', 'Damaged' or other status of the property.

Reminder, this form cannot be used in place of the STD-152 to certify Lost, Stolen, Worn Out or Damaged beyond repair property.

Date of Occurrence: Enter the date the property was broken, left on line or damaged.

Quantity: Enter the quantity for the line item.

Unit of Measure: Enter the unit of measure for the line item (example ea = each).

CDF Stock Number: Enter the PIN or stock number.

Description: Enter the description of the line item, indicate size, make, model and type. Clearly describe the item and provide adequate data to effectively identify equipment or property.

Property Number: Enter the CDF property number assigned to the line item, Capitalized or sensitive property must have their property number entered here.

Location of Items: Where is the property now (example, left on Division B night shift 8/1/04, Drop Point 2). A GPS coordinate, Station 22 or Unit Service Center may also be used to describe Location.

Remarks: Enter specific remarks here, how was the property damaged, what specifically is wrong with it.

Signature of Person Certifying Occurrence as Described:

Signature: The CDF Employee certifying the occurrence must sign.

Printed Name: Enter the printed name of the signature.

Title: Enter the title of the signature.

Date: Enter the date of the signature.

Unit Supervisors Approval:

If submitted on an incident this section must be completed by the supervisor of the property custodian. This may be the Strike Team Leader, Division Supervisor, Receiving and Distribution Manager, Supply Unit Leader, Logistics Section Chief, Agency Representative or Incident Commander.

If submitted at the home Unit this section must also be completed by the supervisor of the property custodian. This may be a Battalion or Division Chief.

Comments: Supervisors may enter comments of approval or disapproval.

Signature of Unit Administrator: Signature of Unit Supervisor reviewing the certification described.

Title: Title of the signature.

Date: Date of the signature.

Notes:

This document is NOT required if exchanging property at an incident base with the exception of capitalized or sensitive property assigned a CDF property number.

This document is required as certification when submitting an MRT to your local Service Center for replacement of property.

An OF-315 (Incident Replacement Requisition) is required as authorization to purchase fire replacement items at your local Unit. This document is required when submitting an MRT to you local Service Center for fire replacement items. A CDF-101 and/or A STD-152 are required for the certification of the status of property being requisitioned for replacement.

FIRE SUPPRESSION REPAIR

HUMBOLDT COMPLEX: CAHUU-005606

Fire Suppression Repair is the repair of damage caused directly from fire suppression activities. It is not the repair of areas damaged by the fire. We cannot upgrade facilities beyond their pre-fire condition. Any projects too large or complicated to be completed by the Fire Suppression Repair Group, shall be turned over to the local Unit or the Comp/Claims Unit.

Fire Suppression Repair needs should be reported as soon as discovered. To the extent feasible and with approval, repair work should start as soon as practical without conflicting with fire suppression actions. When feasible, construct waterbreaks (waterbars) on all dozer lines, handlines, and safety zones concurrent with line construction or mop-up operations. Remove trash and debris, including flagging and signs when no longer needed.

Repair Site Inventory

Field Observers and Fire Suppression Repair Group will assess the fire area for repair needs. All fireline resources are asked to contribute to this assessment by aiding in the development a complete evaluation of impacts and communicating them to the Fire Suppression Group.

Infrastructure Damage

Report the location and type of suppression damage to infrastructure. Common examples of such features include: fences, gates, culverts, bridges, watercourse crossings, water sources -including conduit and piping, utility distribution lines (above/below ground), and manmade barriers on roads previously closed but opened for suppression activities.

Natural Resource Damage

This category represents the repairing of existing problems caused by fire suppression activities and to prevent potential problems such as erosion caused by rainfall.

- Construct oversized waterbars where surface erosion in the form of riling/gullying of the dozer line would occur and in areas where any erosion has the potential to enter a watercourse. Berm removal may be sufficient without constructing a waterbar where dozer lines generally follow the contour, naturally outsloped or where the topography allows immediate drainage of (winter) rainfall.
 - Cut waterbars diagonally with a minimum depth of 6” into existing grade with a 12” berm for a height of 18”. Waterbreaks will be installed at a 30-45 degree angle. Outlets shall be open and directed onto the least erodible material possible.

Line or Road Gradient (%)	0-25%	>40%
Waterbar Spacing	100'	50'

- While performing repair on dozer lines, remove berms created by suppression activities unless berm is necessary to divert runoff from a sensitive site.
- Clean culverts and drainage facilities plugged with soil and debris by fire suppression activities.
- All slash, soil, and debris deposited into watercourses shall be removed and placed in a stable location away from the watercourse.
- Work within the vicinity of a watercourse and within 100 feet of a cultural site or other sensitive location should be performed by hand crews to avoid further damage. This applies to all direct and indirect lines.
- Construct drivable waterbars on unsurfaced roads when directed.

Cultural Site Damage

Flag site perimeter of known, found or suspected cultural site for identification. Report any disturbance to such a site through chain of command to the incident Archaeologist and/or the Fireline Suppression Repair Group immediately. Use the least disturbing suppression methods possible. Removing or disturbing any artifact is not permissible.

Comp Claims Issues

Damaged resources that are too large or complex for the Fireline Suppression Group to handle shall be turned over to Comp Claims for processing. Examples of such issues include damage to pavement, bridges, pipelines, gates, road surfaces, etc.



TRAINING MESSAGE

Please visit Training to have your training assignment on the Humboldt Complex be recognized.

- The Training office is in the Plans section of trailer row. If you want to insure the Training Specialist will be available when you are at base camp, please call Lynn Webb to make an appointment. She is happy to answer questions as well.

Lynn's cell phone number is **707-391-6754**.

- Over 70 trainees have started documentation and 20 have completed their assignment. Don't wait until you are demobed to work with the Training Specialist. You could miss out on the opportunity.



TRANSPORTATION MAP

HUMBOLDT COMPLEX

AUGUST 11, 2015

CA-HUU-003606

- ● ● ICP to Alderpoint Rd
- Main Access Road
- Other Roads

▣ Incident Command Post

● Drop Point

● Helispot

⊕ Water Source

△ Safety Zone

Ⓡ Repeater

Ⓢ Fire Station

Direct Protection Areas

State

Federal

Wilderness



HUU GIS
08/10/2015
2224



Directions

- Leave base camp
- 0.3 miles Left on Redwood Dr.
- 0.25 miles Right on 101 South
- 2.6 miles exit 639B Redway
- Right on Redwood Dr.
- 0.2 miles Right on Alderpoint Rd.
- Continue East towards Alderpoint

