

**WALL
INCIDENT
CA-BTU-010975**

INCIDENT ACTION PLAN



OPERATIONAL PERIOD

7/11/2017 0700

to

7/12/2017 0700



INCIDENT OBJECTIVES (ICS 202)

1. Incident Name: <p style="text-align: center;">WALL</p>	2. Operational Period:	Date From: 7/11/2017	Date To: 7/12/2017	
		Time From: 0700	Time To: 0700	

3. Objective(s):

Management Objectives

- Provide for emergency personnel and public safety at all times.
- Protect property, improvements, and infrastructure.
- Ensure coordinated, timely and accurate release of public information.
- Foster and maintain relationships with all cooperators and stakeholders.
- Protect economic, natural, cultural and heritage resources.
- Maintain fiscal accountability and keep costs commensurate with values at risk.

Control Objectives

- Keep the fire East of Oro Bangor Hwy
- Keep the fire South of Lake Oroville
- Keep the fire West of Robinson Mill Road
- Keep the fire North of La Porte Road

General Situational Awareness:

Steep and rugged terrain with difficult access. Extensive fire history in the area. Wildland Urban Interface / Intermix threat. Narrow roads and limited access.

5. Site Safety Plan Required? Yes No

Approved Site Safety Plan(s) Located at:


6. Incident Action Plan

<input checked="" type="checkbox"/> ICS 203	<input checked="" type="checkbox"/> ICS 215A	<input type="checkbox"/> Phone List	<input checked="" type="checkbox"/> Fire Suppression Repair Plan
<input checked="" type="checkbox"/> ICS 204	<input checked="" type="checkbox"/> ICS 220	<input checked="" type="checkbox"/> Training Message	<input type="checkbox"/>
<input checked="" type="checkbox"/> ICS 205	<input checked="" type="checkbox"/> Incident Map	<input checked="" type="checkbox"/> Travel Map	<input type="checkbox"/>
<input checked="" type="checkbox"/> ICS 206	<input checked="" type="checkbox"/> Weather Forecast	<input checked="" type="checkbox"/> Demob Plan	<input type="checkbox"/>
<input checked="" type="checkbox"/> ICS 208	<input checked="" type="checkbox"/> Fire Behavior	<input checked="" type="checkbox"/> Finance Message	<input checked="" type="checkbox"/> ICS 214

7. Prepared By: Buddy Bloxham	Position/Title: PSC	Signature:
8. Approved by Incident Commander:	Brian Estes	Signature:

ICS 202

ORGANIZATION ASSIGNMENT LIST (ICS 203)

1. Incident Name: WALL		2. Operational Period: Date From: 7/11/2017 Time From: 0700		Date To: 7/12/2017 Time To: 0700	
3. Incident Commander(s) and Command Staff:			7. Operation Section:		
IC/UC's	Brian Estes	Chief	Mike Blankenheim		
Deputy	Jeff Veik / Ron Myers / Jim Ferguson	Deputy	Mike Webb		
Safety Officer	Joe Buchmeier	Night Ops	Tim Ernst / Ron Roberts		
Information Officer	Jonathan Cox / Mary Ann Aldrich	Staging Area	Swedes	Josh Ramey	
Liaison Officer	Mitch Villalpando	Branch	I	Silvio Lanzas	
Law Tech Spec	Steven White	Division/Group	A	Brandon Lanning	
		Division/Group	C	Matthew Houston / Matthew Barnes (T)	
		Division/Group	P	Jason Dyer / Michael Conaty (T)	
4. Agency/Organization Representatives:					
Agency/Organization	Name	Division/Group			
CALFIRE - BTU	Garrett Sjolund	Division/Group			
BCSO	Derek Bell	Branch	III		
USFS	Steve Murphy	Division/Group	E/G		
PG&E	Rob Cone	Division/Group			
Ca. State Parks	Aaron Wright	Division/Group			
CHP Oroville	Al Sanders	Staging Area	Forbestown	Jason Sisneros	
Cal OES	Ken Hood	Division/Group			
Cal OES Law	Troy Clegg	Branch	V	Jeff Ohs	
NVADG	Norm Rosene	Division/Group	H	Kim Fullingim	
Butte Co. EOC	Shari McCracken	Division/Group	I	James Allen / Ryan Thomas (T)	
Wildfire Defense Sys	Mark Shipman	Division/Group	L	Keith Cummings	
Red Cross	Dave Willoughby	Staging Area	Olive	Edward Boontjer	
BC Animal Control	Ryan Soulsby	Division/Group			
		Branch	LAW	John Davis / Derek Bell	
5. Planning Section:			Division/Group	LAW BRANCH	Sgt Hail
Chief	Chris Post	Division/Group			
Deputy	Adam Mitchell / Buddy Bloxham	Division/Group			
Resource Unit	G. Garcia / D. Scheurich / L. Plata	Division/Group			
Situation Unit	Robert Clark	Division/Group			
Documentation Unit	Kim Moore	Branch	Supp Repair		
Demobilization Unit	Jim Irving	Division/Group	Supp Repair	Tim Collins / Dave Derby (T)	
GISS	Tom Knecht	Division/Group			
FBAN	Tim Chavez	Division/Group			
IMET	Scott Weishaar	Division/Group			
Training Tech Spec	Claudia Soiza	Staging Area			
Crew Tech Spec	Joey Howard	Air Operations Branch		Director:	Scott Packwood
6. Logistics Section:			Air Support Grp Sup	Tom Swanson	
Chief	Stephanie Edson / Dusty Martin	Helibase Manager		Scott Corn	
Deputy	Eddy Moore				
Supply Unit	Amber Henderson	8. Finance/Administration Section:			
Facilities Unit	Steve Dohman	Chief	Shawn Hogan	Deputy: John Kiszka	
Ground Support Unit	Jason Wardon	Time Unit	Andrew Corpuz		
Hired Equipment Tech	Jason Luckenbach	Procurement Unit	Jason McDermot		
Communications Unit	John Brooks	Comp/Claims Unit	Joe Tapia		
Medical Unit	Jorge Segura	Cost Unit	Greg Belk		
Motel Tech Spec	Jacob Tomsich				
Prepared By: Name:	Buddy Bloxham	Position/Title:	PSC	Signature: 	
ICS 203		Date/Time:	7/10/2017 2300 hours		



INCIDENT WEATHER FORECAST



FORECAST NO: 2
 PREDICTION FOR: DAY/NIGHT SHIFT
 SHIFT DATE STARTS: Tuesday, July 11, 2017
 FORECAST ISSUED: 1900 Monday, July 10, 2017

WALL FIRE
 UNIT: BUTTE UNIT
 SIGNED: Scott Weishaar
 Incident Meteorologist

WEATHER DISCUSSION: ...SLIGHTLY COOLER TUESDAY...

High pressure aloft will weaken a bit more Tuesday. This will result in slightly cooler conditions. The increased onshore low-level flow will bring some afternoon breezes to the fire area, especially exposed and blackened locations. Improved humidity recovery can be expected Tuesday night. Weaker onshore flow Wednesday will bring a little less wind, but minimal to no temperature change.

TUESDAY: Sunny. Areas of smoke in the morning.

TEMPERATURE: Below 1000ft 94-97F Above 1000 ft 88-93F TREND: DOWN 2-3
 HUMIDITY: Generally 15-23% TREND: UP 2-3%

20 FT WINDS:

SLOPES/VALLEYS: Up-slope to 6 mph in the morning then Up-slope/Up-valley 5-10 mph with gusts to 18 mph after 1400. Wind favoring S-SW.
 RIDGES: East 2 to 8 mph, switching to South to Southwest 7-11 mph with gusts to 20 mph in the afternoon.

INVERSION: Subsidence inversion mixing out by mid-morning.
 TRANSPORT WIND: Southwest 10-15 mph.
 CWR: 0 percent.
 LAL: 1

TUESDAY NIGHT: Clear. Areas of smoke.

TEMPERATURE: 65-70F. TREND: UP 3-6%
 HUMIDITY: 48-63%, but 41-47% ridges.

20-FOOT WIND:

SLOPE/VALLEY: Up-slope or South to Southwest 5-10 mph with gusts to 18 mph early then decreasing. Wind becoming East or downslope 2-7 mph by midnight.
 RIDGES: South to Southwest 7-11 mph with gusts to 20 mph early then decreasing. Wind becoming East 4-8 mph by midnight.

TRANSPORT WIND: Southwest 10-15 mph, shifting to East to Southeast 2-5 mph by midnight.

OUTLOOK FOR WEDNESDAY: Sunny. Areas of morning smoke.


TEMPERATURE: Below 1000ft 95-98F Above 1000 ft 89-94F
 HUMIDITY: 14-22%

20 FT WINDS:

SLOPES/VALLEYS: Up-slope/up-valley to 8 mph. Afternoon gusts to 14 mph.
 RIDGES: South to Southwest 5-9 mph. Afternoon gusts up to 16 mph.

INVERSION: Inversion mixing out by 1000.
 TRANSPORT WIND: South to Southwest 8-12 mph.
 CWR: 0 percent.
 LAL: 1

FIRE BEHAVIOR FORECAST

FORECAST NUMBER: 2	TYPE OF FIRE: WILDFIRE
FIRE NAME: WALL	OPERATIONAL PERIOD: JULY 11, 2017 24 HOUR
DATE ISSUED: JULY 10, 2017	TIME ISSUED: 1900
UNIT: CAL FIRE BUTTE UNIT	SIGNED:  Typed/printed: TIM CHAVEZ

INPUTS

WEATHER SUMMARY:
SLIGHTLY COOLER TEMPERATURES AND IMPROVED HUMIDITY. LONG DAYLIGHT PERIOD. SEE IMET FORECAST ATTACHED.

OUTPUTS

FIRE BEHAVIOR

GENERAL: BANGOR RAW (BRUSH FUEL MODEL) ERC 30, BI 47, 1000 HOUR FM = 9%, 100 HOUR FM=6%, 10 HOUR FM=5% FINE DEAD FUEL MOISTURE = 2-4%.
AVG ANNUAL RAINFALL 35", 2017 RAINFALL 50.75". PROBABILITY OF IGNITION 90% DURING DAYLIGHT HOURS. FUELS VERY RECEPTIVE TO SPOTTING. HEAVY LOADING OF FINE FUELS AND MANY DEAD STANDING AND DOWN LARGE DIAMETER FUELS INSIDE THE 2013 SWEDES BURN AREA. POTENTIAL SPOTTING DISTANCE 0.1 MILES.

SPECIFIC:

BRANCH I

AREA OF MOST CONCERN IS THE 2013 SWEDES BURN AREA THAT IS UNBURNED ADJACENT TO DIVISION A. HIGHLY RECEPTIVE FUELS.

BRANCH III

NO FIRE ACTIVITY ANTICIPATED.

BRANCH V

WEST FACE OF HONCUT CREEK IN DIVISION P REMAINS A CHALLENGE AS GRASSY FUELS PROVIDE A RECEPTIVE FUEL BED. A SPOT ACROSS THE LINE COULD BE SEVERAL HUNDRED ACRES IF NOT CONTROLLED IN THE FIRST HOUR.

AIR OPERATIONS: SUNRISE 0549, SUNSET 2036. NO SMOKE OR VISIBILITY PROBLEMS

SAFETY

- HAZARD TREES CAN FALL WITHOUT WARNING. A GREEN OR A DEAD TREE CAN BE A HAZARD TREE.
- PARK ALL VEHICLES IN CLEAN COLD BLACK; AVOID DRIVING OR PARKING IN FINE FUELS
- COMMON DENOMINATOR: ON RELATIVELY SMALL FIRES OR QUIET AREAS OF LARGE FIRES



SAFETY MESSAGE



WALL INCIDENT

Incident Name: WALL	Operational Period: Date From:07/11/17 Time From: 07:00	Date To:07/12/17 Time To: 07:00
---------------------	--	------------------------------------

SEVERAL NEW FIRES ARE STARTING DAILY REMAIN FOCUSED AND AVOID COMPLACANCY

- Many accidents happen during the mop up phase, wear proper PPE, watch for stump holes and ash-hidden hazards.
- Receptive fuel beds are all around you, there is a high potential for spot fires, plan your exit strategy accordingly.
- As backhaul operations begin use proper lifting techniques, utilize vehicles for hauling whenever possible.
- Radio frequencies will be changing, follow the communications plan and clone when needed.
- No PPE allowed in the feeding areas. Wash hands regularly and always before entering the eating areas.
- If personnel become fatigued but it does not constitute a medical emergency, use fire-line paramedics for evaluation and rehab in a shaded area.
- Be cautious of any marijuana grows in the areas you are working.
- Repopulation has begun and some road closures lifted be extra careful driving and keep headlights on.


IF IT'S PREDICTABLE, IT'S PREVENTABLE!

Site Safety Plan Required? Yes No

Prepared by: Name(s): Joe Buchmeier SOF1 / Josh Janssen SOF1(T)

ICS 208

Date/Time: July 10, 2017 21:00

Incident Name: Wall		Incident Number: CABTU10975	
Date/Time Prepared: Date: 07/10/17 Time: 1900		Operational Period: Date From: 07/11/17 Date To: 07/12/17 Time From: 0700 Time To: 0700	
Incident Area	Hazards/Risks	Mitigations	
ALL	STEEP TERRAIN	<ul style="list-style-type: none"> - POST LOOKOUTS - WATCH FOOTING - ADJUST OPERATIONS 	
ALL	NARROW ONE WAY ROADS	<ul style="list-style-type: none"> - HEADLIGHTS ON - SLOW DOWN 	
ALL	FATIGUE, CREWS HAVE BEEN RUNNING MULTIPLE INCIDENTS PRIOR TO THIS ONE	<ul style="list-style-type: none"> - MAINTAIN PROPER WORK REST CYCLES - DOCUMENT ON ICS-214 	
ALL	HYDRATION AND HIGH TEMPERATURES	<ul style="list-style-type: none"> - MAINTAIN 3 WATERS TO 1 ELECTROLYTE RATIO 	
ALL	FIRELINE SUPPRESSION REPAIR	<ul style="list-style-type: none"> - CAUTION WORKING AROUND HEAVY EQUIPMENT 	
ALL	MOP UP OPERATIONS, STUMP HOLES, HIDDEN HAZARDS	<ul style="list-style-type: none"> - WEAR PROPER PPE - MAINTAIN SITUATIONAL AWARENESS 	
ALL	BACKHAUL WORKLOAD, 153,000 FEET OF HOSE TO REMOVE	<ul style="list-style-type: none"> - USE PROPER LIFTING TECHNIQUES - UTILIZE VEHICLES WHEN POSSIBLE 	
ALL	IN CAMP MOVEMENT OF VEHICLES IN DEMOB PROCESS	<ul style="list-style-type: none"> - ALWAYS DO WALK AROUND, SECURE ALL LOOSE GEAR. 	
ALL	DROUGHT STRESSED TREES	<ul style="list-style-type: none"> - BE CAUTIOUS OF WHERE YOU ARE TAKING SHADED BREAKS 	
ALL	COMMUNICATIONS	<ul style="list-style-type: none"> - FOLLOW THE COMM PLAN - BE SURE TO CLONE RADIOS 	
BASE / HOTELS	SECURITY AT INCIDENT BASE & HOTELS	<ul style="list-style-type: none"> - PLACE SECURITY AT ENTRANCE AND EXITS - REMOVE VALUABLES FROM VEHICLES AT HOTELS 	
ALL	RE-POPULATION IN PROGRESS	<ul style="list-style-type: none"> - BE CAUTIOUS DRIVING AND WORKING IN RE-POP AREAS 	
Prepared by: Joe Buchmeier SOF1, Josh Janssen SOF 1 (T)			
ICS 215A			



DEMOBILIZATION SAFETY MESSAGE



On Behalf of CAL FIRE Incident Management Team 6 we would like to thank you for your assistance. We wish you safe travels home or to your next assignment. Below are a few reminders to make your trip safer:

- Conduct walk around before driving
- Check for and secure all loose items (ie: tools, hose, and packs)
- Wear seat belts at all times
- Monitor all drivers for fatigue,
 - Switch drivers regularly if possible
 - Find a safe place to stop, exit the vehicle and stretch
 - If all else fails, stop and take a short rest to revitalize
- Obey Posted Speed Limits
- Ensure Personnel have adequate nutrition and hydration for the trip
- Be prepared for the next incident

Thank you again for your hard work!

Joe Buchmeier SOF1

Josh Janssen SOF1(T)

Dedicated to Effective, Efficient, and Professional Incident Management

ASSIGNMENT LIST (ICS 204)

1. Incident Name: WALL	2. Operational Period: Date From: 07/11/17 Date To: 07/12/17 Time From: 0700 Time To: 0700	3. Branch: I Div/Group: P Papa					
4. Operations Personnel: Operations Section Chief: Mike Blankenheim Night Ops: Tim Ernst / Ron Roberts Branch Director: Silvio Lanzas Division/Group Supervisor: Jason Dyer / Michael Conaty (T)							
5. Resources Assigned:		Reporting Location, Special Equipment, Remarks, Notes, and Information					
Resource Identifier	Leader	Number of Personnel	Request #	Time Location			
STC XMR 2140C	Menzel, Dmitri	19	E-256	0700-0700			
STG HUU 9125G	Payne, Orlando	33	C-45	0700-0700			
CRW Diamond Fire*	King, Nick	20	C-35	0700-1900			
CRW BFC1	DeLong, Shannon	16	C-3	0700-0700			
CRW BFC2	Alderman, Brian K	16	C-4	0700-0700			
STL HUU 9128L	Collins, Daniel	5	E-2	0700-0700			
W/T PVT E-32		2	E-32	0700-0700			
W/T PVT E-33	Patane, Gino	2	E-33	0700-0700			
W/T PVT E-39		2	E-39	0700-0700			
FEMP PATTERSON O-232*	Patterson, Matthew	1	O-232	0700-1900			
FEMP BROWN O-233*	Brown, Zachary	1	O-233	0700-1900			
6. Work Assignments: Widen and improve fireline. Mop up 100' Tactical Patrol. Backhaul trash and hose.							
7. Special Instructions: * 12 Hour Resource*							
8. Communications (radio and/or phone contact numbers needed for this assignment):							
Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
NIFC C11	6	COMMAND	170.6875		166.5750	131.8 (T3)	ALL DIVISIONS
CDF T27	9	TACTICAL	159.3075	192.8 (T16)	159.3075	192.8 (T16)	
CALCORD	15	MEDICAL	156.0750	156.7 (T6)	156.0750	156.7 (T6)	MEDICAL COORDINATION
CDF T18	14	AIR TO GROUND	159.3450	192.8 (T16)	159.3450	192.8 (T16)	
GUARD	16	EMERGENCY	168.6250	0.0	168.6250	110.9	EMERGENCY USE ONLY
9. Prepared by: Name: Leonel Plata Pos/Title: RESL							
ICS 204	Date/Time: 7/10/2017	2300 hours	Signature:				


ASSIGNMENT LIST (ICS 204)

1. Incident Name: <p style="text-align: center;">WALL</p>	2. Operational Period: Date From: 07/11/17 Date To: 07/12/17 Time From: 0700 Time To: 0700	3. Branch: V Div/Group: L Lima																																																																																																																																																	
4. Operations Personnel: Operations Section Chief: Mike Blankenheim Night Ops: Tim Ernst / Ron Roberts Branch Director: Jeff Ohs Division/Group Supervisor: Keith Cummings																																																																																																																																																			
5. Resources Assigned: <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;">Resource Identifier</th> <th style="width: 20%;">Leader</th> <th style="width: 10%;">Number of Personnel</th> <th style="width: 10%;">Request #</th> <th style="width: 30%;">Reporting Location, Special Equipment, Remarks, Notes, and Information</th> </tr> </thead> <tbody> <tr> <td>STC XTO 4250C</td> <td>Slusher, Matt</td> <td style="text-align: center;">17</td> <td style="text-align: center;">E-253</td> <td>0700-0700</td> </tr> <tr> <td>STG LMU 9226 G</td> <td>Veverka, Robert</td> <td style="text-align: center;">33</td> <td style="text-align: center;">C-5</td> <td>0700-0700</td> </tr> <tr> <td>CRW Earth Industries LLC*</td> <td>Jose Araujo</td> <td style="text-align: center;">16</td> <td style="text-align: center;">C-32</td> <td>0700-1900</td> </tr> <tr> <td>W/T PVT E-41</td> <td>William, Redcom</td> <td style="text-align: center;">2</td> <td style="text-align: center;">E-41</td> <td>0700-0700</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>		Resource Identifier	Leader	Number of Personnel	Request #	Reporting Location, Special Equipment, Remarks, Notes, and Information	STC XTO 4250C	Slusher, Matt	17	E-253	0700-0700	STG LMU 9226 G	Veverka, Robert	33	C-5	0700-0700	CRW Earth Industries LLC*	Jose Araujo	16	C-32	0700-1900	W/T PVT E-41	William, Redcom	2	E-41	0700-0700																																																																																																																									
Resource Identifier	Leader	Number of Personnel	Request #	Reporting Location, Special Equipment, Remarks, Notes, and Information																																																																																																																																															
STC XTO 4250C	Slusher, Matt	17	E-253	0700-0700																																																																																																																																															
STG LMU 9226 G	Veverka, Robert	33	C-5	0700-0700																																																																																																																																															
CRW Earth Industries LLC*	Jose Araujo	16	C-32	0700-1900																																																																																																																																															
W/T PVT E-41	William, Redcom	2	E-41	0700-0700																																																																																																																																															
6. Work Assignments: Widen and improve fireline. Mop up 100'. Tactical Patrol. Backhaul trash and hose.																																																																																																																																																			
7. Special Instructions: 																																																																																																																																																			
12 Hour Resource																																																																																																																																																			
8. Communications (radio and/or phone contact numbers needed for this assignment): <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;">Name</th> <th style="width: 5%;">Ch</th> <th style="width: 15%;">Function</th> <th style="width: 10%;">Rx Freq</th> <th style="width: 10%;">Rx Tone</th> <th style="width: 10%;">Tx Freq</th> <th style="width: 10%;">Tx Tone</th> <th style="width: 20%;">Notes</th> </tr> </thead> <tbody> <tr> <td>NIFC C11</td> <td style="text-align: center;">6</td> <td>COMMAND</td> <td>170.6875</td> <td></td> <td>166.5750</td> <td>131.8 (T3)</td> <td>ALL DIVISIONS</td> </tr> <tr> <td>NIFC T5</td> <td style="text-align: center;">13</td> <td>TACTICAL</td> <td>166.7250</td> <td></td> <td>166.7250</td> <td></td> <td></td> </tr> <tr> <td>CALCORD</td> <td style="text-align: center;">15</td> <td>MEDICAL</td> <td>156.0750</td> <td>156.7 (T6)</td> <td>156.0750</td> <td>156.7 (T6)</td> <td>MEDICAL COORDINATION</td> </tr> <tr> <td>CDF T18</td> <td style="text-align: center;">14</td> <td>AIR TO GROUND</td> <td>159.3450</td> <td>192.8 (T16)</td> <td>159.3450</td> <td>192.8 (T16)</td> <td></td> </tr> <tr> <td>GUARD</td> <td style="text-align: center;">16</td> <td>EMERGENCY</td> <td>168.6250</td> <td>0.0</td> <td>168.6250</td> <td>110.9</td> <td>EMERGENCY USE ONLY</td> </tr> </tbody> </table>				Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes	NIFC C11	6	COMMAND	170.6875		166.5750	131.8 (T3)	ALL DIVISIONS	NIFC T5	13	TACTICAL	166.7250		166.7250			CALCORD	15	MEDICAL	156.0750	156.7 (T6)	156.0750	156.7 (T6)	MEDICAL COORDINATION	CDF T18	14	AIR TO GROUND	159.3450	192.8 (T16)	159.3450	192.8 (T16)		GUARD	16	EMERGENCY	168.6250	0.0	168.6250	110.9	EMERGENCY USE ONLY																																																																																																
Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes																																																																																																																																												
NIFC C11	6	COMMAND	170.6875		166.5750	131.8 (T3)	ALL DIVISIONS																																																																																																																																												
NIFC T5	13	TACTICAL	166.7250		166.7250																																																																																																																																														
CALCORD	15	MEDICAL	156.0750	156.7 (T6)	156.0750	156.7 (T6)	MEDICAL COORDINATION																																																																																																																																												
CDF T18	14	AIR TO GROUND	159.3450	192.8 (T16)	159.3450	192.8 (T16)																																																																																																																																													
GUARD	16	EMERGENCY	168.6250	0.0	168.6250	110.9	EMERGENCY USE ONLY																																																																																																																																												
9. Prepared by: Name: Leonel Plata Pos/Title: RESL Signature:																																																																																																																																																			
ICS 204 Date/Time: 7/10/2017 2300 hours																																																																																																																																																			

ASSIGNMENT LIST (ICS 204)

1. Incident Name: WALL		2. Operational Period: Date From: 07/11/17 Date To: 07/12/17 Time From: 0700 Time To: 0700				3. Branch: Supp Repair Div/Group: Supp Repair	
4. Operations Personnel: Operations Section Chief: Mike Blankenheim Night Ops: Tim Ernst / Ron Roberts Branch Director: Division/Group Supervisor: Tim Collins / Dave Derby (T)							
5. Resources Assigned:			Number of Personnel	Request #	Reporting Location, Special Equipment, Remarks, Notes, and Information Time Location		
Resource Identifier	Leader						
CRW OC Forestry Inc	Ordonez, Mario		16	C-33	0700-1900		
CRW Pacific Coast Contracting Inc	Gomez, Tomas		20	C-34	0700-1900		
DOZ PVT E-68	Cummings, Terry		1	E-68	0700-1900		
DOZ PVT E-71	Miller, Harold		1	E-71	0700-1900		
EXC PVT TBD					0700-1900		
W/T BTC 25			1	E-24	0700-1900		
W/T PVT E-37	Lawrence, Bruce		1	E-37	0700-1900		
HEQB AGUILERA O-188	Guillermo, Manuel		1	O-188	0700-1900		
HEQB NIEDERBERGER O-187	Niederberger, Hans J		1	O-187	0700-1900		
HEQB URRUTIA O-190	Urrutia, Felix		1	O-190	0700-1900		
FOBS Anderson O-155	Anderson, Guy		1	O-155	0700-1900		
FOBS GALLARDO O-36	Gallardo, Richard J		1	O-36	0700-1900		
FOBS Haas O-12.69	Haas, David		1	O-12.69	0700-1900		
6. Work Assignments: Implement incident fire suppression repair plan.							
7. Special Instructions: *12 Hour Group*							
8. Communications (radio and/or phone contact numbers needed for this assignment):							
Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
NIFC C11	6	COMMAND	170.6875		166.5750	131.8 (T3)	ALL DIVISIONS
CDF T28	10	TACTICAL	151.1825	192.8 (T16)	151.1825	192.8 (T16)	
CALCORD	15	MEDICAL	156.0750	156.7 (T6)	156.0750	156.7 (T6)	MEDICAL COORDINATION
CDF T18	14	AIR TO GROUND	159.3450	192.8 (T16)	159.3450	192.8 (T16)	
GUARD	16	EMERGENCY	168.6250	0.0	168.6250	110.9	EMERGENCY USE ONLY
9. Prepared by: Name:		Leonel Plata		Pos/Title: RESL		Signature:	
ICS 204		Date/Time: 7/10/2017		2300 hours			

ASSIGNMENT LIST (ICS 204)

1. Incident Name: WALL		2. Operational Period: Date From: 07/11/17 Date To: 07/12/17 Time From: 0700 Time To: 0700			3. Branch: Staging Forbestown		
4. Operations Personnel: Operations Section Chief: Mike Blankenheim Night Ops: Tim Ernst / Ron Roberts Branch Director: Division/Group Supervisor: Jason Sisneros							
5. Resources Assigned:				Number of Personnel	Request #	Reporting Location, Special Equipment, Remarks, Notes, and Information Time Location	
Resource Identifier	Leader						
6. Work Assignments: Maintain 3 minute response time.							
7. Special Instructions:							
8. Communications (radio and/or phone contact numbers needed for this assignment):							
Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
NIFC C11	6	COMMAND	170.6875		166.5750	131.8 (T3)	ALL DIVISIONS
CALCORD	15	MEDICAL	156.0750	156.7 (T6)	156.0750	156.7 (T6)	MEDICAL COORDINATION
CDF T18	14	AIR TO GROUND	159.3450	192.8 (T16)	159.3450	192.8 (T16)	
GUARD	16	EMERGENCY	168.6250	0.0	168.6250	110.9	EMERGENCY USE ONLY
9. Prepared by: Name: Leonel Plata Pos/Title: RESL Signature: 							
ICS 204		Date/Time: 7/10/2017 2300 hours					

MEDICAL PLAN (ICS 206)

1. Incident Name: <p style="text-align: center; font-weight: bold;">WALL</p>	2. Operational Period: Date From: 7/11/17 Date To: 7/12/17 Time From: 0700 Time To: 0700
--	--

3. Medical Aid Stations:			
Name	Location	Contact Number/Freq	Paramedics
MERT	ICP	530-310-4921	<input type="checkbox"/> No

4. Transportation (indicate air or ground):			
Ambulance Service	Location	Contact Number	Level of Service
Butte County EMS	Swedes Staging	530-332-7050	ALS


5. Hospitals:							
Hospital Name	Address,	Contact Number(s)/ Frequency	Travel Time		Trauma Center	Burn Center	Helipad
	Lat & Long		Air	Ground			
Oroville Hosp	2767 Olive Hwy, Oroville, CA 95966	(530) 533-8500	5	25	Level 3	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes
Enloe Med Ctr	1531 Esplanade Chico, CA 95926	(530) 332-7300	20	55	Level 2	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes
University of California- Davis Medical Center	2315 Stockton Blvd. Sacramento	(916) 734-2011	40	100	Level 1	<input checked="" type="checkbox"/> Yes	<input checked="" type="checkbox"/> Yes

6. Special Medical Emergency Procedures	
<p>Line Emergency Crew Supervisor will contact Division Supervisor with patient complaint/condition and location.</p> <ul style="list-style-type: none"> - Division Group Supervisor Contacts: <ol style="list-style-type: none"> 1. Closest EMS resource 2. Communications Unit - Communications Unit Contacts: <ol style="list-style-type: none"> 1. Ground or Air ambulance as requested 2. Operations 3. Safety 4. Medical Unit - Division Supervisor or designee will serve as point of contact and run medical emergency on assigned channel. <ol style="list-style-type: none"> 1. A pre-assigned tactical frequency (i.e. CALCORD) should be used for IWI and only for duration of the emergency. - Communications Unit will clear the Command channel for emergency traffic as needed for duration of the need. <p>Camp Emergency Contact Medical Unit with patient complaint/condition and location. Medical staff will respond to stabilize the patient.</p> <ul style="list-style-type: none"> - Medical Unit contacts <ol style="list-style-type: none"> 1. Communications 2. Safety 3. Logistics 4. Operations 5. Crew Supervisor 6. Comp/Claims 	<p>Injury Reporting Procedures</p> <p>Nature of Injury: _____ Location of Patient: _____ Point of Contact: _____ Transportation Requested by: Air _____ Ground _____ Point of Pick-Up: _____ Lat: _____ Long: _____ Patient Unit ID: _____ Is an EMT with Patient: Yes _____ No _____ Age: _____ Sex: Male _____ Female _____</p> <p>All Emergencies - Secure the area and identified witnesses for later investigation. Keep accurate log of events.</p>

Check box if aviation assets are utilized for rescue. If assets are used, coordinate with Air Operations.

7. Prepared by (Medical Unit Leader): Name: Jorge Segura MEDL/IMT6	Signature:
8. Approved by (Safety Officer): Name: Joe Buchmeier SOF1/IMT6	Signature:
ICS 206	Date/Time: _____

ICS 205 - INCIDENT RADIO COMMUNICATIONS PLAN

1. Incident Name: WALL		2. Date/Time Prepared Date: 07/10/2017 Time: 1830		3. Operational Period: Date To: 07/12/17 Time To: 0700				
4. Communications								
Ch#	Function	Name	Assigned To	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
1	COMMAND	BT SP 2	UNASSIGNED	154.4150	123.0 (T2)	159.0000	123.0 (T2)	BTU SUPPORT T2-SUNSET
2	COMMAND	BT SP 5	UNASSIGNED	154.4150	123.0 (T2)	159.0000	146.2 (T5)	BTU SUPPORT T5-ST. JOHN
3	COMMAND	BT SP13	UNASSIGNED	154.4150	123.0 (T2)	159.0000	141.3 (T13)	BTU SUPPORT T13-BLOOMER
4	COMMAND	NIFC C3	ALL DIVS	168.0750		170.4250	131.8 (T3)	DIVS A/C/E/G/P
5	COMMAND	NIFC C12	ALL DIVS	173.0375		167.3250	131.8 (T3)	DIVS E/G/H
6	COMMAND	NIFC C11	ALL DIVS	170.6875		166.5750	131.8 (T3)	ALL DIVISIONS
7	TACTICAL	VFIRE 24	DIV A	154.2725	156.7 (T6)	154.2725	156.7 (T6)	
8	TACTICAL	CDF T26	DIV C	159.2925	192.8 (T16)	159.2925	192.8 (T16)	
9	TACTICAL	CDF T27	DIV P	159.3075	192.8 (T16)	159.3075	192.8 (T16)	
10	TACTICAL	CDF T28	DIV E/G/SUPP REPAIR	151.1825	192.8 (T16)	151.1825	192.8 (T16)	SUPPRESSION REPAIR
11	TACTICAL	NIFC T7	DIV I	168.2500		168.2500		
12	TACTICAL	NIFC T6	DIV H	166.7750		166.7750		
13	TACTICAL	NIFC T5	DIV L	166.7250		166.7250		
14	AIR TO GROUND	CDF T18	ALL DIVS	159.3450	192.8 (T16)	159.3450	192.8 (T16)	
15	MEDICAL	CALCORD	ALL DIVS	156.0750	156.7 (T6)	156.0750	156.7 (T6)	MEDICAL COORDINATION
16	EMERGENCY	GUARD	EMERGENCY	168.6250	0.0	168.6250	110.9	EMERGENCY USE ONLY
17								
18								
19								
20	EMERGENCY	GUARD	EMERGENCY	168.6250	0.0	168.6250	110.9	EMERGENCY USE ONLY
5. Special Instructions								
6. Prepared by (COML): Name: John Brooks COML IMT#6			Signature: 					
ICS 205			Date/Time: 07/10/17 1830					

TRAINING MESSAGE

ATTENTION TRAINEE'S

**IF YOU KNOW THAT YOU ARE BEING
DEMOBED, PLEASE SEE TRAINING
TO CLOSE OUT YOUR PAPERWORK PRIOR
TO DEMOB**

If you have not checked in, please do so ASAP.

Training is located in the trailer next to DEMOB

**Raymon Mitchison
213-434-2494**

**Incident Trainee/Trainer Data Form
Wall Incident CA-BTU-010975**

Training Specialist: _____

- All Incident trainees, including those on Firefighting Modules at your earliest opportunity complete this form and see the Training Specialist.
- Prior to or as you process through DEMOB, remember to close your training package. To close your training package bring: 1) A performance rating from your trainer. (ICS 225)
2) Your task book that has as many entries as possible by your Trainer.

Trainee Data

Trainee Name: _____ ICS Trainee Position: _____

Request # (A,C,E, or O): _____ Agency Designator (Ex. CA-RRU): _____

Ordered as Trainee? Y N Priority Trainee ____ Local Forest Trainee ____ IMT Trainee

Date Assigned: _____ Cell / Contact # While on Incident: _____

Training Records Mailed To: (Fire Chief, Training Officer):

Name: _____ Title _____

Name of Agency/Unit: _____

Agency/Unit Address: _____

City: _____ State: _____ Zip Code: _____ Phone: _____

Trainee Prerequisites

1. Possesses valid Qualification Card or agency certification card? _____ Yes _____ No

2. Trainee has current position task book issued by home unit? _____ Yes _____ No

Current Task Book Progress (Circle) 0% 25% 50% 75% 90%

Priority Open Task in PTB (What do you need to accomplish on this incident?)

Trainer/Evaluator Data

Trainer / Evaluator Name: _____ ICS position on fire: _____

Home Unit: _____ Agency Designator (Ex CA-RRU): _____

Request # (A,C,E,O): _____

Work Address: _____

City: _____ State: _____ Zip Code: _____

Cell / Contact While on Incident: _____



CAL FIRE INCIDENT MANAGEMENT TEAM 6



DEMOBILIZATION PLAN - SUMMARY

Wall Incident
CA-BTU-010975

GENERAL INFORMATION

The Demobilization Plan is developed to facilitate the orderly removal and checkout of resources on the incident. By definition, surplus personnel are available for release if they have rested for a minimum of 8 hours, are cleaned up, outfitted and have a vehicle ready to depart to their next destination.

GENERAL GUIDELINES

- **NO RESOURCES WILL LEAVE THE INCIDENT UNTIL AUTHORIZED TO DO SO BY THE DEMOBILIZATION UNIT.**
- Efforts will be made to ensure that all released personnel arrive at their destination prior to 2200 hours. Resources not able to arrive at their destination by 2200 hours may need to arrange to rest overnight.
- All government and hired vehicles leaving the incident will have a safety inspection.
- All trainees are to keep their time up to date and report to the Training Specialist with their task books and evaluations prior to completion of the demobilization process.
- All incident personnel will receive and read the DMOB Safety Message before departing.

RESPONSIBILITIES

Unit Leaders will declare resources excess to their Section Chief. Section Chiefs will declare excess resources to the Plans Section Chief through the Resources Unit Leader. This should be done 36 hours in advance of anticipated release. Use the Declaration of Excess Resources Form or General Message Form (ICS-213) to list all excess resources. Include the Request #, ICS position, Name/ID, date and time of declared excess and time in which the resource will be eligible to leave. Send to the RESOURCE UNIT where the resource will be determined to be surplus to the incident. Only Surplus resources will report to the DEMOBILIZATION UNIT, receive a Demobilization Checkout Form (ICS 221), get the appropriate ICS 221 signatures and then return the completed ICS 221 to the DEMOB UNIT prior to final release or reassignment.

RELEASE PRIORITIES

1. Organized fire departments
2. OES engines
3. Hired personnel and equipment
4. Other agencies (USFS, BLM, etc.)
5. Out of region Cal Fire resources
6. Within Region Cal Fire resources
7. Unit CAL FIRE resources

TRAVEL INFORMATION

All resources will meet their agency specific requirements on hours of travel per day.



CAL FIRE INCIDENT MANAGEMENT TEAM 6



Wall Incident CA-BTU-010975 Tentative Demob Schedule 7/11/17

Req #	Resource ID	Time	Req #	Resource ID	Time
E-255	STA XAL 2003A	7:00	E-260	STA OES 4805A	8:00
O-52	LOUIS SCIOCCHETTI	7:00	C-6	CRW SHF SHASTA LK	8:00
C-37	CRW ORS TOM FERY	7:00	E-58	DOZ PVT SALINAS	8:00
C-38	CRW ORS TOM FERY	7:00	E-137	LOW PVT SALINAS	8:00
E-111	DOZ PVT A&F	7:00	E-65	DOZ PVT TOUGH CO.	8:00
E-131	LOW PVT DEPUE	7:00	O-231	BEN POPE	8:00
E-53	DOZ PVT BIO IND.	7:00	E-261	STA OES5 5805A	8:30
E-135	LOW PVT BIO IND.	7:00	E-141	DOZ PVT NORTHWESTERN	8:30
E-57	DOZ PVT BIO IND.	7:00	E-143	LOW PVT NORTHWESTERN	8:30
E-136	LOW PVT BEN'S	7:00	O-142	THOMAS ZAMORA	8:30
E-257	STA XSF 2250A	7:30	O-230	GARY JOHNSON	9:00
C-41	CRW ORS DIAMOND	7:30	E-258	STA OES 4804A	9:00
C-9	CRW MNF MENDOCINO	7:30	E-174	ENG GRD E376	9:30
E-67	DOZ PVT SILLER	7:30	C-13	STG TGU 9254G	11:00
E-127	LOW PVT SILLER	7:30	C-8	STG SHU 9241G	11:30



CAL FIRE INCIDENT MANAGEMENT TEAM 6



NEED TO REPORT TO CHECK-IN

E-140	W/T Brown General
O-11	Goodman, Robert
O-47	Edson, Stephanie
O-145	Myers, Tim
O-178	Holder, Christie
O-179	Van Cor, Chris
O-202	Feller, Pete
O-244	Glavenich, Mitchell
O-262	Walton, Joe
O-353	Yost, Darrin
O-361	Herman, Paul
O-363	Johnson, Levi
O-368	Daniel, Nathan
O-372	Ramirez, Adrian
O-386	Domenichini, Larry
O-389	Auer, Toby
O-404	Bierman, Brandon
O-411	Gonzalez, Sam
O-413	Sutton, Janet

eFC-33 INITIAL INPUT FORM

1 2 3 4 5 6 7

Overhead: complete one form per person.
 All Others: complete one form per vehicle.

Request Number						
----------------	--	--	--	--	--	--

INCIDENT		State	Agency	Incident Number	Incident Name	Incident Index Code	Incident PCA Code
CA							

RESOURCE		Strike Team	Resource ID - Fire Assignment	Home Station / Office Location
S	T	9	E-3499	PASO ROBLES

YOUR NORMAL DUTY SCHEDULE	24 Hr 8-8 7-7 Other	Portal to Portal?	YOUR AGENCY	HOME UNIT	COMMIT	YOUR CELL PHONE #
<input checked="" type="checkbox"/> One Box		<input checked="" type="checkbox"/>	CAL FIRE	S L U	RELEASE	

PERSONNEL	Schedule		First Name	Rank or Classification	# of Regular Duty Scheduled Hours per Day															
	A	B			Mon	Tue	Wed	Thu	Fri	Sat	Sun									
EMPLOYEE 1																				
EMPLOYEE 2																				
EMPLOYEE 3																				
EMPLOYEE 4																				
EMPLOYEE 5																				
EMPLOYEE 6																				
	<input checked="" type="checkbox"/> One Box		Johnson	Robert	FC													24	24	24

VEHICLE	Schedule	Kind of Vehicle	Radio ID	ID No/X No
	A B			
VEHICLE 1				X
VEHICLE 2				X
	<input checked="" type="checkbox"/> One Box	FTH	E-3499	0 2 X 1 2 3
Chainsaw Quantity:		Portable Pump?		

Put a Dozer and it's Transport on a single form. All others, use one form per individual vehicle.

ADDITIONAL INFO



FC-33 DAILY UPDATE

DATE:		24 Hrs	12 Hrs
REQ #		S/T #	
WORK LOCATION:			
RADIO IDS: ST LEADER:	DOZER BLADE HRS	PORTABLE PUMP HRS	# OF SAWS
			HRS ON EACH SAW
			NOTES
ENGINE/CREW:			
COMMENTS (ANY CHANGES?):			
CELL PHONE #:			

FC-33 DAILY UPDATE

DATE:		24 Hrs	12 Hrs
REQ #		S/T #	
WORK LOCATION:			
RADIO IDS: ST LEADER:	DOZER BLADE HRS	PORTABLE PUMP HRS	# OF SAWS
			HRS ON EACH SAW
			NOTES
ENGINE/CREW:			
COMMENTS (ANY CHANGES?):			
CELL PHONE #:			

SHIFT TICKET EXAMPLE

EMERGENCY SHIFT TICKET and EVALUATION FORM					Contractor Name		
Incident or Project Name WALL			Incident Number CABTU 010975	Request Number E#	DOZER DUDE		
Agreement Number XXX - 000000 - 00					Operator #1 BOB SMITH	Operator #2 TOM SMITH	
Equipment Make CAT			Equipment Model / Type D6XM		Operator Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government		
Serial Number 111111			Licence Number 111111		Operating Supplies Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government		
Equipment Use					Equipment Status		
Date Mo / Day	Start	Stop	(Circle) Hours	Days / Miles	<input checked="" type="checkbox"/> Inspected <input type="checkbox"/> Under Agreement		
8/3	0700	2400	17	DIV M	<input type="checkbox"/> Released by Government		
8/4	0001	0700	7	DIV M	<input type="checkbox"/> Withdrawn by Contractor		
					Remarks/Comments ** TWO OPERATORS NO DAMAGE/ NO CLAIMS		
Vendor Rating					Govt. Rep. Name and Position - PRINT Mike Weber		
Met Performance Expectations					Govt. Rep. Signature <i>Mike Weber</i>		
Equipment in Safe Working Condition					Contractor Signature <i>Bob Smith</i>		
Operator Skill Level					Date 08/04/15		
Operates Safely					Time 0800		
Operator's Cooperation Level					Date 08/04/15		
Overall Performance					Time 0800		
* NOTE: Any rating of POOR requires an explanation in Comment Section.					CALFIRE 297		
**Final evaluation or for more documentation, use an ICS Form 230 or equivalent.					(Rev 3-2011)		
Pink - Finance		Blue - Home Unit HE Coordinator		Yellow - Vendor		White - Govt Representative	

EMERGENCY SHIFT TICKET and EVALUATION FORM					Contractor Name		
The responsible Government Officer will complete this form each shift							
Incident or Project Name WALL			Incident Number CABTU 010975	Request Number E # Here	DUDE TRANSPORT		
Agreement Number XXX - 000000 - 00					Operator #1 BOB SMITH	Operator #2 TOM SMITH	
Equipment Make TRANSPORT/ KENWORTH			Equipment Model / Type COZAD TRAILER /26 WHEELS		Operator Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government		
Serial Number 1XP3ESMP14239012			Licence Number 9999999		Operating Supplies Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government		
Equipment Use					Equipment Status		
Date Mo / Day	Start	Stop	(Circle) Hours	Days / Miles	<input checked="" type="checkbox"/> Inspected <input type="checkbox"/> Under Agreement		
8/3	0700	2400	17	DIV M	<input type="checkbox"/> Released by Government		
8/4	0001	0700	7	DIV M	<input type="checkbox"/> Withdrawn by Contractor		
					Remarks/Comments ** 2 OPERATORS NO DAMAGE/ NO CLAIMS		
Vendor Rating					Govt. Rep. Name and Position - PRINT Mike Weber		
Met Performance Expectations					Govt. Rep. Signature <i>Mike Weber</i>		
Equipment in Safe Working Condition					Contractor Signature <i>Bob Smith</i>		
Operator Skill Level					Date 08/04/15		
Operates Safely					Time 0800		
Operator's Cooperation Level					Date 08/04/15		
Overall Performance					Time 0800		
* NOTE: Any rating of POOR requires an explanation in Comment Section.					CALFIRE 297		
**Final evaluation or for more documentation, use an ICS Form 230 or equivalent.					(Rev 3-2011)		
Pink - Finance		Blue - Home Unit HE Coordinator		Yellow - Vendor		White - Govt Representative	

Turn shift tickets into Finance.

SHIFT TICKET EXAMPLE

EMERGENCY SHIFT TICKET and EVALUATION FORM					Contractor Name H2O DUDE						
Incident or Project Name WALL		Incident Number CABTU 010975	Request Number E or S # Here		Operator #1 BOB SMITH	Operator #2					
Agreement Number XXX - 000000 - 00					Operator Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government						
Equipment Make FREIGHTLINER		Equipment Model / Type WATER TENDER 2500 + GAL			Operating Supplies Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government						
Serial Number 1XP3ESMP14239012		Licence Number 55555555			Equipment Status <input checked="" type="checkbox"/> Inspected <input checked="" type="checkbox"/> Under Agreement <input type="checkbox"/> Released by Government <input type="checkbox"/> Withdrawn by Contractor						
Equipment Use (Circle) Hours Days / Miles					Remarks/Comments ** ONE OPERATOR NO DAMAGE/ NO CLAIMS						
Date Mo / Day	Start	Stop	Work	Assignment							
8/3	0700	1900	12	DIV Z							
8/4	1900	2400	5	OFF SHIFT							
8/4	0001	0700	7	OFFSHIFT							
Vendor Rating					Govt. Rep. Name and Position - PRINT Mike Weber						
<table border="1"> <tr> <td>Poor*</td> <td>Avg.</td> <td>Good</td> <td>Exc.</td> <td>N/A</td> </tr> </table>					Poor*	Avg.	Good	Exc.	N/A	Govt. Rep. Signature <i>Mike Weber</i>	
Poor*	Avg.	Good	Exc.	N/A							
Met Performance Expectations					Contractor Signature <i>Bob Smith</i>						
Equipment in Safe Working Condition					Date 08/04/15						
Operator Skill Level					Time 0800						
Operates Safely					Date 08/04/15						
Operator's Cooperation Level					Time 0800						
Overall Performance					CALFIRE 297 (Rev 3-2011)						
* NOTE: Any rating of POOR requires an explanation in Comment Section.											
**Final evaluation or for more documentation, use an ICS Form 230 or equivalent.											
Pink - Finance		Blue - Home Unit HE Coordinator		Yellow - Vendor		White - Govt Representative					

EMERGENCY SHIFT TICKET and EVALUATION FORM					Contractor Name WATER GUY						
The responsible Government Officer will complete this form each shift											
Incident or Project Name WALL		Incident Number CABTU 010975	Request Number E OR S # Here		Operator #1 BOB SMITH	Operator #2 BILL SMITH					
Agreement Number XXX - 000000 - 00					Operator Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government						
Equipment Make PETERBUILT		Equipment Model / Type WATER TENDER 2500 + GAL			Operating Supplies Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government						
Serial Number 1XP3ESMP14239012		Licence Number 99999999			Equipment Status <input checked="" type="checkbox"/> Inspected <input checked="" type="checkbox"/> Under Agreement <input type="checkbox"/> Released by Government <input type="checkbox"/> Withdrawn by Contractor						
Equipment Use (Circle) Hours Days / Miles					Remarks/Comments ** 2 OPERATORS NO DAMAGE/ NO CLAIMS						
Date Mo / Day	Start	Stop	Work	Assignment							
8/3	0700	2400	17	DIV M							
8/4	0001	0700	7	DIV M							
Vendor Rating					Govt. Rep. Name and Position - PRINT Mike Weber						
<table border="1"> <tr> <td>Poor*</td> <td>Avg.</td> <td>Good</td> <td>Exc.</td> <td>N/A</td> </tr> </table>					Poor*	Avg.	Good	Exc.	N/A	Govt. Rep. Signature <i>Mike Weber</i>	
Poor*	Avg.	Good	Exc.	N/A							
Met Performance Expectations					Contractor Signature <i>Bob Smith</i>						
Equipment in Safe Working Condition					Date 08/04/15						
Operator Skill Level					Time 0800						
Operates Safely					Date 08/04/15						
Operator's Cooperation Level					Time 0800						
Overall Performance					CALFIRE 297 (Rev 3-2011)						
* NOTE: Any rating of POOR requires an explanation in Comment Section.											
**Final evaluation or for more documentation, use an ICS Form 230 or equivalent.											
Pink - Finance		Blue - Home Unit HE Coordinator		Yellow - Vendor		White - Govt Representative					

Turn shift tickets into Finance.

EMERGENCY FIRE SUPPRESSION REPAIR PLAN - WALL INCIDENT

Fire Suppression Repair is the repair of damage caused directly from fire suppression activities. It is not the repair of infrastructure or rehabilitation of burned areas caused by the fire. We cannot upgrade facilities beyond their pre-fire condition. Fire suppression repair shall be applied to mitigate infrastructure damage and natural resource damage.

Infrastructure Damage: Culverts and other watercourse crossings, water sources, trails, road barriers removed for fire access, trash, debris and supplies left by fire suppression activities; miscellaneous.

Natural Resource Damage: Repair of existing problems caused by fire suppression activities (direct effect) to natural resources and to prevent likely future problems such as accelerated erosion caused by rains (indirect effect). The goal is to minimize soil erosion, adverse impacts to water quality, and adverse impacts to protected species of plants and animals

REPAIR GUIDELINES

General: Restore berms and barriers removed for fire control access.

Drop Points/Staging Areas/Safety Zones: New construction - cross drain and abandon (if applicable). Existing - repair to original condition, remove debris resulting from use. Pick up all trash.

Roads: Reshape soil surfaced roads that were used during fire control operations. Roads should be out-sloped with rolling dips where degradation of the road prism has resulted from fire control operations. Clean out culvert inlets and outlets as needed. Report any damaged culverts to the Fire Suppression Repair Specialist for specific repair guidance. Breach berms, where appropriate, to facilitate drainage. Water and wheel-pack any roads that have had the running surface destabilized by fire suppression activities.

Firelines: Break apart dozer piles of pushed over trees, vegetation and soil, and spread along tractor roads, tractor fire breaks, or any other areas disturbed during fire suppression activities. Lop and scatter displaced vegetation to a height of less than 30 inches or chip within 100' of a gravel road or structure. Scatter the lopped material along the fire line. Pull back any excess soil material sidecast along roads or tractor disturbed areas that are located within 100 feet of any watercourse or spring. Install waterbreaks on all constructed or used dozer lines using the following criteria:

Fireline and road gradient (%):	<u>0-30</u>	<u>31-50</u>	<u>>50</u>
Fireline waterbreak spacing:	100'	75'	50'
Road waterbreak spacing:	150'	100'	75'

Waterbreaks and/or rolling dips shall be used to reduce the volume and velocity of water by directing it off fire lines as soon as possible at controlled locations. The outfall end of all waterbreaks shall be opened by hand if necessary. Waterbreaks should be located to discharge into natural vegetation. Waterbreaks should cross the fire line at an angle of approximately 45 degrees.

Waterbreak installation on roads will be conducted in consultation with landowners.

Handlines: All waterbreaks shall be installed diagonally with a minimum cut of 4" into existing grade, and minimum height of 8". Waterbreaks shall be constructed to allow for drainage at the discharge end into non-erodible material.

Fireline and road gradient (%):	<u>0-30</u>	<u>31-50</u>	<u>>50</u>
Handline waterbreak spacing:	75'	50'	25'


Slash Piles: Piles within 100' of permanent structures or public or un-gated private roads will be lopped and/or scattered within 30" of the soil surface or chipped. Scatter smaller debris where applicable.

Watercourse Crossings: All slash, soil, and debris deposited into watercourses resulting from fire suppression activities shall be removed and stabilized above the high-water line. Where fire lines are constructed within 100' of flowing watercourses, slash mulching will be applied. All loose soil must be pulled away from the watercourse and stabilized.

Archaeological or Historic Sites: All potential sites shall be avoided. Contact Rehabilitation Specialist.

Other Repair Concerns: Remove all trash from the fire lines and other affected areas.

WALL INCIDENT BASE MAP





STRUCTURE DEFENSE GUIDE

STRUCTURE TRIAGE DECISION PROCESS (S-FACTS)

SURVIVAL

- Initial Assessment: can you survive here? **If not, LEAVE NOW!**
- Is there a Safety Zone nearby? **If not, LEAVE NOW! (IRPG)**
- Do you have a viable Escape Route?
- What is the decision point at which you will leave based on fire behavior and rate of spread?
- Is there a Temporary Refuge Area (TRA) on site? **If not, LEAVE NOW!**
 - Preplanned area for immediate, temporary refuge
 - Use of fire shelter should not be necessary
 - Is there a viable Escape Route to the TRA or Safety Zone?
- Is "Prep and Go" tactic an option?
- Do you have communications with your supervisor and adjoining forces?
- If safety issues cannot be mitigated, **LEAVE NOW!**

FIRE ENVIRONMENT

- Can you survive based on current and expected fire behavior? **If not, LEAVE NOW!**
- Look up, Look Down, Look Around Indicators:
 - Fuels (characteristics, moisture, temperature)
 - What will the intensity of the fire be when it arrives?
 - How long will it take to consume the fuels?
 - Wind
 - Current speed/direction
 - Expect changing winds
 - Terrain
 - Are you in a chute, chimney, or saddle? **If yes, LEAVE NOW!**
 - Is wind in alignment with topography?
 - What is your position relative to topography?
 - Are you mid slope or on top of a ridge?
 - Atmospheric Stability
 - Fire Behavior (requires constant monitoring)
 - Spotting, crowning, sheeting, rate of spread?
 - Flame length and height?
- Other weather considerations:
 - What is the current relative humidity?
 - Is there an expected change?
 - Are thunderstorms forecasted?

ACCESS

- Is access compatible with time and distance factors necessary to utilize as an Escape Route to a Safety Zone?
 - Road surface adequate for speed necessary?
 - Adequate width?
 - Turnaround/turnouts?
 - Bridges within limits for fire apparatus?
 - Drainage ditches/culverts?
 - Steep grades?
 - Is there a safe place to spot apparatus?

CONSTRUCTION/CLEARANCE

- Does the structure have adequate defensible space, based on topography, fuels, and current and expected fire behavior?
- Can defensible space problems be mitigated quickly?
- Will building materials and yard clutter compromise safety?
- Is the construction wood siding or shake shingle roof?
- Are there vent openings, open eaves, large glass windows facing fire front, decks with vegetation below?
 - Will ember intrusion through attic or foundation vents be a problem?
- What are the contents in the garage and outbuildings?
- Are there hazardous materials present?
- Are there propane tanks, fuel tanks, or power lines?
- Is there an adequate water supply nearby?
- Are additional resources needed to mitigate issues?
- Consider "Prep and Go" or "Prep and Defend" tactics

TIME CONSTRAINTS

- Is there time for an adequate size up of the structure defense problem?
- Is there time to mitigate safety concerns?
- Is there time and adequate resources to properly prepare and defend the structure?
- Is there time to escape, utilizing Escape Routes, to a Safety Zone? **If not, LEAVE NOW!**

STAY OR GO

- Tactical decision based on the S-FACTS
- Is it safe to stay? If no, utilize "Check and Go" tactic
- Is there time to prepare the structure for defense and what will the fire behavior be when the fire gets here?
- "Prep and Go" or "Fire Front Following" tactics should be used when it is not safe to "Prep and Defend"

STRUCTURE TRIAGE CATEGORIES

Not-Threatened

- Safety Zone nearby and TRA present at structure
- Construction features/defensible space make the structure unlikely to ignite
- Residents may/may not have evacuated

Threatened Defensible

- Safety Zone nearby and TRA present at structure
- Construction features/defensible space require structure defense tactics during fire front impact
- Residents may/may not have evacuated

Threatened non-Defensible

- Lack of adequate Safety Zone nearby
- Structure cannot be safely defended
- Residents must be evacuated

ENTRAPMENT AVOIDANCE

- Are you adhering to the **10 Standard Firefighting Orders**? (IRPG)
- Have you considered the **18 Situations that Shout Watch Out**?
- Have you considered the **Common Denominators of Fire Behavior on Tragedy Fires**? (IRPG)
- Are you maintaining **LCES**? (IRPG)
- Look Up, Look Down, Look Around (IRPG)
- Have Decision Points ("Trigger Points") been established?
- Conduct Risk Management (IRPG)
 - Situational Awareness – Hazard Assessment – Hazard Control – Decision Point – Evaluate

STRUCTURE DEFENSE TACTICAL ACTIONS

- **Check & Go** – Most appropriate action when no Safety Zone/TRA is present and fire front impact is imminent. Conduct rapid evaluation to check for occupants and evaluate for follow up action. **LEAVE promptly.**
- **Prep & Go** – Structure preparation can be safely completed prior to fire front impact. Potential fire activity is too dangerous to remain and/or there is no Safety Zone/TRA present. **LEAVE before escape routes are compromised.**
- **Prep & Defend** – Appropriate when a Safety Zone is nearby and TRA is present. Adequate time exists to prepare the structure for defense prior to fire front impact. Escape routes must be maintained.
- **Fire Front Following** – Follow-up tactic after passage of the fire front. Involves searching for victims, perimeter control, hot spotting, and ember control.
- **Bump & Run** – Resources move ahead of the fire front extinguishing spot fires and defending structures. Utilize extreme caution.
- **Anchor & Hold** – Resources use large volume fire streams to extinguish structure fires, stop structure-to-structure ignitions, protect exposures, and control embers.
- **Tactical Patrol** – Resources remain mobile and continuously monitor assigned area after fire front passage. Involves aggressive mop up around structures.

Structure defense tactics are a vital part of perimeter control operations.

- *Stopping fire spread significantly eliminates the fire's threat to structures.*
- *Connect contained points along the fire's perimeter – typically near the structures at risk ("Connect the Dots").*
- *Perimeter control and structure defense should be done concurrently.*

LEVELS OF ENGAGEMENT

Consider **PACE**

- **P** Primary Plan (Offense)
 - Focused on firefighter safety and objectives
- **A** Alternate Plan (Offense)
 - Fallback plan that closely resembles primary plan
- **C** Contingency Plan (Defense)
 - Focused on firefighter safety, move to a safety zone, temporary refuge areas
- **E** Emergency Plan (Defense)
 - Firefighter survival
 - Deployment zones/Refuge areas
 - Fire shelters

Consider **DRAW-D**

- **D**efend – **R**einforce – **A**dvance – **W**ithdraw – **D**elay

IMMEDIATE NEED EVACUATION CHECKLIST

- Co-locate with law enforcement at ICP
- Identify evacuation area utilizing local maps. Include area of incident potential when determining evacuation area.
- Identify traffic control points for entry and exit of resources and civilians
- Identify areas that must be immediately evacuated and label "evacuation order" areas
- Identify areas that are potentially threatened and label "evacuation warning" areas
- Identify community safe refuge areas inside evacuation areas
- Determine and publish evacuation routes
- Identify and clearly communicate the decision points for implementing additional evacuation areas
- Identify areas of special needs population and large animals
- Consider use of public notification systems for evacuations

STRUCTURE DEFENSE FUNDAMENTALS

- Back equipment in for tactical mobility
- Shield apparatus from radiant heat – be aware of structure ignition potential
- Park in a cleared area (watch for power lines, trees)
- Have an engine/crew protection line identified
- Determine if residents are home. Determine best course of action – evacuate if safe to do so or shelter in place at safe location
- Maintain communications with all crew members
- Maintain at least 100 gallons of water reserve in your tank
- Top off your tank at every opportunity (use garden hose)
- For roof access, place owner's ladder at a corner of the structure on the side with the least fire threat and away from power drop
- Keep fire out of heavier fuels (suppress in lighter fuels)
- Clear area around above-ground fuel tank, shutting off tank
- Close windows and doors, including garage, leaving doors unlocked
- Place combustible outside furniture inside the structure
- Charge and place garden hoses strategically around structure for immediate use
- Move wood piles away from structures
- Consider applying foam/gel to the structure (roof and siding) and/or fuels
- **REMEMBER** to follow up with **TACTICAL PATROL!**

