## **INCIDENT ACTION PLAN**



CA-TNF-001562 P5HU11 (0517)





OPERATIONAL PERIOD

Sunday, August 25, 2013 DAY 0600 - 1800 Hours

### 1. Incident Name 2. Date Prepared 3. Time Prepared **INCIDENT OBJECTIVES** 08/24/2013 1730 **AMERICAN** 4. Operational Period DAY 08/25/2013 0600 - 1800 HOURS Objectives for the Incident (include alternatives) Management Objectives: 1. Ensure firefighter, aviation and public safety through clear, concise direction and prioritization of work assignments. 2. Maintain a high level of collaboration with local communities, neighboring and cooperating agencies. 3. Provide timely and accurate fire information updates to the public, partners, and the community. 4. Minimize resource loss, impact, and damage to the greatest extent possible on private lands and sensitive areas. 5. Protect public and private infrastructure and other resources under special use permit or contract. 6. Minimize resource damage to natural, wilderness, and threatened & endangered habitat, and cultural resource values. Execute suppression action where it does not compromise firefighter safety. 7. Initiate suppression repair action where possible per specifications and direction from the Resource Advisor. Control Objectives -- Keep the Fire: North of Road 96 (Mosquito Ridge) East of current containment lines South of North Fork of the American River West of Road 43 and Road 96 6. Weather Forecast for Period

Partly Cloudy with some middle and high clouds.

East 5-15 MPH. Gust 20 MPH Little Bald Mountain.

10. Approved by (Incident Commander

ROCKY W. OPLIGER 💥

Gust 35 MPH Little Bald Mountain.

Downslope/downvalley 3-6 MPH. Southwest 10-15 MPH Gust 25 MPH.

Inversion around 500 feet AGL...dissipating around 1100L.

Smoke and Fatique: Monitor personnel for smoke exposure. Attempt to rotate fire personnel out of smoke.

Attachments (mark if attached)

Safety Message

Communication Plan - ICS 205

South to Southwest 12-18 Gust 28 MPH, except

Medical Plan - ICS 206

2 22. Oglis

□ Transportation Maps

68-79 above 5500 feet. 79-85 below 5500 feet.

1200-1800:

20-30%.

0600-1200:

0600-1000:

1000-1800:

Get adequate rest, drink additional water and eat snacks.

**WEATHER:** 

8.

MIN HUMIDITY: 20 FT WINDS:

**MAX TEMPERATURES:** 

STABILITY/INVERSION:

RIDGETOP -

SLOPE/VALLEY-

Organization List - ICS 203

Div. Assignment Lists - ICS 204

9. Prepared by (Planning Section Chief)

SIG PALM / MITCH DIEHL

General Safety and Risk Management Message

ORGANIZATION ASSIGNMENT LIST									
Incident Name									
	AMERICAN								
2. Date	3, Time								
8/24/2013	1600								
4. Operational Period									
DAY 08/25/2013	0600-1800 HOURS								
Position	Name								
5. Incident C	Commander and Staff								
Incident Commander	ROCKY W. OPLIGER								
Deputy	SCOTT VAIL								
Safety Officer	SAM WILBANKS / JOHN NICKEY (†)								
Information Officer	FRANK MOSBACHER / TRICIA MAKI / SEAN COLLINS								
Liaison Officer	DANA SIMPSON								
Human Resources	MARY McDONOUGH								
6. Agency R	epresentative								
Agency	Name								
USFS	TOM QUINN								
Agency Admin Rep	ELIILANO								
CAL OES	GARY HUMPHREY								
Placer Co. SO	KURT WALKER								
Placer Co. OES	ROD RODRIGUEZ								
CAL FIRE & CDCR	CHRIS DESENA / BOBBY WALKER								
Air Quality ARA	ANDREA HOLLAND								
Resource Advisor	VICTOR LYON								
USFS Union Rep	DANI SWANTIC								
7. Planning S	<u> </u>								
Chief	SIG PALM / MITCH DIEHL (†)								
Resources Unit	D. GERBOTH / M. VETTI / B. McGRATH (t)								
Resources of the	G. BALD (†) / A. SANCHEZ								
Situation Unit	L. KOEGLER / G. MAKI/ R. COCKERHAM M. HOOSE / T. MARCHANT (†)								
GISS	C. CLERVI / M. EISTER/ C. BARRETT / C. ENGLISH								
DPRO	T. CALKA, M. DUNKEL, B. RICHEY, J. FRAZIER								
Demobilization Unit	K. STARKE / J. MARTEL / D. KING RAUB (†)								
Documentation Unit	ALICIA SANCHEZ/ PENNY BEALE (†)								
Fire Behavioral Analyst	BRENDAN RIPLEY/ TIM HOWELL (†)								
Training Specialist	TOM REAVES								
CTSP	CAROLYN HIGGINS/ JAMES WHITESIDE								
IMET	RICH THOMPSON / SHAD KEENE (†)								
8. Logistics Se	ection								
Chief	ROSS PECKINPAH / ROB GRIFFITH (†)								
Deputy	X KELLOGG/ DAVE TAYLOR								
<u> </u>	CHERYL RAINES								
Supply Unit									
Supply Unit Facilities Unit	MARK RATEKIN								

Communications Medical Unit Security Unit	Unit SAL B	ONILLA / BRIAN DIEMER
		· · · · · · · · · · · · · · · · · · ·
Security Unit	JOH	N VAN MANNEKES / ERIC WILLIAMS
	STEVE	ANDERSON
Food Unit	TONY	MARTINEZ
9. Oper	ations Secti	on
Chief	KIT BAILE	Y / PAT TITUS (†)
Planning Ops	BRIAN RH	ODES
A. Branc	:h I	
Branch Director	UNSTAFFE	D
Division B/F	UNSTAFFE	D
D. Divous all	- 11	
B. Branch Branch Director	NEIL METO	^A! F
Division H		DWES / MIKE KLINGER (†)
Division R	<b> </b>	1,7
Division T	JEB PRON	UMMER / MARK MOTT (†)
	IIO	
C Pranal		
C. Brancl		GGATT
Branch Director	JACK FRO	
	JACK FRO	PGGATT WELL / BYRON HART (†)
Branch Director	JACK FRO	
Branch Director  Division Z	JACK FRO	
Branch Director	JACK FRO	VELL / BYRON HART (†)
Branch Director  Division Z  D. Group	JACK FRO	
Branch Director  Division Z  D. Group  Suppression	JACK FRO	VELL / BYRON HART (†)
Branch Director  Division Z  D. Group  Suppression	JACK FRO	VELL / BYRON HART (†)
Branch Director  Division Z  D. Group  Suppression  Repair	JACK FRO RICK COV DS LARRY PE	WELL / BYRON HART (†)  ABODY / JAMES PRICE (†)
Branch Director  Division Z  D. Group Suppression Repair  E. Air Op	JACK FRO RICK COV	ABODY / JAMES PRICE (†)
Branch Director  Division Z  D. Group  Suppression  Repair  E. Air Op  Air Operations Bran	JACK FRO RICK COV  DS LARRY PE	ABODY / JAMES PRICE (†)  anch  DENISE BLANKENSHIP
Branch Director  Division Z  D. Group  Suppression Repair  E. Air Op  Air Operations Branch  Air Attack Supervis	JACK FRO RICK COV  Dos  LARRY PE.  Derations Broach Director or	ABODY / JAMES PRICE (†)  anch DENISE BLANKENSHIP GARY MONDAY
Branch Director  Division Z  D. Group  Suppression Repair  E. Air Op  Air Operations Branch  Air Attack Supervis  Air Support Supervis	JACK FRO RICK COV  DISS  LARRY PE	ABODY / JAMES PRICE (†)  anch DENISE BLANKENSHIP GARY MONDAY STACEY DICKSON / BRIAN SEXTON (†)
Branch Director  Division Z  D. Group Suppression Repair  E. Air Op Air Operations Bran Air Attack Supervis Air Support Supervi Helicopter Coordin	JACK FRO RICK COV  DISS  LARRY PE  Derations Bronch Director or isor	ABODY / JAMES PRICE (†)  anch DENISE BLANKENSHIP GARY MONDAY
Branch Director  Division Z  D. Group  Suppression Repair  E. Air Op  Air Operations Branch  Air Attack Supervis  Air Support Supervi  Helicopter Coordin	DACK FRO RICK COV  DISS  LARRY PE  Derations Bro nch Director or isor nator	ABODY / JAMES PRICE (†)  anch DENISE BLANKENSHIP GARY MONDAY STACEY DICKSON / BRIAN SEXTON (†) PETE KOERBER
Branch Director  Division Z  D. Group  Suppression Repair  E. Air Op  Air Operations Branch Air Attack Supervis  Air Support Supervis  Helicopter Coordin  10.	JACK FRO RICK COV  DISS  LARRY PE  Derations Bronch Director or isor	ABODY / JAMES PRICE (†)  anch DENISE BLANKENSHIP GARY MONDAY STACEY DICKSON / BRIAN SEXTON (†) PETE KOERBER
Branch Director  Division Z  D. Group  Suppression Repair  E. Air Op  Air Operations Branch  Air Attack Supervis  Air Support Supervit  Helicopter Coordin  10.  Chief	DACK FRO RICK COV  DISS  LARRY PE  Derations Bro nch Director or isor nator	ABODY / JAMES PRICE (†)  anch DENISE BLANKENSHIP GARY MONDAY STACEY DICKSON / BRIAN SEXTON (†) PETE KOERBER
Branch Director  Division Z  D. Group  Suppression Repair  E. Air Op  Air Operations Branch Air Attack Supervis  Air Support Supervis  Helicopter Coordin  10.  Chief  Deputy	DACK FRO RICK COV  DISS  LARRY PE  Derations Bro nch Director or isor nator ator	ABODY / JAMES PRICE (†)  anch DENISE BLANKENSHIP GARY MONDAY STACEY DICKSON / BRIAN SEXTON (†) PETE KOERBER  Section SHERRIE BENNETT
D. Group  D. Group  Suppression Repair  E. Air Op  Air Operations Brait  Air Support Supervit  Helicopter Coordin  10.  Chief  Deputy  Time Unit	DACK FRO RICK COV  DISS  LARRY PE  Derations Bro nch Director or isor nator ator	ABODY / JAMES PRICE (†)  Canch DENISE BLANKENSHIP GARY MONDAY STACEY DICKSON / BRIAN SEXTON (†) PETE KOERBER  Section SHERRIE BENNETT  LONI HOLT/SHEILA MINER
Branch Director  Division Z  D. Group  Suppression Repair  E. Air Op  Air Operations Branch Air Attack Supervis  Air Support Supervis  Helicopter Coordin  10.  Chief  Deputy  Time Unit  Procurement Unit	JACK FRO RICK COV  DISS  LARRY PE  Derations Bro nation or isor nator ator Finance:	ABODY / JAMES PRICE (†)  anch DENISE BLANKENSHIP GARY MONDAY STACEY DICKSON / BRIAN SEXTON (†) PETE KOERBER  Section SHERRIE BENNETT  LONI HOLT/SHEILA MINER DON TINSLEY
D. Group  D. Group  Suppression Repair  E. Air Op  Air Operations Brait  Air Support Supervit  Helicopter Coordin  10.  Chief  Deputy  Time Unit	JACK FRO RICK COV  DISS  LARRY PE  Derations Bro nation or isor nator ator Finance:	ABODY / JAMES PRICE (†)  Canch DENISE BLANKENSHIP GARY MONDAY STACEY DICKSON / BRIAN SEXTON (†) PETE KOERBER  Section SHERRIE BENNETT  LONI HOLT/SHEILA MINER



### INCIDENT Weather Forecast



**FORECAST NO:** 

20

NAME OF FIRE: American

PREDICTION FOR:

Day Shift

UNIT: USFS (TNF)

SHIFT DATE:

8/25/13 (0600-1800)

SIGNED:

Richard Thompson/Shad Keene (T)

Incident Meteorologist

TIME AND DATE

FORECAST ISSUED:

8/24/13 @ 2030

WEATHER DISCUSSION: An upper trough will push into California today and bring very gusty winds to the fire. Southwest winds will be stronger than vesterday. Humidities will be similar to yesterday and temperatures will cool further by a few degrees.

### Weather Forecast for Sunday:

**WEATHER:** 

Partly Cloudy with some middle and high clouds.

MAX TEMPERATURES: 68-79 above 5500 feet. 79-85 below 5500 feet.

MIN HUMIDITY:

20-30%.

20 FT WINDS:

RIDGETOP -

0600-1200: East 5-15 MPH. Gust 20 MPH Little Bald Mountain.

1200-1800: South to Southwest 12-18 Gust 28 MPH, except

Gust 35 MPH Little Bald Mountain.

**SLOPE/VALLEY**— 0600-1000: Downslope/downvalley 3-6 MPH.

1000-1800: Southwest 10-15 MPH Gust 25 MPH.

STABILITY/INVERSION: Inversion around 500 feet AGL...dissipating around 1100L.

Weather for Sunday Night: Mostly Clear.

MIN TEMPERATURES:

50-55 above 5500 feet. 55-60 below 5500 feet.

**MAX HUMIDITY:** 

Ridges/Upper slopes: 50%.

Middle and Lower Slopes/Valleys: 50-60%.

20 FT WINDS:

RIDGETOP -

1800-2100:

Southwest to west 10-15 MPH Gust 25 MPH.

2100-0600:

Northeast to East 5-15 MPH. Gusts to 25 MPH Little Bald

Mountain.

SLOPE/VALLEY- 1800-2100: Southwest to west 6-12 MPH Gust 18 MPH.

2100-0600: Downslope/downvalley 3-6 MPH.

Extended Forecast: A warming and drying trend will begin on Monday, and winds are expected to trend lower. A mostly persistent weather pattern is expected early this week. No major weather systems or thunderstorms are expected to affect the fire through at least the middle of the week.

**IRAWS INFO** 

0002 Michigan Bluff.....(Div-B)

0003 Cuckoo Ridge.....(Div-Z)

0019 Beauty Mine.....(Div-R)

0020 Cavanah Ridge.....(Div-T)

TX/RX FREO

163.350 CSQ

Nearby **RAWS** Observations



### FIRE BEHAVIOR FORECAST

, <u> </u>	THE TOTAL OF THE T
FORECAST NUMBER: 021	TYPE OF FIRE: Wildland
FIRE NAME: American	OPERATIONAL PERIOD: Day Shift Sunday 8/25/2013
DATE ISSUED: 08/24/2013	TIME ISSUED: 2100
UNIT: Tahoe National Forest CA-TNF-001562	SIGNED: Brendan "Rip" Ripley , FBAN
· · · · · · · · · · · · · · · · · · ·	INIDITE

### **INPUTS**

**WEATHER SUMMARY:** 

**OUTLOOK** Partly Cloudy.

Above 5500': Maximum Temp 68°-79°, Minimum RH 20-30% Below 5500': Maximum Temp 79°-87°, Minimum Humidity 20-30%

WINDS 20 FT:

Ridge-top 0600-1200 East 5-15 mph G20

1200-1800 South Southwest 12-18 mph G28

Little Bald Mtn. expect G35

Slope/Valley 0600-1000 Downslope/down valley 3-6 mph

1200-1800 Southwest 10-15 mph G25

### **IRAWS INFO**

0002 Michigan Bluff..(Div-B) 0003 Cockoo Ridge...(Div-Z) 0019 Beauty Mine....(Div-R)

0020 Cavanah Ridge.(Div-T)

TX/RX FREQ 163.350 CSQ

### **OUTPUTS**

### FIRE BEHAVIOR

GENERAL: Active Burn Period seems to begin around 1600 hrs. Fire will continue to move through the surface fuels at slow to moderate rates of spread. Surface fuels can promote transition to crowns with single and group tree torching. Short crown runs are possible where fuels, topography and winds align. Rollouts and spotting can be a problem contributing to the spread of the fire. Observed spotting has been up to 1/3 mile. Anticipate increased spotting distance with winds above 30mph.

Local Thresholds – Watch Out: Combinations of any of these factors can greatly increase fire behavior. 20' wind Speed over 5 mph, RH less than 20%, Temperature over 80°, 10hr Fuel Moisture less than 4. Fire Spread in the absence of wind is associated with fuel and topography. Short range spotting up to 1/3 mi. Active burn period associated with solar heating.

Unshaded: Fine dead Fuel Moisture: 4-6%

Probability of Ignition: 50-80% Probability of Ignition: 30-50%

Shaded: Fine dead Fuel Moisture: 7-9%

SPECIFIC:

### BRANCH I

Div-B Fire behavior limited to interior isolated heat in larger fuels.

**Div-F** Morning (0600-1200 hrs) East winds are forecasted to be stronger, Wind testing the lines. Fire behavior should remain interior as larger fuels are consumed.

### **BRANCH II**

**Div-H:** Morning (0600-1200 hrs) East winds are forecasted to be stronger, Wind testing the lines. Fire behavior should remain interior as larger fuels are consumed. Anticipate increased spread rates in the lighter fuels associated with the old burn area.

**Div-R** The fire will continue to move north east in Cliff Canyon. Fuel continuity in the canyon is broken up by rock cliffs and scree slopes slowing rates of spread. Fire will primarily burn through surface fuels with single/group tree torching possible.

**Div-** T The fire is currently established on Cavanah Ridge above Deep Canyon. Roll out into the canyon may promote fire spread. Deep Canyon may be subject to increased up-slope/canyon winds promoting rapid rates of spread, short crown runs and increase spotting distance.

### **BRANCH III**

**Div-Z:** Fire currently established in the lower portion of Deep Canyon is burning in the confluences of Little Grizzley and Bear Trap Canyons. These features may cause winds to eddy along the ridges and in the canyons. Anticipate altered wind direction in this area. The fire continues to creep in surface fuels. Very steep terrain is subject to roll out along with short crown runs and increase spotting.

Div-A: Fire behavior limited to interior isolated heat in larger fuels.

AIR OPERATIONS: Visibility may be compromised by smoke due to morning inversion 500. Expected to dissipate late morning.

### **SAFETY**

Lookout Points: Roll out...Fire coming into alignment with canyon and drainages...Increased winds promoting rapid rates of spread and increased fire behavior... Maintain L.C.E.S.

	on Assignm	ent List					B/F				
3. Incident Name	AMERICAN		4. Operational	Period 08/25/	13 S	Sunday	Day Shi	Day Shift 0600 - 1800			
5.			Operati	ons Perso		g				<del></del>	
Operations Chief	KIT BAII	LEY / PAT TITU:	S (t)	Division/	Group (	Superviso	or			<del></del>	
Operations Chief				Air Attac	k Supe	rvisor	GARY MONDAY				
Branch Director				Safety Officer			SAM WILBANKS / JOHN NICKEY (t)				
3.			Resources A	Assigned I	this Per	riod			···	<u></u>	
4	sk Force/ Resource		Leader	<ul> <li>Fig. (2007)</li> </ul>	Num of Pers.		Drop Off	PT./Time	Pick	k Up PT./Time	
INSTAFFED	<del></del>				reis.	1/11			<u> </u>	·	
								<del></del>			
-											
<del></del>											
· · · · · ·	<u> </u>					-+					
····		-							<del></del>		
	<del></del>										
										·	
	<u> </u>										
									_		
							-				
Control Opera	ations		<del></del>	I							
stral by air											
trol by air.											
	****										
Special Instru	ctions										
<del>,</del>		Div	/ision/Group Com	municatio	ns Sun	nmary			<del></del> -		
Function	Frequency - RX	Frequency - TX	Tone	Sys			hannel	System	)	Channel	
mmand	170.0125	165.2500		CM			2				
ctical Div/Group	166.7250	166.7250		NIF	C T5		6				
jistics											
to Ground	166.9375	166.9375		A/G			12				
	ource Unit Leader)		oved by (Planning S		ien		Date Prepa		Time F	repared	
ke Vetti		Sig P	alm / Mitch Dieh	11 (t) 1			U8/2	24/13	4	1700	

1. Branch

2. Division/Group

			1. Branch				2. Division/Group	·		
	signment List							Η		
Incident Name     AMF	ERICAN		4. Operational F		19 C	undou	Day Shift 0600 45	200		
5.		<u>l</u>	Operatio	08/25/		unday	Day Shift 0600 - 18	300		
Operations Chief	KIT BAILEY / PAT 1		*** **			Sunenie	DESCOTT HOMES /	SCOTT HOWES / MIKE KLINGER (t)		
Operations Chief	NI DAILET / FAT		(1)	Air Attac			GARY MONDAY			
Branch Director	NEIL METCALF						SAM WILBANKS /	IOLINI NIIOKEV (4)		
	1						SAIVI VVILDAINKS /	JOHN NICKET (I)		
6.		1	Resources A	ssigned	this Per Num of	·	· · · · · · · · · · · · · · · · · · ·			
Strike Team/Task Force/	Resource Designator		Leader		Pers.	Y/N	Drop Off PT./Time	Pick Up PT./Time		
CRW KRN CREW 81	C-45 8/28	CASEY PAYNE			16	N	CAMP @ 0600	1800		
CRW T2 SQF SCORP	ONS 1 C-21 8/25	RANBIR LALLY			20	N	CAMP @ 0600	1800		
ENG S/T CNF 6631C	E-72 8/28	ADOL	FO CASTRO		27	N	CAMP @ 0600	1800		
WT T2 BDF 234 E-78	8/28	CODY	NELSON		2	N	CAMP @ 0600	1800		
WT T2 CND 3192 E-1	74 8/29	MATT	ROBINSON		1	N	CAMP @ 0600	1800		
FALC O-210 8/29		TIMO	THY KRALING		1	N	CAMP @ 0600	1800		
SOFR O-265 8/31		DALE	SCHMIDT		1	N	CAMP @ 0600	1800		
SOFR (t) O-300 8/30		RICHA	ARD LUDKE		1	N	CAMP @ 0600	1800		
FEMP O-282 8/28		JOEL	PLATTER		1	N	CAMP @ 0600	1800		
FEMT O-156 8/31		JASO	N BARRETT		1	N	CAMP @ 0600	1800		
FOBS O-455 9/2		SONY	A FEASTER	-	1	N	CAMP @ 0600	1800		
		•								
7. Control Operations					<u> </u>					
Continue to patrol and r	nop up 300 feet in fr	om the	perimeter.							

### 8. Special Instructions

All personnel need to be aware of aerial firing that may occur in Divisions R, T and A / Z.

Use only designated water sources marked by blue flagging. Avoid traveling through noxious weeds identified with flagging. Avoid sensitive areas marked with white/orange polka-dot flagging. Watch for open mine shafts in your work area. Backhaul any excess equipment to Base Camp.

Continue to reassess structures located within the fire perimeter to ensure the area is secure.

SOFR Schmidt and SOFR Ludke are assigned to Division H and Suppression Repair Group.

9.		Divis	Division/Group Communications Summary									
Function	Frequency - RX	Frequency - TX	Tone	System	Channel	System	Channel					
Command	164.1375	172.1375		CMD 52	4							
Tactical Div/Group	166.7750	166.7750		NIFC T6	7							
Logistics			•									
Air to Ground	166.9375	166.9375		A/G TAC	12							
Prepared by (Resource Unit Leader) Mike Vetti		Approved by (Planning Section Thiel) Sig Palm / Mitch Diehl (t)			Date Prepa 08/2	ared 14/13	Time Prepared 1709					

			1. Branch				2. Division/Group	
	signment List			<u> </u>				(PAGE 1 OF 2)
Incident Name     AMF	ERICAN		4. Operational F		40 0		Day Shift 0600	000
		James anders	Operatio	08/25/		unday	Day Shift 0600 - 1	800
5. Operations Chief	KIT BAILEY / PAT	TITLIC				Supervier	VANDE DU UNANAE	R / MARK MOTT (t)
Operations Chief	KII DAILET / PAT	11103					GARY MONDAY	R / IVIARK IVIO I I (I)
<u> </u>	NEIL METCALF					VISOI		( JOHN NICKEY (4)
	INEIL METCALF	442000		•		larent eksembe	SAIVI VVILBAINKS	/ JOHN NICKEY (t)
<b>.6</b> .		i i i i i i i i i i i i i i i i i i i	Resources A	ssigned	2 24 . 2	- W		
Strike Team/Task Force/	Resource Designator		Leader		Num of Pers.	Y/N	Drop Off PT./Time	Pick Up PT./Time
CRW SNF SIERRA IHO	C C-10 8/29	KENN	ETH JORDAN		19	N	CAMP @ 0600	1800
CRW T2IA INF CREW 3 C-54 8/29		GLEN TINGLEY		20	N	CAMP @ 0600	1800	
CRW T2 OR ORS SUMMIT C-74 9/7		GORGONIO IBARRA		20	N	CAMP @ 0600	1800	
TF AMERICAN 1		EDWARD WILEY			1	N	CAMP @ 0600	1800
ENG T3 TNF E333 E-191 8/28		ANDY ACHTER			5	N	CAMP @ 0600	1800
ENG T3 TNF E73 E-86 8/28		MATT BRADFORD			5	N	CAMP @ 0600	1800
ENG T3 BKF E361 I	E-212 8/31	LEE NELSON			5	N	CAMP @ 0600	1800
ENG T3 TNF 42 E-3	36 9/7	ERIC HUSSMANN		5	N	CAMP @ 0600	1800	
ENG T3 STF E32 E-	-74 8/27	JASON GARCIA		5	N	CAMP @ 0600	1800	
TF AMERICAN 2		J.LAMBIRTH/T. THANE (t)			2	N	CAMP @ 0600	1800
ENG T3 SHF E22 E	-220 8/29	EUGE	NIA WIEBE		5	N	CAMP @ 0600	1800
ENG T3 SHF E41 E-	-218 8/29	KERR	I GILLILAND		5	N	CAMP @ 0600	1800
ENG T3 SHF E73 E	-219 8/30	DUST	IN LOPEZ		5	N	CAMP @ 0600	1800
ENG T3 CNF E32 E	-217 8/30				5	N	CAMP @ 0600	1800
ENG T3 SWR E8430	E-214 8/30	ANTH	ONY ARENDT		5	N	CAMP @ 0600	1800
ENG T3 COPBS BR3	39 E-221 8/26	MICHA	AEL DEBOER		4	N	CAMP @ 0600	1800
DOZ T2 ROEN** (24 I	HR) E-110 8/28	JOHN	ROEN		2	N	CAMP @ 0600	1800
DOZ T2 ROEN** (24 F	HR) E-111 8/28	DWIG	HT CERESOLA	4	2	N	CAMP @ 0600	1800
SEE PAGE 2								
7.0 1.10 (		<del></del>						

7. Control Operations

Hold and mop-up 200 feet in from Division H / R break to Division R / T break.

### 8. Special Instructions

All personnel need to be aware of aerial firing that may occur in Divisions R, T, and A / Z.

Use only designated water sources marked by blue flagging. Avoid traveling through noxious weeds identified with flagging. Avoid sensitive areas marked with white/orange polka-dot flagging. Watch for open mine shafts in your work area. Backhaul any excess equipment to Base Camp.

Continue to reassess structures located within the fire perimeter to ensure the area is secure.

SOFR Morlock and SOFR (t) Fetherston are assigned to Divisions T and R.

\*\*Equipment with transport

Function	Frequency - RX	Frequency - TX	Tone	System	Channel	System	Channel
Command	168.1000	170.4500		CMD 2	1		
actical Div/Group	168.2500	168.2500		NIFC T7	8		
ogistics							
Air to Ground	166.9375	166.9375		A/G TAÇ	12		
Prepared by (Reso Sina Bald (t)	urce Unit Leader)	Appro Sig Pa	oved by (Planning Salm / Mitch Diehl	ection chies) (t)	Date Prepa 08/2	ared 4/13	Time Prepared 1702

District Accions and Link			1. Branch			2. Division/Group	· •		
	Assignment List						R	(PAGE 2 OF 2)	
3. Incident Name	VIERICAN		4. Operational F		40 0				
	VILITIOAIN	jeta eja a agut		08/25/		unday	Day Shift 0600 - 1	800	
5. Operations Chief	IVIT DALLEY (DAT	TITUO	Operatio	19 1 1 2 mm 2 mm		onnel Group Supervisor VINNIE PLUMMER / MARK MOTT (t			
<u> </u>	KIT BAILEY / PAT	11108	τ)						
Operations Chief							GARY MONDAY SAM WILBANKS / JOHN NICKEY (t)		
Branch Director	NEIL METCALF				/ JOHN NICKEY (t)				
6.			Resources A	ssigned	***	ALC P			
	Strike Team/Task Force/ Resource Designator		Leader		Num of Pers.	Y/N	Drop Off PT./Time	Pick Up PT./Time	
3RD T1 OUTBACK E-250 8/31		ED LIT			2	N	CAMP @ 0600	1800	
VT T2 CATTANEO E-197 8/30			LLO CATTANI	EO	1	N	CAMP @ 0600	1800	
VT T2 CATTANEO E-198 8/30		NORM OILER		1	N	CAMP @ 0600	1800		
IEQB O-11 8/27		ANSON GOINS		1	N	CAMP @ 0600	1800		
FLD O-429 9/3		SHAWN NAGLE		1	N	CAMP @ 0600	1800		
FLD (t) O-431 9/3		HEATI	HER GRIFFIN		1	N	CAMP @ 0600	1800	
SOFR O-401 9/1		JOHN MORLOCK			1	N	CAMP @ 0600	1800	
SOFR (t) O-528 9/7		ERIC FETHERSTON			1	N	CAMP @ 0600	1800	
OBS O-96 8/27		STEVE NORVERR			1	N	CAMP @ 0600	1800	
OBS O-94 8/27		ROBERT BOZEMAN		1	N	CAMP @ 0600	1800		
FEMP O-81 8/28		SAMMY FEBRES		1	N	CAMP @ 0600	1800		
FEMT O-176 8/27		KYLE	MCDERMOTT		1	N	CAMP @ 0600	1800	
READ 0-229 9/1		ROBE	RTA LIM	•	1	N	CAMP @ 0600	1800	
READ O-509 8/27	· · · · · · · · · · · · · · · · · · ·	TOBY	BAKOS		1	N	CAMP @ 0600	1800	
ARCH O-447 9/4		LEE S	TEWART	,	1	N	CAMP @ 0600	1800	
ARCH O-44 8/26		DANIE	L PARKER		1	N	CAMP @ 0600	1800	
							-		
		1							
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			•					
7. Control Operations		1		·	·				
	) feet in from Division	H/R bi	eak to Divisior	nR/Tk	oreak.				

8. Special Instructions

All personnel need to be aware of aerial firing that may occur in Divisions R, T, and A / Z.

Use only designated water sources marked by blue flagging. Avoid traveling through noxious weeds identified with flagging. Avoid sensitive areas marked with white/orange polka-dot flagging. Watch for open mine shafts in your work area.

Backhaul any excess equipment to Base Camp.

Continue to reassess structures located within the fire perimeter to ensure the area is secure.

SOFR Morlock and SOFR (t) Fetherston are assigned to Divisions T and R.

Function	Frequency - RX	Frequency - TX	Tone	System	Channel	Syste	m j	Channel
Command	168.1000	170.4500		CMD 2	1			
Factical Div/Group	168.2500	168.2500		NIFC T7	8	-		
ogistics					•			
Air to Ground	166.9375	166.9375		A/G TAC	12			,
Prepared by (Resource Unit Leader) Gina Bald (t)		Approv Sig Pa	ved by (Planning Im / Mitch Diel	Date Prepared 08/24/13		Time Prepared 1714		

		ı	i. Digitori				Z. Division/Oroup			
Division Assign	nment List			II		<u> </u>	T (PAGE 1 of 2)			
Incident Name     AMERIC	.AN		4. Operational F		42 0	undov	Day Shift 0600 49	200		
1				08/25/		unday	Day Shift 0600 - 18	300		
5, Operations Chief KIT	BAILEY / PAT T	THE	Operatio	'1		<u> </u>	IED DDONTO	JEB PRONTO		
Operations Chief	DAILET / PAT I	1103								
	LMETCALE						GARY MONDAY SAM WILBANKS / JOHN NICKEY (t)			
	L METCALF					SAIN MILBANKS	JUNN NICKEY (t)			
6.		1	Resources A	ssigned				<del></del>		
Strike Team/Task Force/ Resource Designator			Leader		Num of Pers.	Y/N	Drop Off PT./Time	Pick Up PT./Time		
CRW LPF ARROYO GRANDE IHC C-29 8/28		MICHAEL HICKEY			20	N	SPIKE @ 0700	1800		
CRW NOD DIAMOND MTN IHC C-25 8/27		DAN VARNEY			20	N	SPIKE @ 0700	1800		
CRW T2IA MDF LOST RIVER C-58 9/6		ANDREW GIFFORD			20	N	SPIKE @ 0700	1800		
CRW T2 OR ORS ABRAHAM C-71 9/7		MICAH THURMAN			20	N	SPIKE @ 0700	1800		
CRW T2 OR ORS PACIFIC OASIS C-72 9/7		WES	DODDS		20	N	SPIKE @ 0700	1800		
ENG S/T BDF 6618C E-161 8/30		MATT	HEW ESCAN	DEL	26	N	SPIKE @ 0700	1800		
ENG S/T ANF 1623C E-16	2 8/29	STEFFEN FULLER			27	N	SPIKE @ 0700	1800		
ENG T3 NOD E3231 E-73	8/27	KYLE	KRACHE		5	N	SPIKE @ 0700	1800		
ENG T3 NOD E3237 E-215	8/26	WAYNE JONES			5	N	SPIKE @ 0700	1800		
ENG T3 WY-LAX B11 E-21	16 8/31	JESSON VASEY			3	N	SPIKE @ 0700	1800		
SK T2 SKIDGINE FIREFIGHT	ING E-253 9/4	DAVID	ALLDERDICE		0	N	SPIKE @ 0700	1800		
DOZ T2 MDF 4 E-112 8/	28	PERR	Y ST. JOHN		3	N	SPIKE @ 0700	1800		
DOZ T2 PNF 1 E-113 8/2	·7	LANC	E TUPMAN		2	N	SPIKE @ 0700	1800		
DOZ T2 PNF 2 E-182 8/2	:9	TRAV	SADAMS		2	N	SPIKE @ 0700	1800		
WT T2 SHF WT-66 E-77	8/27	MARIO	) ALVAREZ		2	N	SPIKE @ 0700	1800		
WT T2 WATERBOYS E-10	03 8/28	ROBE	RT KEENE		1	N	SPIKE @ 0700	1800		
WT T2 THOMPSON E-194	8/29	TIM THOMPSON		1	N	SPIKE @ 0700	1800			
WT T2 HAYS (24HR) E-19	5 8/30	BOB F	IAYS		1	N	SPIKE @ 0700	1800		
SEE PAGE 2							·			
7. Control Operations					•	•		-		

1. Branch

2. Division/Group

### Control Operations

Continue firing operations (if it is not complete) from the Div R / T break south to the Div T / Z break.

Hold and begin mop up operations to secure the fire perimeter.

### 8. Special Instructions

All personnel need to be aware of aerial firing that may occur in Divisions R, T, and A / Z.

Use only designated water sources marked by blue flagging. Avoid traveling through noxious weeds identified with flagging. Avoid sensitive areas marked with white/orange polka-dot flagging. Watch for open mine shafts in your work area. Back haul any excess equipment to Base Camp.

Continue to reassess structures located within the fire perimeter to ensure the area is secure. SOFR Morlock and Fetherston are assigned to Divisions R / T.

9.	the following	Divi	sion/Group Com	munications Sumn	nary		
Function	Frequency - RX	Frequency - TX	Tone	System	Channel	Syste	m Channel
Command	168.1000	170.4500		CMD 2	1		
Tactical	154.2875	154.2875		VFIRE 25	10		
Logistics							
Air to Ground	166.9375	166.9375		A/G TAC	12		
Prepared by (Resource Unit Leader) Gina Bald (t)		Approved by (Planning Section Chief) Sig Palm / Mitch Diehl (t)			Date Prepared Tir 08/24/13		Time Prepared 1704

	1. Branch		•	2. Division/Group			
Division Assignment List				<b>T</b> (PA	GE 2 OF 2)		
Incident Name     AMERICAN	4. Operational I	Period 08/25/13	Sunday	Day Shift 0600 - 18	nn		
5.	Operation	ns Personne	·	Day Offit 0000 - 10			
Operations Chief KIT BAILEY / PAT 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Division/Gr		JEB PRONTO	·		
Operations Chief	.,,,== (-)	Air Attack S					
Branch Director NEIL METCALF		Safety Office		SAM WILBANKS /	JOHN NICKEY (t)		
6.	Resources A	l			1 1		
Strike Team/Task Force/ Resource Designator	Leader		of Trans.	Drop Off PT./Time	Pick Up PT./Time		
SOFR O-401 9/1	JOHN MORLOCK	1.61	1 N	SPIKE @ 0700	1800		
	ERIC FETHERSTON	ı	1 N	SPIKE @ 0700	1800		
FEMP O-238 8/29	JACOB SNOW		1 N	SPIKE @ 0700	1800		
FEMT O-287 8/29	TRAVIS MOORE		1 N	SPIKE @ 0700	1800		
FOBS 0-484 9/4	DEAN MILLAN		1 N	SPIKE @ 0700	1800		
FOBS (t) O-348.67 8/31	TRAVIS CALKA		1 N	SPIKE @ 0700	1800		
<ol> <li>Control Operations</li> <li>Continue firing operations (if it is not comple</li> <li>Hold and begin mop up operations to secure</li> </ol>	ete) from the Div R / T e the fire perimeter.	break souti	n to the Div	≀ T / Z break.			
8. Special Instructions All personnel need to be aware of aerial f Use only designated water sources marked Avoid sensitive areas marked with white/ora Backhaul any excess equipment to Base Ca Continue to reassess structures located with SOFR Morlock and Fetherston are assigned	by blue flagging. Avoinge polka-dot flagginamp. Simp. Simp the fire perimeter	id traveling t g. Watch for	through no r open min	xious weeds identifie e shafts in your work	ed with flagging.		
9.	Division/Group Com	nunications S	Summary	· · · · · · · · · · · · · · · · · · ·			

Time Prepared

1705

Channel

System

Function

Command

Air to Ground

Gina Bald (t)

Tactical Logistics Frequency - RX

168.1000

154.2875

166.9375

Prepared by (Resource Unit Leader)

Frequency - TX

170.4500

154.2875

166.9375

Approved by (Planning Section Chiefy

System

CMD 2

VFIRE 25

A/G TAC

Tone

Sig Palm / Mitch Diehl (t)

Channel

1

10

12

Date Prepared

08/24/13

Division Assissance 41 is 4			<ol> <li>Branch</li> </ol>					2. Division/Group		
	signment List			<u> </u>			A/2	A / Z (PAGE 1 OF 2)		
3. Incident Name	ERICAN	ĺ	4. Operational F		40 0		D DI-:#-0000	4000		
	INIOAN			08/25/		unday	Day Shift 0600 -	1800		
<u> </u>	<u> </u>	100	Operatio				DIOK COWELL	(DVDONIJADT (I)		
Operations Chief	KIT BAILEY / PAT T	1105					1	RICK COWELL / BYRON HART (t)		
Operations Chief	LAGU EDOGGAT							GARY MONDAY		
Branch Director	JACK FROGGAT			Safety			SAM WILBANKS	S / JOHN NICKEY (t)		
6.		141	Resources As	ssigned			<u> </u>	· .		
Strike Team/Task Force/			Leader		Num of Pers.	Trans. Y/N	Drop Off PT./Time	Pick Up PT./Time		
CRW BDF MILLCREEI	KIHC C-9 8/26	JOHN	ELLISON		21	N	SPIKE @ 0700	1800		
CRW TNF TAHOE IHO	C-11 8/25	ERIC	RICE		20	N	SPIKE @ 0700	1800		
CRW STF GROVELAN	ND IHC C-15 8/26	SEAN	GAST		19	N	SPIKE @ 0700	1800		
CRW TNF AMERICAN R	IVER IHC C-85 9/7	ADAM LEYBA		20	N	SPIKE @ 0700	1800			
CRW T2IA SHF GFP 1	5A C-33 9/3	JASOI	N CAMPBELL	•	20	N	SPIKE @ 0700	1800		
CRW T2IA SHF GFP 1	5B C-34 9/3	GENE	FLEMMING		20	N	SPIKE @ 0700	1800		
ENG S/T NEU 9230C (	<b>24 HR)</b> E-91 8/28	MICHAEL BISHOP		16	N	SPIKE @ 0700	1800			
ENG S/T XSA 4155C	E-325 9/3	CHARLES JENKINS		22	N	SPIKE @ 0700	1800			
ENG T3 TNF E61 E-7	1 8/27	JEREMY JONES		5	N	SPIKE @ 0700	1800			
ENG T6 HUMBOLT-TC	YABE 621 E-2 8/25	KARSON GEISSINGER		5	N	SPIKE @ 0700	1800			
SKG T2 TIMBER SOLU	JTIONS E-254 9/4	BRIAN LOVAS		2	N	SPIKE @ 0700	1800			
DOZ T2 SILLER**(24F	<b>IR)</b> E-116 8/29	RON [	OOW		2	N	SPIKE @ 0700	1800		
DOZ T2 A&F** E-185	8/29	RYAN	COE		2	N	SPIKE @ 0700	1800		
DOZ T2 G&O**( <b>24HR</b> ) E-186 8/29 SG		SCOTT WEAVER			2	N	SPIKE @ 0700	1800		
DOZ T2 MADERS (24HR) E-115 8/27 AL MA		AL MA	AL MADER		1	N	SPIKE @ 0700	1800		
TT1 PHF 86 E-187 8/29 JUSTIN WOO		N WOOD		2	N	SPIKE @ 0700	1800			
WT T2 49ER E-9 9/7		MIKE SIERRA			1	N	SPIKE @ 0700	1800		
WT T2 AWB E-10 9/6	VB E-10 9/6 PAUL HENNING			1	N	SPIKE @ 0700	1800			
WT T2 WATERBOY E9	95 E-95 8/28	RONA	LD BELION		1	N	SPIKE @ 0700	1800		
SEE PAGE 2										
7 Control Operations				•						

Prepare for firing operations from Division T / Z break south towards DP 1.

### 8. Special Instructions

All personnel need to be aware of aerial firing that may occur in Divisions R, T, and A / Z.

Use only designated water sources marked by blue flagging. Avoid traveling through noxious weeds identified with flagging. Avoid sensitive areas marked with white/orange polka-dot flagging. Watch for open mine shafts in your work area. Backhaul any excess equipment to Base Camp.

Continue to reassess structures located within the fire perimeter to ensure the area is secure.

\*\*Equipment with transport

9.	1.0		Division/Group Com	munications Sumr	nary			
Function	Frequency - RX	Frequency - TX	Tone	System	Channel	Syst	tem	Channel
Command	170.0125	165.2500		CMD 9	2			
Tactical	168.6000	168.6000		NIFC T3	5			
_ogistics								
Air to Ground	166.9375	166.9375		A/G TAC	12			
Prepared by (Resource Unit Leader) Alicia Sanchez			Approved by (Planning Section Chief) Sig Palm / Mitch Diehl (t)			red 4/13	Time	Prepared 1703

		1. Branch				2. Division/Group	·		
Division Assignm	ent List				A / Z (PAGE 2 OF 2)				
3. Incident Name AMERICAN		4. Operational I	Period 08/25/	12 C	unday	Day Shift 0600 - 1800			
· · · · · · · · · · · · · · · · · · ·		l Operation			ulluay	Day Office 0000 - 10			
	LEY / PAT TITU	191 [1	Divisio	4 4 4 4 4	n.	RICK COWELL / B	RICK COWELL / BYRON HART (t)		
Operations Chief									
<b>`</b>	ROGGAT	' '			SAM WILBANKS /	JOHN NICKEY (t)			
6.		Resources A				OF ANY VALLEY II THE			
<u> </u>			raaiAuch	Num of			I		
Strike Team/Task Force/ Resource		Leader		Pers.	Y/N	Drop Off PT./Time	Pick Up PT./Time		
WT T2 HERTZIG E-140 8/29		NE HERTZIG		1	N	SPIKE @ 0700	1800		
WT T2 STATEWIDE E-170 8/	29 STE	VE RADDIGAN		1	N	SPIKE @ 0700	1800		
WT T2 SIERRA E-175 8/29		BERT DARLING		1	N	SPIKE @ 0700	1800		
TFLD O-430 9/3	RO	ROGER RUSSELL		1	N	SPIKE @ 0700	1800		
TFLD O-432 9/3	JAC	ACKSON WEER		1	N	SPIKE @ 0700	1800		
HEQB O-180 8/30	MAI	RK BRYANT		1	N	SPIKE @ 0700	1800		
HEQB O-341 8/30	WIL	WILLIAM BURCH		1	N	SPIKE @ 0700	1800		
HEQB O-376 9/1	TIM	TIMMOTHY JOY		1	N	SPIKE @ 0700	1800		
HEQB (t) O-342 8/30	PET	PETER BRINKERHOFF		1	N	SPIKE @ 0700	1800		
SOFR O-299 8/30	ROI	ROBERT FISHER		1	N	SPIKE @ 0700	1800		
FEMP O-283 8/29	JOH	IN VAIL		1	N	SPIKE @ 0700	1800		
FEMT O-235 8/28	JEF	F COLE		1	N	SPIKE @ 0700	1800		
FOBS O-95 8/26	TIM	BRADLEY		1	N	SPIKE @ 0700	1800		
FOBS (t) O-266 8/28	OBS (t) O-266 8/28 KARL GOODW			1	N	SPIKE @ 0700	1800		
READ 0-495 9/3	RIC	RICHARD WEAVE		1	N	SPIKE @ 0700	1800		
READ O-232 8/27		DAN TEATER		1	N	SPIKE @ 0700	1800		
Control Operations									

7. Control Operations

Prepare for firing operations from Division T / Z break south towards DP 1.

### 8. Special Instructions

All personnel need to be aware of aerial firing that may occur in divisions R, T and A / Z.

Use only designated water sources marked by blue flagging. Avoid traveling through noxious weeds identified with flagging. Avoid sensitive areas marked with white/orange polka-dot flagging. Watch for open mine shafts in your work area.

Backhaul any excess equipment to Base Camp.

Continue to reassess structures located within the fire perimeter to ensure the area is secure.

9.			Division/Group Com	munications Sumr	nary		
Function	Frequency - RX	Frequency - T	X Tone	System	Channel	System	Channel
Command	170.0125	165.2500		CMD 9	2		
Tactical	168.6000	168.6000		NIFC T3	5		
Logistics							
Air to Ground	166.9375	166.9375		A/G TAC	12		
Prepared by (Resource Unit Leader) Alicia Sanchez		A <sub>l</sub>	pproved by (Planning g Palm / Mitch Die	Section Chief)	Date Prepa 08/24		ime Prepared 1704

Division Assignment List			1. Branch				2. Division/Group SUPPRESSION REPAIR GROUP(P 1 OF 2)		
3. Incident Name	ERICAN		4. Operational		40 0		D 0-18 0000 46	200	
	INICAN			08/25/		unday	Day Shift 0600 - 18	300	
5.	IVIT DAIL EV / DAT 3		1114	ns Pers	450.00		LARRY PEABODY / JAMES PRINCE (t)		
L <u>-</u>	KIT BAILEY / PAT	11105	(t)	Divisio		<u>.                                      </u>		/ JAIVIES PRINCE (t)	
Operations Chief				Air Atta					
Branch Director				Safety			SAM WILBANKS /	JOHN NICKEY(t)	
6.			Resources A	ssigned		<i>ii</i> -			
Strike Team/Task Force/	Resource Designator		Leader		Num of Pers.	Trans. Y/N	Drop Off PT./Time	Pick Up PT./Time	
CRW NEU S/T 9231G	C-22 8/25	DAVE	HURD		35	N	CAMP @ 0600	1800	
CRW T2 OR ORS GRA	AYBACK C-73 9/7	TIM H	IENAGIN		20	N	CAMP @ 0600	1800	
DOZ T2 VOLCANO CF	REEK** E-107 8/28	RICH	ARDS ERIK		1	N	CAMP @ 0600	1800	
DOZ T2 DAVID J PERI	RY** E-260 9/2	BRETT PERRY		2	N	CAMP @ 0600	1800		
EXCAVATOR - TBA				1	N	CAMP @ 0600	1800		
EXCAVATOR - TBA					1	N	CAMP @ 0600	1800	
CHIP PLACER CNTY	E-222 8/29	JOE TAPIA		1	N	CAMP @ 0600	1800		
CHIP PLACER CNTY	E-223 8/29	TED PEREZ		1	N	CAMP @ 0600	1800		
CHIP TAHOE DOUGLA	AS FD E-312 9/4	AUSTIN LYNCH		1	N	CAMP @ 0600	1800		
CHIP LAKE VALLEY F	IRE E-313 9/5	RYAN WALKER		2	N	CAMP @ 0600	1800		
CHIP MEEKS BAY E-3	326 9/4	DAVID RODRIGUEZ		2	N	CAMP @ 0600	1800		
WT T2 SPITFIRE E-10	01 8/28	RILLY	CHUCK		1	N	CAMP @ 0600	1800	
WT T2 GAMMA GOAT	Γ E-104 8/28	MARK	WILLIAMS		1	N	CAMP @ 0600	1800	
WT T1 OES 42 E-189	8/29	SHAV	VN ENTZ		2	N	CAMP @ 0600	1800	
WT T2 LAMB JAMES E-315 9/3 DC		DON	MINTO		2	N	CAMP @ 0600	1800	
HEQB O-182 8/30	8/30 THOMAS W		AS WILLIAMS	3	1	N	CAMP @ 0600	1800	
IEQB O-428 9/4 TRAVIS ANDE		IS ANDERSON	1	1	N	CAMP @ 0600	1800		
SOFR O-265 8/31 DALE SCHM		SCHMIDT		1	N	CAMP @ 0600	1800		
SOFR (t) O-300 8/30		RICHA	ARD LUDKE		1	N	CAMP @ 0600	1800	
SEE PAGE 2									
7 Control Operations					·				

7. Control Operations

Perform chipping operations on Divisions B / F AND H.

FOBS are to map repair needs and accomplishments.

SOFR Schmidt and SOFR Ludke are assigned to Division H and Suppression Repair Group.

### 8. Special Instructions

### All personnel need to be aware of aerial firing that may occur in divisions R, T and Z.

See attached waterbar guidelines.

Spread chips evenly. Do not pile chips in culvert areas.

Chip in green if possible.

Review Team Brush Chipper Job Hazard Analysis (JHA) prior to beginning work with chipping equipment. Every worker must document by initiating the JHA. Turn JHA in to Safety at the end of shift.

\*\*Equipment with transport

9.	<i>y</i> 2	Divis	sion/Group Com	munications Sumn	nary			
Function	Frequency - RX	Frequency - TX	Tone	System	Channel	Syst	lem	Channel
Command	170.0125	165.2500		CMD 9	2			
Tactical	154.3025	154.3025		VFIRE 26	11			
Logistics	-							-
Air to Ground	166,9375	166.9375		A/G TAC	12			·
Prepared by (Res Alicia Sanchez	ource Unit Leader)	Approv Sig Pa	red by (Planning S lm / Mitch Dieh	ection chief	Date Prepa 08/2	ared 24/13	Time	Prepared 1703

Division Assignment List			1. Branch				2. Division/Group SUPPRESSION RI	2. Division/Group SUPPRESSION REPAIR GROUP (P 2 of 2)		
3. Incident Name	RICAN		4. Operational		40 0		D 01-15-0000 - 40			
5.	THOAN		Operation	08/25/ ons Pers		unday	Day Shift 0600 - 18			
	KIT BAILEY / PAT T	ITUS (			n/Grou	<u>n</u>	LARRY PEARODY	/ IAMES PRINCE (f)		
Operations Chief	747 5742217777						LARRY PEABODY / JAMES PRINCE (t) GARY MONDAY			
Branch Director				Safety			SAM WILBANKS /	JOHN NICKEY(t)		
6.			Resources A					3011111101121(t)		
Strike Team/Task Force/			Leader	.oo.g.,iou	Num of Pers.		Drop Off PT /Time	Pick Up PT./Time		
FOBS 0-485 9/4	· ·	JOHN	TURNER		1	N	CAMP @ 0600	1800		
FOBS (t) O-518 9/6		MIKE	DUROCHER		1	N	CAMP @ 0600	1800		
RESP 0-494 9/3		DAVID	AHMADI		1	N	CAMP @ 0600	1800		
ARCH O-445 9/3		MANU	EL EMERY		1	N	CAMP @ 0600	1800		
ARCH O-43 8/26		JESSE	KRAUTKRAI	MER	1	N	CAMP @ 0600	1800		
ARCH O-272 8/26		GLEN	SUNDSTROM	1	1	N	CAMP @ 0600	1800		
ARCH O-274 8/30		GERR	IT FENENGA		1.	N .	CAMP @ 0600	1800		
THSP 0-483 9/3		MARY	SULLIVAN		1	N	CAMP @ 0600	1800		
							,			
1.0.1.10										
7. Control Operations Perform chipping operat FOBS are to map repair										

SOFR Schmidt and SOFR Ludke are assigned to Division H and Supression Repair Group.

8. Special Instructions

### All personnel need to be aware of aerial firing that may occur in divisions R, T and A / Z.

See attached waterbar guidelines.

Spread chips evenly. Do not pile chips in culvert areas.

Chip in green if possible.

Review Team Brush Chipper Job Hazard Analysis (JHA) prior to beginning work with chipping equipment. Every worker must document by initiating the JHA. Turn JHA in to Safety at the end of shift.

9.	The second second	Divis	ion/Group Con	nmunications Sumn	nary		
Function	Frequency - RX	Frequency - TX	Tone	System	Channel	System	Channel
Command	170.0125	165,2500		CMD 9	2		
Tactical	154.3025	154.3025		VFIRE 26	11		
Logistics							
Air to Ground	166.9375	166.9375		A/G TAC	12		
Prepared by (Res Alicia Sanchez	ource Unit Leader)	Approved by (Planning Section Chief) Sig Palm / Mitch Diehl (t)			Date Prepa 08/2		Time Prepared 2145

**AIR OPERATIONS SUMMARY (ICS-220)** 

PREPARED DATE/TIME: 08/24/13 2000

PREPARED BY: Denise Blankenship, A9BD

Blue Canyon HB: Communications Trailer (E-25) Communication Trailer (E-232) SUNSET: 1946 Crash Rescue (G-Town Fire) Crash Rescue (Lincoln Fire) 127.7750 E 3 E 5 08/001 Airport Closure HELIBASE EQUIPMENT 9 BLU 08/005 Reference TFR  $\Xi$ (5) 田田田 **SUNRISE:** 5. TFR: 3/0489 (A-86) 10 Yd. Dumpster Retardant Plan Georgetown HB: Water Tenders Water Tenders 5 Yd. Dumpster Up to 9,000' MSL 8 Nautical Miles Water Tender Wash basins 120° 37.350 W 39° 09 .250 N Wash Basin **Nash Basin** Church HB: FREQUENCY: Toilets Toilet NOTAM: # Avail/Type/Make-Model/ FAA N# / Gary Monday AC500 (Grass Valley) (Grass Valley) AC690 (Grass Valley) ICS206 Medical Plan 4. MEDEVAC A/C: 0 on order (MCC/017) for specifics Refer to Fodd White Pete Koerber Base(s) CAUTION: Both live and dead trees are unstable and fall in high winds and water drops. For safety, monitor air LONGLINE CARGO ORDERS – Divisions contact American Communications to order Cargo deliveries for the Check flight hazard maps before flying in new divisions. Hazards – power lines, towers, MTRs and MOAs 8. FIXED-WING 2. OPERATIONAL PERIOD DATE: August 25, 2013 Air Attack 17 START TIME: 0600 END TIME: 1800 Leadplanes ATB FAX#: **Airtankers** Air Attack line. Orders need to include: Division, Ground Contact, Date & Time needed, Lat/Long for drop HLCO See Communication Plan 168.6250 TX Tone 1 167.1500 166.9125 166.9375 163.100 (Deck) 168.350 (Deck) 166.9125 166.675 Ξ (A-178)(A-25)(A-58)(A-26)to ground and stay clear from drops zones, and aircraft approaches and departures (A-25) Make sure you have positive air to ground contact before dropping water. 127.7750 119.5750 123.05 (A-114)(A-24) 122.9 ĀΖ Maintain clear communications with both air and ground forces. Be alert to high winds, and turbulence and outflow winds. PSD Operations FREQUENCIES Ground to Air Georgetown Blue Canyon RW AIR/AIR FW AIR/AIR Air/Ground Air/Ground Emergency Command Air Guard: Command Discreet -Unicom DIVS and Unicom Tactical Repeat **Tactics** Tactics Above Only Fly all missions with landing lights on. 916-205-4586 530-355-7314 530-277-5153 805-350-3717 530-263-5621 805-469-7863 530-277-9261 805-350-3716 559-349-6793 805-901-0357 PHONE Document amount H20 dropped. CA-TNF-001562 P5HU11 (0517) Denise Blankenship HEB1(t) Jerick Domingues Stacey Dickson 1. INCIDENT NAME: Gary Monday Pete Koerber HEB2 Brad Nelson **Brian Sexton Brian Bates** Justin Moya Todd White Georgetown HB: Blue Canyon HB: 6. PERSONNEL 3. REMARKS American Church HB: TOLC ASGS (t): PILOTS: CREWS: COBRA/ HCO AOBD: ATGS: ATGS:

HELICOPTERS:

Γ	[	T		Т	T		<u> </u>
MANAGER	Mike Stelp 530-306-5711	Bjorn Burgeson 530-310-3549	Rex Sundstrom 530-575-0368				
AVAIL	0830	0830	0830	0830	0830	0830	
START	0080	0800	0800	0080	0800	0080	
BASE	Blue Canyon	Blue Canyon	Blue Canyon	Georgetown	Georgetown	Georgetown	
MODEL	Boeing 107	S-70	К-Мах	Sikorsky	Sikorsky	Sikorsky	
TYPE	ŧН	1	н	п	₽	11	!
IDENTIFIER	92CH (A-167)	N137BH (A-9)	NZ02WM (A-34)	Nat Guard	Nat Guard	Nat Guard	
MANAGER	Justin Moya 805-901-0357	Henry Thompson 850-516-3434	Greg Cole 760-417-2333	John Harris 805-550-7903	Robert White 661-330-0168	Darrin Yost 530-306-0963	Pete Koerber 530-277-9261
AVAIL	0830	0830	0830	0830	0830	0830	0830
START	0080	0800	0800	0800	0080	0800	0800
BASE	Church	Georgetown	Blue Canyon	Blue Canyon	Grass Valley	Georgetown	Grass Valley
MODEL	Bell L4	Bell 407	212HP	212HP	Bell 205	Bell 205	Bell 209 Cobra
TYPE	æ	3	2	2	2	2	2
IDENTIFIER	N383SH (A-36)	N617AC (A-44)	H-523 N213KA (A-175)	H-528 N214KW (A-138)	H-408 N408KC (A-48)	H-516 N490SA (A-43)	H-509 N109Z (A-47)

MISSIONS:				
TYPE/FUNCTION	NAME OF PERSONNEL OR CARGO OR INTSTRUCTIONS FOR TACTICAL AIRCRAFT	MISSION START	FLY FROM	FLYTO
Air Tactical	ATGS to provide coverage over the incident as needed. ATGS coordinate rotor and fixed wing A/C use and flight following over the fire. Monitor all divisions. Support Divisions with HLCO as needed.	0800	Grass Valley ATB	Fire
Retardant Drops: Air Tankers/Helicopters	FW air tankers as ordered by DIVS/OPS to ATGS. Support operations as necessary.  Mobile Retardant Plant at Blue Helibase	When requested	MCC Blue Helibase Retardant Plant	Fire
Recon	Order through Air Ops.		Church	Fire
Mapping/Infrared	Order through Air Ops.	0800	Church	Fire
Cargo Transport	Order through American Communications.			
Dip Site Names and Locations	Establish Dip Site Manager @ Assigned sites. Record times and gallons. Get Lat and Longs of all dip sites.	7.00		
I.A.	Blue Helibase establish priority IA ship for TNF and Local Cooperators	As requested through Ops	Blue Helibase	IA

### <u>American – Safety Message</u>

INCIDENT: # CA-TNF-001562 DATE: 08-25-13 TIME: 0600 - 1800 Day

### **Situational Awareness**

The 1st step in the Risk Management Process. **The 10 Standards Fire Orders, 18 Watch-Outs and LCES**, are the bare minimum safety precautions.

Go into your areas today with a **fresh set of eyes**. Do not allow yourself to become complacent because operations have been successful for several days. Whether it is burnout, vehicle or equipment use, mop-up or rehab, ask yourself

"Are my actions achieving today's objectives?"

If not re-evaluate your plan. Keep an eye on other personnel; it is **EVERYONE'S** responsibility to stop an unsafe act

### **Firing Operations**

Have a firing operations plan in place. Brief all resources in firing operations, have firing teams and holding resources identified.

- Post adequate Lookouts and ensure solid communications.
- · Have a good starting and ending point for firing.
- Hazards: Drip Torch Fuel, Firing Devices and Projectiles.
- · Wear and use all PPE.
- · Know what your fire is doing at all times.
- Ensure adequate egress for potential escape routes.

### **Driving**

- When driving keep speed at or below the posted speed limit and your headlights on.
- Stay as far to the right of the road as is safely possible.
- During shift change keep your speed at or below the posted speed limit.
- Schools back in session, watch for school busses and children at bus stops.
- Always fasten your seat belt before the vehicle is set into motion.
- Don't tail gate.
- Slow down, slow down, slow down.

There are three main types of distracted driving: Visual-taking your eyes off the road; Manual-taking your hands off the wheel; Cognitive-taking your mind away from the task at hand. Don't drive distracted!

Team #4 Safety Group

### **Hazard Trees**

**Situational Awareness:** Survey your work area for hazard trees (green or black) early in the shift. The longer an area has been burned, increases probability for undermined trees.

**Decision Making:** Only go as deep as necessary during mop up to reduce hazards.

Flag, Avoid and Notify: Flag any identified hazard trees and notify your supervisor and any potentially impacted fire personnel.

Be alert for changing conditions: High wind increases the hazard. Avoid working under burned trees if winds increase appreciably.

**Make a plan:** Make your plan to reposition to a more secure area if wind conditions dictate **PRIOR** to the need arising. Don't wait until the last minute to prepare and execute the plan.

**INCIDENT RISK ANALYSIS (ICS 215a)** 

ALL HAZARDOUS ACTIONS / CONDITIONS  ALL HAZARD TREES  Follow Hazard Tree Safety Guidelines (IRPG p. 20). Limit number of personnel around snags and their exposure time; fallers must be qualified for frees being fallen. Be especially alert around snags and their exposure time; fallers must be qualified for frees being fallen. Check for hazard trees & "widow-makers" in sleeping areas prior to occupancy. Night time complicates hazard tree identification  ALL DRIVING HAZARDS  DRIVI			NAME I DID (ICO Z IDA)
Limit number of personnel around snags and their exposure time; fallers must be qualified for trees being fallen.  Be especially alert around snags during wind events.  Check for hazard trees & "widow-makers" in sleeping areas prior to occupancy.  Night time complicates hazard tree identification.  DRIVING HAZARDS  Drive defensively! Expect the unexpected around every curve.  Drive with headlights on; use chock blocks, keep windshields clean look before backing, and use backers whenever available.  Watch for debris on the roads.  Increase following distances on dusty roads. Slow down when you meet opposing traffic or encounter washboard surfaces.  Speeds vary, monitor posted speed limits.  ALL  FIRE BEHAVIOR  Increase following distances on dusty roads. Slow down when you meet opposing traffic or encounter washboard surfaces.  Speeds vary, monitor posted speed limits.  Speeds vary, monitor posted speed limits.  ALL fire BEHAVIOR  Increase following distances on dusty roads. Slow down when you meet opposing traffic or encounter washboard surfaces.  Speeds vary, monitor posted speed limits.  Review "Severe Fire Behavior Potential" (IRPG p.78).  Monitor current weather conditions and forecasts. Makes sure all personnel receive thorough briefings every shift.  Maintain adequate escape routes and safety zones. Advise all personnel receive thorough briefings every shift.  Maintain situational Awareness. LCES in place always.  ALL FATIGUE  Be altert for signs of fatigue and take breaks as necessary.  Maintain Situational Awareness. LCES in place always.  Be altert for signs of heat stress in yourself and others.  ALL HYDRATION  Drinking water before, during and after shifts, up to 1.5 gal. per shift.  Be altert for signs of heat stress in yourself and others.  Use air-to-ground frequency to communicate with aircraft.  Use air-to-ground frequency to communicate with aircraft.  Use aircraft or promote for the propertive.  Don't engage in "hell-mopping". Eliminate unnecessary pilot exposure.  LINE CONSTRUCTION  Conduct t		HAZARDOUS ACTIONS / CONDITIONS	MITIGATIONS / WARNINGS / REMEDIES
fallers must be qualified for trees being fallen.  Be especially alert around snags during wind events.  Check for hazard trees & "widow-makers" in sleeping areas prior to occupancy.  Night time complicates hazard tree identification  DRIVING HAZARDS  DRIVING HAZARDS  Drive with headlights on, use chock blocks, keep windshields clean, look before backing; and use backers whenever available.  Watch for debris on the roads. Increase following distances on dusty roads. Slow down when you meet opposing traffic or encounter washboard surfaces. Monitor drivers fatigue due to long driving distances. Speeds vary, monitor posted speed limits.  ALL  FIRE BEHAVIOR  FIRE BEHAVIOR  I Long Range Spotting has greatly increased Fire behavior, plan for increased ROS Review "Severe Fire Behavior Potential" (IRPG p.78). Monitor current weather conditions and forecasts. Make sure all personnel receive thorough briefings every shift. Maintain adequate escape routes and safety zones. Advise all personnel if these are compromised or changed. Set trigger points when appropriate  Adhere to 10 Std Orders, mitigate 18 situations. Maintain Situational Awareness. LCES in place always.  Be alert for signs of fatigue and take breaks as necessary. Maintain 2:1 work/rest ratio. Monitor incoming resources for level of fatigue.  ALL  HYDRATION  Drinking water before, during and after shifts, up to 1.5 gal. per shift. Be alert for signs of heat stress in yourself and others.  Keep personnel out of drop zones. Use air-to-ground frequency to communicate with aircraft. Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective. Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  Conduct thorough briefing for all personnel (inside rear cover IRPG). Ensure LCES in place prior to engagement (IRPG p. 6). Establish adequate safety zones (IRPG p. 7). Use Downhill Line Checklist (IRPG p. 7). Use Downhill Line Checklist (IRPG p. 7). Brief crews with Job Hazard Analysis (JHA) provided by Safety pri	ALL	HAZARD TREES	1 , ,
Be especially alert around snags during wind events. Check for hazard trees & "widow-makers" in sleeping areas prior to occupancy. Night time complicates hazard tree identification Drive defensively! Expect the unexpected around every curve. Drive with headlights on; use chock blocks, keep windshields clean; book before backing; and use backers whenever available. Watch for debris on the roads. Increase following distances on dusty roads. Slow down when you meet opposing traffic or encounter washboard surfaces. Monitor drivers fatigue due to long driving distances. Speeds vary, monitor posted speed limits.  ALL FIRE BEHAVIOR  I long Range Spotting has greatly increased Fire behavior, plan for increased ROS Review "Severe Fire Behavior Potential" (IRPG p.78). Monitor current weather conditions and forecasts. Make sure all personnel receive thorough briefings every shirt. Maintain adequate escape routes and safety zones. Advise all personnel if these are compromised or changed. Set trigger points when appropriate Adhere to 10 Std Orders, mitigale 18 situations. Maintain Situational Awareness. LCES in place always.  Be alert for signs of fatigue and take breaks as necessary. Maintain 2:1 work/rest ratio. Monitor incoming resources for level of fatigue.  ALL HYDRATION  Drinking water before, during and after shirts, up to 1.5 gal. per shift. Be alert for signs of heat stress in yourself and others.  Keep personnel out of drop zones. Use air-to-ground frequency to communicate with aircraft. Use clear, concise statements when directing aircraft. Use clear directions from pilot's perspective. Don't engage in "hell-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG). Establish adequate safety zones (IRPG p. 7). Use Downhill Line Checklist (IRPG p. 8). Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3). Follow "Look Up, Look Down, Look Around" provided by Safety prior			
ALL DRIVING HAZARDS  DRIVING HAZARDS  DRIVING HAZARDS  Drive defensively! Expect the unexpected around every curve. Drive with headlights on, use chock blocks, keep windshields clean; look before backing; and use backers whenever available. Watch for debris on the roads. Increase following distances on dusty roads. Slow down when you meet opposing traffic or encounter washboard surfaces. Monitor drivers fatigue due to long driving distances. Speeds vary, monitor posted speed limits.  ALL FIRE BEHAVIOR  FIRE BEHAVIOR  I Long Range Spotting has greatly increased Fire behavior, plan for increased ROS Review "Severe Fire Behavior Potential" (IRPG p.78). Monitor current weather conditions and forecasts. Make sure all personnel fire flee experiment of the personnel receive thorough briefings every shift. Maintain adequate escape routes and safety zones. Advise all personnel fif these are compromised or changed. Set trigger points when appropriate Adhere to 10 Std Orders, mitigate 18 situations. Maintain Situational Awareness. LCES in place always.  ALL HYDRATION  Be alert for signs of fatigue and take breaks as necessary. Maintain 2:1 work/rest ratio. Monitor incoming resounces for level of fatigue.  ALL HYDRATION  Drinking water before, during and after shifts, up to 1.5 gal. per shift. Be alert for signs of heat stress in yourself and others.  Keep personnel out of drop zones. Use air-to-ground frequency to communicate with aircraft. Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective. Don't engage in "heil-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG). Ensure LCES in place prior to engagement (IRPG p. 7). Use Downhill Line Checklist (IRPG p. 8). Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3). Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3). Brief crews with Job Hazard Analysis (JHA) provided by Safety prior			
occupancy.  Night time complicates hazard tree identification  Drive defensively! Expect the unexpected around every curve. Drive with headlights on; use chock blocks, keep windshields clean; look before backing; and use backers whenever available. Watch for debris on the roads. Increase following distances on dusty roads. Slow down when you meet opposing traffic or encounter washboard surfaces. Monitor drivers fatigue due to long driving distances. Speeds vary, monitor posted speed limits.  ALL FIRE BEHAVIOR  FIRE BEHAVIOR  Increase GROS Review "Severe Fire Behavior Potential" (IRPG p. 78). Monitor current weather conditions and forecasts. Make sure all personnel receive thorough briefings every shift. Maintain adequate escape routes and safety zones. Advise all personnel receive thorough briefings. ALL FATIGUE  ALL FATIGUE  Be alert for signs of fatigue and take breaks as necessary. Maintain Situational Awareness. LCEs in place always.  Be alert for signs of fatigue and take breaks as necessary. Maintain 2:t work/rest ratio. Monitor incoming resources for level of fatigue.  ALL HYDRATION  ALL AIRCRAFT OPERATIONS  ALL AIRCRAFT OPERATIONS  EXEMPLIANCE  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG). Ensure LCES in place admonstrate undered with aircraft. Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective. Don't engage in "hell-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG). Ensure LCES in place prior to engagement (IRPG p. 6). Establish adequate safety zones (IRPG p. 7). Use Downhill Line Checklist (IRPG p. 8). Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Live Downhill Line Checklist (IRPG p. 1).  ALL SUPPRESSION REPAIR			, , , , , , , , , , , , , , , , , , ,
ALL DRIVING HAZARDS    Night time complicates hazard tree identification			· • · · · · · · · · · · · · · · · · · ·
ALL DRIVING HAZARDS  Drive with headilghts on; use chock blocks, keep windshields clean; look before backing; and use backers whenever available.  Watch for debris on the roads. Increase following distances on dusty roads. Slow down when you meet opposing traffic or encounter washboard surfaces.  Monitor drivers fatigue due to long driving distances. Speeds vary, monitor posted speed limits.  Long Range Spotting has greatly increased Fire behavjor, plan for increased ROS Review "Severe Fire Behavior Potential" (IRPG p.78). Monitor current weather conditions and forecasts. Make sure all personnel receive thorough briefings every shift. Maintain adequate escape routes and safety zones. Advise all personnel if these are compromised or changed. Set trigger points when appropriate Adhere to 10 Std Orders, mitigate 18 situations. Maintain Situational Awareness. LCES in place always.  ALL FATIGUE  Be alert for signs of fatigue and take breaks as necessary. Maintain 2:1 workfrest ratio. Monitor incoming resources for level of fatigue.  ALL HYDRATION  Drinking water before, during and after shifts, up to 1.5 gal. per shift. Be alert for signs of heat stress in yourself and others.  ALL AIRCRAFT OPERATIONS  Keep personnel out of drop zones. Use airt-or-ground frequency to communicate with aircraft. Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective. Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG). Ensure LCES in place prior to engagement (IRPG p. 6). Establish adequate safety zones (IRPG p. 7). Use Downhill Line Checklist (IRPG p. 8). Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3). Usilize Risk Management Process (IRPG p. 1).			
Drive with headlights on; use chock blocks, keep windshields clean; look before backing; and use backers whenever available.  Watch for debris on the roads. Increase following distances on dusty roads. Slow down when you meet opposing traffic or encounter washboard surfaces. Monitor drivers fatigue due to long driving distances Speeds vary, monitor posted speed limits.  ALL FIRE BEHAVIOR  I Long Range Spotting has greatly increased Fire behavior, plan for increased ROS Review "Severe Fire Behavior Potential" (IRPG p.78). Monitor current weather conditions and forecasts. Make sure all personnel receive thorough briefings every shift. Maintain adequate escape routes and safety zones. Advise all personnel if these are compromised or changed. Set trigger points when appropriate ALL Adhere to 10 Std Orders, mitigate 18 situations. Maintain Situational Awareness. LCES in place always.  Be alert for signs of fatigue and take breaks as necessary. Maintain 2.1 work/rest ratio. Monitor incoming resources for level of fatigue.  ALL HYDRATION Drinking water before, during and after shifts, up to 1.5 gal. per shift. Be alert for signs of heat stress in yourself and others.  ALL AIRCRAFT OPERATIONS  Keep personnel out of drop zones. Use air-to-ground frequency to communicate with aircraft. Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective. Don't engage in "hell-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG). Ensure LCES in place prior to engagement (IRPG p. 6). Establish adequate safety zones (IRPG p. 7). Use Downhill Line Checklist (IRPG p. 8). Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3). Utilize Risk Management Process (IRPG p. 1).	ALL	DRIVING HAZARDS	The state of the s
look before backing; and use backers whenever available.  Watch for debris on the roads.  Increase following distances on dusty roads. Slow down when you meet opposing traffic or encounter washboard surfaces.  Monitor drivers fatigue due to long driving distances  Speeds vary, monitor posted speed limits.  ALL FIRE BEHAVIOR  FIRE BEHAVIOR  Increased ROS  Review "Severe Fire Behavior Potential" (IRPG p.78).  Monitor current weatther conditions and forecasts. Make sure all personnel receive thorough briefings every shift.  Maintain adequate escape routes and safety zones. Advise all personnel if these are compromised or changed. Set trigger points when appropriate.  Adhere to 10 Std Orders, mittigate 18 situations.  Maintain Situational Awareness. LCES in place always.  ALL HYDRATION  ALL HYDRATION  ALL HYDRATION  AIRCRAFT OPERATIONS  Keep personnel out of drop zones.  Use air-to-ground frequency to communicate with aircraft.  Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.  Don't engage in "hell-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION  LINE CONSTRUCTION  ALL LINE CONSTRUCTION  LINE CONSTRUCTION  LINE CONSTRUCTION  ALL Use Clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.  Don't engage in "hell-mopping". Eliminate unnecessary pilot exposure.  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p. 1).			· · · · · · · · · · · · · · · · · · ·
Increase following distances on dusty roads. Slow down when you meet opposing traffic or encounter washboard surfaces.  Monitor drivers fatigue due tong driving distances.  Speeds vary, monitor posted speed limits.  Long Range Spotting has greatly increased Fire behavior, plan for increased ROS  Review "Severe Fire Behavior Potential" (IRPG p.78).  Monitor current weather conditions and forecasts. Make sure all personnel receive thorough briefings every shift.  Maintain adequate escape routes and safety zones. Advise all personnel if these are compromised or changed. Set trigger points when appropriate.  ALL FATIGUE  FATIGUE  Be alert for signs of fatigue and take breaks as necessary.  Maintain Situational Awareness. LCES in place always.  Be alert for signs of fatigue and take breaks as necessary.  Monitor incoming resources for level of fatigue.  ALL HYDRATION  AIRCRAFT OPERATIONS  ALL LINE CONSTRUCTION  ALL LINE CONSTRUCTION  ALL LINE CONSTRUCTION  ALL LINE CONSTRUCTION  Be alert for signs of heat stress in yourself and others.  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPC p. 6).  Establish adequate safety zones (IRPC p.7).  Use Downhill Line Checklist (IRPG p. 27).  Use Downhill Line Checklist (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 1).  Brief crews with Job Hazard Analysis (JHA) provided by Safety prior		·	
meet opposing traffic or encounter washboard surfaces.  Monitor drivers fatigue due to long driving distances.  Speeds vary, monitor posted speed limits.  Long Range Spotting has greatly increased Fire behavior, plan for increased ROS  Review "Severe Fire Behavior Potential" (IRPG p.78).  Monitor current weather conditions and forecasts. Make sure all personnel receive thorough briefings every shift.  Maintain adequate escape rutes and safety zones. Advise all personnel if these are compromised or changed. Set trigger points when appropriate.  ALL FATIGUE  Be alert for signs of fatigue and take breaks as necessary.  Maintain Situational Awareness. LCES in place always.  Be alert for signs of fatigue and take breaks as necessary.  Monitor incoming resources for level of fatigue.  ALL HYDRATION  Drinking water before, during and after shifts, up to 1.5 gal. per shift.  Be alert for signs of heat stress in yourself and others.  Keep personnel out of drop zones.  Use air-to-ground frequency to communicate with aircraft.  Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.  Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p.1).			
Monitor drivers fatigue due to long driving distances  Speeds vary, monitor posted speed limits.  Long Range Spotting has greatly increased Fire behavior, plan for increased ROS  Review "Severe Fire Behavior Potential" (IRPG p.78).  Monitor current weather conditions and forecasts. Make sure all personnel receive thorough briefings every shift.  Maintain adequate escape routes and safety zones. Advise all personnel if these are compromised or changed. Set trigger points when appropriate.  Adhere to 10 Std Orders, mitigate 18 situations.  Adhere to 10 Std Orders, mitigate 18 situations.  Maintain Situational Awareness. LCES in place always.  Be alert for signs of fatigue and take breaks as necessary.  Maintain 2:1 work/rest ratio.  Monitor current weather before, during and after shifts, up to 1.5 gal. per shift.  Be alert for signs of heat stress in yourself and others.  ALL AIRCRAFT OPERATIONS  AIRCRAFT OPERATIONS  Keep personnel out of drop zones.  Use air-to-ground frequency to communicate with aircraft.  Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.  Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p. 1).			
ALL FIRE BEHAVIOR  • Speeds vary, monitor posted speed limits. • Long Range Spotting has greatly increased Fire behavior, plan for increased ROS • Review "Severe Fire Behavior Potential" (IRPG p.78). • Monitor current weather conditions and forecasts. Make sure all personnel receive thorough briefings every shift. • Maintain adequate escape routes and safety zones. Advise all personnel if these are compromised or changed. Set trigger points when appropriate. • Adhere to 10 Std Orders, mitigate 18 situations. • Maintain Situational Awareness. LCES in place always.  ALL FATIGUE • Be alert for signs of fatigue and take breaks as necessary. • Maintain 2:1 work/rest ratio. • Monitor incoming resources for level of fatigue.  ALL HYDRATION • Drinking water before, during and after shifts, up to 1.5 gal. per shift. • Be alert for signs of heat stress in yourself and others.  Keep personnel out of drop zones. • Use air-to-ground frequency to communicate with aircraft. • Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective. • Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION • Conduct thorough briefing for all personnel (inside rear cover IRPG). • Ensure LCES in place prior to engagement (IRPG p. 6). • Establish adequate safety zones (IRPG p. 7). • Use Downhill Line Checklist (IRPG p. 8). • Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3). • Utilize Risk Management Process (IRPG p. 1).  ALL SUPPRESSION REPAIR			
ALL FATIGUE  ALL HYDRATION  ALL AIRCRAFT OPERATIONS  ALL LINE CONSTRUCTION  ALL LINE CONSTRUCTION  Conduct thorough briefing for again and others.  ALL LINE CONSTRUCTION  Conduct thorough briefing for again and others.  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (IRPG p. 7).  Be all Line Construction  Conduct thorough briefing severy shift.  Conduct thorough briefing severy shift.  ALL LINE CONSTRUCTION  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (IRPG p. 8).  Conduct thorough briefing for all personnel (IRPG p. 6).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Brief crews with Job Hazard Analysis (JHA) provided by Safety prior			
increased ROS  Review "Severe Fire Behavior Potential" (IRPG p.78).  Monitor current weather conditions and forecasts. Make sure all personnel receive thorough briefings every shift.  Maintain adequate escape routes and safety zones. Advise all personnel if these are compromised or changed. Set trigger points when appropriate  Adhere to 10 Std Orders, mitigate 18 situations.  Maintain Situational Awareness. LCES in place always.  ALL FATIGUE  Be alert for signs of fatigue and take breaks as necessary.  Maintain 2:1 work/rest ratio.  Monitor incoming resources for level of fatigue.  ALL HYDRATION  Drinking water before, during and after shifts, up to 1.5 gal. per shift.  Be alert for signs of heat stress in yourself and others.  Keep personnel out of drop zones.  Use air-to-ground frequency to communicate with aircraft.  Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.  Don't engage in "hell-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p. 1).	ALL	EIDE DELLAMOD	
Review "Severe Fire Behavior Potential" (IRPG p.78).  Monitor current weather conditions and forecasts. Make sure all personnel receive thorough briefings every shift.  Maintain adequate escape routes and safety zones. Advise all personnel if these are compromised or changed. Set trigger points when appropriate.  Adhere to 10 Std Orders, mitigate 18 situations.  Maintain Situational Awareness. LCES in place always.  ALL FATIGUE  Be alert for signs of fatigue and take breaks as necessary.  Monitor incoming resources for level of fatigue.  ALL HYDRATION  Drinking water before, during and after shifts, up to 1.5 gal. per shift.  Be alert for signs of heat stress in yourself and others.  Keep personnel out of drop zones.  Keep personnel out of drop zones.  Use air-to-ground frequency to communicate with aircraft.  Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.  Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p. 1).	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	FIRE BEHAVIOR	increased ROS
Monitor current weather conditions and forecasts. Make sure all personnel receive thorough briefings every shift.     Maintain adequate escape routes and safety zones. Advise all personnel if these are compromised or changed. Set trigger points when appropriate.     Adhere to 10 Std Orders, mitigate 18 situations.     Maintain Situational Awareness. LCES in place always.  ALL FATIGUE     Be alert for signs of fatigue and take breaks as necessary.     Maintain 2:1 work/rest ratio.     Monitor incoming resources for level of fatigue.  ALL HYDRATION     Drinking water before, during and after shifts, up to 1.5 gal. per shift.     Be alert for signs of heat stress in yourself and others.  ALL AIRCRAFT OPERATIONS     Keep personnel out of drop zones.     Use air-to-ground frequency to communicate with aircraft.     Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.     Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION     Conduct thorough briefing for all personnel (inside rear cover IRPG).     Ensure LCES in place prior to engagement (IRPG p. 6).     Ensure LCES in place prior to engagement (IRPG p. 6).     Establish adequate safety zones (IRPG p. 7).     Use Downhill Line Checklist (IRPG p. 8).     Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).     Utilize Risk Management Process (IRPG p.1).  Brief crews with Job Hazard Analysis (JHA) provided by Safety prior			
Maintain adequate escape routes and safety zones. Advise all personnel if these are compromised or changed. Set trigger points when appropriate.      Adhere to 10 Std Orders, mitigate 18 situations.     Maintain Situational Awareness. LCES in place always.  ALL FATIGUE      Be alert for signs of fatigue and take breaks as necessary.     Maintain 2:1 work/rest ratio.     Monitor incoming resources for level of fatigue.  ALL HYDRATION      Prinking water before, during and after shifts, up to 1.5 gal. per shift.     Be alert for signs of heat stress in yourself and others.  ALL AIRCRAFT OPERATIONS      Keep personnel out of drop zones.     Use air-to-ground frequency to communicate with aircraft.     Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.     Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.      Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  Conduct thorough briefing for all personnel (inside rear cover IRPG).     Ensure LCES in place prior to engagement (IRPG p. 6).     Establish adequate safety zones (IRPG p. 7).     Use Downhill Line Checklist (IRPG p. 8).     Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).     Utilize Risk Management Process (IRPG p. 1).  ALL SUPPRESSION REPAIR       Maintain 2: to Std Orders, mitigate 18 situations.     Address of fatigue and take breaks as necessary.     Maintain 2: work/rest ratio.     Maintain 2: twork/rest ratio.     Drinking water before, during and take breaks as necessary.     Maintain 2: twork/rest ratio.     Drinking water before, during and take breaks as necessary.     Maintain 2: twork/rest ratio.     Drinking water before, during and take trait.     Drinking water before, during and after shifts, up to 1.5 gal. per shift.     Drinking water before, during and after shifts, up to 1.5 gal. per shift.     Drinking water before, during and after shifts, up to 1.5 gal. per shift.     Drinking water before, during and after shifts, up to			
personnel if these are compromised or changed. Set trigger points when appropriate.  Adhere to 10 Std Orders, mitigate 18 situations.  Maintain Situational Awareness. LCES in place always.  Be alert for signs of fatigue and take breaks as necessary.  Maintain 2:1 work/rest ratio.  Monitor incoming resources for level of fatigue.  ALL HYDRATION  Drinking water before, during and after shifts, up to 1.5 gal. per shift.  Be alert for signs of heat stress in yourself and others.  Keep personnel out of drop zones.  Use air-to-ground frequency to communicate with aircraft.  Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.  Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p.1).  Brief crews with Job Hazard Analysis (JHA) provided by Safety prior			
when appropriate.  Adhere to 10 Std Orders, mitigate 18 situations.  Maintain Situational Awareness. LCES in place always.  Be alert for signs of fatigue and take breaks as necessary.  Maintain 2:1 work/rest ratio.  Monitor incoming resources for level of fatigue.  ALL HYDRATION  Drinking water before, during and after shifts, up to 1.5 gal. per shift.  Be alert for signs of heat stress in yourself and others.  Keep personnel out of drop zones.  Use air-to-ground frequency to communicate with aircraft.  Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.  Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p. 1).  ALL SUPPRESSION REPAIR  When appropriate to 10 Std Orders, mitigate 18 situations.  Maintain Situational Awareness. LCES in place and take breaks as necessary.  Maintain Situational Awareness.  Each of taigue.  Drinking water before, during and after shifts, up to 1.5 gal. per shift.  Be alert for signs of heat stress in yourself and others.  Conduct thorough frequency to communicate with aircraft.  Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.  Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  ALL Use CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 1).	i		
ALL FATIGUE  Be alert for signs of fatigue and take breaks as necessary.  Maintain 2:1 work/rest ratio.  Monitor incoming resources for level of fatigue.  ALL HYDRATION  Drinking water before, during and after shifts, up to 1.5 gal. per shift.  Be alert for signs of heat stress in yourself and others.  ALL AIRCRAFT OPERATIONS  Keep personnel out of drop zones. Use air-to-ground frequency to communicate with aircraft. Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.  Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG). Ensure LCES in place prior to engagement (IRPG p. 6). Establish adequate safety zones (IRPG p.7). Use Downhill Line Checklist (IRPG p. 8). Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3). Utilize Risk Management Process (IRPG p.1).  ALL SUPPRESSION REPAIR			
ALL FATIGUE  Be alert for signs of fatigue and take breaks as necessary.  Maintain 2:1 work/rest ratio.  Monitor incoming resources for level of fatigue.  ALL HYDRATION  Drinking water before, during and after shifts, up to 1.5 gal. per shift.  Be alert for signs of heat stress in yourself and others.  Keep personnel out of drop zones.  Use air-to-ground frequency to communicate with aircraft.  Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.  Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p.7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p.1).  Brief crews with Job Hazard Analysis (JHA) provided by Safety prior			
ALL HYDRATION  Be alert for signs of fatigue and take breaks as necessary.  Maintain 2:1 work/rest ratio. Monitor incoming resources for level of fatigue.  Drinking water before, during and after shifts, up to 1.5 gal. per shift. Be alert for signs of heat stress in yourself and others.  ALL AIRCRAFT OPERATIONS  ALL LINE CONSTRUCTION  LINE CONSTRUCTION  Be alert for signs of fatigue and take breaks as necessary. Maintain 2:1 work/rest ratio. Monitor incoming resources for level of fatigue.  LINE CONSTRUCTION  Conduct to for pinch of drop zones. Use air-to-ground frequency to communicate with aircraft. Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective. Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG). Ensure LCES in place prior to engagement (IRPG p. 6). Establish adequate safety zones (IRPG p. 7). Use Downhill Line Checklist (IRPG p. 8). Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3). Utilize Risk Management Process (IRPG p. 1).  ALL SUPPRESSION REPAIR  Brief crews with Job Hazard Analysis (JHA) provided by Safety prior			
Maintain 2:1 work/rest ratio.     Monitor incoming resources for level of fatigue.  ALL HYDRATION      Drinking water before, during and after shifts, up to 1.5 gal. per shift.     Be alert for signs of heat stress in yourself and others.      Keep personnel out of drop zones.     Use air-to-ground frequency to communicate with aircraft.     Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.     Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION      Conduct thorough briefing for all personnel (inside rear cover IRPG).     Ensure LCES in place prior to engagement (IRPG p. 6).     Establish adequate safety zones (IRPG p. 7).     Use Downhill Line Checklist (IRPG p. 8).     Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).      Utilize Risk Management Process (IRPG p.1).  ALL SUPPRESSION REPAIR       Maintain 2:1 work/rest ratio.     Monitor incoming resources for level of fatigue.     Line of the shifts, up to 1.5 gal. per shift.     Be alert for signs of heat stress in yourself and others.      Keep personnel out of drop zones.      Use clear, concise statements when directing aircraft.	ALL	FATIGUE	
Monitor incoming resources for level of fatigue.  ALL HYDRATION     Drinking water before, during and after shifts, up to 1.5 gal. per shift.     Be alert for signs of heat stress in yourself and others.  Keep personnel out of drop zones.     Use air-to-ground frequency to communicate with aircraft.     Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.     Don't engage in "hell-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION     Conduct thorough briefing for all personnel (inside rear cover IRPG).     Ensure LCES in place prior to engagement (IRPG p. 6).     Establish adequate safety zones (IRPG p. 7).     Use Downhill Line Checklist (IRPG p. 8).     Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).     Utilize Risk Management Process (IRPG p.1).  ALL SUPPRESSION REPAIR  MICHAEL SUPPRESSION REPAIR			
ALL HYDRATION  Drinking water before, during and after shifts, up to 1.5 gal. per shift.  Be alert for signs of heat stress in yourself and others.  Keep personnel out of drop zones.  Use air-to-ground frequency to communicate with aircraft.  Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.  Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p. 1).  ALL SUPPRESSION REPAIR  Brief crews with Job Hazard Analysis (JHA) provided by Safety prior			
ALL AIRCRAFT OPERATIONS  • Keep personnel out of drop zones. • Use air-to-ground frequency to communicate with aircraft. • Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective. • Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  ALL LINE CONSTRUCTION  • Conduct thorough briefing for all personnel (inside rear cover IRPG). • Ensure LCES in place prior to engagement (IRPG p. 6). • Establish adequate safety zones (IRPG p. 7). • Use Downhill Line Checklist (IRPG p. 8). • Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3). • Utilize Risk Management Process (IRPG p. 1).  ALL SUPPRESSION REPAIR  • Brief crews with Job Hazard Analysis (JHA) provided by Safety prior	ALL	HYDRATION	
Use air-to-ground frequency to communicate with aircraft.  Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.  Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p.7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p.1).  ALL  SUPPRESSION REPAIR  Brief crews with Job Hazard Analysis (JHA) provided by Safety prior			Be alert for signs of heat stress in yourself and others.
Use clear, concise statements when directing aircraft. Use clock directions from pilot's perspective.  Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p. 1).  ALL SUPPRESSION REPAIR  Brief crews with Job Hazard Analysis (JHA) provided by Safety prior	ALL	AIRCRAFT OPERATIONS	
directions from pilot's perspective.  Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  ALL  LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p. 1).  ALL  SUPPRESSION REPAIR  Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 8).  Establish adequate safety zones (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Brief crews with Job Hazard Analysis (JHA) provided by Safety prior			
Don't engage in "heli-mopping". Eliminate unnecessary pilot exposure.  LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p. 1).  ALL SUPPRESSION REPAIR  Brief crews with Job Hazard Analysis (JHA) provided by Safety prior			
ALL  LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p. 1).  ALL  SUPPRESSION REPAIR  Exposure.  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p. 1).			
ALL LINE CONSTRUCTION  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 6).  Establish adequate safety zones (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p. 1).  ALL SUPPRESSION REPAIR  Conduct thorough briefing for all personnel (inside rear cover IRPG).  Ensure LCES in place prior to engagement (IRPG p. 7).  Use Downhill Line Checklist (IRPG p. 8).  Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).  Utilize Risk Management Process (IRPG p. 1).			
Ensure LCES in place prior to engagement (IRPG p. 6).     Establish adequate safety zones (IRPG p. 7).     Use Downhill Line Checklist (IRPG p. 8).     Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).     Utilize Risk Management Process (IRPG p. 1).  ALL SUPPRESSION REPAIR     Brief crews with Job Hazard Analysis (JHA) provided by Safety prior	ALL	LINE CONSTRUCTION	
Establish adequate safety zones (IRPG p.7).     Use Downhill Line Checklist (IRPG p. 8).     Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).     Utilize Risk Management Process (IRPG p.1).  ALL SUPPRESSION REPAIR     Brief crews with Job Hazard Analysis (JHA) provided by Safety prior			· · · · · · · · · · · · · · · · · · ·
Follow "Look Up, Look Down, Look Around" procedures (IRPG p. 2-3).     Utilize Risk Management Process (IRPG p. 1).  ALL SUPPRESSION REPAIR     Brief crews with Job Hazard Analysis (JHA) provided by Safety prior			
3).  • Utilize Risk Management Process (IRPG p.1).  ALL SUPPRESSION REPAIR • Brief crews with Job Hazard Analysis (JHA) provided by Safety prior			, , ,
<ul> <li>Utilize Risk Management Process (IRPG p.1).</li> <li>ALL SUPPRESSION REPAIR • Brief crews with Job Hazard Analysis (JHA) provided by Safety prior</li> </ul>			
ALL SUPPRESSION REPAIR   • Brief crews with Job Hazard Analysis (JHA) provided by Safety prior			•
the second state of the se	ΔΙΙ	SUPPRESION PEDAID	
	ALL	OUI I NEGGION REPAIR	
All workers involved in the operation must initial JHA after tailgate			The state of the s
briefing.			
Ensure only qualified chipper operators run the equipment.			_
Adhere to all abatement actions identified in JHA			Adhere to all abatement actions identified in JHA
Turn in initialed JHA to Safety at the end of shift.			Turn in initialed JHA to Safety at the end of shift.

ALL Branch	BURNING OPERATIONS  (Remember to Keep Air Attack involved in all your operations)	<ul> <li>Do the Risk Management process prior to a         <ul> <li>LCES will be in place during any operation.</li> </ul> </li> <li>This country requires you to LOOK UP, LOO AROUND.</li> <li>The weather can change instantly, always b</li> <li>Base all actions on current and expected fire</li> <li>Conduct thorough briefing for all personnel is cover IRPG).</li> <li>All personnel to be fully qualified for their assmust have qualified trainers.</li> <li>Utilize Risk Mgmt. Process (IRPG p. 1) for in</li> </ul>	DK DOWN AND e observant. e behavior nvolved (inside rear signments. Trainees
	MINE SHAFTS	<ul> <li>Required PPE to be worn by all personnel in established prior to implementing burning op</li> <li>Conduct thorough briefing for all personnel (</li> <li>Avoid all mine shafts and adits</li> <li>Three Stripes You're Out: 3 Stripes of flagg OUT!</li> </ul>	volved. LCES must be perations (IRPG p. 6). inside rear cover IRPG).
IINCIDEN	American	August 24, 2013	OPERATIONAL PERIOD  Day Shift 08/25/13  Prepared by
ICS 215a		TIME PREPARED: 1000 hrs	CIIMT4 Safety Group

<b>MEDICAL PLAI</b>	1.1	NCIDENT NAME: AMERICAN	2. DATE PREPARED: 3. TIME PREPARED: 4. OPERATI 08/24/13 1930 8-25-						NAL PER 3 0600-18			
		5. INCI	DENT ME	DICAL AII	STATIONS			Ì				
MEDICAL A	D STATIONS				LOCATI	ON					PARAN	IEDICS
											YEŞ	NO
Medical Unit (24 Hours)				Ar	nerican Inc. B	ase Cam	p				X	
Greek Store Spike Camp (2	4 Hours)				Spike Ca	mp					Χ	
			6. TRANS	SPORTAT	ION							
		A	. GROUN	D AMBUL	ANCE							
	VAME			LOCA	TION			PHO	NE		PARAM	EDICS
											YEŞ	NO
Foresthill Medic 89				China Wa	ill Staging		5	30-906	-3803		Х	
AMR Medic 431				Drop Poin	t 1 (DP 1)		ç	16-563	-0911		Х	
AMR Medic 432			Am	erican Inc	. Base Camp		Δ	MR Dis	spatch		Х	
			B. M	EDIVAC	•	· · · · ·	l .		-			
···	NAME		LOCATION				PHONE				PARAMEDICS	
										YES	NO	
Incident Helicopter Kern H408 (Hoist and Night Vision)			Nevada City Airport			661-330-0168			Ì	Х		
Placer County Sheriff (Hoist and Night Vision)			Auburn Alrport			530-308-0638 or 530-886-5375					Х	
CHP (Hoist and Night Vision)			Auburn Airport			530-823-4535					Χ	
CalStar (Night Vision)			Auburn Airport			911				Х	-	
			7. HO	SPITALS		·						
NAME	,	ADDRESS	TRAVE	LTIME	PHON	lE	TRA	UMA	HEL	IPAD		URN NTER
			AIR	GRND			Yes	No	YES	NO	YES	NO
Sutter Auburn Faith Hospital	11815 Educ	cation St. Auburn, CA	N/A	30 min	530-823-58	60 (ER)		Х		Х		Х
Sutter Roseville Medical Center		Plaza, Roseville, CA 84', W121°14.9874'	10 min	45 min	916-786-30	33 (ER)	Х		Х			Х
UC Davis Medical Center		on Bl. Sacramento, CA 07', W121°27.3771'	20 min	60 min	916-734-38	90 (ER)	Х		Х		Х	
Sierra Nevada Medical Hospital		Way Grass Valley CA 853' W121°2.8323'	20 min	60 min	530-274-	6000		Х	X			Х
<del></del>		8. MEDICA	AL EMER	GENCY P	ROCEDURES	}						

### **LINE EMERGENCY**

Crew Supervisor to contact Division Supervisor with complaint and location. If possible, with a Lat. and Long.

- Division Supervisor contacts
   American Communications and
   Line EMT/Medic (if available)
- American Communication will activate the EMS system.
- American Communication will notify the IC, Safety, and the Medical Unit Leader.
- Do not give name over Radio Communications.

### **CAMP EMERGENCY**

Notify American Communications of Camp Emergency

- American Communications contacts Medical Unit with patient complaint/condition and location.
- American Communication will activate the EMS system.
- American Communication will notify the IC and Safety.
- Do not give name over Radio Communications

### 1<sup>ST</sup>. PRIORITY – DISPATCH APPROPRIATE

NATURE OF INJURY\_\_\_\_

LOCATION OF PATIENT

TRANSPORTATION REQUEST BY:AIR GROUND

### AFTER RESOURCE IS DISPATCHED!

HISTORY:

MEDICATION:

ALLERGIES:

VITALS AND OTHER INFORMATION

9. PREPARED BY (MEDICAL UNIT LEADER)
John Van Mannekes / Eric Williams (MEDL)

1). REVIEWED BY SAFETY OFFICER - SOF1)

ICS 206

### ICS 206 - Block 8, Emergency Medical Procedures (cont'd)

# In the event of a medical emergency provide the following information to the Communications Unit

- 1. Declare the nature of the emergency.
- a. Medical injury/illness? If injury/illness is it Life Threatening?
- 2. If Life Threatening, then request that the designated frequency be cleared for emergency traffic.
- 3. Identify the on-scene Point of Contact (POC) by Resource and Last name (i.e. POC is TFLD Smith).
- 4. Identify nature of incident, number injured, patient assessments and location (geographic and GPS coordinates).
- 5. Identify on-scene medical personnel by position and name (i.e. EMT Jones).
- 6. Identify preferred method of patient transport.
- 7. Request any additional resources and/or equipment needed.
- 8. Document all information received and transmitted on the radio or phone.
- 9. Identify any changes in the on-scene Point of Contact or medical personnel as they occur.

### Selecting an On-Scene LZ

First, determine if the area is large enough to land. The landing surface should be flat, firm, and free of debris that could blow into the rotor system.

The touchdown area for the helicopter should be 125' x 125'.

The landing site should be clear of people, vehicles, trees, poles, wires, posts, stumps, brush, and large rocks.

Consider the wind direction. Helicopters land and take off into the wind.

Touchdown area should be marked, (an X to mark the center and one indicating wind direction).

If possible, wet landing area down to minimize blowing dust.

Radio Terminology
"Medivac" is for life threatening injuries only.
"Medical Transport" is for non-life threatening injuries.

Prepared by John Van Mannekes (Medical Unit Leader)
Eric Williams Medical Unit Leader)

10. Reviewed by (Safety Officer S

SOFR(T)

ម	COMMUNIC	COMMUNICATIONS PLAN	AMERIC	ICAN INCIDENT	<b>5</b>	8/24/13 -1900 HRS.		Uperanon	Operational Period Date/Ilme  8/25/13 0600-1800
ნ									
#	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq N or W	RX Tone/NAC	TX Freq N or W	Tx Tone/NAC	Mode	Remarks
_	COMMAND	CMD 2	ALL BRANCHES	168.1000 N		170.4500 N		<	DUNCAN LOOKOUT/LINKED
7	COMMAND	CMD 9	ALL BRANCHES	170.0125 N		165.2500 N		4	DEADWOOD RD./LINKED
· κ	COMMAND	CMD 50	ALL BRANCHES	166.3250 N		172.1125 N		4	FOREST HILL CITY/LINKED
4	COMMAND	CMD 52	ALL BRANCHES	164.1375 N		172.1375 N		4	BIG VALLEY BLUFF /LINKED
-22	TACTICAL	NIFC T3	DIVISION A/Z	168.6000 N		168.6000 N		4	
9	TACTICAL	NIFC 15	DIVISION B/F	166.7250 N		166.7250 N		4	
7	TACTICAL	NIFC T6	DIVISION H	166.7750 N		166.7750 N		4	
∞	TACTICAL	NIFC 17	DIVISION R	168.2500 N		168.2500 N		4	
0	TACTICAL	VTAC12		154.4525 N		154.4525 N		⋖	
10	TACTICAL	VFIRE25	DIVISION T	154.2875 N		154.2875 N		4	
11	TACTICAL	VFIRE26	Suppression Repair Group	154.3025 N		154.3025 N		∢	
12	AIR TO GROUND	A/G Tactical	ALL DIVISIONS	166.9375 N		166.9375 N		<	
13	AIR TO GROUND	A/G CMD	Divisions & Above	167.1500 N		167.1500 N		∢	Div Sup & Above
14 CC	CONTINGENCY CMD	TNF-F4	ALL DIVISIONS	168.1750 N		170.6000 N		4	TONE 2,4,5,8
15	CALCORD	Medical	CALCORD	156.0750 N		156.0750 N	156.7	4	A/G MEDICAL EMERGENCIES
16	Air Guard	Guard	ALL DIVISIONS	168.6250 N		168.6250 N	110.9	٧	Ground to Air EMERGENCY ONLY TONE 1
5. Prep. Brian Di	5. Prepared by (Communications Unit) Brian Diemer CIIMT # 4 COML (916	)208-6426	A Dor		Incident Location County Placer	State	CA Latitude		N Langitude W

ICS 205-Draft 041106

### AMERICAN INCIDENT PHONE LIST

OPS / SAFETY			530-367-8013	3
		FAX_	530-367-8012	2
RESOURCE ADVISOR: ARCHEOLOG	GY		530-367-2224	Kellie Crews
		FAX_	530-367-2992	?
PLANS / RESOURCES/DMOB			530-367-8014	ŀ
		FAX_	530-367-8015	i
MEDICAL		·· <del>-</del> · · <del>-</del>	925-588-6773	l.
SUPPLY	RCDM		406-531-2441	. c Rod
			916-201-7217	c Rob
FACILITIES			661-330-0219	c Mark
COMMUNICATIONS			925-817-9948	
FINANCE			530-367-8009	
		FAX_	530-367-8010	
ORDERING			530-367-8007	
			530-367-8006	Craig
		FAX_	530-367-8005	
BUYING TEAM		_FAX	_530-653-7880	
PIO			530-367-8011	
TRAINING			650-740-7023	
			925-407-6368	
CAL FIRE REP			530-277-2303	
			530-277-2306	Steve Garia
COMPUTER CTSP			530-367-8014	
GROUND SUPPORT			530-990-6596	Tom O'Connell
	TRAILER		925-519-6315	
	INSPECT & REPAIL	R	925-558-6724	
	TRANSPORTATIO	N	925-872-8559	Alfred Zarate
EXPANDED			530-477-0872	
			530-477-0875	
			530-477-0878	
		FAX _	530-477-0879	

# STANDARD OPERATING PROCEDURES—FINANCE SECTION "How to Earn an Honest Day's Pay for an Honest Day's Work" 16 HOURS IS NOT A GUARANTEE – YOU HAVE TO EARN IT!!

### WORK REST CYCLE

IT IS NATIONAL DIRECTION TO MEET A 2 TO 1 WORK/REST RATIO (1 hour of sleep/rest for every 2 hours of work). Every effort shall be made to manage work hours so you don't exceed the maximum of 16 hrs. Work hours exceeding 16 hrs shall be approved by your supervisor in advance, and a justification/mitigation form completed for review by Section Chief & approved by IC. It is each person's responsibility to comply with this direction to manage for fatigue and safety.

### **OPERATIONAL SHIFTS**

Pay status for assigned overhead and crews on the fireline will not start prior to the posted briefing time and will terminate on arrival back in camp (except for debriefing—additional hours may be accrued by those required to attend debriefing). Supervisors will be allowed ½ hour prior to briefing and after return to camp to ready crew and equipment.

### **DUTY STATUS**

Division/Group supervisors and Unit Leaders are responsible for establishing on and off duty status. The objective is a 2 to 1 work/rest ratio. Personnel will normally work, travel, <u>and/or</u> be placed on ORDERED standby 8 to 16 hours per day and be off duty 8 hours or more (breaks count towards 8 hrs). Off duty time will be in a non-pay status. Each federal employee is guaranteed **at least 8 hours** of pay status each 24-hour period (midnight to midnight) unless it is the first or last day of an assignment or stated otherwise in a contract or agreement.

### PERSONNEL/EQUIPMENT TIME REPORTING

<u>Personnel time</u> will be reported to the Time Unit and daily once they are signed by the next level supervisor. Local Government Resources hired under CFAA or Local Agreement w/Forest are also required to submit a Crew Time Report daily. OES resources will be monitored by OES Agency Rep (if assigned) for 2/1 Work Rest compliance. Situations entitling you to HAZARD PAY are to be noted in remarks (i.e HP=Uncontrolled Fireline, hovering hookups, low level flights, etc.)

Private Contracted Equipment time must be tracked on a Shift Ticket daily.

Supervisor's - If you are responsible for daily tracking of equipment or personnel, please ensure you understand the agreement, and follow the rules provided in this document. Do not sign documents for resources you did not manage unless you have knowledge of their assignment hours.

### MEAL AND OTHER WORK BREAKS

Compensable meal periods are the exception, not the rule (Chapter 10, Pg. 18 of NWCG HB2). Until the fire is controlled, personnel on the fireline <u>MAY BE</u> compensated for meal periods <u>IF</u> work is performed while eating. For personnel in support positions, and fireline personnel <u>after control</u> of a fire, a meal period of at least 30 minutes must be ordered and taken for each work shift of eight hours or more. In those situations where personnel cannot be relieved from work and must remain at a post of duty, a meal period may be counted as time worked, which will be compensable. **If breaks are <u>NOT</u> able to be taken, CTR should have a statement in remarks explaining the situation.** 

The following resources need to call or stop by Finance. We are located in Classroom 6

at the school, or can be reached by phone at (530) 367-8009

Req#	Name	Req#	Name
C-29	ARROYO GRANDE IHC	O-157	MANUEL AGUILAR
C-10	SIERRA IHC	O-95	TIM BRADLEY
C-46	TRUCKEE IHC	0-7	NATE GOGNA
C-15	GROVELAND IHC	O-161	BYRON HART
C-12	SCORPION 3	O-300	RICHARD LUDKE
C-21	SCORPION 1	O-98	THOMAS ENGLISH
		O-401	JOHN MERLOCK
		O-309	ANTHONY SIGONA
E-219	SHF E-73	O-338	TRAVIS THANE
E-218	E-41	0-477	BRANDON WILKINS
E-217	CNF E-32	O-463	DAVID BAYSINGER
E-215	E-3237	O-310	CHELSEY HENRY
E-214	SWR 8430	O-428	TRAVIS ANDERSON
E-212	BKF E-361	0-476	DANA SALISBURY
E-112	MDF DOZER 4	0-223/481	RUSSELL HOLT
E-86	TNF E-73	O-305	DAVID BALDWIN
E-74	STF E-32		
E-71	TNF E-61		
E-3	CCD 3323		
E-18	TMU E 42		
· · · · · · · · · · · · · · · · · · ·			



# **AMERICAN FIRE**

CA-TNF-001562

# FAX — IF YOU WOULD LIKE US TO FAX YOUR TIME FOR YOU PLEASE COMPLETE THE FOLLOWING INFORMATION AND RETURN TO FINANCE

CONTACT NAME:	RESOURCE NAME :	
TO FAX:	FROM FAX: 530- 367-8010	
PHONE:	PHONE:	
SUBJECT:	DATE:	
PAGES:		

### TENTATIVE DEMOBILIZATION LIST AMERICAN FIRE TNF-001562 AUGUST 25, 3013

### PLEASE REPORT TO DEMOB AT SCHEDULED APPOINTMENT TIME. THANK YOU!

<u>OVERHE</u>	<u>AD</u>		
O-7	NO APPOINTMENT NEEDED	(DIVS)	GOGNA, NATE
O-74	NO APPOINTMENT NEEDED	(SOFR)	WALKER, STEVE
O-79	NO APPOINTMENT NEEDED	(FEMP)	LONG, WES
O-303	NO APPOINTMENT NEEDED	(SCKN)	CAMACHO, JEREMY J
O-370	NO APPOINTMENT NEEDED	(PIO2)	FRENZEN, PETER
O-17.34	NO APPOINTMENT NEEDED	(AOBD)	NEEL, DEAN VAN
O-77	NO APPOINTMENT NEEDED	(FEMT)	MCKINNEY, (JOHN) SCOTT
O-53	NO APPOINTMENT NEEDED	(BCMG)	OTIS, DONALD
O-277	NO APPOINTMENT NEEDED	(FACL)	MILLER, LES A
O-346	NO APPOINTMENT NEEDED	(PIOF)	LEVINGS, WALTER
O-402	NO APPOINTMENT NEEDED	(PIO2)	FURNEY, MARY
O-75	1400 HOURS	(SOFR)	SCIOCCHETTI, LOUIS
<u>CREWS</u>			
C-8	NO APPOINTMENT NEEDED	(HCS1)	CRW LMU S/T 9221G
<u>EQUIPME</u>	ENT		
E-114	0700 HOURS	(DOZ2)	DOZ T2 MNF 3
E-181	0700 HOURS	(DOZ2)	DOZ T2 SHF 79
E-5	0700 HOURS	(ENG3)	ENG T3 TIA E92
E-3	0730 HOURS	(ENG3)	ENG T3 CCD E3323
E-192	0730 HOURS	(ENG3)	ENG T3 TNF E341
E-183	0800 HOURS	(DOZ2)	DOZ T2 LPF 4
E-188	1400 HOURS	(WTT1)	WT T1 PENRYN 38
E-7	NO APPOINTMENT NEEDED	(DOZ2)	DOZ T2 NEU 2342
E-90	NO APPOINTMENT NEEDED	(ES3)	ENG S/T LNU 9140C
E-137	NO APPOINTMENT NEEDED	(DOZ2)	DOZ T2 AAA EQUIPMENT

# TRAINING SPECIALIST MESSAGE

# **ALL TRAINEES**

Check with the Training Specialist
After completing the Taskbook you are
working on at the
American Incident.

### Bring the following to the "exit interview"

- A completed and signed ICS 225 or 226
  Performance Evaluation
- A completed Exit Interview Form
- Your Taskbook!

Forms are available at the Training Specialist Desk Located at the ICP In Classroom 4

Tom Reaves
Training Specialist

August 25, 2013



# Human Resource Message – American Fire

# < .< .< **QUOTES to Ponder (in your spare time!)**

A day without sunshine is like, you know, night.

Steve Martin

The best time to make friends is before you need them. Ethel Barrymore

Between two evils, I always pick the one I never tried before. Mae West

Great minds discuss ideas; average minds discuss events; small minds discuss people.

Eleanor Roosevelt

Try to be like the turtle - at ease in your own shell.

Bill Copeland

If you're called by a panther, don't anther. Ogden Nash

Everything has beauty, but not everyone sees it.

If you know of issues or want to talk, come visit us in Classroom 9 at ICP or call:

HUMAN RESOURCE SPECIALIST (HRS): MARY MCDONOUGH (559) 593-3905 UNION REPRESENTATIVE: DANI SWANTIC, (530) 394-0641

### Waterbar Guidelines


Recommended Maximum Spacing for Waterbars on Firelines (dozer and handlines):


Road, Trail, or Fireline	Waterbar Spacing (Fe	eet) Waterbar Spacing (Feet)
Gradient	Federal Property	Private Property
1-6%	300	150
7-9%	200	150
10-14%	150	100
15-20%	90	100
21-40	50	75
41-60%	25	50

Waterbars should be angled 30-45 degrees down slope and outside the fireline into existing vegetation, rocks, down logs or slash were possible. Use natural drainage where possible.

If the fire is on both sizes of the dozer line, drain waterbars on alternating sides of the road. If the dozer line is unburned on either side, water bars should drain according to natural drainage patterns.

These are general guidelines and must be adapted to site topography, soils and vegetation characteristics. For example, areas that are rocky or well armored with rock do not need water bars.






Hours for Shower: 0530—0800 (Inmate showering only) 0800—1200 1400—2300

Kitchen Hours: 0500—1000 Breakfast 1700—2200 Dinner

Refer Truck Hours: 0500—2200 (Lunches, Ice and Water)

Supply Hours: 0600-2200

Fueling Hours: 0600-2200



UNIT	LOG	1. Incident Name	2. Date Prepared	3. Time Prepared
4. Unit Name/Designa	itors	5. Unit Leader (Name and Position)		6. Operational Period
   <b>7.</b>		Roster of Assign	ned Personnel	
		ICS Position	se .	Lama Basa
NO.	ıme	IC\$ Position	סח	Home Base
	···			
	• • • • • • • • • • • • • • • • • • • •			
	· · · · · · · · · · · · · · · · · · ·	1		
				·
				<u> </u>
		-	·	
<b>3.</b>		Activity Log	u Vasabie (Menic	
				[1] The State of the second
Time			Major Events	
				·
		··		
			· · · · · · · · · · · · · · · · · · ·	
	<u> </u>			
<del></del>				
	<u> </u>			
. Prepared by (Nam	ne and Position)			
	•			

Time	Major Events
	· · · · · · · · · · · · · · · · · · ·
•	
	and the second s
·	antime
<del></del>	
	ID .42)
. rrepared by (N	ame and Position)