Coleman Fire

Incident Action Plan

07/05-06/2014 Night Shift 1800-0800

Driving-

- Reduce your speeds! Stay on your side of the road!
 Do not cut corners!
- Open Range- Both livestock and wildlife are abundant in the fire area. Dawn & Dusk have a noticeably higher frequency of potential wildlife encounters.
- SEAT BELTS ON...LIGHTS ON...BEFORE wheels turn!
- Ensure LCES is in place before committing resources to assignment.



CA-NOD-002798 PDH6V5 1502

Northern California District BLM

INCIDENT OBJECTIVES	1. Incide	ent Name	2. Date	3. Time
	Colem	an	07/05/2014	1200 hrs.
4. Operational Period July 05-06, 2014 NIGHT SHIFT				
INCIDENT OBJECTIVES				
 Provide for firefighter and public sa Utilize direct attack methods to min Keep the fire within the current con Protect all threatened structures an 	nimize acre	es burned when safe to d lines.	lo so.	ess.
 MANAGEMENT OBJECTIVE 1) Avoid negative impacts to sage grous travel. 2) Track and report water usage for su 3) Work with incident resource advisor 4) Weed wash incoming vehicles and defended 	ppression s to minin	purposes. nize damage to cultural	resources.	s country vehicle
6. Weather Forecast for Period • See attached weather forecast.				
 General Safety Message Be aware of what the fire is doing Maintain good communications at Watch footing on steep rocky slop Drink plenty of water and watch to Maintain a safe operating speed water Bidwell. Watch for cows and other vehicles while driving. 	t all times. es. for dehydr when trave	ration and heat stroke. ling through the towns o		•
8.	Attachments	(mark if attached)		
☑ Organization List - ICS 203	⊠ M	edical Plan - ICS 206	⊠ Weather	
	⊠ In	cident Map	⊠ ICS215a	
☐ Communications Plan - ICS 205		CS 220	Rehab Consider	ations
9. Prepared by (Planning Section Chief) Dave Sinclear		10. Approved by (Incident Committee Mike Minton	ommander) (F) ()

ORGAN	IZATION ASSI	GNMENT LIST	Communication	ıs Unit	Phil Shafer
Incident Name			Medical Unit		Josh Ramey
Coleman			Receiving & Dist	ribution	Fred Johnson
2. Date		3. Time	Security Manage	er	
July 5, 2014		1100	Food Unit		Jay Westlake, Mark McGuinness (t)
4. Operational Period	*	<u> </u>	9.	C	perations Section
Night Shift July 05	5-06, 2014		Operations		Dave Pereira (D), Robin Wills(N), Nate Gogna (t)
Position		Name	Planning Ops		Alec Lane, Kurt Lindstrand (t)
5. Incident	Commander of	and Staff		n/Groups	, we cane, ken zhiashana (i)
Incident Commander	Mike Minton	, Jay Kurth (t)		Y SHIFT	07/05/14
Deputy			Division/Group	Α	Mark Vardanega, Jessica Wade (†)
Safety Officer		ck , Michele Tanzi, , John Nickey (†)	Division/Group	В	Randy Jennings, Dan Varney (†)
Information Officer	Kathy Hardy	The second secon	Division/Group	С	Mike Klimek, Gordon Meyer (†)
Liaison Officer	Kent Swartzle	ander	Division/Group	R	Don Fregulia
6. Agency f	Representative		Division/Group S	taging	David Janssen
Agency Admin Rep	Heather Wh		Division/Group		
Resource Advisor	Steve Suriar		Division/Group		
District Manager	Nancy Haug	7			
AREP- Surprise FO	Elias Flores	9		n/Groups	
NDF Rep	Mike Friend		NIGH	IT SHIFT	07/05-06/14
FMO - NOD	Walter Herze	200			
- TWO ROD	Wallel Heiz	<i>-</i>	Division/Group	A/R	Rick Noggles
			Division/Group	C/B	Dan Quinones, Jonah Gladney (†)
			Division/Group		
	-		Division/Group		
	-		Division/Group		
7			c. Air (Operations	s Branch
	g Section	- II- D-I- D-II- (II)	Air Operations Bran	ich	Dustan Mueller
Chief		eth, Bob Patton (t)	Air Attack Superviso	or	Walter Bunt, Shawn Walters (t)
Deputy	Dave Sincle		Air Support Supervis	sor	Glenn Dietz
Resources / Check-in / Documentation /	LouAnn Cha	Rita Mustatia, rbonnier	Helicopter Coordina	ator	0.0111. 0.012
Demob Units	2007 11 11 10 170		Air Tanker Coordina	ator	
Situation Unit	Alan Taylor, T	im Ritchey (t)	10.	Finan	nce Section
Training	Dominic Pan	no	Chief		Rachel Corkill
CTSP	George Stee	<u> </u>	Time Unit		Vicki Wilson
GIS	Matt Dicken	son	Cost Unit		
FBAN	John Wood		Compensation/Cla	ims Unit	Debbie McIntosh
IMET	Alex Hoon		Equipment Time		Wendy McCartney, Nicole Savage
8. Logistic	s Section		Prepared by (Resou	urce Unit Lead	
Chief	Brett Shu	rr, Patrick Howard (†)	Gary R. Deb	ooi	
Deputy	Ken Kum	pe			
Supply Unit					
Ordering	Mona Lak	ke, Ron Pierce			
Facilities Unit	Frank Del	Carlo			
Ground Support Unit	Harry Zab	el			

ICS 203 NFES 1327

DIVISION ASSI	IGNMENT L	IST		1. Brai	nch			2. Division/Grou	*	
								Α	/ R	
3. Incident Name				4. Ope	erational Pe	eriod				
Colemai	n Fire	***			Date: Jul	y 5-6, 20	14 1	ime: 1800 -	0080	
5.			Op	eratio	ns Persor	nel				
Operations Chi	ef	Robin Wills / Nate Cogr	na (t)	Division	n/Group Su	pervisor	Rick Nogg	iles		
Planning Ops		Alec Lane / Curt Lindst	rand(t)	Air Atto	ack Supervi	sor No.				
6.			Re	source	s Assigne	d this Pe	eriod			
Strike Team/To Resource De		Leader			Number Persons	Trans. Needed	Drop Off P	T./Time	Pick	Up PT./Time
Firestorm 4 (C-:	22)	Jimmy Ran	nirez		20	N	180	0	P	er DIVS
GFP 10A (C-16)	Fleak			20	N	180	0	Po	er DIVS
LNF Engine 35	(E-24)	Wade Joi	nes		5	N	180	0	Po	er DIVS
LPF PT 75 (E-15)		Ricky Aisp	uro	_	2	N	180	0	Po	er DIVS
TFLD		Drew Pa	ge		1	N	180	0	Po	er DIVS
TFLD (†)	180	Kyle Krac	he		1	N	180	0	Pe	er DIVS
EMT-P		Matt Hod	ge		1	N	180	0	Pe	r DIVS
7. Control Operation										
Hold and P										
Mop-up 100	0 feet whe	re safe.								
Special Instruc	tions:									
Track all w										
Ambulanc	e staged o	at DP-3 (Modoc Medi	c 22)							
Jeff Barnh	art SOF2 sto	aged at DP-3.								
				7364						
Function	Frequenc	cy Name	Cho	nnel	Fun	ction	Frequency	Name		Channel
Command	RX172.812	5N NOD Admin RPT			Air to	Ground	RX164.7750i	N A/G		10
	TX166.312	1 1		1 123.0			TX164.7750	N		10
			, .	2010			17.104.7700	`		
Tactical	RX168.050	ON								
Div/Group		NIFC 1-1		4						
	TX168.0500	ON /								
Prepared by (Resou	urce Unit Lead	ler) Approved by	(Planning	Section	Chief)		Date		Time	
Gary R	. Deboi	1//	XII				July 5, 201	4	1	100

DIVISION ASS	IGNMENT LIS	T		1. Brai	nch			2. Division/Group B /		
3. Incident Name)			4. Ope	erational Pe	eriod				
Colemai	n Fire				Date: Jul	y 5-6, 20	14 T	ime: 1800 - 0	800	
5.			Op		ns Person					
Operations Chi	ef R	Robin Wills / Nate Cogn			n/Group Sup		Dan Quina	ones / Jonah C	Sladn	ey (t)
Planning Ops	A	Alec Lane / Curt Lindstr	and(t)	Air Atto	ack Supervi	sor No.				
6.			Re	source	s Assigne	d this Pe	riod			
Strike Team/To Resource De		Leader			Number Persons	Trans. Needed	Drop Off P	T./Time	Pick	Up PT./Time
Engine 225 (E-1	16)	Mark Brinne	man		3	N	180	0	Po	er DIVS
Engine 323 (E-1	17)	Paula Hol	ter		3	N	180	0	Pe	er DIVS
Special Instruc Track all w Ambulanc	atrol. Difeet where ctions: vater use. ce staged at	DP-3 (Modoc Medio	c 22)							
				1.11					-7" F	
Function	Frequency	' Name	Cho	innel	Fun	ction	Frequency	Name		Channel
Command	RX172.8125l	NOD Admin RPI		1 123.0	Air to (Ground	RX164.77501			10
Tactical Div/Group	RX166.7250I	NIFC 1-5		6						
Prepared by (Resou Gary R	urce Unit Leade . Deboi	r) Approved by (Planning	Section	Chief)		Date July 5, 201	4	Time	100

ICS 204 NFES 1328

Fire Weather Forecast

FORECAST NO:

NIGHT SHIFT

NAME OF FIRE: Coleman UNIT: CA-NOD

PREDICTION FOR: SHIFT DATE:

July 5-6, 2014

SIGNED: Alex Hoon

TIME/DATE ISSUED:

July 5, 2014 1100 PDT

Incident Meteorologist

WEATHER DISCUSSION:

...BREEZY WINDS THROUGH THE EVENING...

Gusty west to northwest winds will continue through the evening with dry and unstable conditions (HAINES 5). Winds will drop off after midnight, becoming light overnight. Similar temperatures and humidity expected for tonight, with cool moist conditions down low and warmer, drier conditions in the thermal belts. Warmer temperatures and lighter winds are expected for Sunday, with breezy northwest winds late in the day and steady north winds on Sunday night. There is a slight chance of thunderstorms returning to the forecast for Tuesday.

SATURDAY NIGHT:

...LIGHT NORTHWEST RIDGE WINDS TONIGHT...

WEATHER: Mostly clear with a few high clouds.

TEMPERATURES:

Canyon bottom...43-48°F;

Slope/Ridges...55-60°F.

(little change)

HUMIDITY:

Canyon bottom...40-45%;

Slope/Ridges...20-25%.

(little change)

20-FOOT WIND:

SLOPE/VALLEY - West to Northwest 10 to 16 mph with gusts 20 to 23 mph

becoming downslope 2 to 4 after after 2400.

RIDGETOP - West to Northwest 12 to 18 mph with gusts to 25 mph in the evening becoming

Northwest 5 to 10 mph after 0100.

SUNDAY: Sunny, hot and dry. Max temps...84-91°F. Min RH 9-12%. Winds Sunday WNW 9 to 13 mph gusts 18 to 22 mph, becoming North 10-15 mph overnight. Light winds Monday. HAINES 5.

SUNDAY NIGHT:

...STEADY NORTHERLY WINDS SUNDAY NIGHT...

WEATHER: Mostly clear with a few high clouds.

TEMPERATURES:

Canyon bottom...43-48°F;

Slope/Ridges...55-60°F.

HUMIDITY:

Canyon bottom...40-45%;

Slope/Ridges...20-25%.

20-FOOT WIND:

SLOPE/VALLEY - Northwest 10 to 16 mph with gusts to 25 mph becoming North 8 to 13

mph after after 0300.

RIDGETOP - Northwest 12 to 18 mph with gusts to 30 mph in the evening becoming

North 5 to 10 mph after 0300.

MONDAY: Sunny, hot and dry. Max temps...85-92°F. Min RH 10-12%. Winds WNW 9 to 13 mph gusts 18 mph, becoming North 10-15 overnight. HAINES 4.

TUESDAY: Party cloudy with a 10% chance of thunderstorms. Max temps...86-93°F. Min RH 11-16%. Winds light upslope 4 to 8 mph.

Saturday Night Sunset: 8:37 PM Sunday Sunrise: 5:33 AM

FIRE BEHAVIOR FORECAST

FORECAST NUMBER: 4	TYPE OF FIRE: Wildland Fire
FIRE NAME: Colman	OPERATIONAL PERIOD: 7-5 to 7-6, 1800 to 0800
DATE ISSUED: 7/05/14	TIME ISSUED: 1200
UNIT: Northern California District BLM	SIGNED: /s/ John Wood FBAN

INPUTS

WEATHER SUMMARY: Gusty West to Northwest winds will continue through the evening with dry and unstable conditions. Winds will drop off after midnight, becoming light overnight. Similar temperatures and humidity expected for tonight, with poor recovery on the ridges and thermal belts. Warmer temperatures and lighter winds re expected for Sunday, with breezy Northwest winds late in the day and steady North winds on Sunday night. There is a slight chance of thunderstorms returning to the forecast for Tuesday. Expect minimum temperatures Valleys: 45-50, Ridges: 54-57 degrees, minimum humidity Valley: 40-45% Ridges: 20-25%. Winds (20 ft.) Valley: West to Northwest 10-16 Gust to 22, becoming downslope 2-4 after midnight. Ridges: Southwest 12-18 Gust to 25 mph becoming Northwest 5-10 mph after 0300.

OUTPUTS

GENERAL: Warm dry conditions remain over the fire. Although wind speeds are forecast to be slower they are still strong enough to cause moderate rates of spread or loft embers from heat sources. Live fuel moistures are in the mid 80's for the Sagebrush, this is an indicator for potential extreme fire behavior. In the grass rates of spread could reach 8-13 ch/hr and flame lengths 2-3 ft. with. In the shrub expect rates of spread 3-5 ch/hr and flame lengths up to 1-2 ft.

SPECIFIC:

Fine fuel moisture 8% Probability of ignition will lower to 35% this evening Spot distance up to a 1/4 mile.

Division A: Continuous fuels that are drought stressed keep potential for fire spread viable around Calcutta Lake. The fuel bed will be receptive through the early part of the shift. Although wind speeds are forecast to be lower today than previous shifts they still remain strong with potential to move hot embers across the control line. Short steep slopes in the southern part of the division, near Antelope spring, could see accelerated fire spread with active fire.

Division B: No perimeter growth expected on the division. Spotting from concentrated heat sources is possible.

Division C: No perimeter growth expected on the division.

Division R: No perimeter growth expected on the division.


Initial Attack: Conditions have moderated slightly and potential fire behavior has moderated as well. Fine flashy fuels remain dry and receptive early in the shift but conditions will moderate significantly, without wind, by midnight. Probability of ignition drops to 35% limiting spotting potential.


AIR OPERATIONS


Reduced fire behavior limits potential for smoke to impact air operations.

Safety Message

Light flashy fuels react quickly to wind and topography. Review the common denominators on page 5 (green pages) of your IRPG.







Fire Danger Area:

- ◆ FDRA'S 258, 260, 265
- WX Zones 270,278,285,458
 - SUDB SIG
- * Meets NWCG Wx Station Standards



Maximum -- Highest Burning Index by day

for 2000 - 2012

Average -- shows peak fire season over 13 years (1973 observa 80th Percentile -- Only 20% of the 1973 days from 2000 - 2012 had an Burning Index above 70

of any of these factors can greatly increase fire behavior: Thresholds - Watch out: combinations 20 Wind Speed over 10 mph, RH less than 19%, Temperature over 90 000

Remember what Fire Danger tells you:

✓ Burning Index gives day-to-day fluctuations

daily temperature & rh ranges, and precip duration. calculated from 2 pm temperature, humidity, wind,

√Wind is part of BI calculation.

✓ Listen to weather forecasts -- especially WIND the landscape -- Fuel, Weather, Topography. Watch local conditions and variations across

Past Experience:

#1 Rush Fire was lightning started on 8/12/12 and burned 315,578 acr Eagle Lake Field Office, Fire showed significant growth from thunder downdrafts.

Suprise Field Office. Fire had red flag conditions for hot, dry, and win #2 Lost Fire was lightning started on 9/5/12 and burned 61,299 acres conditions with high atmospheric instability.

#3 Likely Fire was human caused on 9/5/12 and burned 9,939 acres d Alturas Field Office. Fire had a 75 acre spot fire due to high temperat ow humidity, and high winds.

Respunsible (440729) is the North contain no and RAWS in SIG FF+4.1 Beta 03/06/2013-12:03 (U:WOD RAWS)

Design by N WCG Fire Danger Working

			Incident Name			Date/Time Prepared	pared		Operational Period Date/Time
INCIDE	INCIDENT RADIO COMMUNICATIONS PLAN	INICATIONS PLAN	COLEMAN CA-	CA-NOD-002798	2798	02/05	07/05/14 1030		NIGHT SHIFT 07-05-14
Only	/ frequencies listed or	this 205 are authorize	Only frequencies listed on this 205 are authorized for use on this incident.	Hand pro	ogramme	rs accept all	responsibi	lity for	Hand programmers accept all responsibility for the use of unauthorized frequencies.
Ch #	Function	Channel Name	Assignment	RX Freq N or W	RX Tone	TX Freq N or W	TX Tone	Mode	Remarks
-	COMMAND	CMD 5	ALL DIVISIONS	167.1000N		169.7500N	T5,146.2	∢	LINE TO CAMP
2	NIFC CMD 12	CMD 12	ALL DIVISIONS	173.0375N		167.3250N	T5,146.2	٨	CAMP TO LINE
က	COMMAND	NOD ADMIN RPT	BACKUP COMMAND	172.8125N		166.3125N	T2,123.0	4	IF Coleman CMD FAILS COMPLETELY
4	TACTICAL	NIFC T-1	DIVISION A/R	168.0500N		168.0500N		<	
2	TACTICAL	NIFC T-3	Unassigned for expansion	168.6000N		168.6000N		∢	
9	TACTICAL	NIFC T-5	DIVISION B/C	166.7250N		166.7250N		∢	
7	TACTICAL	NIFC T-6	Unassigned use as necessary	166.7750N		166.7750N		∢	
8	TACTICAL	NIFC T-7	Unassigned for expansion	168.2500N		168.2500N		<	
6	TACTICAL	FS R5 T4	Unassigned for expansion	166.5500N		166.5500N		4	
10	A/G COMMAND	A/G	ALL DIVISIONS	164.7750N		164.7750N		⋖	
11	Reserved	Reserved	ALL DIVISIONS	N		Z		∢	
12	CALCORD	CALCORD	MED HELO CONTACT	156.0750N		156.0750N	T06,156.7	<	
13	FIRE NET	NOD FIRE NET RPT	SUSANVILLE DISPATCH	171.6250N		164.2500N	T04,136.5	<	FOR IA RESPONSE
14	SCENE OF ACTION	BLM SOA	IF DISPATCHED TO IA	168.3000N		168.3000N		4	
15	IA TACTICAL	NIFC TAC 2	IF DISPATCHED TO IA	168.2000N		168.2000N		∢	
16	URGENT AIR CONTACT	AIR GUARD	ALL DIVISIONS	168.6250N		168.6250N	T1, 110.9	<	USE ONLY FOR URGENT AIRCRAFT CONTACT IF HAND PROGRAMMING USE TONE 1
Prepared by	^				Incident Loc	Incident Location NE OF CEDARVILLE,	DARVILLE, (5	
Patrick H Phil Shafe	Patrick Howard, LSC2(T) NorCal IMT 1 Phil Shafer, COML NorCal IMT 1	al IMT 1			NOTE:				
S 205 – 2007H	17H	- Andria			ALL TONES /	ARE USER SELECT	ABLE. SIMPLY F	RESS TH	ALL TONES ARE USER SELECTABLE. SIMPLY PRESS THE NUMBER OF THE TONE YOU NEED.

S 205 – 2007H MODE A – ANOLOG, D - DIGITAL

MEDICAL PLAN (ICS 206 WF)

1. li	ncident/Pr	oject Name		2. Operat	ional Period				
Coleman Fire				Date/Tim	e 7/5/14 Night				
3. Ambulance Services				Linewalling to					
Name		Lo	ocation		Phone & EMS Freque		Advanced Yes	Life Support (ALS)	
Modoc Medic 22	S	Staged at DP-3			911 or 530-233-4		Х		
Surprise Vly. Hosp. Ambul	ance C	Cedarville, CA			911 or 530-279-6	5111		х	
4. Air Ambulance Service	es							(18) On the	
Name		Pho	ne		Type of	f Aircraft &	Capability		
Emergency Air Lift		911 or 800-804	4-4911	Air Ambu	ılance - rotor Day,	fixed Day/N	light - Kla	math Falls, OR.	
Mountain LifeFlight		911 or 530-251	1-2844	Air Ambu	lance - rotary and	fixed – Day/	Night – Su	sanville, CA	
CHP		911 or 530-225	5-2040	Air Hoist – Redding, CA					
Yellowstone 9TA	Contact air ops		Incident medivac / short-haul ship – Helibase, Cedarville, CA						
5. Hospitals	•								
Name & Level		PS Datum – WGS 8 grees Decimal Minu		el Time Gnd	Phone	Helipad Yes N		Address	
Surprise Valley Hospital	Lat: Long:			5 min	530-279-6111		x	Address 741 N. Main St. Cedarville, CA	
.Modoc Medical Center	VHF: Lat: Long:	N41°28.48 W120°32.42	10 min	30 min	530-233-5131	х		228 McDowell, Alturas, CA	
Renown Medical Center	VHF:	N39°31.34			775-982-2005			Alturas, CA	
Level II	Long:	W119°47.45	1 hr	4 hr	775-982-2005	x		1155 Mill St. Reno, NV	
UC Davis Level I Trauma/Burn Center	Lat: Long: VHF:	N38°33.17 W121°27.05	1:45 min	7 hrs	916-734-3636 916-734-3790	х		15 Stockton Blvd. Sacramento, CA	
6. Division / Crew Pre-	E100000	late and discuss v	vith assigned	resource	s daily				
Crew EMTs & Equipmen	t I			196					
Fireline EMTs & Location									
Adv. Life Support?			7				16-		
Air Hoist site: Lat: / Long:									
Helispot: Lat: / Long:	_								
Alternate no-fly plan:									
7. Remote Aid Stations								3-10-10-10-10-10-10-10-10-10-10-10-10-10-	
ICP - Cedarville		Point of Contact:		MEDL -	Josh Ramey (Cell:	530-277-12 ⁻	13)		
Fairgrounds		EMS Responders &	Capability:		fe Support		•		
N41°31.461 N120°10.550		Equipment Availab	le on Site:	Medical	supplies				
14120 10.000		Ambulance ETA :		Air - 1 h	r. Ground - 5 mi	n. BLS, 30 r	nin. ALS		
		Point of Contact:							
	_	EMS Responders &					- k		
	<u> </u>	Equipment Available	le on Site:						
9 December 1 D. (22 11		Ambulance ETA :							
Prepared By (Medical U	nıt Leader) 9. Da	ate/Time	10. Re	viewed By Safety	Officer)		11. Date/Time	
Josh Ramey (530-277-1213)			1100	Michel			\		

MEDICAL PLAN (ICS 206 WF)

Medical Incident Rep	port
Use items one through nine to communicate si	
1. CONTACT COMMUNICATIONS, DECLARE: "MEDICAL EMER Ex: "Communications, Div. Alpha. Stand-by for a medical emergency on Div. Alpha" (If life threa	GENCY" OR "NON-EMERGENCY MEDICAL TRANSPORT" tening request designated frequency be cleared for emergency traffic.)
2. INCIDENT STATUS: Provide incident summary and command structure.	
- Nature of Injury/Illness Describe the injury (Ex: Broken leg with bleeding)_	
- Incident Name Geographic Name + "Medical" (Ex: Trout Meadow Medical)	
- Incident Commander Name of IC	
- Patient Care Name of Care Provider (Ex: EMT Smith)	
3. INITIAL PATIENT ASSESSMENT: Complete this section for each pt. This is - Number of Patients: - Male / Female: - Conscious? YES NO = MEDEVAC! - Breathin	- Age: Weight:
- Mechanism of Injury What caused the injury?	
- Location, Lat/Long (Datum WGS84) Ex: N 40° 42.45' x W 123° 03.24'	
4. SEVERITY OF EMERGENCY, TRANSPORT PRIORITY	
SEVERITY	TRANSPORT PRIORITY
□ URGENT-RED Life threatening injury or illness. Ex: Unconscious, difficulty breathing, bleeding severely, 2° – 3° burns more than 4 palm sizes, heat stroke, disoriented.	Ambulance or MEDEVAC helicopter. Evacuation need is IMMEDIATE.
□ PRIORITY-YELLOW Serious Injury or illness. Ex: Significant trauma, not able to walk, 2° – 3° burns not more than 1-2 palm sizes.	Ambulance or consider air transport if at remote location. Evacuation may be DELAYED.
ROUTINE-GREEN Not a life threatening injury or illness. Ex: Sprains, strains, minor heat-related illness.	Non-Emergency. Evacuation considered Routine of Convenience.
5. TRANSPORT PLAN:	
Air Transport: (Agency Aircraft Preferred) . □ Helispot . □ Short-haul/Hoist . □ Life Fl	light □ Other
Ground Transport:	
□ Self-Extract □ Carry-Out □ Ambu	ılance Other
6. ADDITIONAL RESOURCE/EQUIPMENT NEEDS:	
Paramedic/EMT(s) SKED/Backboard/C-Collar Crew(s) Trauma Bag Medication(s) IV/Fluid(s) Other (i.e. splints, rope rescue, wheeled litter)	
7. COMMUNICATIONS: - Run Medical Emergency on COMMAND - Coordinate with	h air ambulance on CALCORD
8. EVACUATION LOCATION:	
- Lat/Long (Datum WGS84) <i>EX: N 40 42.45' x W 123 03.24'</i>	
- Patient's ETA to Evacuation Location:	
- Helispot/Extraction Size and Hazards:	
9. CONTINGENCY: If primary options fail, what actions can be implemented in con	junction with primary evacuation method? Be thinking ahead
REMEMBER: -Confirm ETA's of resources ordered -Act according	or to your level of training
- If air or ground ambulance is DELAYED: Package and transport	ng to your level of training patient to rendezvous with incoming Ambulance. • to rendezvous point as appropriate.

INCIDENT RISK ANALYSIS Coleman (ICS 215A) Night Shift

DIV	HAZARDOUS ACTIONS /	MITIGATIONS / WARNINGS / REMEDIES
	CONDITIONS	
ALL	Communications	 Ensure you have received the most current communications plan, and your radios have been cloned to it before heading out to your work area. TEST your radio before you leave camp to ensure you have commo, and then TEST again when you arrive at your work area. Use human repeaters in areas with sketchy commo.
ALL	Driving Honords	Refer to the 5 communication responsibilities listed on page ix in the 2014 IRPG Reduce your enough Stay on your cide of the read IRP and out or responsibilities.
ALL	Driving Hazards	 Reduce your speeds! Stay on your side of the road! Do not cut corners! This is open range. Both livestock and wildlife are abundant in the Fire area. Dawn & Dusk have a noticeably higher frequency of potential wildlife encounters. Drive defensively! Expect the unexpected around every curve. Drive with your headlights on. Look before backing and use backers. Maintain driving situational awareness. Washboard conditions are common on most of the native surface roads, along with dustMaintain adequate following distances. SEAT BELTS ONLIGHTS ONBEFORE wheels turn! Reduce driving speeds to allow for reaction time lag. On dusty/smoky roads, don't follow too closely behind traffic. Allow time for dust/smoke to clear. Establish one-way traffic or coordinate traffic flow if necessary. Don't drive when fatigued. Adhere to agency driving regulations and guidelines. Pedestrians in town, Keep speeds down When meeting oncoming traffic at night on narrow native surfaced roads, come to a controlled stop. Turn headlights to running lights; assist other vehicle in backing to a safe place to allow safe passage
		around vehicle.
ALL	Hydration & Heat Illness	 Pre-hydrate, Re-hydrate! Dehydration is preventableDrink a minimum of 250ml/hour; (¼ of canteen) Drink water & Electrolyte drinks before, during, and after shifts. (2 waters to 1 electrolyte drink). Do NOT mix with water or dilute electrolyte drink. It must be consumed as is for the body to absorb properly. Low volumes of dark, concentrated urine or painful urination indicate a serious need for rehydration, & medical attention. Ensure your crews take an adequate water/electrolyte supply out to assignment and order more as needed. Take frequent snack breaks to keep blood sugar levels up. Pace work to avoid heat injuries Heat exhaustion is characterized by: Weakness, Extreme Fatigue, Nausea, Dizziness & Headaches, clammy skin, persistent muscle cramps, decreased urine output. Cool patient as quickly as possible! Move patient to a cooler location and provide cold water and sports drink. Actively reduce core temperature through evaporation by fanning patient. Cover head and neck with wet cloth, increase air movement. Heat exhaustion is characterized by: Weakness, Extreme Fatigue, Nausea, Dizziness Headaches, clammy skin, persistent muscle cramps, decreased urine output. Remove Patient from fireline and seek medical attention. Mental confusion may develop This is a serious trigger point for the potential onset of Heat Stroke. Refer to Medical Plan for additional EMS care and Evacuation
ALL	Biting, Stinging	If allergic to bee stings, let your DIVS & EMT's know.
	Insects (Rattle Snakes, Scorpions, Bees, Mosquitoes, Ticks, etc)	 Leave the snakes alone! Shake out boots and or sleeping bags prior to use Use bug spray to minimize mosquito bites. Check yourself daily for tick bites.
A,B,R	Heavy Equipment/Dozers	 Stay 100' in front and 50' behind the equipment. Maintain safe working distances. If working in Timber, increase these distances to 2.5 times the canopy height. Make eye contact with operator and ensure all implements have been grounded before approaching equipment. Only the operator is authorized on the equipment. Avoid working below equipment Operators utilize appropriate PPE and equipment safety mechanisms. Utilize observer or spotter.
ALL	Мор-Ир	Ensure the use of communication with operator (radio, hand signals). Re-evaluate the need to mop-up in steep, rocky terrain Ensure footing is solid in rocky ground Wear proper PPE

		INCIDENT RISK ANALYSIS Cont. Coleman (ICS 215A) Night Shift	
ALL	Fire Behavior	 High rates of spread (ROS) in lighter fuels when aligned with wind & topo Ensure a solid anchor point and flank. Use experienced LOOKOUTS under these conditions. Monitor weather conditions. Be aware of visual indicators (clouds, WX o Maintain adequate escape routes and safety zones. Set trigger points who Communicate any changes. Spotting Potential still exists"Eyes to the green" Be aware of Low RH's affecting all fuels. 	bs., cold front passage)
А	Firing Operations	 Identify the Burn Boss, Firing Boss & Holding Boss and make it kno Brief all resources including adjoining Divisions on the approved plan. Ensure Communications is in place with both ground and air resources. Assure experienced lookouts are in place before implementing plan. Use qualified personnel for all assignments & Trainees have qualified tra Utilize Risk Mgmt. Process (IRPG p. 1) for implementing the plan. Establish LCES prior to implementing burning operations (IRPG p. 7). 	
ALL	Initial Attack	Ensure risk management has been reviewed & LCES is in place before to Review Page 1 in 2014 IRPG before committing resources Know IA frequencies	aking action on a new start.
ALL	Complacency	Don't let your operations fall into the "routine" category. Maintain situational awareness in all activities.	
INCIDENT		DATE PREPARED:	OPERATIONAL PERIOD
Coler ICS 215a	nan Fire	July 05, 2014	Night Shift 7/5-6/2014, 1800-0800 Prepared by: Tanzi, Frederick
		TIME PREPARED: 1200 HOURS	



Today's discussion is from the First Aid / Health Category.

HYDRATION

Dehydration is the result of the body trying to regulate its temperature naturally through sweating. Studies conducted on wildland firefighters indicate that during fire suppression activities firefighters need to drink a minimum of 1 quart of fluid each hour of work.

- Maintaining body fluids is essential for sweating. You must hydrate before, during, and after work.
- Before work you should take extra fluids to prepare for the heat. Drink 1 or 2 cups of water, juice, or a sport drink before work.
- While working drink at least 1 quart of fluid per hour. Drink as much as you can during the lunch break. Water is your greatest need during work in the heat.
- Hyponatremia (abnormally low concentration of sodium in the blood) as a result of excessive water intake a potentially life-threatening complication. Hyponatremia can be prevented when rehydration is enhanced by fluids containing sodium and potassium, or when foods with these electrolytes are consumed along with the fluid.
- After work it is important to continue drinking to replace fluid losses. Thirst always underestimates fluid needs, so you should drink more than you think you need.
- Unacclimatized workers lose more salt in the heat so they need to pay particular attention to salt replacement. Don't overdo salt intake; too much salt impairs temperature regulation. Excessive salt can cause stomach distress, fatigue, and other problems.
- You can assess your hydration by observing the volume, color, and concentration of your urine. Low volumes of dark, concentrated urine, or painful urination indicate a serious need for rehydration. Other signs of dehydration include a rapid heart rate, weakness, excessive fatigue, and dizziness.
- Rapid loss of several pounds of body weight is a certain sign of dehydration. Rehydrate before returning to work; continuing to work in a dehydrated state can lead to serious consequences, including heat stroke, muscle breakdown, and kidney failure.

References:

- -Interagency Standards for Fire and Fire Aviation Operations
- -Fitness and Work Capacity--Second Edition
- Wildland Firefighter Health and Safety: Recommendations of the April 1999 Conference, Death from Hyponatremia as a Result of Acute Water Intoxication in an Army Basic Trainee, T. Garigan and D. Ristedt

TRAINING SPECIALIST MESSAGE

Calling all trainees!!

If you are here as a trainee and have not checked in with the Training Specialist please do so right away.

I am located at the ICP.

Bring your Task Book and Red Card with you.



"The palest ink is better than the best memory". Chinese Proverb

Dominic Panno Incident Training Specialist

Da	te & Time Order was placed:	Order#	Loc	cation & Time for Delivery (DIV,LZ,DP,Lat Long)	Mode of delivery
		(DIVS+#)			(Driven/Helo/DIVS to Pick up)
			Lat	:	
			Lon	ng:	
Or	der received in Communications by (Name)	:			Time:
Or	der shipped to line by (Name): (Send this she	et to the line with the	ord	er)	Time:
#	ltem				
1	1,000 Foot Hose Lay includes the following	g: Amount		-	
	10, 100'x1½" Rolls Hose; 10, 100'x1" Rolls Hose	e; 10, 1½" Gated Wye	es; 10	0, 1½" to 1" reducers; 10, 1" nozzles	
2	2,000 Foot Hose Lay includes the following	g: Amount			·
	20, 100'x1½" Rolls Hose; 20, 100'x1" Rolls Hose		es; 20	0, 1½" to 1" reducers; 20, 1" nozzles	
3	3,000 Foot Hose Lay includes the following				
	30, 100'x1½" Rolls Hose; 30, 100'x1" Rolls Hose			0, 1½" to 1" reducers; 30, 1" nozzles	
#	ltem	Amount	#	Item	Amount
-	Hose (50') garden, 3/4"		-	Gas Unleaded (Gallons)	
	Hose (100'), 1"		-	Oil 2 cycle, (Pints)	
	Hose (100'), 1½"		32	Bar Oil (Qts)	
	Nozzle, Garden, 3/4"		33	Drip Torch ea	
	Nozzle, Forester, 1"		34	Drip torch mix 3.5:1.5 (gallon)	
9	Nozzle, KK Type, 1"		35	Fusees (Boxes or cases)???	
10	Nozzle, KK Type, 1½"		36	Flare Gun Rounds (12/BX)	
11	Wye, Gated, 3/4"		37	Cartridge #6 purple (box)	
12	Wye, Gated, 1"		38	Batteries "AA" PKGs(24/PKG)/BX	
13	Wye, Gated, 1½"		39	Ribbon, Flagging (Specify Color)*	
14	Inline-Tee, 1x1x3/4"		40	Water, Cubies	
15	Inline-Tee, 1x1x1"		41	Water, Bottled, Cases	
16	Inline-Tee (1½" X 1")		42	Gatorade	
17	Reducer, 1" X 3/4"		43	MRE's (12/BX)	
18	Reducer, 1½" X 1"			Heavy Mill Plastic	
	Increaser, 3/4" X 1"			Washcloth, waterless, cleansing	
-	Increaser, 1" X 1½"			Wrap, Structure 54"x300"	
	Foam 5 gal			Sprinkler Kit	
	Foam 4 oz (For Backpack Pump)			Mark 3 Pump	
	Backpack Pump			Mark 3 Pump Kit- w/10 gal mixed fuel	
	Pumpkin (Gallons?)			Chainsaw Kit	
-	Porta-Tank (Gallons?)		-	Mop-Up Kit, 3-Wand	
-	Shovel		-	Pump Kit, Lightweight, 2 Cycle	
	Pulaski			Gas, Raw and 2 qts 2-cycle oil, ea	
	Combi Tool		-	Lightweight Pump Kit-Cache w/5gal fuel	
	McCloud			Gas, raw (gal) and 1 qt 2-cycle oil, ea.	
			-	cus, raw (gar, and 1 qt 2 cycle on, cu.	
\neg					
\dashv	Notes:			Notes:	10 Cident Manage
					TITT Call

	COLEM	AN INCIDENT W	ATER USE LO	G
ATE	WATER SOURCE	QUANTITY	E NUMBER	DRIVER

Include the following information:

Date water was received

Water Source (Where you got the water)

Gallons collected

Resource Order number of resource collecting water

Driver Name

Return this form to Facilities after each shift

UNIT LOG	1. Incident Name	2. Date Prepared	3. Time Prepared
4. Unit Name/Designators	5. Unit Leader (Name and P	osition)	6. Operational Period
7.	Personr	nel Roster Assigned	
Name		CS Position	Home Base

M-14-77-74-13-14-14-14-14-14-14-14-14-14-14-14-14-14-			
8.	IActivity	log	
Time			
	and the feet of the same of th		

		,	
P. Prepared by (Name and Posit	ion)		