Risk Assessment Worksheet				Incident Name: Antelope Fire			2. Incident Number: CA-KNF-006454			
3. Operational Períod: Day Shift 0600-2200 Night Shift 2200-0600				4. Prepared by: (Safety Officer Signature & Date) Blie Vishelt 2009, Ngon Resear 20092(1), July Quidetic 20092(1) August 2001, 2021			5. Reviewed by: (Operations Section Chief Signature & Date) /s/ Eddy Baca OPS 2			
Red Text is newly added item (48 hrs.) or significant changes. Blue Text indicates a Near Miss/ Signature:				Close Call incident. Title:			Date:			
Identify	Hazards	As	ssess Haza	rds	Risk Control Options	R	esidual Ris		1-Aug-2 Decision	1 Implement
7. Task	8. Hazard	9 Hazard Probability	10. Severity	11. RAC	 Identify hazard mitigations & measures (press [alt + enter] to add a line) 	13. Hazard Probability	14. Severity	15. RAC	16. Task Necessary?	17. Hazard Control Assigned to:
All Incident Operational Tasks	Powerlines - Electrocution	Possible	Catastrophic	Extremely High	Review IRPG page 24 for mitigations. Ground operations coruring in close proximity to overhead powerlines pose a high risk of electrocution when: heavy smoke impacts lines, wood poles burn thru and lines are low or on the ground. Always treat lines down as energized. Homeowners running generators can backfeed the electrical grid, so even if sullity personnel confirm the	Unlikely	Catastrophic	High	YES	Division Supervisors
All Incident Operational Tasks	Medical-Delay in patient admission to appropriate MCF (medical care facility)	Likely	Critical	Extremely High	Provide on site medical transportation capability (ground ambulance), coordinate medeva: using: fire helcopters, private medical helicopter services, local government (CIPH), US Army Matoinal Giuszf. Enure extraction capability (short-haul and hoist) are identified and ordering process is confirmed. Alentify helistopy: including airports remote (up to 50 miles) from fire.	Possible	Critical	High	YES	Medical Section Chief MEDL
Spot Fires All Incident	Entrapment - Any Cause Equipment - Control Line	Possible	Catastrophic	Extremely High	Ensure 10-18 are reviewed, ensure LCES is reviewed and in place. Assign HEQB to all heavy equipment, utilize Risk	Unlikely	Catastrophic	High	YES	All Operations Personnel
Operational Tasks & IA	Construction	Possible	Critical	High	Assessment Tool card (RAT card), review IRPG page 86 for mitigations. Establish Incident Base near fire to minimize driving	Possible	Critical	High	YES	Division Supervisor / TFLD
Transportation - Ground	Motor Vehicle Accident-All Causes: visibility, other vehicles, pedestrian, bicycles, wildlife, road surface, livestock	Possible	Critical	High	elatance, establish camps as needed (if transportation times appreach 1 bore or greater). Utilise vitual briefings to minimize driving required to attend in person briefings. The control of the control	Possible	Critical	High	YES	All Drivers
Indirect Line Construction - Hand tools/Saws	Chainsaw - Laceration	Possible	Critical	High	The chainsaw operator is responsible for controlling the cutting area and communicating with others in the cutting area. Provide proper trauma list near saw operations. Maintain recommended spacing of falling teams or others working in the cutting area. Proper training and conflictation level for personnel running saws and assisting with saw operations. If you are not comfortable falling the tree, wall aways. Notify your supervisor and mitigate the safety issues or turn down the assignment.	Possible	Critical	High	YES	Division Supervisors Sawyers and Swampers
All Incident Tasks	Medical - Heat Related Iliness	Possible	Critical	High	Refer to IRPG pg 109 for mitigations. Utilize the "Heat Related Illness" info available thru the QR code on the cover of the IAP to determine length of shift and work to	Unlikely	Critical	Moderate	YES	Division Supervisors Medical Unit
All Incident Operational Tasks	Medical - Delay In Providing Advanced Life Support	Possible	Critical	High	rest ratio nor hour in avoid a HBI Provide ALS levic are to each division (day & night) with dedicated line medit teams, REM's, with additional capacity using ALS ambulances. DN's Field OPS ensure Medical WII plan is in place on each staffed division each athfr. DN'S IO cause theliops and an alternate heliops at the beginning of each shift, confirm your helispots are on the DSK mose.	Unlikely	Critical	Moderate	YES	Medical Section Chief MEDL's
All Incident Operational Tasks	Hazard Trees/Snags	Possible	Critical	High	Utilize qualified fallers to evaluate/drop HT's, communicate HT's throughout the work shift, flag HT's as needed. Consider disensagement with high winds.	Unlikely	Critical	Moderate	YES	Division Supervisors
Aviation Operations - Bucket Work, Retardant Longline, Medevac, Aerial Recon, Troop	Powerlines	Unlikely	Catastrophic	High	Review IRPG page 25 (Aerial Tactics) & page 50 (Helicopter Landing Areas). Never assume helicopter pilots know about wires, always advise pilots of known aerial hazards.	Rare	Catastrophic	Moderate	YES	All Operations Personnel Division Supervisors ATGS
Shuttle Firing Operations - Ground	Burns- Flammable/Combustible	Possible	Critical	High	Ensure any burning operations include a safety briefing on drip torch's and recent burn injuries resulting from	Unlikely	Critical	Moderate	YES	Division Supervisors Firing Bosses
Line Construction-Mechanical- Direct/Indirect	Liquids Hit by Flying Debris	Possible	Critical	High	incompatible drip torch components. Review IRPG page 86, Working with Heavy Equipment	Unlikely	Critical	Moderate	YES	Division Supervisors HEQB
Point Protection / Structure Protection Point Protection / Structure	Electrocution - Power lines	Possible	Critical	High	Review IRPG page 12 for WUI mitigations and page for 24 for powerline mitigations. Review IRPG page 12 thru 16 for mitigations	Possible	Moderate	Moderate	YES	Division Supervisors
Point Protection / Structure Protection Point Protection / Structure	Explosion - Gas Utilities	Possible	Critical	High	Review IRPG page 30 for smoke mitigations. (Assumption	Possible	Moderate	Moderate	YES	Division Supervisors
Protection / Structure Protection	Hazardous Materials	Possible	Critical	High	that Haz-Mat is in normal residential quantities) Evaluate if UTV use is justified (utilize Risk Assessment Tool	Possible	Moderate	Moderate	YES	Division Supervisors
Transportation - Ground - UTV	Human Factors - Experience & Training	Possible	Critical	High	card (RAT card). Utilize trained and certified drivers only, drive at reasonable and prodent speeds, follow your agency policy regarding PPE use to minimize injury potential, avoid driving or riding on public roads which increases the possibility of an acident. Reference Chapter 14 of the 2018 Red Book page 310, UTV head protection for wildland fire operations. Maintain overall weight within manufactures limits, do not	Unlikely	Critical	Moderate	YES	UTV operators Division Supervisors
Transportation - Ground - UTV	UTV Rollover / Accident	Possible	Critical	High	overload UTV. Avoid aftermarket roof racks that change the C/G of vehicle. Conduct daily PM checks (T-CLOC). Only qualified operators to drive UTV's. Operate within your skill limits. Drive at reasonable speeds and avoid travel on kide slopes.	Unlikely	Critical	Moderate	YES	UTV Operators I
All Incident Operational Tasks All Incident	Smoke Inhalation	Possible	Moderate	Moderate	Legal & Illegal grows pore a health hazard due to use of pesticide, herbicide, rodenticide, plastics, all of which pose an inhalation hazard when burning. Avoid smoke from burning marijuana grows, burning vehicles and or burning starturbuse. Ensure 10-18 are reviewed, ensure LCES is reviewed and in	Possible	Moderate	Moderate	YES	Division Supervisors
Operational Tasks & IA Aviation Operations - Bucket Work, Retardant Longline, Medevac, Aerial Recon, Troop	Entrapment - Any Cause Aircraft Mishap - General	Unlikely	Critical Catastrophic	Moderate	place. Refer to IRPG Aviation User Checklist page 45 (blue section) and Emergency Medical Care (pink section) sections, especially pages 50-54,57, 62, 116-117. Review and train on the Helikopter L2 Brief to improve communications between ground and pilot. Ensure area or	Rare	Critical Catastrophic	Moderate	YES	Division Supervisor Division Supervisors
Shuttle					line is cleared prior to water or retardant drops, provide immediate feedback to pilots as to effectiveness of drops.					
ICP or Evacuations	Hostile Individual	Rare	Critical	Moderate	Refer to Active Shooter Plan for Team 4, disengage and / or attempt to de-escalate situation. Assign HEQB to all heavy equipment, utilize Risk	Rare	Critical	Moderate	NO	All Personnel
Line Construction-Mechanical- Direct/Indirect	Equipment - Crushed by Heavy Equipment/Rollover	Unlikely	Critical	Moderate	Assessment Tool card (RAT card), review IRPG page 86 for mitigations. Ensure the Landing Zone Briefing is transmitted to pilots	Unlikely	Critical	Moderate	YES	Heavy Equipment Boss Division Supervisors
Medevac Operations	Aviation Mishap - Any Cause	Rare	Catastrophic	Moderate	prior to landing. If hoist or short haul operations are occurring ensure extraction location hazards such as height of timber or other flight hazards are communicated to pilots. Utilize the Medical incident Report when declaring as MA	Rare	Catastrophic	Moderate	YES	Division Supervisors Medical Unit IWI IC
Night Medevac	Human Factors - Experience & Training	Rare	Catastrophic	Moderate	Plan for night medevac operations by ensuring strobes & headlamps have fresh batteries, glow sticks (use red not green) are available, confirm serial hazards such as powerlines do not exist in area of operations (helispots, short haul, or hoist), know location of closest LZ and alternate 17×.	Rare	Catastrophic	Moderate	YES	Division Supervisors INVI IC
Patrol/Secure Fires Edge/Mop- up	Burns - Ash Pit/Stump Holes	Unlikely	Critical	Moderate	Avoid or closely evaluate the need for mop up activities in areas where woody material could be buried under soil (river banks, stream beds) resulting in a fall into an ash pit	Rare	Critical	Moderate	YES	Division Supervisors
Saw Usage	Chainsaw - Gysering / Injury	Unlikely	Critical	Moderate	Utilize "C" Fallers as necessary. Review causes for gysering and anticipate occurrence, minimize possibility of gysering to occur, provide proper trauma kits near saw operations.	Rare	Critical	Moderate	YES	Division Supervisors Sawyers and Swampers
Scouting/Monitoring/Recon - Ground	Entrapment - Any Cause	Unlikely	Critical	Moderate	Ensure 10-18 are reviewed, ensure LCES is reviewed and in place.	Rare	Critical	Moderate	YES	Division Supervisors
Transportation- Ground-ATV	ATV Rollover / Accident	Unlikely	Critical	Moderate	Evaluate if ATV use is justified (utilize Risk Assessment Tool care (IAT care). Utilize trained and certified riders only, ride at reasonable and prudents speeds, follow your agency policy regarding PFE use to minimize injury potential, avoid ething or riding on public roads which increases the possibility of an accident. Reference Chapter 14 of the 2012 Red Book page 310, ATV head protection for wildland fire operations.	Rare	Critical	Moderate	YES	ATV Operators Division Supervisors
All Incident Operational Tasks	Medical - Hygiene, Illness, Disease	Possible	Moderate	Moderate	Refer to CDC recommendations about COVID-19, norminus, stren throat, etc. Follow CA-KNE direction on identify individuals with known allergic reactions, make epi-	Possible	Moderate	Moderate	YES	All Personnel Medical Unit
All Incident Tasks	Allergic Reaction - Insects/Animals	Possible	Moderate	Moderate	identify individuals with known allergic reactions, make epi- pen locations known, communicate and flag known bee locations. Watch for snakes in work, rest, and sleepling areas. Coordinate with ALS on your Division Supervisor.	Unlikely	Moderate		YES	All Personnel Medical Unit
Provide for Public Safety	Public Evacuations	Possible	Moderate	Moderate	areas. Coordinate with ALS on your Division Supervisor. Coordinate with Team LORR and or LE. Maintain closure points on roads as needed. Team PIO & LORR to provide clear information related to evacuation status and evacuation locations and or provide active links to	Possible	Negligible	Low	YES	Division Supervisors LOFR PIO
Provide for Public Safety	MVA-Visibility-Smoke	Unlikely	Critical	Moderate	asencies rondiding nublic representations: Utilize Rondway Response Plan to mitigate hazards associated with smoke on roadways if impacts are anticipated. Review IRPG page 31 for mitigations. Utilize other agencies (CALTRANS, Skidyou County road dept) for monitoring / signage. Coordinate with LE.	Rare	Moderate	Low	YES	Team Safety Officer LOFR
Provide for Public Safety	Smoke Inhalation	Possible	Moderate	Moderate	PIO messaging to include air quality concerns and public health information links to state and or county health	Rare	Moderate	Low	YES	PIO
Transportation - Ground	Grade level railroad crossings	Possible	Moderate	Moderate	departments about air quality resources. Some railroad crossings do not have flashing lights, audible signals, or other warning devices. Always look both directions before crossing any grade level railroad crossing. Contact railroad dispatcher at 1:800-848-8715 to notify of any damage to tracks, burning ties, etc.	Unlikely	Moderate	Low	YES	Division Supervisors
Transportation - Ground	Slips/Trips/Falls - Steep Terrain, Unstable Surface	Possible	Moderate	Moderate	Communicate hazards while hiking, watch footing while on steeper ground, minimize working above others while on slopes. Several areas on this fire have large sink holes due to volcanic lands.	Unlikely	Moderate	Low	YES	Single Resource Bosses
Point Protection / Structure Protection / Ladders	Above Ground Level Fall	Unlikely	Critical	Moderate	to volcanic lands. Choose the right bidder for the job. Visual inspection of all ladder steps, ladder legs, and ladder cross supports. Set up ladder, check for stability and testing for performance. Maintain three points of contact, Secure the ladder, álwass face the ladder.	Unlikely	Moderate	Low	YES	Single Resource Bosses