



Repair Point Status Report  
McFarland Fire

08/30/2021

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
31796	Dip Site	Bridge Dip	Bridge Dip	40° 23.317' N	123° 03.791' W	Repair Needed		Not Cleared
31797	Dip Site	Platina Dip	Platina Dip	40° 22.506' N	122° 53.519' W	Repair Needed		Not Cleared
31798	Drop Point	1	Drop Point 1	40° 22.965' N	123° 03.039' W	Repair Needed		Not Cleared
31800	Helispot	5	ICP HELISPOT	40° 19.072' N	122° 47.980' W	Repair Needed		Not Cleared
31801	Bridge	Bridge Out	Bridge Out	40° 21.661' N	123° 05.371' W	Repair Needed		Not Cleared
31802	Drop Point	40	Drop Point 40	40° 23.742' N	123° 06.064' W	Repair Needed	Dozer push off road, area mulched. Connects to three towers road	Not Cleared
31803	Drop Point	39	Drop Point 39	40° 24.050' N	123° 08.079' W	Repair Needed		Not Cleared
31804	Value at Risk	Cal Trans Yard	Commercial building. >100' clearance.	40° 21.603' N	122° 53.472' W	Repair Needed		Not Cleared
31805	Value at Risk		1 structure plus 1 outbuilding. No clearance. Just above dry creek bed	40° 21.591' N	122° 53.509' W	Repair Needed		Not Cleared
31806	Value at Risk		1 structure. Minimal clearance	40° 21.591' N	122° 53.521' W	Repair Needed		Not Cleared
31807	Value at Risk	4564	1 structure 2 outbuildings	40° 21.585' N	122° 53.534' W	Repair Needed		Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
31808	Value at Risk	4560	1 structure	40° 21.587' N	122° 53.538' W	Repair Needed		Not Cleared
31809	Value at Risk		1 outbuilding (electrical)	40° 21.589' N	122° 53.562' W	Repair Needed		Not Cleared
31810	Value at Risk		Post office and General Store. 3 buildings total	40° 21.579' N	122° 53.600' W	Repair Needed		Not Cleared
31811	Value at Risk		1 structure 1 outbuilding	40° 21.568' N	122° 53.547' W	Repair Needed		Not Cleared
31812	Value at Risk		1 structure 1 outbuilding	40° 21.565' N	122° 53.539' W	Repair Needed		Not Cleared
31813	Value at Risk		1 structure	40° 21.567' N	122° 53.574' W	Repair Needed		Not Cleared
31814	Value at Risk		1 structure 1 outbuilding	40° 21.532' N	122° 53.885' W	Repair Needed		Not Cleared
31815	Value at Risk		1 out building less than 30' clearance. Grass/ timber	40° 21.792' N	122° 54.875' W	Repair Needed		Not Cleared
31816	Value at Risk		1 outbuilding commercial	40° 21.785' N	122° 54.835' W	Repair Needed		Not Cleared
31817	Value at Risk		4 outbuildings	40° 21.741' N	122° 54.820' W	Repair Needed		Not Cleared
31818	Value at Risk		1 occupied structure 100'+ clearance	40° 21.674' N	122° 54.783' W	Repair Needed		Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
31819	Value at Risk		3 chicken coups	40° 21.621' N	122° 54.797' W	Repair Needed		Not Cleared
31820	Value at Risk		1 outbuilding	40° 21.600' N	122° 54.757' W	Repair Needed		Not Cleared
31821	Value at Risk	2490	Occupied structure	40° 21.505' N	122° 54.940' W	Repair Needed		Not Cleared
31822	Bridge		Old Steele bridge	40° 21.446' N	122° 54.947' W	Unknown		Not Cleared
31823	Value at Risk		1 structure. Be advised if entering. Owner very upset and yelling	40° 21.415' N	122° 55.041' W	Repair Needed		Not Cleared
31824	Value at Risk		4 outbuildings	40° 22.986' N	123° 01.433' W	Repair Needed		Not Cleared
31825	Value at Risk		8 outbuildings 1 occupied structure	40° 22.948' N	123° 01.392' W	Repair Needed		Not Cleared
31826	Value at Risk		3 structures	40° 22.986' N	123° 01.539' W	Repair Needed		Not Cleared
31827	Value at Risk		1 structure	40° 23.055' N	123° 01.891' W	Repair Needed		Not Cleared
31828	Value at Risk	531	1 structure 1 outbuilding	40° 23.050' N	123° 01.929' W	Repair Needed		Not Cleared
31829	Value at Risk	551		40° 23.054' N	123° 01.953' W	Repair Needed		Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
31830	Value at Risk		1 structure	40° 23.023' N	123° 02.059' W	Repair Needed		Not Cleared
31831	Value at Risk	681	1 structure	40° 23.085' N	123° 02.087' W	Repair Needed		Not Cleared
31832	Value at Risk	770	1 structure	40° 23.163' N	123° 02.161' W	Repair Needed		Not Cleared
31833	Value at Risk	861	1 structure 2 outbuildings	40° 23.098' N	123° 02.221' W	Repair Needed		Not Cleared
31834	Value at Risk	940	1 structure	40° 23.150' N	123° 02.324' W	Repair Needed		Not Cleared
31835	Value at Risk	1041	1 structure	40° 23.112' N	123° 02.423' W	Repair Needed		Not Cleared
31836	Value at Risk		1 outbuilding	40° 23.268' N	123° 02.644' W	Repair Needed		Not Cleared
31837	Value at Risk		1 structure	40° 23.449' N	123° 02.849' W	Repair Needed		Not Cleared
31838	Value at Risk		1 structure	40° 23.833' N	123° 02.988' W	Repair Needed		Not Cleared
31839	Value at Risk	2481	1 structure	40° 23.903' N	123° 03.430' W	Repair Needed		Not Cleared
31840	Value at Risk		7 structures	40° 24.016' N	123° 03.377' W	Repair Needed		Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
31841	Value at Risk		1 outbuilding	40° 24.053' N	123° 03.456' W	Repair Needed		Not Cleared
31842	Value at Risk		1 outbuilding	40° 24.032' N	123° 03.587' W	Repair Needed		Not Cleared
31843	Value at Risk		1 outbuilding	40° 24.024' N	123° 03.568' W	Repair Needed		Not Cleared
31844	Value at Risk		1 structure, 1 gas pump, 1 propane tank	40° 24.076' N	123° 03.554' W	Repair Needed		Not Cleared
31845	Value at Risk		4 outbuildings, 1 structure	40° 24.132' N	123° 03.580' W	Repair Needed		Not Cleared
31846	Value at Risk	3041	1 structure	40° 24.263' N	123° 03.666' W	Repair Needed		Not Cleared
31847	Value at Risk		1 structure	40° 24.217' N	123° 03.640' W	Repair Needed		Not Cleared
31848	Value at Risk		4 structures	40° 24.185' N	123° 03.653' W	Repair Needed		Not Cleared
31849	Value at Risk	3070	1 structure 1 outbuilding	40° 24.302' N	123° 03.617' W	Repair Needed		Not Cleared
31850	Value at Risk		4 structures, 3 outbuildings	40° 24.343' N	123° 03.651' W	Repair Needed		Not Cleared
31851	Value at Risk		2 structures, 1 outbuilding	40° 24.370' N	123° 03.659' W	Repair Needed		Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
31852	Value at Risk	3170	1 structure	40° 24.375' N	123° 03.648' W	Repair Needed		Not Cleared
31853	Value at Risk	3381	1 structure	40° 24.427' N	123° 03.675' W	Repair Needed		Not Cleared
31854	Value at Risk	3620	1 structure, 5 outbuildings	40° 24.742' N	123° 03.612' W	Repair Needed		Not Cleared
31855	Value at Risk		2 structures, 2 outbuildings	40° 24.801' N	123° 03.607' W	Repair Needed		Not Cleared
31856	Value at Risk		1 structure	40° 24.819' N	123° 03.627' W	Repair Needed		Not Cleared
31857	Value at Risk	3751	1 structure	40° 24.872' N	123° 03.607' W	Repair Needed		Not Cleared
31858	Value at Risk		2 outbuildings, 1 structure	40° 24.900' N	123° 03.501' W	Repair Needed		Not Cleared
31859	Value at Risk		2 outbuildings	40° 24.904' N	123° 03.536' W	Repair Needed		Not Cleared
31860	Value at Risk	3841	1 structure, 1 outbuilding	40° 24.923' N	123° 03.524' W	Repair Needed		Not Cleared
31861	Value at Risk		1 structure	40° 25.058' N	123° 03.395' W	Repair Needed		Not Cleared
31862	Value at Risk	40500	1 structure	40° 22.847' N	123° 01.639' W	Repair Needed		Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
31863	Value at Risk		1 structure	40° 22.756' N	123° 01.891' W	Repair Needed		Not Cleared
31864	Value at Risk		1 structure	40° 22.811' N	123° 02.046' W	Repair Needed		Not Cleared
31865	Value at Risk		4 outbuildings, 1 structure	40° 23.329' N	123° 03.521' W	Repair Needed		Not Cleared
31866	Value at Risk		1 structure, 5 outbuildings	40° 25.205' N	123° 12.938' W	Repair Needed		Not Cleared
31867	Value at Risk		1 structure	40° 25.164' N	123° 12.910' W	Repair Needed		Not Cleared
31868	Value at Risk		1 structure	40° 25.189' N	123° 12.856' W	Repair Needed		Not Cleared
31869	Value at Risk		1 structure	40° 25.149' N	123° 12.762' W	Repair Needed		Not Cleared
31870	Value at Risk			40° 25.052' N	123° 12.649' W	Repair Needed	3 outbuildings, 1 structure	Not Cleared
31871	Value at Risk		1 structure	40° 24.998' N	123° 12.664' W	Repair Needed		Not Cleared
31872	Value at Risk		1 structure	40° 25.024' N	123° 12.617' W	Repair Needed		Not Cleared
31873	Value at Risk		1 structure	40° 24.860' N	123° 12.664' W	Repair Needed		Not Cleared



<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
31874	Value at Risk		1 structure	40° 24.839' N	123° 12.612' W	Repair Needed		Not Cleared
31875	Value at Risk		1 structure	40° 24.815' N	123° 12.679' W	Repair Needed		Not Cleared
31876	Value at Risk		1 structure	40° 24.716' N	123° 12.649' W	Repair Needed		Not Cleared
31877	Value at Risk		5 outbuildings, 1 structure	40° 24.793' N	123° 12.500' W	Repair Needed		Not Cleared
31878	Value at Risk		1 structure	40° 24.743' N	123° 12.533' W	Repair Needed		Not Cleared
31879	Value at Risk		15 outbuildings, 9 structures	40° 24.323' N	123° 12.294' W	Repair Needed		Not Cleared
31880	Value at Risk		Harrison gulch cemetary	40° 21.967' N	122° 58.279' W	Repair Needed		Not Cleared
31881	Value at Risk		1 structure 2 outbuildings	40° 21.694' N	122° 58.084' W	Repair Needed		Not Cleared
31882	Value at Risk	209	1 structure locked gate	40° 21.520' N	122° 57.849' W	Repair Needed		Not Cleared
31883	Value at Risk	2400	1 structure	40° 21.410' N	122° 57.851' W	Repair Needed		Not Cleared
31884	Value at Risk	2450	1 structure	40° 21.415' N	122° 57.776' W	Repair Needed		Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
31885	Value at Risk		1 outbuilding	40° 21.284' N	122° 57.757' W	Repair Needed		Not Cleared
31886	Value at Risk		1 structure	40° 21.597' N	122° 59.161' W	Repair Needed		Not Cleared
31887	Value at Risk		2 structures	40° 21.276' N	122° 59.874' W	Repair Needed		Not Cleared
31888	Value at Risk		1 structure, 1 outbuilding	40° 22.229' N	122° 59.268' W	Repair Needed		Not Cleared
31889	Value at Risk		1 structure	40° 22.269' N	122° 59.321' W	Repair Needed		Not Cleared
31890	Value at Risk		1 structure	40° 22.293' N	122° 59.274' W	Repair Needed		Not Cleared
31891	Value at Risk		1 structure, 1 outbuilding	40° 22.538' N	122° 59.716' W	Repair Needed		Not Cleared
31892	Value at Risk		Road ends. Private through. 2 structures	40° 22.583' N	122° 59.890' W	Repair Needed		Not Cleared
31893	Resource Location		Progeny site (forest resource area)	40° 21.722' N	122° 59.063' W	Repair Needed		Not Cleared
31894	Value at Risk	40940	1 structure	40° 22.903' N	123° 01.258' W	Repair Needed		Not Cleared
31895	Value at Risk		1 structure, 3 outbuildings	40° 22.308' N	123° 01.631' W	Repair Needed		Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
31896	Drop Point	4	Drop Point 4	40° 22.065' N	123° 01.410' W	Repair Needed		Not Cleared
31898	Drop Point	38	Drop Point 38	40° 24.401' N	123° 11.316' W	Repair Needed		Not Cleared
31899	Drop Point	25	Drop Point 25	40° 17.559' N	123° 04.481' W	Repair Needed		Not Cleared
31900	Drop Point	15	Drop Point 15- use updated point locstion at intersection of 10 road and 64 road	40° 17.464' N	123° 01.252' W	Repair Needed		Not Cleared
31901	Drop Point	20	Drop Point 20	40° 18.460' N	123° 02.304' W	Repair Needed	No new disturbance TS 8/14	Not Cleared
31902	Drop Point	10	Drop Point 10	40° 20.095' N	123° 00.593' W	Repair Needed		Not Cleared
31907	Drop Point	27	Drop Point 27	40° 19.719' N	122° 50.536' W	Repair Needed		Not Cleared
31908	Drop Point	29	Drop Point 29	40° 19.142' N	122° 53.056' W	Repair Needed		Not Cleared
31909	Drop Point	31	Drop Point 31	40° 16.832' N	122° 52.820' W	Repair Needed		Not Cleared
31910	Drop Point	33	Drop Point 33	40° 14.491' N	122° 54.054' W	Repair Needed		Not Cleared
31911	Drop Point	35	Drop Point 35	40° 12.130' N	122° 55.800' W	Repair Needed		Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
31912	Drop Point	37	Drop Point 37	40° 13.785' N	122° 58.497' W	Repair Needed		Not Cleared
31913	Water Source			40° 13.903' N	122° 55.824' W	Repair Needed		Not Cleared
31914	Water Source		Site check, all equipment pulled - REAF Spooner 08/28	40° 14.151' N	122° 56.908' W	Completed - Inspected		Not Cleared
31915	Value at Risk		1 structure	40° 20.910' N	122° 53.933' W	Repair Needed		Not Cleared
31916	Value at Risk		Herman monestery	40° 20.769' N	122° 54.005' W	Repair Needed		Not Cleared
31917	Value at Risk		6 structures	40° 20.765' N	122° 54.055' W	Repair Needed		Not Cleared
31918	Value at Risk		1 structure	40° 18.910' N	122° 52.819' W	Repair Needed		Not Cleared
31919	Value at Risk		1 structure. 30' clearance. 1 propane tank. Metal roof, wooden wood walls. Located mid slope. Tight canopy	40° 13.895' N	122° 56.738' W	Repair Needed		Not Cleared
31920	Repair Point		Dozer created pullout. Berms 1-2 feet, some fuels accumulation	40° 19.622' N	122° 55.115' W	Repair Needed		Not Cleared
31921	Dozer Push		50x 100 feet. Berms 1-3 feet	40° 19.442' N	122° 55.188' W	Repair Needed		Not Cleared
31922	Dozer Push		Small dozer push 2 blades wideBerms 1-2 feet	40° 19.399' N	122° 55.296' W	Repair Needed		Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
31923	Dozer Push		Berms 1-3 feet	40° 19.344' N	122° 55.343' W	Repair Needed		Not Cleared
31924	Dozer Push		Dozer push both sides of road. Berms 1-3 feet	40° 19.085' N	122° 55.435' W	Repair Needed		Not Cleared
31925	Dozer Push		dozer push, berms 2-3 feet, possible old tank trap	40° 18.979' N	122° 55.552' W	Repair Needed	Berms need knocked down and area should be brushed over	Not Cleared
31926	Drop Point	50	Drop Point 50	40° 21.396' N	123° 09.745' W	Repair Needed		Cleared for Repair
31928	Drop Point	12	Drop Point 12	40° 14.548' N	122° 58.393' W	Repair Needed		Not Cleared
31929	Drop Point	14	Drop Point 14	40° 17.403' N	122° 59.271' W	Repair Needed		Not Cleared
31930	Helispot	1	Helispot 1	40° 14.958' N	122° 57.581' W	Repair Needed		Not Cleared
31931	Dip Site	Black Rock Dip		40° 12.740' N	123° 00.250' W	Repair Needed		Not Cleared
31932	Other		Cows; at least 10 head. Commercial group, one black brockle faced cow belled	40° 15.259' N	123° 01.447' W	Other - See Comments		Not Cleared
31933	Structure Wrap		Wrapped cabin structure (white rock guard station). Sprinkler kit set up, also. Watered by a mark 3 downhill. MJP	40° 15.164' N	123° 01.381' W	Completed - Inspected	Wrap completed READ D. Plummer 08/09 Wrap removed and staples removed. Possible damage to wood trim due to	Not Cleared
31934	Road Repair		Decommissioned road; repair NOT NEEDED	40° 21.887' N	123° 05.287' W	No Repair Needed		Not Cleared

OBJECTID	FC Point Type	Label	Comments	Latitude	Longitude	Repair Status	Repair Comments	ARCH Clearance
31935	Dozer Push			40° 22.908' N	123° 03.077' W	Repair Needed	100x30 ft staging area and water access point. Compacted soils. Drains directly to stream.	Not Cleared
31936	Water Development or Draft Site		Drafting location. Two temporary dams made with tarps and logs.	40° 22.925' N	123° 03.080' W	Repair Needed		Not Cleared
31937	Dozer Push		30x30 ft at line intersection	40° 22.830' N	123° 03.533' W	Repair Needed		Not Cleared
31938	Repair Point			40° 20.093' N	123° 00.624' W	Repair Needed	6-7 blades of push right off main stage area. Some scattered shrubbery. READ D. Plummer 08/10	Not Cleared
31939	Hazard Tree		20" oak tree blocking road. Needs bucked and scattered	40° 20.000' N	123° 00.693' W	Repair Needed	Tree was bucked and removed from roadway	Not Cleared
31940	Staging Area		Newly opened staging area off hwy36	40° 23.734' N	123° 07.404' W	Repair Needed		Not Cleared
31941	Water Source		North of hwy 36, 2pumps, 4 fold tanks, 3 pumpkins 2 fish screens installed on 8/10. CESO3 LALA4 on property by	40° 23.480' N	123° 03.620' W	Repair Needed		Not Cleared
31942	Dip Site	Fork Dip		40° 14.744' N	123° 07.694' W	Repair Needed		Not Cleared
31943	Dozer Push		80 by 30 feet. Berms to 4 feet, fuels accumulation. Partially enters creek bed	40° 20.261' N	123° 01.192' W	Repair Needed	Excavator	Not Cleared
31944	Dozer Push		30 by 100 feet, berms 3 feet. Fuels accumulation.	40° 20.688' N	123° 00.641' W	Repair Needed	Excavator pull berms back, scatter downed trees	Not Cleared
31945	Repair Point		Significant Stump hole on edge of road. Hazard	40° 20.218' N	123° 01.123' W	Repair Needed		Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
31946	Hazard Tree		12" hanging over road	40° 20.725' N	123° 00.677' W	Repair Needed		Not Cleared
31947	Hazard Tree		20" tree blocking roadway, needs bucked up and removal.	40° 19.894' N	123° 00.793' W	Repair Needed	Tree bucked and removed from roadway. REAF D. Plummer 08/11	Not Cleared
31948	Culvert		Culvert knocked out of placement, sitting displaced on the road berm. REAF D. Plummer	40° 19.909' N	123° 00.904' W	Repair Needed		Not Cleared
31949	Hazard Tree		Tree needs bucked up and removed	40° 19.874' N	123° 00.917' W	Repair Needed	Tree bucked and removed from roadway	Not Cleared
31950	Hazard Tree		Hazard trees in campground (stovepipe). Large tree downed in road before campground	40° 19.903' N	123° 01.068' W	Repair Needed	30" tree down across Beegum creek right before campground	Not Cleared
31951	Hazard Tree		Hazard tree leaning across road before N Beegum creek campground	40° 19.896' N	123° 01.010' W	Repair Needed		Not Cleared
31952	Other		Hose lay placed alongside road	40° 20.705' N	123° 00.398' W	Other - See Comments		Not Cleared
31953	Staging Area		Stage area with a lot of surrounding dozer push. Will need repair.	40° 19.816' N	123° 01.060' W	Repair Needed		Not Cleared
31954	Helispot	2	Helispot 2	40° 15.330' N	123° 02.678' W	Repair Needed		Not Cleared
31955	Dip Site	Swim Dip		40° 17.473' N	122° 55.537' W	Repair Needed		Not Cleared
31956	Structure Wrap			40° 17.774' N	122° 52.112' W	Completed - Ready for Inspection		Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
31957	Culvert		Drainage weir smashed in dirt berm by road grader. Will need to be replaced.	40° 22.142' N	123° 01.363' W	Repair Needed		Cleared for Repair
31958	Dozer Push			40° 22.344' N	123° 01.000' W	Repair Needed	20ft single blade push	Cleared for Repair
31959	Structure Wrap		McFarland communications tower	40° 22.373' N	123° 00.976' W	Repair Needed	Remove wrap and staples.	Cleared for Repair
31960	Dozer Push		100ft roadside length widened to ~20ft	40° 22.008' N	123° 01.626' W	Repair Needed		Cleared for Repair
31961	Dozer Push			40° 21.895' N	123° 01.753' W	Repair Needed	100x40ft roadside dozer push	Cleared for Repair
31962	Other		Hose lay	40° 21.880' N	123° 01.752' W	Other - See Comments		Not Cleared
31963	Dozer Push			40° 21.851' N	123° 01.990' W	Repair Needed		Cleared for Repair
31964	Dozer Push		Dozerline to north hose leads north from road	40° 20.157' N	123° 03.997' W	Repair Needed		Cleared for Repair
31965	Hazard Tree		Large tree down (30") in Old Cold Creek rd. REAF D. Plummer 8/12/21	40° 23.300' N	123° 04.547' W	Repair Needed		Not Cleared
31966	Other		Hoses on the slope	40° 23.301' N	123° 06.633' W	Other - See Comments		Not Cleared
31967	Hazard Tree		40" tree downed in road, was on fire as of 08/12. Impassible road.	40° 21.118' N	123° 02.665' W	Repair Needed		Not Cleared



<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
31968	Other		Road blocked with red/white taping.	40° 21.543' N	123° 02.881' W	Other - See Comments		Not Cleared
31969	Hazard Tree		Tree down in road 41, headed East off main split	40° 20.926' N	123° 02.593' W	Repair Needed	30" tree	Not Cleared
31970	Repair Point		Dozer line upslope	40° 20.982' N	123° 02.977' W	Repair Needed		Not Cleared
31971	Hazard Tree		Tree down in McFarland ridge road, slash on both sides.	40° 20.942' N	123° 03.031' W	Repair Needed		Not Cleared
31972	Structure Wrap		Pack station 10' x 10'. Wrapped wooden eaves and sealed holes in metal roof and siding. Scraped vegetation around	40° 13.824' N	122° 58.745' W	Completed - Inspected	Remove tape and wrap. Repair completed and inspected - REAF Spooner 08/28	Not Cleared
31973	Stream Crossing			40° 21.004' N	122° 59.547' W	Repair Needed		Not Cleared
31974	Stream Crossing			40° 21.109' N	122° 59.697' W	Repair Needed		Not Cleared
31975	Dozer Push			40° 21.268' N	122° 59.868' W	Repair Needed		Not Cleared
31976	Repair Point		A couple isolated dozer pushes, nothing of significant length (20 feet maybe), repair not necessarily needed.	40° 21.961' N	123° 02.991' W	Repair Needed		Not Cleared
31977	Other		Old barrel, possibly arch??	40° 21.801' N	123° 02.897' W	Other - See Comments		Not Cleared
31978	Repair Point		2 short dozer pushes, but a lot of fuels accumulation and tall berms (1-3 feet). READ D. Plummer 08/13	40° 21.789' N	123° 02.890' W	Repair Needed	Repair may not be needed, not a high-use road	Not Cleared

OBJECTID	FC Point Type	Label	Comments	Latitude	Longitude	Repair Status	Repair Comments	ARCH Clearance
31979	Hazard Tree		Large stovepipe tree	40° 22.188' N	123° 02.430' W	Repair Needed		Not Cleared
31980	Road Repair		Big fallout hole in the middle of the road. READ D. Plummer	40° 22.342' N	123° 02.620' W	Repair Needed		Not Cleared
31981	Dozer Push		Small dozer push. 30x30'. MJP	40° 23.314' N	123° 09.253' W	Repair Needed	Pull berm	Cleared for Repair
31982	Culvert		Culvert smashed by ~30" tree	40° 21.285' N	123° 03.481' W	Repair Needed		Not Cleared
31983	Dozer Push		100x 40 ft. Berms 2 feet, some fuels accumulation. Tfelbeck	40° 21.400' N	123° 02.484' W	Repair Needed		Not Cleared
31984	Dozer Push		20 x 50 ft. 4 ft berms need pulled back	40° 21.523' N	123° 02.448' W	Repair Needed	Excavator	Not Cleared
31985	Dozer Push		Dozer push for DP40	40° 23.716' N	123° 06.120' W	Repair Needed	Invasive species probable	Cleared for Repair
31986	Dozer Push		High priority for repair when possible	40° 23.727' N	123° 07.431' W	Repair Needed	1/4 acre dozed area , newly opened. Adjacent to hwy 36 and connects to dozer line into dubakella. Potential seed and mulch area. Probable area for	Cleared for Repair
31987	Dozer Push			40° 24.075' N	123° 08.064' W	Repair Needed	20x30ft area, potential for seed and mulch. Lots of trash left on drop point.	Cleared for Repair
31988	Dozer Push			40° 24.658' N	123° 07.404' W	Repair Needed	Standard repair. Vegetation coverage and drainage	Not Cleared
31989	Dozer Push			40° 22.914' N	123° 09.636' W	Repair Needed	Dozer line from August fire crosses road here. Large open area crossed many times by dozers. Will need vegetation cover.	Not Cleared

OBJECTID	FC Point Type	Label	Comments	Latitude	Longitude	Repair Status	Repair Comments	ARCH Clearance
31990	Dozer Push			40° 22.060' N	123° 09.576' W	Repair Needed	Large ~1/2 acre dozer push/ intersection of road and dozer line. Heavy fuels in large dirt berms around perimeter.	Not Cleared
31991	Road Repair		Damaged culvert in road, getting worse. Is from this incident activity on the 45 road	40° 19.258' N	122° 52.897' W	Repair Needed	Part off of road damage from before incident traffic, in road damage from incident	Not Cleared
31992	Staging Area			40° 18.619' N	123° 01.672' W	Repair Needed	1/2 acre open area, half new dozer push. Potential seed and mulch area.	Cleared for Repair
31993	Other		Cat face tree burning likely to block road	40° 18.669' N	123° 02.016' W	Other - See Comments		Not Cleared
31994	Dozer Push		3 blades wide, berms to 3 feet. Needs berms pulled in and earthen barrier constructed to prevent ohv use (tfelbeck)	40° 18.135' N	123° 04.402' W	Repair Needed		Not Cleared
31995	Road Repair		Large 4x4' stump hole in road (tfelbeck)	40° 19.133' N	123° 06.765' W	Repair Needed		Not Cleared
31996	Water Source		Running stream. To utilize, road segment needs to be bladed and install gravity feed to fill pumpkin. 081421	40° 12.110' N	122° 56.144' W	Repair Needed		Not Cleared
31997	Road Repair		Suppression temp repair of washout. Needs removed after incident. MJP	40° 11.906' N	122° 57.058' W	Repair Needed		Cleared for Repair
31998	Drop Point	30		40° 17.485' N	122° 52.438' W	Repair Needed		Not Cleared
31999	Other		Rust (disease) resistant sugar pine still alive	40° 21.772' N	122° 58.943' W	Other - See Comments		Not Cleared
32000	Stream Crossing		Road as completed line goes through drainage. REAF Klotz	40° 22.792' N	123° 07.711' W	Repair Needed	Pull push out of stream.	Not Cleared

OBJECTID	FC Point Type	Label	Comments	Latitude	Longitude	Repair Status	Repair Comments	ARCH Clearance
32001	Other		Hose Lays still on ground. REAF Klotz	40° 22.845' N	123° 07.804' W	Other - See Comments	Pick up hose Lays	Not Cleared
32002	Dozer Push		20x40'	40° 20.448' N	123° 04.113' W	Repair Needed	Pull back berms	Not Cleared
32003	Safety Zone		Large clearing- 100x 75ft. Needs berms pulled back in. Very rocky (tfelbeck)	40° 18.479' N	123° 03.236' W	Repair Needed	Excavator	Not Cleared
32004	Dozer Push		Berms to 3 feet, very rocky	40° 15.848' N	123° 02.596' W	Repair Needed		Not Cleared
32005	Repair Point		Larges dozer push out	40° 22.648' N	123° 08.882' W	Repair Needed		Not Cleared
32006	Repair Point		Large area pushed out by dozer, pumpkin & fold tank with plumbing here; Tank and hose removed. MJP	40° 22.737' N	123° 08.768' W	Repair Needed		Cleared for Repair
32007	Water Development or Draft Site		Mark 3 and developed pool provide water to a pumpkin. Fish screens placed 081521. MJP	40° 11.979' N	122° 57.420' W	Repair Needed	Will need pool development removed. MJP	Cleared for Repair
32008	Drop Point	26		40° 18.637' N	123° 06.233' W	Repair Needed		Not Cleared
32009	Drop Point	24		40° 15.868' N	123° 02.670' W	Repair Needed		Not Cleared
32010	Road Repair		Fallout in middle of road, currently impassible. READ D. Plummer 08/15	40° 20.191' N	123° 04.104' W	Repair Needed		Not Cleared
32011	Dozer Push			40° 19.210' N	123° 00.536' W	Repair Needed	New push on roadside. Potential start of new line up to top of hill needs to be mapped.	Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
32012	Repair Point		Mess of dozer line below road - needs to be mapped	40° 18.626' N	123° 01.743' W	Repair Needed		Not Cleared
32019	Water Development or Draft Site		Developed pooled stream for drafting. Mark 3 and pumpkin set up. MJP	40° 15.066' N	123° 01.463' W	Repair Needed		Cleared for Repair
32020	Other		Unused hose and two gated Ys	40° 23.658' N	123° 07.501' W	Other - See Comments		Not Cleared
32021	Dozer Push			40° 23.568' N	123° 07.825' W	Repair Needed	5 to 6 blade wide those are push, soft dirt and some heavy fuels in berm.	Not Cleared
32022	Dozer Push			40° 23.545' N	123° 07.867' W	Repair Needed	Standard repair. Heavy fuels in dirt berm.	Not Cleared
32023	Repair Point		Duplicate points here	40° 23.499' N	123° 07.982' W	Repair Needed	Extremely important to block dozer line access from this road.	Not Cleared
32024	Dozer Push			40° 23.519' N	123° 07.992' W	Repair Needed		Not Cleared
32025	Road Repair			40° 23.514' N	123° 07.984' W	Repair Needed	Does a line crosses Road, several heavy feels piled up, hose lay buried under Road creating ditch	Not Cleared
32026	Dozer Push			40° 23.598' N	123° 08.259' W	Repair Needed	Dozer push at intersection of road and dozer line. Cover with vegetation vegetation. Block driving/Ohv access from road into dozer line.	Not Cleared
32027	Dozer Push			40° 23.581' N	123° 08.240' W	Repair Needed		Not Cleared
32028	Clean Up Area		Collapsed pumpkin, porta tank, hose lay, butterflyed hose, y valves, and boxes left to pick up. MJP	40° 23.582' N	123° 08.266' W	Repair Needed	Backhaul needed.	Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
32029	Dozer Push		70x 30', berms to 3 ft. Fuels accumulation	40° 21.413' N	122° 52.565' W	Repair Needed		Not Cleared
32030	Staging Area		From Owen	40° 18.129' N	122° 42.900' W	Repair Needed		Not Cleared
32031	Drop Point	32		40° 21.562' N	122° 53.630' W	Repair Needed		Not Cleared
32033	Clean Up Area		Hose running up to a small spot fire to the NE. MJP	40° 21.973' N	123° 09.655' W	Repair Needed	Pull hose	Cleared for Repair
32034	Clean Up Area		One stick of hose on side of Dozerline	40° 22.105' N	123° 09.464' W	Repair Needed	Backhaul needed	Cleared for Repair
32035	Clean Up Area		Hose needs back hauled	40° 22.140' N	123° 09.324' W	Repair Needed		Cleared for Repair
32036	Dozer Push		4 ft berms need pulled back. (Tfelbeck)	40° 15.265' N	123° 00.970' W	Repair Needed		Not Cleared
32037	Dozer Push		50x 30 ft. 1 ft berms and fuels accumulation. Needs berms pulled back, surface contoured, and fuels scattered	40° 15.163' N	123° 00.802' W	Repair Needed	Excavator	Not Cleared
32038	Resource Location		Remnants of Dubakella Lookout. MJP	40° 23.036' N	123° 08.781' W	Repair Needed	Avoid during repair of the line	
32039	Other		Roadside salvage potential. REAF Klotz	40° 22.910' N	123° 04.267' W	Other - See Comments		Not Cleared
32040	Dip Site	Yosh Dip		40° 19.835' N	122° 50.865' W	Repair Needed		Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
32041	Dip Site	Cabin Dip		40° 13.957' N	122° 42.640' W	Repair Needed		Not Cleared
32042	Dip Site	Cow Dip		40° 10.684' N	122° 36.205' W	Repair Needed		Not Cleared
32043	Dip Site	Shed Dip		40° 11.291' N	122° 46.881' W	Repair Needed		Not Cleared
32044	Structure Wrap		Lookout. Need several ladders- challenging access	40° 23.984' N	122° 57.381' W	Repair Needed		Not Cleared
32045	Drop Point	60		40° 08.410' N	122° 49.784' W	Repair Needed		Not Cleared
32046	Drop Point	28		40° 10.153' N	122° 47.292' W	Repair Needed		Not Cleared
32047	Fence - Cut/ Damaged		CalFire Dawn 8/21	40° 18.823' N	122° 48.648' W	Repair Needed	Fence Repair- 50' One T Post Needed- 3 Stran	
32048	Repair Point		CalFire Dawn 8/21	40° 18.767' N	122° 48.593' W	Repair Needed	Ball Rd Repair 1-pull Back Fill Straw Mulch Approaches	
32049	Repair Point		CalFire Dawn 8/21	40° 18.734' N	122° 48.573' W	Repair Needed	Excavator Start- Pull Veg	
32050	Dozer Push		CalFire Dawn 8/21	40° 17.346' N	122° 48.354' W	Repair Needed	Dozer East Side Likely Needs Waterbared	
32051	Repair Point		CalFire Dawn 8/21	40° 17.442' N	122° 42.805' W	Repair Needed	Grader Remove Minor Berm @wcxing	

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
32052	Fence - Cut/ Damaged		CalFire Dawn 8/21	40° 16.478' N	122° 42.529' W	Repair Needed	Fence Repair Just Close Both Sections	
32053	Repair Point		CalFire Dawn 8/21	40° 16.467' N	122° 42.532' W	Repair Needed	Clean Out Wcxing	
32054	Repair Point		CalFire Dawn 8/21	40° 16.448' N	122° 42.537' W	Repair Needed	Clean Out Wcxing	
32055	Culvert		CalFire Dawn 8/21	40° 16.393' N	122° 42.539' W	Repair Needed	Clean Out Wcxing- Culvert 1/2 Filled- Existing	
32056	Repair Point		CalFire Dawn 8/21	40° 16.393' N	122° 42.538' W	Repair Needed	Clean Out Wcxing	
32057	Fence - Cut/ Damaged		CalFire Rueger 8/21	40° 18.834' N	122° 49.699' W	Repair Needed	Fence	
32058	Fence - Cut/ Damaged		CalFire Rueger 8/21	40° 16.837' N	122° 48.519' W	Repair Needed	Fence	
32059	Fence - Cut/ Damaged		CalFire Rueger 8/21	40° 16.691' N	122° 48.394' W	Repair Needed	Fence	
32060	Fence - Cut/ Damaged		CalFire Rueger 8/21	40° 17.129' N	122° 48.263' W	Repair Needed	Fence	
32061	Fence - Cut/ Damaged		CalFire Rueger 8/21	40° 17.984' N	122° 49.013' W	Repair Needed	Fence	
32062	Fence - Cut/ Damaged		CalFire Rueger 8/21	40° 18.694' N	122° 49.569' W	Repair Needed	Fence	



<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
32063	Fence - Cut/ Damaged		CalFire Rueger 8/21	40° 18.905' N	122° 49.274' W	Repair Needed	Fence	
32064	Fence - Cut/ Damaged		CalFire Rueger 8/21	40° 17.413' N	122° 48.780' W	Repair Needed	Gate Repair	
32065	Culvert		CalFire Rueger 8/21	40° 17.245' N	122° 48.778' W	Repair Needed	culvert repair	
32066	Road Repair		CalFire Rueger 8/21	40° 16.891' N	122° 48.571' W	Repair Needed	Road Work	
32067	Repair Point		CalFire Rueger 8/21	40° 18.760' N	122° 48.587' W	Repair Needed	Water Crossing	
32068	Repair Point		CalFire Rueger 8/21	40° 17.313' N	122° 48.763' W	Repair Needed	Water Crossing	
32069	Repair Point		CalFire Rueger 8/21	40° 17.800' N	122° 48.861' W	Repair Needed	Water Crossing	
32070	Repair Point		CalFire Rueger 8/21	40° 18.765' N	122° 48.916' W	Repair Needed	Water Crossing	
32071	Repair Point		CalFire Rueger 8/21	40° 18.718' N	122° 48.936' W	Repair Needed	Water Crossing	
32072	Repair Point		CalFire Rueger 8/21	40° 16.802' N	122° 48.226' W	Repair Needed	Water Crossing	
32073	Water Source		Ops Meeting 8/21	40° 09.540' N	122° 46.618' W	Repair Needed		Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
32074	Water Source		Ops Meeting 8/21	40° 09.611' N	122° 46.771' W	Repair Needed		Not Cleared
32075	Water Source		Wildlife pond on USFS. Recharges overnight. Resource protection area around pond. No ground disturbance allowed.	40° 07.728' N	122° 48.934' W	Repair Needed		Cleared for Operations
32076	Dozer Push			40° 09.587' N	122° 51.240' W	Completed - Ready for Inspection	Dozer line 3 to 4 width wide, ( in old august complex dozer line) it already has water bars. Their is minimal brush or trees to be pulled in. Up to	Not Cleared
32077	Staging Area		Dawn Calfire 8/22	40° 10.166' N	122° 47.202' W	Repair Needed		
32078	Helispot	11		40° 18.210' N	122° 48.460' W	Repair Needed		Not Cleared
32079	Fence - Cut/Damaged		Reuger 8/22	40° 12.168' N	122° 42.430' W	Repair Needed		
32080	Fence - Cut/Damaged		Reuger 8/22	40° 19.101' N	122° 49.070' W	Repair Needed		
32081	Fence - Cut/Damaged		Reuger 8/22	40° 18.823' N	122° 48.851' W	Repair Needed		
32082	Fence - Cut/Damaged		Reuger 8/22	40° 18.822' N	122° 48.913' W	Repair Needed		
32083	Fence - Cut/Damaged		Reuger 8/22	40° 17.994' N	122° 47.944' W	Repair Needed		
32084	Fence - Cut/Damaged		Reuger 8/22	40° 12.457' N	122° 43.479' W	Repair Needed		

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
32085	Fence - Cut/ Damaged		Reuger 8/22	40° 19.009' N	122° 49.109' W	Repair Needed		
32086	Fence - Cut/ Damaged		Reuger 8/22	40° 19.101' N	122° 49.070' W	Repair Needed		
32087	Fence - Cut/ Damaged		Reuger 8/22	40° 17.993' N	122° 48.120' W	Repair Needed		
32088	Fence - Cut/ Damaged		Reuger 8/22	40° 17.333' N	122° 49.281' W	Repair Needed		
32089	Fence - Cut/ Damaged		Reuger 8/22	40° 12.697' N	122° 43.871' W	Repair Needed		
32093	Repair Point		CalFire Rueger 8/23	40° 18.549' N	122° 48.509' W	Repair Needed	Clean out water crossing	
32094	Repair Point		CalFire Rueger 8/23	40° 12.583' N	122° 41.443' W	Repair Needed	Water Bar Steep Areas	
32095	Repair Point		CalFire Rueger 8/23	40° 16.541' N	122° 42.560' W	Repair Needed	Minor Soil removal at outlet for ford crossing	
32096	Repair Point		CalFire Rueger 8/23	40° 16.808' N	122° 42.632' W	Repair Needed	Remove perched soil above CMP Outlet	
32097	Repair Point		CalFire Rueger 8/23	40° 17.077' N	122° 42.701' W	Repair Needed	Remove Soil At CMPoutlet Minor Amt Soil In WC Xing- Smooth Out	
32098	Repair Point		CalFire Rueger 8/23	40° 16.541' N	122° 42.560' W	Repair Needed	Remove Soil From Xing Above Road- When Done Close Two Cowboy Gates	

OBJECTID	FC Point Type	Label	Comments	Latitude	Longitude	Repair Status	Repair Comments	ARCH Clearance
32099	Repair Point		CalFire Rueger 8/23	40° 16.778' N	122° 42.629' W	Repair Needed	Remove Soil In Xing -outboard Edge	
32100	Other		200-300;ft of broken 1.5 inch hose up road	40° 14.052' N	122° 54.887' W	Unknown	See comments 8/23	Not Cleared
32101	Other		Hose lay unknown length North and South of dozer line. 1.5 ", with wyes	40° 14.457' N	122° 54.072' W	Completed - Inspected		Not Cleared
32102	Repair Point		Portable tank and handline beginning	40° 14.810' N	122° 53.795' W	Unknown	Pick up burned hose and associate debris. Pull rocks across handline and berms south towards dp 33 Type 2 handcrew	Not Cleared
32103	Repair Point		Burned up hose. Unknown length wpaxton REAF div s	40° 15.302' N	122° 54.636' W	Unknown		Not Cleared
32105	Repair Point			40° 17.778' N	122° 46.160' W	Repair Needed	Water Crossing	
32106	Fence - Cut/Damaged			40° 17.990' N	122° 46.460' W	Repair Needed	Fence repair	
32107	Repair Point		Powerline needs replacing from power company. REAF Klotz	40° 23.269' N	123° 04.160' W	Repair Needed		Not Cleared
32108	Dozer Push		This point represents a larger area and should be depicted as a dozer line that appears to been rehabilitated although not	40° 10.841' N	122° 50.594' W	Completed - Ready for Inspection	See comments . Could use seed and mulch on east side of road	Not Cleared
32109	Repair Point		Dp 35 rat rap gap may be difficult to block access. Area is open and would require bringing large boulders to block access	40° 12.121' N	122° 55.776' W	Repair Needed	See above comments	Not Cleared
32110	Resource Location		Sensitive botanical area . Moderate-High severity. Road may be closed due to heavy tree fall 2-5 years	40° 12.784' N	122° 54.397' W	Unknown	Wpaxton reaf	Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
32111	Resource Location		Unclear of dozer line impacts	40° 13.019' N	122° 54.767' W	Repair Needed	Attention to district botanist for evaluation of impacts by suppression and closing of roads and line	Not Cleared
32112	Clean Up Area		Stashed 14 1 1/2 gated wye 7 nozzles 14 1 1/2 -1" reducer and multiple sticks of hose	40° 12.726' N	122° 54.820' W	Repair Needed	8/24 wpaxton	Not Cleared
32113	Other		Turnaround 75x75 ft	40° 12.701' N	122° 55.671' W	Repair Needed	Older- block?	Not Cleared
32114	Culvert		Culvert damage and filled	40° 15.294' N	122° 53.938' W	Repair Needed		Not Cleared
32778	Repair Point		Block dozer line/ tower road access to ohv. Tedoc tower road block	40° 14.878' N	122° 53.524' W	Repair Needed	Tactical Ridgeline needs boulders blocking access from roadbed to dozer line. Photos depict access point from road to dozer. Wpaxton 8/26/21	Not Cleared
32779	Resource Location		Sensitive botanical area. Tedoc sensitive area	40° 14.802' N	122° 53.808' W	Repair Needed	No repair until the southern end near Tedoc gap. 300 ft of dozerline that needs rehabilitation	Not Cleared
32975	Road Repair		roots burning out under road	40° 20.211' N	123° 01.098' W	Repair Needed		Cleared for Repair
32976	Road Repair		roots burning out under road, giant hole	40° 20.228' N	122° 59.779' W	Other - See Comments		Not Cleared
33279	Clean Up Area		Spot fire hose lay	40° 13.997' N	122° 54.664' W	Repair Needed	8/27/2021	Not Cleared
33280	Repair Point		Repair first 200 ft north up dozer line from Tedoc gap towards Tedoc peak.	40° 14.459' N	122° 54.050' W	Repair Needed	After that it becomes handline	Not Cleared
33314	Dozer Push			40° 18.857' N	123° 02.717' W	Repair Needed	pull soil back into line - REAF Spooner	Not Cleared

OBJECTID	FC Point Type	Label	Comments	Latitude	Longitude	Repair Status	Repair Comments	ARCH Clearance
33315	Stream Crossing		dozer line across stream, channel has been moderately filled in with pushed sediment and fallen trees.	40° 20.151' N	123° 00.624' W	Repair Needed	recut bank walls and stream channel and possibly remove down tree. remove excess sediment added from dozer push - REAF Spooner	
33316	Stream Crossing		Dozer line across stream channel. General slope of channel still present, more defined than other dozer line	40° 20.174' N	123° 00.588' W	Other - See Comments	Remove added sediment piled in stream bed, re-slope channel walls and pack down loose dust. - REAF Spooner	Not Cleared
33317	Repair Point		Stump burning out under road - Watch for road undermining. Flagged for mop up	40° 20.702' N	122° 59.380' W	Other - See Comments	fill in hole and compact to stabilize shoulder. inspect for road integrity - Reaf Spooner 08/27	Not Cleared
33318	Repair Point		large 3ft diameter by 2 ft deep burning root system in side of road, address possible road infrastructure issue, slumping of	40° 18.865' N	123° 01.545' W	Repair Needed	. fill in hole and compact ground, stabilize shoulder fill - REAF Spooner 08/27	Not Cleared
33319	Repair Point		Root burn in road bed	40° 18.691' N	123° 01.891' W	Repair Needed	inspect road for possible infrastructure damage. fill in hole and compact ground to stabilize shoulder - Reaf Spooner 08/27	Not Cleared
33320	Repair Point		root burning undermining Road shoulder. large hole 3ft diameter, w approx 2 ft depth in should fill of road, actively	40° 18.700' N	123° 01.919' W	Repair Needed	put out burn, fill hole and compact material. inspect for road integrity - REAF Spooner 08/27	Not Cleared
33321	Retardant in Avoidance Area		Retardant dropped in body of water and stream - REAF Spooner	40° 15.263' N	123° 00.886' W	Other - See Comments		Not Cleared
33322	Stream Crossing			40° 21.109' N	122° 59.697' W	Repair Needed	removed pushed trees and sediment from creek bed - REAF Spooner	Not Cleared
33323	Water Development or Draft Site		Mark 3 and developed pool provide water to a pumpkin. Fish screens placed 081521. MJP	40° 11.979' N	122° 57.420' W	Completed - Inspected	Will need pool development removed. MJP Everything removed from site - REAF Spooner 08/27	Cleared for Repair
35550	Road Repair		Culvert moved out of place	40° 12.726' N	122° 55.888' W	Unknown		Not Cleared
35551	Repair Point		Repair complete Tedoc gap	40° 14.454' N	122° 54.079' W	In Progress	Partial closure of historic Jeep trail by felling a few trees and scattered brush. Wpaxton 8/27	Not Cleared

<b>OBJECTID</b>	<b>FC Point Type</b>	<b>Label</b>	<b>Comments</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Repair Status</b>	<b>Repair Comments</b>	<b>ARCH Clearance</b>
35552	Road Repair		Road med undermined	40° 15.162' N	122° 53.288' W	Repair Needed	Passable by truck only	Not Cleared
35553	Repair Point		Water trough	40° 14.972' N	122° 53.358' W	Repair Needed	Piping burned otherwise functional	Not Cleared
35563	Repair Point		Block access to orange road that is southeast of telephone ridge	40° 23.782' N	123° 08.248' W	Repair Needed	See transportation map as it is an orange road	Not Cleared
35564	Repair Point		Exposed grounding wire 20 m east of fire lookout. Approximately 3m of grounding wire exposed. Adjacent to USGS	40° 23.981' N	122° 57.364' W	Repair Needed	Consult with forest engineer for reburial of integrity maintained.	Cleared for Repair
35569	Repair Point		Dozerline repaired	40° 22.917' N	123° 09.638' W	Other - See Comments	Partial repair and blocked	Not Cleared

## Report Totals

Count: 324

Date Exported: 08/29/2021 21:17