





Point Type	Label	Comments	Latitude	Longitude	Elevation
Drop Point	50		41° 52.389' N	123° 50.831' W	
Drop Point	10		41° 50.682' N	123° 57.866' W	
Drop Point	55		41° 53.966' N	123° 46.210' W	
Incident Command Post			41° 45.636' N	124° 11.704' W	

**General Remarks, Safety Notes, Hazards, Air Operations Special Equipment, etc.**  
**TRACK ALL DIPSITE LOCATIONS / NUMBER OF DIPS / GALLONS TAKEN.**  
**TRACK ALL DROP LOCATIONS / NUMBER OF DROPS / GALLONS DROPPED**  
**ALL GPS DATA TO BE COLLECTED IN DEGREES, MINUTES, DECIMAL MINUTES FORMAT.**  
 AVOID Aerial Application of Retardant / Foam / Agent within 300' of Waterways, Bodies of Water, etc.  
 If Retardant / Foam / Agent is Dropped Within These Areas Immediately Notify the AOB and Provide the  
 Following Information: Lat / Long, Estimated Number of Gallons and a Map Detailing The Area. Watch for  
 Powerlines. Caution when operating in non-TFR areas.

Frequencies	TX	Tone	RX	Tone	AM / FM
Command	164.1750	(T12) 127.3	172.3750	0.0000	FM
AIR / GROUND - TACTICAL	169.4875	0.0000	169.4875	0.0000	FM
AIR/AIR ROTARY WING	126.0750	0.0000	126.0750	0.0000	AM
Helco Briefing					
AIR TACTICS	173.7000	0.0000	173.7000	0.0000	FM
AIR/GROUND COMMAND	173.8500	0.0000	173.8500	0.0000	AM
TOLC			'a UI00		AM
DECK	163.1000	0.0000	163.1000	0.0000	FM
CALCORD - MEDICAL	156.0750	156.7 (6)	156.0750	156.7 (6)	FM
AIRGUARD - Emergency Only	168.6250	110.9 (1)	168.6250	0.0000	FM

