

CANYON INCIDENT

CA-ORC-17-105068

INCIDENT ACTION PLAN



OPERATIONAL PERIOD

9/28/2017 0700

to

9/29/2017 0700



INCIDENT OBJECTIVES (ICS 202)

1. Incident Name: CANYON	2. Operational Period:	Date From: 9/28/2017	Date To: 9/29/2017	
		Time From: 0700	Time To: 0700	

3. Objective(s):

- Management Objectives
- Provide for emergency personnel and public safety at all times.
 - Protect property, improvements, and infrastructure.
 - Ensure coordinated, timely, and accurate release of public information.
 - Foster and maintain relationships with all cooperators and stakeholders.
 - Protect economic, natural, cultural and heritage resources.
 - Maintain fiscal accountability and keep costs commensurate with values at risk.
- Control Objectives
- Keep the fire East of Highway 241
 - Keep the fire South of Highway 91
 - Keep the fire West of Green River Rd and Foothill Pkwy
 - Keep the fire North of Santiago Canyon Rd, Blackstar Canyon Rd and Main Divide Truck Trail

General Situational Awareness:

Steep and rugged terrain, critically dry and receptive fuel beds, active area for fire history and rolling debris.

5. Site Safety Plan Required? Yes No

Approved Site Safety Plan(s) Located at:


- 6. Incident Action Plan**
- | | | | |
|---|--|--|--|
| <input checked="" type="checkbox"/> ICS 203 | <input checked="" type="checkbox"/> ICS 215A | <input type="checkbox"/> Phone List | <input checked="" type="checkbox"/> Fire Suppression Repair Plan |
| <input checked="" type="checkbox"/> ICS 204 | <input checked="" type="checkbox"/> ICS 220 | <input checked="" type="checkbox"/> Training Message | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> ICS 205 | <input checked="" type="checkbox"/> Incident Map | <input checked="" type="checkbox"/> Travel Map | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> ICS 206 | <input checked="" type="checkbox"/> Weather Forecast | <input checked="" type="checkbox"/> Demob Plan | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> ICS 208 | <input checked="" type="checkbox"/> Fire Behavior | <input checked="" type="checkbox"/> Finance Message | <input checked="" type="checkbox"/> ICS 214 |

7. Prepared By: Chris Post Position/Title: PSC Signature:

8. Approved by Incident Commander: Jim Ferguson Signature:

ICS 202

ORGANIZATION ASSIGNMENT LIST (ICS 203)

1. Incident Name: CANYON		2. Operational Period: Date From: 9/28/2017 Time From: 0700		Date To: 9/29/2017 Time To: 0700	
3. Incident Commander(s) and Command Staff:			7. Operation Section:		
IC/UC's	J. Adams / B. Nunez / B. Estes	Chief	M. Blankenheim		
Deputy	J. Veik / J. Ferguson (T) / J. Estrada (T)	Deputy	T. Ernst		
Safety Officer	J. Buchmeier / J. Janssen	Night Ops	M. Van Loben Sels		
Information Officer	J. Cox / S. Conciadli / L. Kurtz	Staging Area	Park	Cameron Daniels	
Liaison Officer	D. Carreiro / J. Abel / G. McKeown	Branch	I	David Hawks	
Law Enforcement Liaison	J. Davis / E. Lee / S. White	Division/Group	B	Ron Jansen / Antonio Ramirez (T)	
		Division/Group	F	Hartwell	
4. Agency/Organization Representatives:			Division/Group	M	Corey Stowe
Agency/Organization	Name	Division/Group			
Anaheim Fire & Rescue	T. Ohara	Division/Group			
Corona Fire	M. Samuels	Branch	II	George Casario	
CHP	C. Bullen / C. Johnson	Division/Group	O	Cliff Bramlette	
Edison	T. Whitman	Division/Group	T	Jason Marsh	
CAL Trans	R. McConnell	Division/Group	X	Matthew Colvin	
CCC	P. Hancock				
CDCR	H. Morua				
CAL OES	D. Stone / P. Mercado	Branch	Supp Repair		
		Division/Group	Supp Repair	Gregg Bratcher	
5. Planning Section:					
Chief	C. Post / A. Mitchell				
Deputy	M. Mills				
Resource Unit	G. Garcia / D. Scheurich / J. Irving				
Situation Unit	S. Sherwood / T. Gikas				
Documentation Unit	J. Rechel				
Demobilization Unit	T. Shevenell / D. Pucci				
GISS	T. Knecht				
FBAN / Weather	S. Volmer				
Training Tech Spec	S. Vargas				
Crew Tech Spec	J. Russel				
Air Operations Branch					
6. Logistics Section			Air Operations Branch Director	S. Packwood	
Chief	D. Martin / E. Moore / S. Dohman (T)		Air Support Grp Sup	T. Swanson	
Supply Unit	P. Lee		Helibase Manager	S. Corn	
Facilities Unit	B. Luiz		8. Finance/Administration Section:		
Ground Support Unit	J. Worden		Chief	J. Ruane / H. Keene / S. Hogan	
Hired Equipment Tech	J. Luckenbach		Time Unit	V. Navarro / A. Corpuz / S. Chavez	
Communications Unit	J. Brooks		Procurement Unit	J. Andrade / M. Lamonica	
Medical Unit	M. Lathrup		Comp/Claims Unit	J. Tapia	
Motel Tech Spec	J. Tomsich / M. Aldrich / K. Angres		Cost Unit	G. Belk	
Prepared By: Name:	Mike Mills	Position/Title:	PSC	Signature:	
ICS 203		Date/Time:	9/27/2017 2300 hours		

Ridgetop.....North 15 mph with gusts to 25 mph.
Mixing Height.....500 ft AGL...becoming 6000 ft AGL
late in the morning, then...becoming 2000 ft
AGL late in the afternoon.
Mixing Winds.....East 5 mph...becoming west 5 to 10 mph in
the afternoon.

.FORECAST DAYS 3 THROUGH 5...

.SATURDAY...

Mostly clear. Lows in the upper 60s. Highs in the lower 80s. East
winds around 6 mph.

.SUNDAY...

Clear. Lows in the lower 60s. Highs in the mid 70s. Winds east
5 mph.

.MONDAY...

Mostly clear. Lows in the lower 60s. Highs in the mid 70s. Winds
southwest 5 mph.

\$\$

Forecaster...JAMES BROTHERTON


Requested by...Shane Sherwood

Type of request...WILDFIRE

.TAG 1716242.2/SGX

.EMAIL shanesherwood@ocfa.org, Stephen.Volmer@fire.ca.gov

FIRE BEHAVIOR FORECAST

FORECAST NUMBER: 2	TYPE OF FIRE: WILDLAND
FIRE NAME: CANYON	OPERATIONAL PERIOD: September 28 07:00-07:00
DATE ISSUED: September 27, 2017	TIME ISSUED: 20:00
UNIT: Orange County ORC-105068	SIGNED:  Typed/printed: FBAN Stephen Volmer

INPUTS

WEATHER SUMMARY: Winds will continue to change throughout the shift. Northeast winds 10-15mph will occur during the early morning hours, then shift to the West 5-10mph beginning at 13:00. Ridge top winds will shift again around 01:00 back to the Northeast 8-15mph.

Daytime high temperature 86 degrees (up 7), low temperature will be 69 degrees (up 4). Minimum relative humidity will be 20% during the day, and increase to 45% overnight with moderate recovery expected.

OUTPUTS

FIRE BEHAVIOR

GENERAL: Fuels have continued to dry out to critical levels over the last week, making ignition and fire spread easy when in alignment with wind, slope, and topography

Stump holes with deep seated heat will be present in all divisions of the fire.

All unchecked spots will continue to creep through fuels, with the potential to become established easily.

Current ERC levels have dropped below the 90th percentile, and will continue to slowly drop over the next 7 days.

SPECIFIC: The fire behavior below outlines what can be expected from any new start in the local fire area.

GRASS: Rate of Spread....55 ft/min Flame Length....5 ft Spotting....1/4 mi Probability of Ignition 70%

GRASS SHRUB: Rate of Spread....40 ft/min Flame Length....7 ft Spotting....1/3 mi Probability of Ignition 70%

BRUSH: Rate of Spread....85 ft/min Flame Length....18 ft Spotting....1/2mi Probability of Ignition 70%

Fuels Southeast of DIV B and DIV F have not burned in over 40 years, resulting in dense brush fields.

Fuels Southwest of DIV O and DIV M have burned multiple times over the past 10 years and have been converted to a grass model with small amounts of brush.

Sunset 9/27...18:41 Sunrise 9/28...06:44

AIR OPERATIONS: Mixing begins at 5mph from the East with a height of 6000' AGL, dropping to 3500' AGL in the afternoon changing to the West. Winds will become turbulent during the afternoon wind shift.

SAFETY

Be alert for rolling material in steep drainages that can ignite fire below you.

Keep alert, the winds will continue to shift each day around 13:00 and 01:00.



SAFETY MESSAGE CANYON INCIDENT



1. Incident Name: Canyon

2. Operational Period: Date From: 09/28/17
Time From: 07:00

Date To: 09/29/17
Time To: 07:00

3. Safety Message/Expanded Safety Message, Safety Plan, Site Safety Plan:

BRIEF ALL YOUR PERSONNEL ON THE CURRENT DAYS IAP BEFORE ENGAGING IN YOUR DIVISIONAL ASSIGNMENT.

- Stay aware of what is happening around you and adapt your exit strategy accordingly.
- History of increased night activity and wind shifts in fire area.
- ESTABLISH: LOOKOUTS, COMMUNICATIONS, ESCAPE ROUTES AND SAFETY ZONES.
- Be aware of complacency. Many of us were in this same place last year. While that can help some of the operations, it might hinder our planning. Have a contingency plan.
- Review WILDLAND URBAN INTERFACE FIREFIGHTING pgs. 12-16 of your IRPG.
- No PPE allowed in the eating areas. Wash hands regularly and always before entering the eating areas.
- If personnel get fatigued, but it's not a medical emergency, use line medics for evaluation and rehab in a shaded area on the fire line.
- Drive with head lights on and slow down.
- Units working on Hwy 91 must use code three lights while parked. Be aware of traffic passing in the open lane.

IF IT'S PREDICTABLE IT'S PREVENTABLE

4. Site Safety Plan Required? Yes No

5. Prepared by: Name: Buchmeier SOFT / Janssen SOF1(T)

ICS 208

Date/Time September 27, 2017 / 1900



DEMOBILIZATION SAFETY MESSAGE



On Behalf of CAL FIRE Incident Management Team 6 we would like to thank you for your assistance. We wish you safe travels home or to your next assignment. Below are a few reminders to make your trip safer:


- Conduct walk around before driving.
- Check for and secure all loose items (ie: tools, hose, and packs).
- Wear seat belts at all times.
- Monitor all drivers for fatigue,
 - Switch drivers regularly if possible.
 - Find a safe place to stop, exit the vehicle and stretch.
 - If all else fails, stop and take a short rest to revitalize.
- Obey Posted Speed Limits.
- Ensure Personnel have adequate nutrition and hydration for the trip.
- Be prepared for the next incident.

Thank you again for your safe hard work!

JOE BUCHMEIER SOF1

JOSH JANSSEN SOF1 (T)

INCIDENT ACTION PLAN SAFETY ANALYSIS (ICS 215A)

1. Incident Name: Canyon		2. Incident Number: CA-ORC-17-105068	
3. Date/Time Prepared: Date: 09/27/2017 Time: 1230 hours		4. Operational Period: Date From: 09/28/2017 Date To: 09/29/2017 Time From: 0700 hours Time To: 0700 hours	
5. Incident Area	6. Hazards/Risks	7. Mitigations	
ALL	Routes of Travel; Entering and Exiting Incident Base, Speed Limit at Incident Base	<ul style="list-style-type: none"> Drive with extreme caution, lights on, drive slowly and expect opposing traffic. Follow one way traffic plan 	
DIV-M	Hazardous Materials	<ul style="list-style-type: none"> KEEP OUT! Isolate & Deny Entry. No suppression activity. 	
ALL	Aircraft-Tankers and Helicopter-Retardant, Water Drops and Turbulence	<ul style="list-style-type: none"> Post lookouts and make escape routes and safety zones known. LCES; Watch overhead for debris and wind changes. 	
ALL	Unburned Area	<ul style="list-style-type: none"> LCES; Utilize worst case scenario when working in or around pockets of unburned fuels. 	
ALL	Line Construction	<ul style="list-style-type: none"> Conduct thorough briefing for all personnel (inside rear cover IRPG). Ensure LCES in place prior to engagement (IRPG p. 7). Establish adequate Safety Zones (IRPG p.8). Use Downhill Line Checklist (IRPG p.9). Follow "Look Up, Look Down, Look Around" procedures (IRPG p.4). Utilize Risk Management Process (IRPG p.1). 	
ALL	Steep Terrain	<ul style="list-style-type: none"> Watch footing, maintain downhill tool placement. Be aware of loose material becoming dislodged. 	
ALL	Hydration	<ul style="list-style-type: none"> Drinking water before, during and after shifts. Up to 1.5 gal. per shift. Be alert for signs of heat stress in yourself and others. 	
ALL	Fatigue – Physical and Mental	<ul style="list-style-type: none"> Continually monitor your crew for fatigue and illness. Rehab your crew; take breaks, out of the smoke if possible. Know the signs and symptoms. Look out for one another. 	
ALL	Mop-up	<ul style="list-style-type: none"> Conduct thorough briefing for all personnel (inside rear cover IRPG). Use all required PPE, including eye protection. Maintain proper spacing and overhead clearance. Be alert for stump holes and root cavities. Minimize exposure to smoke, and rotate personnel into clean air as practical. Evaluate unburned islands/increase situational awareness. 	
ALL	Safety Zones	<ul style="list-style-type: none"> Follow Safety Zone guidelines are followed (IRPG pg. 7) Carefully evaluate burned areas before designation as Safety Zones due to spotty burning in numerous areas. When safety zones are distant from work site, set Decision Points to allow personnel to reach them in a timely manner. 	
8. Prepared by (Safety Officer): Name: Joe Buchmeier/Josh Janssen			
			
ICS-215A			

ASSIGNMENT LIST (ICS 204)

CONTROLLED UNCLASSIFIED
INFORMATION//BASIC

1. Incident Name: <p style="text-align: center;">CANYON</p>	2. Operational Period: Date From: 09/28/17 Date To: 09/29/17 Time From: 0700 Time To: 0700	3. Branch: Supp Repair Div/Group: Supp Repair <p style="text-align: right;">Page 1 of 2</p>
4. Operations Personnel: Operations Section Chief: M. Blankenheim Night Ops: M. Van Loben Sels Branch Director: Division/Group Supervisor: Gregg Bratcher		


5. Resources Assigned:		** Resources Below in Bold are 12 Hour **			Reporting Location, Special Equipment, Remarks, Notes, and Information	
Resource Identifier	Leader	Personnel	Request #	Time	Location	
STG BDU 9355 G	Apodaca, Mike	33	C-23	0700-1900	ICP	
STG BDU 9356 G	Richmond, Brett	33	C-24	0700-1900	ICP	
DOZ PVT E-29	Van Gaale, Jon	2	E-29	0700-1900	ICP	
DOZ PVT E-27	Johnson, Chad	2	E-27	0700-1900	ICP	
DOZ PVT E-103	Holtz, Richard	2	E-103	0700-1900	ICP	
DOZ PVT E-104	Goodwin, Russ	2	E-104	0700-1900	ICP	
DOZ PVT E-106	Bramlett, Manny	1	E-106	0700-1900	ICP	
DOZ PVT E-108	Puevah, Eric	2	E-108	0700-1900	ICP	
W/T PVT E-88	Lebow, Ron		E-88	0700-1900	ICP	
W/T PVT E-91	Oxenham, Gary		E-91	0700-1900	ICP	
W/T NAT E-89	Robinson, Scott	1	E-89	0700-1900	ICP	
W/T BDF 12	Hernandez, Steven	1	E-94	0700-1900	ICP	
W/T PVT E-85	Martin, Jerry	2	E-85	0700-1900	ICP	
Grader				0700-1900	ICP	
HEQB KAILEY O-53	Kailey, Kanwardip S	1	O-53	0700-1900	ICP	
HEQB MONTELONGO O-2022	Montelongo, Andy	1	O-2022	0700-1900	ICP	
HEQB ATTEBURY O-52	Attebury, Dustin	1	O-52	0700-1900	ICP	
HEQB TOSCANO O-54	Toscano, Gilbert	1	O-54	0700-1900	ICP	

6. Work Assignments:
 Implement fire suppression repair plan

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
CDF C3 T4	1	Command	151.3400N	103.5	159.3450N	136.5	Tone 4 - Sierra Peak
CDF T1	11	Tactical	151.2575N	192.8	151.2575N	192.8	
CALCORD	15	Coordination	156.0750N	156.7	156.0750N	156.7	MEDICAL COORDINATION
CDF T20	14	Air to Ground	159.3750N	192.8	159.3750N	192.8	AIR TO GROUND
GUARD	16	Emergency	168.6250N		168.6250N	110.9	AIR GUARD

9. Prepared by: Name: Jim Irving Pos/Title: RESL Signature: 
ICS 204 Date/Time: 9/27/2017 2300 hours

ASSIGNMENT LIST (ICS 204)

CONTROLLED UNCLASSIFIED
INFORMATION//BASIC

1. Incident Name: <p style="text-align: center;">CANYON</p>	2. Operational Period: Date From: 09/28/17 Date To: 09/29/17 Time From: 0700 Time To: 0700	3. Branch: Supp Repair Div/Group: Supp Repair <p style="text-align: right;">Page 2 of 2</p>
4. Operations Personnel: Operations Section Chief: M. Blankenheim Night Ops: M. Van Loben Sels Branch Director: Division/Group Supervisor: Gregg Bratcher		


5. Resources Assigned:		** Resources Below in Bold are 12 Hour **		Reporting Location, Special Equipment, Remarks, Notes, and Information
Resource Identifier	Leader	Personnel	Request #	Time Location
HEQB Newell O-211	Newell, David	1	O-211	0700-1900 ICP

6. Work Assignments:
 Implement fire suppression repair plan

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
CDF C3 T4	1	Command	151.3400N	103.5	159.3450N	136.5	Tone 4 -Sierra Peak
CDF T1	11	Tactical	151.2575N	192.8	151.2575N	192.8	
CALCORD	15	Coordination	156.0750N	156.7	156.0750N	156.7	MEDICAL COORDINATION
CDF T20	14	Air to Ground	159.3750N	192.8	159.3750N	192.8	AIR TO GROUND
GUARD	16	Emergency	168.6250N		168.6250N	110.9	AIR GUARD

9. Prepared by: Name: Jim Irving Pos/Title: RESL Signature: 

ICS 204 Date/Time: 9/27/2017 2300 hours

MEDICAL PLAN ICS 206	1. INCIDENT NAME Canyon	2. DATE PREPARED 9-27-17	3. TIME PREPARED 1500	4. OPERATIONAL PERIOD 9/28/17 0700 – 9/29/17 0700
---------------------------------------	-----------------------------------	-----------------------------	--------------------------	---

5. INCIDENT MEDICAL AID STATIONS			
MEDICAL AID STATIONS	LOCATION	PARAMEDICS	
		YES	NO
Medical Supplies	Base Camp		X
MERT w/Treatment	Base Camp	X	

6. TRANSPORTATION				
A. AMBULANCE SERVICES				
NAME	LOCATION	PHONE	PARAMEDICS	
			YES	NO
Care Ambulance (ALS w/Fire)	Villa Park, OCFA / Anaheim FS 9	714-288-3896		X
Mercy Air 4	Fullerton Airport	800-675-9421	X	
OCFA Air Ship	Fullerton Airport	714-573-6522	X	

B. INCIDENT AMBULANCES			
NAME	LOCATION	PARAMEDICS	
		YES	NO
Care RA 602	Base Camp	X	
Care RA 601	Featherly Park	X	

7. HOSPITALS								
NAME Med Net Channel	ADDRESS	TRAVEL TIME		PHONE	HELIPAD		BURN CENTER	
		AIR	GRND		YES	NO	YES	NO
UC Irvine Health Regional Level I Trauma	101 The City Drive South Orange, CA 92868	5	10	714-456-7890	X		X	
Orange County Global MC Level II Trauma / STEMI	1001 N Tustin Avenue, Santa Ana, CA 92705	8	20	714-953-3331	X		X	
Corona Regional MC	800 S Main St Corona, CA 92882	15	45	951-737-6241		X		X

8. MEDICAL EMERGENCY PROCEDURES

EMERGENCY FREQUENCY:

LINE EMERGENCY:
Crew Supervisor will contact Division Supervisor with patient complaint/condition and location.

- Division/Group Supervisor contacts:
 - Closest EMS resource
 - Communications Unit
- Communications Unit contacts:
 - Ground or Air ambulance as requested
 - Operations
 - Safety
 - Medical Unit
- Division Supervisor or designee will serve as point of contact and run medical emergency on assigned channel.
 - A pre-assigned tactical frequency (i.e. CALCORD) should be used for IWI and only for duration of need.
- Communications Unit will clear command channel for emergency traffic as needed and only for duration of need.



CAMP EMERGENCY:
Contact Medical Unit with patient complaint/condition and location. Medical Staff will respond to stabilize incident:

- Medical Unit contacts:
 - Communications
 - Safety
 - Logistics
 - Operations
 - Crew Supervisor
 - Comps/Claims

INJURY REPORTING PROCEDURES


NATURE OF INJURY _____
 LOCATION OF PATIENT _____
 POINT OF CONTACT _____
 TRANSPORTATION REQUESTED BY: AIR ___ GROUND ___
 POINT OF PICKUP _____
 LAT _____ LONG _____
 PATIENT UNIT ID _____
 IS AN EMT WITH PATIENT: YES ___ NO ___
 AGE _____
 SEX: MALE ___ FEMALE ___

ALL EMERGENCIES---Secure the area and identify witnesses for later investigation. Keep an accurate log of events.

ICS 206 (Rev 03/12) FR	9. PREPARED BY: (Medical Unit Leader) Matt Lathrop MEDL 	10. REVIEWED BY: (Safety Officer) 
----------------------------------	--	--

ICS 205 - INCIDENT RADIO COMMUNICATIONS PLAN

CONTROLLED UNCLASSIFIED
INFORMATION//BASIC

1. Incident Name: CANYON		2. Date/Time Prepared Date: 09/27/2017 Time: 1830			3. Operational Period: Date From: 09/28/17 Time From: 0700 Date To: 09/29/17 Time To: 0700			
4. Communications								
Ch#	Function	Name	Assigned To	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
1	Command	CDF C3 T4	All Divisions	151.3400N	103.5	159.3450N	136.5	Tone 4 -Sierra Peak
2								
3								
4								
5	Tactical	CDF T13	DIV F	151.3775N	192.8	151.3775N	192.8	
6	Tactical	CDF T26	DIV M	159.2925N	192.8	159.2925N	192.8	
7	Tactical	CDF T27	DIV B	159.3075N	192.8	159.3075N	192.8	
8	Tactical	NIFC T5	DIV O	166.7250N		166.7250N		
9	Tactical	NIFC T6	DIV T	166.7750N		166.7750N		
10	Tactical	VFIRE 24	DIV X	154.2725N	156.7	154.2725N	156.7	
11	Tactical	CDF T1	SUP REPAIR	151.2575N	192.8	151.2575N	192.8	
12								
13								
14	Air to Ground	CDF T20	All Divisions	159.3750N	192.8	159.3750N	192.8	AIR TO GROUND
15	Coordination	CALCORD	All Divisions	156.0750N	156.7	156.0750N	156.7	MEDICAL COORDINATION
16	Emergency	GUARD	All Divisions	168.6250N		168.6250N	110.9	AIR GUARD
17								
18								
19								
20	Emergency	GUARD	All Divisions	168.6250N		168.6250N	110.9	AIR GUARD
5. Special Instructions								
6. Prepared by (Communications Unit Leader): Name: John Brooks COML								Signature: 
ICS 205 - CONTROLLED UNCLASSIFIED INFORMATION//BASIC								Date/Time: 09/27/17 1830

Toll Road Use

Unauthorized emergency vehicle use on the toll roads will most likely generate a violation from the Transportation Corridor Agency.

If violations are received by responding agencies, follow these procedures:

- Send the TCA a certification referencing the violations received.
- The certification should include:
 - Violation date
 - Reference number
 - Purpose of Emergency

For questions please contact Transportation Corridor Agency Stephen Lee at 949-754-3474 or slee@thetollroads.com.

eFC-33 INITIAL INPUT FORM

1 2 3 4 5 6 7

Overhead: complete one form per person.
All Others: complete one form per vehicle.

Request Number							
----------------	--	--	--	--	--	--	--

State	Agency	Incident Number	Incident Name	Incident Index Code	Incident PCA Code
INCIDENT	CA				

Strike Team	Resource ID - Fire Assignment	Home Station / Office Location
RESOURCE	S T	McCloud
	9 2 6 1 C	E2662

YOUR NORMAL DUTY SCHEDULE	24 Hr 8-8	24 Hr 7-7	Other	Portal to Portal?	YOUR AGENCY	HOME UNIT	COMMIT	RELEASE	YOUR CELL PHONE #
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CAL FIRE	S K U			

PERSONNEL	Schedule		First Name	Last Name	Rank or Classification	# of Regular Duty Scheduled Hours per Day											
	A	B				Mon	Tue	Wed	Thu	Fri	Sat	Sun					
EMPLOYEE 1																	
EMPLOYEE 2																	
EMPLOYEE 3																	
EMPLOYEE 4																	
EMPLOYEE 5																	
EMPLOYEE 6																	
	✓ One Box		Johnson	Robert	FC												

VEHICLE	Schedule		Radio ID	Kind of Vehicle	ID No/X No
	A	B			
VEHICLE 1					X
VEHICLE 2					X
	✓ One Box		E-3499	FTH	
	Chainsaw Quantity:		Portable Pump?		
					0 2 X 1 2 3

Put a Dozer and it's Transport on a single form. All others, use one form per individual vehicle.

ADDITIONAL INFO

License Plate #



FC-33 DAILY UPDATE

DATE:		24 Hr	12 Hr	
REQ #:		S/T #		
WORK LOCATION:				
Radio IDs:	DOZER BLADE HRS	Portable PUMP HRS	HRS ON EACH SAW	NOTES
ST Leader:				
Engine/Crew:				
Comments (any changes?):				
CELL PHONE #:				
7/28/2011				

FC-33 DAILY UPDATE

DATE:		24 Hr	12 Hr	
REQ #:		S/T #		
WORK LOCATION:				
Radio IDs:	DOZER BLADE HRS	Portable PUMP HOURS	HRS ON EACH SAW	NOTES
ST Leader:				
Engine/Crew:				
Comments (any changes?):				
CELL PHONE #:				
7/28/2011				

SHIFT TICKET EXAMPLE

EMERGENCY SHIFT TICKET and EVALUATION FORM					Contractor Name H2O DUDE	
Incident or Project Name CANYON		Incident Number CAORC 105068	Request Number E or S # Here		Operator #1 BOB SMITH	Operator #2
Agreement Number XXX - 000000 - 00					Operator Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government	
Equipment Make FREIGHTLINER		Equipment Model / Type WATER TENDER 2500 + GAL			Operating Supplies Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government	
Serial Number 1XP3ESMP14239012		Licence Number 55555555			Equipment Status <input checked="" type="checkbox"/> Inspected <input checked="" type="checkbox"/> Under Agreement	
Equipment Use (Circle) Hours Days / Miles					Released by Government	
Date Mo / Day	Start	Stop	Work	Assignment	Withdrawn by Contractor	
8/3	0700	1900	12	DIV Z	Remarks/Comments ** ONE OPERATOR NO DAMAGE/ NO CLAIMS	
8/4	1900	2400	5	OFF SHIFT		
8/4	0001	0700	7	OFFSHIFT		
Vendor Rating					Govt. Rep. Name and Position - PRINT	
		Poor*	Avg.	Good	Exc.	N/A
Met Performance Expectations					Govt. Rep. Signature <i>Mike Weber</i>	
Equipment in Safe Working Condition					Contractor Signature <i>Bob Smith</i>	
Operator Skill Level					Date 08/04/15	
Operates Safely					Time 0800	
Operator's Cooperation Level					Date	
Overall Performance					Time	
* NOTE: Any rating of POOR requires an explanation in Comment Section.					CALFIRE 297	
**Final evaluation or for more documentation, use an ICS Form 230 or equivalent.					(Rev 3-2011)	
Pink - Finance		Blue - Home Unit HE Coordinator		Yellow - Vendor		White - Govt Representative

EMERGENCY SHIFT TICKET and EVALUATION FORM					Contractor Name WATER GUY	
The responsible Government Officer will complete this form each shift					Operator #1 BOB SMITH	
Incident or Project Name CANYON		Incident Number CAORC 105068	Request Number E OR S # Here		Operator #2 BILL SMITH	
Agreement Number XXX - 000000 - 00					Operator Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government	
Equipment Make PETERBUILT		Equipment Model / Type WATER TENDER 2500 + GAL			Operating Supplies Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government	
Serial Number 1XP3ESMP14239012		Licence Number 9999999			Equipment Status <input checked="" type="checkbox"/> Inspected <input checked="" type="checkbox"/> Under Agreement	
Equipment Use (Circle) Hours Days / Miles					Released by Government	
Date Mo / Day	Start	Stop	Work	Assignment	Withdrawn by Contractor	
8/3	0700	2400	17	DIV M	Remarks/Comments ** 2 OPERATORS NO DAMAGE/ NO CLAIMS	
8/4	0001	0700	7	DIV M		
Vendor Rating					Govt. Rep. Name and Position - PRINT	
		Poor*	Avg.	Good	Exc.	N/A
Met Performance Expectations					Govt. Rep. Signature <i>Mike Weber</i>	
Equipment in Safe Working Condition					Contractor Signature <i>Bob Smith</i>	
Operator Skill Level					Date 08/04/15	
Operates Safely					Time 0800	
Operator's Cooperation Level					Date	
Overall Performance					Time	
* NOTE: Any rating of POOR requires an explanation in Comment Section.					CALFIRE 297	
**Final evaluation or for more documentation, use an ICS Form 230 or equivalent.					(Rev 3-2011)	
Pink - Finance		Blue - Home Unit HE Coordinator		Yellow - Vendor		White - Govt Representative

Turn shift tickets into Finance.

SHIFT TICKET EXAMPLE

EMERGENCY SHIFT TICKET and EVALUATION FORM					Contractor Name DOZER DUDE	
Incident or Project Name CANYON		Incident Number CAORC 105068	Request Number E#		Operator #1 BOB SMITH	Operator #2 TOM SMITH
Agreement Number XXX - 000000 - 00					Operator Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government	
Equipment Make CAT		Equipment Model / Type D6XM			Operating Supplies Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government	
Serial Number 111111		Licence Number 111111			Equipment Status <input checked="" type="checkbox"/> Inspected <input checked="" type="checkbox"/> Under Agreement <input type="checkbox"/> Released by Government <input type="checkbox"/> Withdrawn by Contractor	
Equipment Use (Circle) Hours Days / Miles					Remarks/Comments ** TWO OPERATORS NO DAMAGE/ NO CLAIMS	
Date Mo / Day	Start	Stop	Work	Assignment		
8/3	0700	2400	17	DIV M		
8/4	0001	0700	7	DIV M		
Vendor Rating Poor* Avg. Good Exc. N/A					Govt. Rep. Name and Position - PRINT Mike Weber	
Met Performance Expectations					Govt. Rep. Signature <i>Mike Weber</i>	
Equipment in Safe Working Condition					Contractor Signature <i>Bob Smith</i>	
Operator Skill Level					Date 08/04/15	
Operates Safely					Time 0800	
Operator's Cooperation Level					Date 08/04/15	
Overall Performance					Time 0800	
* NOTE: Any rating of POOR requires an explanation in Comment Section.					CALFIRE 297 (Rev 3-2011)	
**Final evaluation or for more documentation, use an ICS Form 230 or equivalent.						
Pink - Finance		Blue - Home Unit HE Coordinator		Yellow - Vendor		White - Govt Representative

EMERGENCY SHIFT TICKET and EVALUATION FORM					Contractor Name DUDE TRANSPORT	
The responsible Government Officer will complete this form each shift						
Incident or Project Name CANYON		Incident Number CAORC 105068	Request Number E # Here		Operator #1 BOB SMITH	Operator #2 TOM SMITH
Agreement Number XXX - 000000 - 00					Operator Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government	
Equipment Make TRANSPORT/ KENWORTH		Equipment Model / Type COZAD TRAILER /26 WHEELS			Operating Supplies Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government	
Serial Number 1XP3ESMP14239012		Licence Number 9999999			Equipment Status <input checked="" type="checkbox"/> Inspected <input checked="" type="checkbox"/> Under Agreement <input type="checkbox"/> Released by Government <input type="checkbox"/> Withdrawn by Contractor	
Equipment Use (Circle) Hours Days / Miles					Remarks/Comments ** 2 OPERATORS NO DAMAGE/ NO CLAIMS	
Date Mo / Day	Start	Stop	Work	Assignment		
8/3	0700	2400	17	DIV M		
8/4	0001	0700	7	DIV M		
Vendor Rating Poor* Avg. Good Exc. N/A					Govt. Rep. Name and Position - PRINT Mike Weber	
Met Performance Expectations					Govt. Rep. Signature <i>Mike Weber</i>	
Equipment in Safe Working Condition					Contractor Signature <i>Bob Smith</i>	
Operator Skill Level					Date 08/04/15	
Operates Safely					Time 0800	
Operator's Cooperation Level					Date 08/04/15	
Overall Performance					Time 0800	
* NOTE: Any rating of POOR requires an explanation in Comment Section.					CALFIRE 297 (Rev 3-2011)	
**Final evaluation or for more documentation, use an ICS Form 230 or equivalent.						
Pink - Finance		Blue - Home Unit HE Coordinator		Yellow - Vendor		White - Govt Representative

Turn shift tickets into Finance.

Canyon
CA-ORC-105068
Suppression Repair Plan for SRA lands
September 28, 2017

General

- Repair any water lines and culverts that may have been damaged due to suppression activities where feasible.
- Remove berms and barriers created by fire control access and suppression efforts.
- Pack all trash out.
- Report any damages or needs to the Fire Suppression Repair Division Group Supervisor. Comp Claims will be notified if the damage cannot be fixed immediately.

Staging Areas / Safety Zones

- New Construction: pull berms, resurface, cross drain, remove debris resulting from use and scatter on site, and abandon (if applicable).
- Existing: Repair to original condition; cross drain, remove debris resulting from use and scatter on site (if applicable).

Roads

- Grade to original road prism where necessary.
- Clean culverts plugged with soil and debris resulting from fire control activities.
- Breach/remove berms to facilitate drainage.

Firelines

Dozers

- Where excessive berms were formed, back blade berms onto control line surface.
- Back blade or pull organic debris onto surface and scatter evenly over control line at designated sensitive areas.
- Construct waterbars.

Handlines

- Where excessive berms are formed, pull berms onto control line surface.
- Pull organic debris onto and scatter evenly over control line surface at designated sensitive areas.
- Construct waterbars to the same standard as dozer lines (see above)

Install waterbars on all constructed or used dozer lines, roads, and handlines using the following criteria:

Slope%	0-10	11-25	26-50	>50	
Dozer line and handlines (at every listed distance)	100'	75'	50'	50'	*All waterbars should be installed diagonally with a minimum cut of 6" into existing grade,
Road	200'	150'	100'	75'	

and minimum height of 18" from the bottom of the trench to backfill top. Waterbars shall be installed at all approaches to watercourse crossings. Waterbars shall be constructed to allow for drainage at the discharge end into non-erodible material and into the green where feasible. All waterbars to be constructed at 30 degrees, angled downhill.

Watercourses

- All watercourse issues shall be reported to the Suppression Repair Group Supervisor immediately, before any work may begin.
- All slash, soil, and debris deposited into watercourses resulting from fire suppression activities shall be removed and stabilized.
- All loose soil must be pulled away from the watercourse and stabilized.

Slash piles

- Piles within 150' of permanent structures or public roads will be lopped and/or scattered within 18" of soil surface, or chipped if feasible.
- Piles outside the 150' fire safe zone shall be retained for wildlife cover.

Archaeological or Historic Sites (if discovered)

- All potential sites shall be avoided.
- Impacted sites will be reported to the Fire Suppression Repair Group Supervisor.
- If sites are encroached upon, work will stop immediately; **if there is no threat of fire spread**, and the Division/Group Supervisor shall be notified.

Specific Repair Plan for SRA and State DPA Areas (Assessment is ongoing)

- **Division B** - Handlines: remove berms and construct waterbars where needed. Dozer line: remove berms and construct waterbars.
- **Division F** - Handlines: remove berms and construct waterbars where needed. Dozers lines: remove berms and construct waterbars. Water and grade Skyline Dr, Blackstar Canyon Rd..
- **Division M** - Handlines: remove berms and construct waterbars where needed. Dozers lines: remove berms and construct waterbars. Water and grade Main Divide Truck Trail.
- **Division T** - Handlines: remove berms and construct waterbars where needed. Water and grade Coal Canyon Truck Trail.
- **Division X** - Handlines: remove berms and recontour where needed. Dozer lines: remove berms and recontour where needed.

ATTACHMENT 1.

Fire Suppression Rehabilitation Guideline

Mitigation of suppression damages will minimize the long-term impacts caused by personnel and equipment. The following actions will be implemented to minimize long-term impacts from suppression activities.

ROADS

1. Existing dirt surfaced roads used for access will be returned as close to pre-incident condition as possible. This will be accomplished by pulling any significant amounts of side cast material back onto the road, watering and compacting the road surface.
2. Existing roads that are closed, but reopened for current incident use will be returned as close to pre-incident condition as possible. This may include repairing and/or replacing the original erosion control structures, cleaning and improving ditches and blocking the entrance to the roads.
3. Additional mitigations of suppression impacts to National Forest roads will be determined and directed by the Forest Engineer or designee.

DOZER LINES

All mechanical lines require archaeological and biological surveys prior to rehabilitation. Dozer lines will be treated by pulling outside berms back into the control line, re-contouring or out-sloping the surface to allow for drainage, and where necessary, placing waterbars in the control line. Installed waterbars will consist of a minimum of a six inch (6") cut into the firm bed of the control line and have a berm with a compacted height of no less than twelve inches (12"). The waterbars will be constructed diagonally across the control line at an angle of thirty-five to forty degrees. Where extreme slopes prevent the use of heavy equipment from placing waterbars in control lines, hand crews will be used to perform the necessary erosion control work. When dozer lines follow a ridge where there is no vegetation on either side, or where there is unburned vegetation on both sides (indirect line), re-contouring and waterbars should be designed to divert water equally to both sides of the ridge (herring-bone).

HAND LINES

All hand lines require archaeological and biological surveys prior to rehabilitation. Hand lines will be rehabilitated to allow for drainage by re-contouring and construction of waterbars. Waterbars for hand lines should be cut to a depth equal to the width of a standard fire shovel. The waterbars will be constructed diagonally across the control line at an angle of thirty-five to forty degrees. The outside end of the waterbar must be open and should discharge into an area where the ground surface is protected by vegetation that is unburned, if possible. Trenching and berms, where present, will be removed and any topsoil available will be pulled back cross the hand line. When hand lines follow a ridge where there is no vegetation either side, or where



there is unburned vegetation on both sides (indirect line), re-contouring and waterbars should be designed to divert water equally to both sides of the ridge. In some cases, chunking or berming may be used in combination with the above techniques to prevent access for unauthorized OHV use.

WATERBARS

Waterbars should be constructed at logical discharge points and guided by the spacing criteria as follows:

Fireline slope %	Maximum Distance Apart (feet)	<i>Recommended spacing for waterbars on firelines. Waterbars should be no further apart than this, but they may be closer. When in doubt, put in more. Adapted from: UDSA-Forest Service, "Sale Administrator's Handbook"</i>
1-14	150	
15-20	90	
21-40	50	
41+	25	

REMOVED VEGETATION TREATMENTS

After the fire is under control and with the approval of the Incident Commander, vegetation removed to construct control lines will be scattered back onto the control lines. Approval for this could be a week or more after control of the fire depending on when the threat of restart has passed.

WATERCOURSE

A watercourse is defined as a channel containing water or exhibiting a scoured bottom which indicates sediment transport or contains vegetation that grows in streams (i.e. willows, alders, ferns, etc.). Mitigation of suppression impacts will be determined and directed by the Resource Advisor and/or designees. Suppression activity causing ground disturbance of more than 800 square feet within 50' of streams will have appropriate erosion control treatment.

INSTREAM IMPROVEMENTS (WATER SOURCES)

All in-stream facilities and disturbance created by activities to improve water collection for fire suppression will be evaluated and mitigated under the direction of the Resource Advisor and/or designees. These facilities and disturbances include but are not limited to sumps, drafting locations, and intentionally blocked culverts. All building and other materials such as plastics, canvas, plywood, dimension lumber, etc., will be removed from such sites to a suitable disposal site or be recycled. All trash, cardboard, hoses, fittings, and pumps will be removed from the site.

HELISPOTS, HELIPORTS, SAFETY ZONES, DROP POINTS, AND OTHER CLEARINGS

All helispots, heliports, safety zones, drop points, and other clearings require archaeological and biological surveys prior to rehabilitation. All clearings constructed to support suppression activities will be returned as closely to pre-incident conditions as is possible. At a minimum, berms will be pulled or raked back into the site, if needed the site will be crowned to facilitate surface drainage and the vegetative material removed from the site will be lopped and scattered over the disturbed area to reduce erosion/unauthorized OHV potential. In some cases, chunking, berming or other barriers may be used in combination with the above techniques to prevent access for unauthorized OHV use. All areas cleared by heavy equipment must be surveyed for archaeological/biological resources prior to rehabilitation.

IMPROVEMENTS

Improvements such as fences, gates, guzzlers, flood control basins, drainage structures, drainage channel, culverts, and paved roads damaged by suppression activities will be repaired to pre-fire conditions. When dealing with damages to private property, repairs/mitigations to improvements that are beyond the capacity of suppression resources, notify the Resource Advisor and/or designee and also the compensation claims unit.


ARCHAEOLOGICAL SITES

Any impacts to archaeological sites will be evaluated and mitigated on a case-by-case basis prior to rehabilitation activities. Additional measures may be required.


ADDITIONAL REHABILITATION NEEDS

In situations where the above guidelines will not effectively prohibit unauthorized OHV use of new control lines or other cleared areas, additional measures such as fencing or other barriers may be necessary as determined by the Resource Advisor. Once site-specific assessments are completed and appropriate supplies and materials ordered, these measures will be implemented. This may require additional time.

Reference: Hauge, C.J., M.J. Furniss and F.D. Euphrat. 1979. *Soil erosion in California's Coast Forest District*. California Geology. June, 1979.



- 1-Overhead Parking
- 2-ICP
- 3-Kitchen/Lunches/Water/ICE
- 4-DO NOT USE
- 5-Showers & Laundry
- 6-Sleepers units
- 7-Supply
- 8-Engine Parking
- 9-USFS Sleeping
- 10-CCC Sleeping
- 11-Engine Parking
- 12-Engine Parking
- 13-Engine Parking
- 14-NO Parking
- 15-Ground Parking
- 16-CDCR Parking
- 17-CDCR Sleeping
- 18-CDCR Laundry & Showers
- 19-Sleepers
- 20-Engine Parking
- 21-Engine Parking
- 22-Engine Parking
- 23-Gray Water Disposal
- 24-Engine Parking
- 25-Saw Shop
- 26-Fuel/Dozer Parking



Chapman Avenue

Jamboree Road


Santiago Canyon Road (North)

Irvine Park Drive

Santiago Creek

Irvine Regional Park Boundary






Travel Map
Canyon Incident
CA ORC 105068
September 28, 2017



