

INCIDENT ACTION PLAN

LAKE FIRE

CA-ANF-003273

P5NE2V

Sunday \ Monday



NIGHT SHIFT

1800 8/16/2020

TO

0600 8/17/2020



FOR PUBLIC INQUIRIES REGARDING LAKE FIRE
INFORMATION, DIRECT THEM TO CALL (626) 574-5208

LAKE FIRE

CA-ANF-003273 - QR Codes



Incident Action Plan



Remote Check-In



Incident Information



Covid Tracking Form



Lake Incident Maps



INCIDENT OBJECTIVES (ICS 202)

1. Incident Name: LAKE FIRE	2. Operational Period:	Date From: 8/16/2020	Date To: 8/17/2020
		Time From: 1800	Time To: 0600

3. Objective(s):

Management Objectives

- Ensure that strategies and tactics provide for firefighter and public safety through the application of sound risk management principles.
- Minimize the threat of exposure to COVID-19 by adhering CDC COVID-19 Guidelines.
- Minimize the threat to private property, critical infrastructure and heritage resources.
- Establish and strengthen cooperator, partner, and stakeholder relationships.
- Minimize the cost of the incident by employing tactics that have the highest probability of success while minimizing firefighter exposure.

Control Objectives

- Keep the fire North of Castaic Lake
- Keep the fire South of Hwy 138
- Keep the fire East of Interstate 5 Freeway.
- Keep the fire West of Tule Ridge

General Situational Awareness:

Steep and rugged terrain, critically dry and receptive fuel beds, active area for fire history and drought stressed trees.

In the COVID-19 environment, high density populations or large groups are particularly at risk. To help protect yourself, your family and to ensure all employees return home safely, make sure to practice social distancing.

Enhanced hygiene (especially handwashing), PPE & monitoring practices help limit the infection rate of first responders.

5. Site Safety Plan Required? Yes No


Approved Site Safety Plan(s) Located at:

6. Incident Action Plan

<input checked="" type="checkbox"/> ICS 203	<input checked="" type="checkbox"/> ICS 215A	<input type="checkbox"/> ICS 205 A	<input type="checkbox"/>
<input checked="" type="checkbox"/> ICS 204	<input checked="" type="checkbox"/> ICS 220	<input checked="" type="checkbox"/> Training Message	<input type="checkbox"/>
<input checked="" type="checkbox"/> ICS 205	<input checked="" type="checkbox"/> Facility Maps	<input type="checkbox"/> Travel Map	<input type="checkbox"/>
<input checked="" type="checkbox"/> ICS 206	<input checked="" type="checkbox"/> Weather Forecast	<input type="checkbox"/> Demob Plan	<input type="checkbox"/> County Health Message
<input checked="" type="checkbox"/> ICS 208	<input checked="" type="checkbox"/> Fire Behavior	<input checked="" type="checkbox"/> Finance Message	<input checked="" type="checkbox"/> ICS 214

7. Prepared By: R. Leuck, R. Ashby(T)	Position/Title: PSC1	Signature:
8. Approved by Incident Commander:	D. Mueller	Signature:

ORGANIZATION ASSIGNMENT LIST (ICS 203)

1. Incident Name: LAKE FIRE		2. Operational Period: Date From: 8/16/2020 Time From: 1800		Date To: 8/17/2020 Time To: 0600	
3. Incident Commander(s) and Command Staff:			7. Operation Section:		
IC/UC's	R. Young, V. Pena, T. Ewald(T), D. Mueller	Operations	R. Wills, D. Freguila (T)		
Deputy	C. Joseph	Night Ops	C. Rose (T)		
Safety Officer	B. Savage, D. Welch	Planning Ops	A. McBath, J. Eichamer (T), D. Breshears (T)		
Information Officer	M. Savage, K. Haskett, N. Judy(T)				
Liaison Officer	R. Alpert, C. Henson, D. Laub(T)	Branch	I	D. Forsyth	
HRSP	A. Cabida	Division/Group	A/B	I. Solomon	
4. Agency/Organization Representatives:		Division/Group	C	UNSTAFFED	
Agency/Organization	Name	Division/Group	F	J. Wickizer	
USFS	Robert Garcia	Division/Group	G	Valazquez	
LAC	David Richardson	Division/Group			
CalFire	Tony Jones	Division/Group			
LASD	Capt. Ron Shaffer	Division/Group			
OES	Dave Stone	Division/Group			
Edison	Troy Whitman	Division/Group			
CHP	Sgt. Kevin Pack	Division/Group			
READ	L. Gassaway	Branch	V	J. Ohs	
LA County Public Health	Michael Rogers	Division/Group	I	S. Brawer/B. Kane (T)	
LA County OEM	Jeremy Harriss	Division/Group	S/T	C. Rash/A. Buzzerio (T)	
CCC	Ben Herbert	Division/Group	Contingency	R. White, R. Chavez (T)	
		Division/Group			
		Division/Group			
		Branch	VII		
		Division/Group	X/Z	UNSTAFFED	
		Division/Group			
		Division/Group			
5. Planning Section:		Division/Group			
Chief	J. Schillinger, R. Leuck, R. Ashby(T)	Division/Group			
Deputy		Division/Group			
Resource Unit	R. Resnick, J. Padilla, H. Kelmonson (T), I. Gates (T), M. Williams (T)	Branch			
SCKN	M. Carlson	Division/Group			
Situation Unit	T. Morelock	Division/Group			
Demobilization Unit	J. Roberts	Division/Group			
GISS	M. Yanez, R. Rametta, D. Hutchinson	Division/Group			
FBAN	M. Brown	Division/Group			
IMET	M. Mehle	Air Operations Branch		Director:	J. Keesee
ITSS	J. Youngblood, J. LeMay, J. Hawkins	Air Support Group Supervisor		D. Carrera (T)	
Training Tech Spec	C. Solza	Air Tactical Group Supervisor			
DINS	S. Barkley, M. Nunez (T)	Helibase Manager			
6. Logistics Section		8. Finance/Administration Section:			
Chief	K. Kumpe, J. Eckroth, B. Schurr, R. Crowther (T), B. Romo (T)	Chief	T. Fork, T. Hasert, P. D'Souza		
Ordering	K. Morris, T. Hanna	Time Unit	M. Prochazka		
Ground Support Unit	J. Hart, L. Campbell (T)	Procurement Unit			
Communications Unit	K. Throop	Comp/Claims Unit	E. Downing		
Medical Unit	J. Carlon, R. Russel, A. Reyes	Cost Unit	R. Siemers		
Food Unit	J. Junette	Equipment Time	C. Hamlett		
Supply Unit	M. Bufford				
Prepared By: Name:	R. Ashby	Position/Title:	PSC2 (T)	Signature:	
ICS 203		Date/Time:	8/15/2020 2300 hours		NIMS IAP



Fire Weather Forecast



FORECAST NO: 5

NAME OF FIRE: Lake Fire

PREDICTION FOR: 1800 Sun - 0600 Mon

UNIT: CA-ANF

SHIFT DATE: 08/16

SIGNED: *Matt Mehle*

TIME AND DATE

Incident Meteorologist - Matt Mehle

FORECAST ISSUED: 1200 08/16/20

...Excessive Heat Warning valid through Wednesday Evening...

WEATHER DISCUSSION: Upper level moisture will produce cumulus clouds in the afternoon/evening with a possibility for thunderstorms Sunday evening. Dry lightning and gusty outflows would be the greatest threat with developed storms. An unstable atmosphere will remain allowing for vertical plume growth in the afternoon into the evening hours. Little relief is expected Sunday night with mild low temperatures and poor relative recoveries. Very hot and dry conditions will persist into early next week.

WEATHER FORECAST FOR SUNDAY NIGHT:

WEATHER: A few showers/thunderstorms possible in the evening, then becoming partly cloudy overnight.

TEMPERATURES: Min 75-80 F...above 2000' 70-75 F. **24 HR Trend:** Little Change.

HUMIDITY: Max 35-45%...above 2000' 35-50%. **24 HR Trend:** 5% wetter.

20-FOOT WIND: Southwest 4-8 mph with gusts to 15 mph in the evening becoming West to Northwest 3-6 mph overnight...near the Desert Floor light northeast by morning.

Chance of Wetting Rain (0.10"): <10% **LAL:**2 becoming 1

WEATHER FORECAST FOR MONDAY:

WEATHER: Mostly Sunny. Slight chance for afternoon showers and possibly thunderstorms.

TEMPERATURES: Max 100-107 F...above 2000' 95-100 F **24 HR Trend:** 3 degrees warmer.

HUMIDITY: Min 10-20% ...above 2000' 10-20% **24 HR Trend:** 5% drier.

20-FOOT WIND: Northeast 3-6 mph in the morning. Southwest 5-15 mph in the afternoon gusts 20-25 mph.

Chance of Wetting Rain (0.10"): <10% **LAL:**2 in the afternoon


EXTENDED FORECAST:

TUESDAY... Mostly sunny. Slight chance of showers and thunderstorms. Max temps 99-108 F above 2000' 96-101 F. Min RH 10-20%. Southwest 6-12 mph with gusts 20-25 mph in the afternoon.

WEATHER SAFETY MESSAGE

- Dangerous Heat – Stay hydrated.
- Thunderstorms with dry lightning and gusty outflow winds.
- Plume dominated fire possible. Use LCES.
 - Collapsing plumes create gusty and erratic winds

FIRE BEHAVIOR FORECAST

FORECAST NUMBER: 005	TYPE OF FIRE: Wildfire Full Suppression
FIRE NAME: Lake	OPERATIONAL PERIOD: 8-16-20 Night Shift
DATE ISSUED: 8-16-20	TIME ISSUED: 1200
UNIT: CA-ANF	SIGNED: <i>Matt Brown</i> 
Typed/printed: Matt Brown FBAN(t)	

INPUTS

WEATHER SUMMARY: Expect evening temperatures to be reaching low 100's at the upper elevations with RH in the low 20's in the same locations. Winds will be SW early in the evening then switching to WNW 3-6 with gusts to 15 mph at the 20 ft level. Late night a light NNE wind pattern may develop.

Poor recoveries and warm overnight temperatures will continue the burn period long into the evening.

OUTPUTS

FIRE BEHAVIOR

GENERAL:

The fire will experience another evening with a very unstable atmosphere parked over the top. Tonight we may see visual indicators of the instability such as cumulus build up and may begin the operational period with a pyrocumulus in the area. This layer can enhance burning through convection or a type of "chimney" effect". Due to the decedent dry fuels and lack of fire history, expect long rang and increased spotting. This heavier fuel layer has sufficient size and flame duration to produce the type of ember cast that can be lofted up in the column and cause fires over a mile away from the main fire.

Live fuels are at critical and burning index extreme. ERC is forecasted to set another record today but due to the frequent outages of WIMS we cannot confirm this.

SPECIFIC:

Divisions toward the head of the fire will experience a change in fuels and topography. Although winds can increase on the lee side of the slopes adjacent to the desert communities, choice of barriers and lighter grass type fuels typically respond to favorably suppression efforts. Late night wind patterns should be favorable for burning.

Divisions on the right flank of the fire will experience faster rates of spread, but the recent fire history has reduced the fuel loading; therefore, increasing chances of success using direct tactics when conditions allow. Some threats remain to the line in drainages requiring extensive mop-up where fuels are heavy.

Divisions on the left flank of the fire will experience the most challenging fire behavior. Spotting is expected to exceed a mile. The probability of ignition will be 100% at the start of night shift. The shrub type fuel is not only tall but has a 100 year-old dead component under the canopy. Conifer type fuels will produce brands that can effectively produce spots. Aerial retardant application may slow the fire for a brief period of time but will be mostly ineffective in stopping spread without close ground follow up. The fire will continue to flank out and run in aligned drainages and slopes. Structures along Pine Mountain road will continue to be threatened by spots and runs that are produced in aligned drainages.

Head Fire Estimates BEHAVE Plus 5.0.5

Fuel Type	ROS	FL	PIG
Shrub SH7	100-120 ch/hr 80-100 ch/hr after 2300 hrs	20-30 ft 15-20 ft after 2300 hours	100% 50% after sunset

AIR OPERATIONS:


Transport winds will carry most of the smoke to the east overnight. Air Operations should experience good visibility early in the operational period.

SAFETY

In the heavier fuels, spot fires can grow and spread rapidly and with great flame lengths. Consider your escape route and overall effectiveness based on fire behavior before engaging. Pyrocumulus collapse rarely produces significant outflow winds directly over a fire, but the chance of a down draft should be considered when planning work assignments. As winds die down and change direction, wind battle may develop. With instability over the fire area chances of fire whirls forming are greatly increased. Avoid areas of broken terrain features where these may form, mostly on the lee sides.

FIRE DANGER – High Country Forecast Zone

Maximum, Average, and 97th Percentile, based on 10 years data



Fire Danger Area:

- ◆ High Country Fire Danger
- ◆ High Country Zone
- ◆ SIG High Country WX

* Meets NWCG Wx Station Standards

Fire Danger Interpretation:

- EXTREME** – Use extreme caution
- High** – Watch for change
- Moderate** – Lower Potential, but always be aware



Maximum – Highest Burning Index by day for 2009 - 2018


Average – shows peak fire season over 10 years (2110 observations)

97th Percentile – 3% of the 2110 days from 2009 - 2018 had an Burning Index above 228

Local Thresholds – Watch out:

Combinations of any of these factors can greatly increase fire behavior:
 20° Wind Speed over 0 mph, RH less than 1%,
 Temperature over 1, Burning Index over 0

Years to Remember: 2009 2016



Fuel Model: B - California Chaparral

Remember what Fire Danger tells you:

- ✓ Burning Index gives day-to-day fluctuations calculated from 2 pm temperature, humidity, wind, daily temperature & rh ranges, and precip duration.
- ✓ Wind is part of BI calculation.
- ✓ Watch local conditions and variations across the landscape – Fuel, Weather, Topography.
- ✓ Listen to weather forecasts – especially WIND.

Past Experience:

- Wind Driven Fires Can Produce:
- Rates of Spread > 80 ch/hr
- Spotting up to .5 - 1 mile ahead of fire front
- Eye Level Winds > 7 MPH
- Live Fuel Moistures < 75%
- Fine Fuel Moistures < 5%
- Active Night Burning Conditions with RH < 25%
- Non-Wind Driven Fires: Mature fuel beds 20+ years of growth
- Identify the alignment of wind, slope and solar pre heating

Responsible Agency: LA County

FF-5.0 build 20191211 06:01:2020-14:52 (C:\Users\Gareit...High County 2019_10 Years)

Design by NWCG Fire Danger Working Team

ASSIGNMENT LIST (ICS 204 WF)

CONTROLLED UNCLASSIFIED
INFORMATION//BASIC

1. Incident Name: <p style="text-align: center;">LAKE FIRE</p>	2. Operational Period: Date From: 08/16/20 Date To: 08/17/20 Time From: 1800 Time To: 0600	3. Branch Division <p style="text-align: center;">I A/B</p>
		Page 1 of 1 Alpha/Bravo

4. Operations Personnel:	
Operations Section Chief: R. Wills, D. Freguila (T)	Night Ops: C. Rose (T)
Branch Director: D. Forsyth	Branch Safety:
Division/Group Supervisor: I. Solomon	Air Attack:

5. Resources Assigned:							
** Resources Below in Bold are 24 Hour **							
Resource Identifier	ALS	LWD	Leader	Personnel	Request #	Hours	Reporting Location
BDF IHC				19	C-5	1800-0600	ICP
S/T ENG T3 NPS 5673C				16		1800-0600	ICP
DOZ T2 ORC DZ 3		8/27	Alan Perrualt	2	E-89	0600-1800	ICP
WTT2 PVT WT 11			Gary Tuner	1	E-163	1800-0600	ICP

6. Work Assignments:
 Task: Continue advancing line Prep from Lake Hughes Rd west to Elderberry Canyon and if feasible continue west to Naylor Place.
 Purpose: To maintain current anchor point, and keep the fire north of Warm Springs.
 End State: All lines will be able to hold and limit spread of fire to the south.

7. Special Instructions:

 *** SOFR Holloway assigned to all Divisions in Branch I***

8. Communications							
Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
ANF 8	1	COMMAND	172.375	CSQ	164.9375	103.5	
ANF 14	2	COMMAND	172.375	CSQ	164.9375	151.4	
ANF 15	3	COMMAND	172.375	CSQ	164.9375	162.2	
NIFC T1	4	TACTICAL	168.0500N	CSQ	168.0500N	131.8	
A/G TAC	14	A/G TAC	169.2875	CSQ	169.2875	CSQ	
A/G COMMAND	15	A/G COMMAND	167.9500	CSQ	167.9500	CSQ	
CALCORD	13	MEDICAL	156.0750N	T6 - 156.7	156.0750N	T6 - 156.7	
AIRGUARD	16	EMERGENCY	168.6250N	CSQ	168.6250N	T1 - 110.9	

9. Prepared by: Name: R. Resnick, J. Padilla, H. Kelmonson (T), I. Gates (T), M. Williams (T) RESL

Signature: *I. Gates*

ASSIGNMENT LIST (ICS 204 WF)

CONTROLLED UNCLASSIFIED
INFORMATION//BASIC

1. Incident Name: LAKE FIRE	2. Operational Period: Date From: 08/16/20 Date To: 08/17/20 Time From: 1800 Time To: 0600	3. Branch I	Division C
--	---	------------------------------	-----------------------------

4. Operations Personnel:		Page 1 of 1	Charlie
Operations Section Chief: R. Wills, D. Freguila (T)		Night Ops: C. Rose (T)	
Branch Director: D. Forsyth		Branch Safety:	
Division/Group Supervisor: UNSTAFFED		Air Attack:	

5. Resources Assigned:		** Resources Below in Bold are 24 Hour **						
Resource Identifier	ALS	LWD	Leader	Personnel	Request #	Hours	Reporting Location	

6. Work Assignments:

7. Special Instructions:

*** SOFR Holloway assigned to all Divisions in Branch I***

8. Communications							
Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
ANF 8	1	COMMAND	172.375	CSQ	164.9375	103.5	
ANF 14	2	COMMAND	172.375	CSQ	164.9375	151.4	
ANF 15	3	COMMAND	172.375	CSQ	164.9375	162.2	
NIFC T3	5	TACTICAL	168.6000N	CSQ	168.6000N	131.8	
A/G TAC	14	A/G TAC	169.2875	CSQ	169.2875	CSQ	
A/G COMMAND	15	A/G COMMAND	167.9500	CSQ	167.9500	CSQ	
CALCORD	13	MEDICAL	156.0750N	T6 - 156.7	156.0750N	T6 - 156.7	
AIRGUARD	16	EMERGENCY	168.6250N	CSQ	168.6250N	T1 - 110.9	

9. Prepared by: Name: R. Resnick, J. Padilla,
H. Kelmonson (T), I. Gates (T), M. Williams (T) RESL

Signature: *I. Gates*

ICS 204 Date/Time: 8/15/2020 2200 Personnel Count: 0

ASSIGNMENT LIST (ICS 204 WF)

CONTROLLED UNCLASSIFIED
INFORMATION//BASIC

1. Incident Name: <b style="text-align: center;">LAKE FIRE	2. Operational Period: Date From: 08/16/20 Date To: 08/17/20 Time From: 1800 Time To: 0600	3. Branch Division <b style="text-align: center;">I F
4. Operations Personnel:		Page 1 of 1 Foxtrot

Operations Section Chief: R. Wills, D. Freguila (T)	Night Ops: C. Rose (T)
Branch Director: D. Forsyth	Branch Safety:
Division/Group Supervisor: J. Wickizer	Air Attack:

5. Resources Assigned:	** Resources Below in Bold are 24 Hour **					
Resource Identifier	ALS	LWD	Leader	Personnel	Request #	Hours Reporting Location
Cherokee IHC			Ballesteros	21	C-58	1800-0600 ICP
CRW T1 LAC 1173G				22		0600-0600 ICP
S/T CRW T1 LAC 1176G		8/27	Chad Hunter	22		0600-0600 ICP
S/T ENG T3 XAL 2004C			Gary Ashley	22	E-224	1800-0600 ICP
ENG T3 ANF ENG 19				3		1800-0600 ICP
ENG T3 ANF ENG 12				3		1800-0600 ICP
ENG T3 ANF E-333				3		1800-0600 ICP
ENG T3 ANF E-310				3		1800-0600 ICP
S/T DOZ T2 LAC 9428L			Gregerson	2	E-129	1800-0600 ICP
S/T DOZ T2 KRN 9360L			Grisedale	5	E-124	1800-0600 ICP
WTT2 PVT L&L Logistics			Harold Lang	2	E-127	0600-0600 ICP
WTT1 PVT WT E-130			Greg Bartlett	2	E-130	0600-0600 ICP

6. Work Assignments:
 Task: Assess and advance preparation of indirect line from intersection of Burnt Peak Rd and Leibre Sawmil Rd west to Leibre Mtn. Provide point protection of Burnt Peak infrastructure if fire behavior allows.
 Purpose: Limit fire spread to the North to Pine Canyon Road to minimize spread to the community along Pine Canyon and 3 Point community.
 End State: Fire spread will be confined to Pine Canyon Ridge.

7. Special Instructions:
 Provide structure protection as needed.
 Provide point protection for Burnt Peak.

*** SOFR Holloway assigned to all Divisions in Branch I***

8. Communications							
Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
ANF 8	1	COMMAND	172.375	CSQ	164.9375	103.5	
ANF 14	2	COMMAND	172.375	CSQ	164.9375	151.4	
ANF 15	3	COMMAND	172.375	CSQ	164.9375	162.2	
NIFC T5	6	TACTICAL	166.7250N	CSQ	166.7250N	131.8	
A/G TAC	14	A/G TAC	169.2875	CSQ	169.2875	CSQ	
A/G COMMAND	15	A/G COMMAND	167.9500	CSQ	167.9500	CSQ	
CALCORD	13	MEDICAL	156.0750N	T6 - 156.7	156.0750N	T6 - 156.7	
AIRGUARD	16	EMERGENCY	168.6250N	CSQ	168.6250N	T1 - 110.9	

9. Prepared by: Name: R. Resnick, J. Padilla, H. Kelsonson (T), I. Gates (T), M. Williams (T) RESL

Signature: *Isla Gates*

ASSIGNMENT LIST (ICS 204 WF)

CONTROLLED UNCLASSIFIED
INFORMATION/BASIC

1. Incident Name:		2. Operational Period:				3. Branch		Division	
LAKE FIRE		Date From: 08/16/20		Date To: 08/17/20		V		I	
		Time From: 1800		Time To: 0600		Page 1 of 1		India	
4. Operations Personnel:									
Operations Section Chief: R. Wills, D. Freguila (T)				Night Ops: C. Rose (T)					
Branch Director: J. Ohs				Branch Safety:					
Division/Group Supervisor: S. Brawer/B. Kane (T)				Air Attack:					
5. Resources Assigned:									
** Resources Below in Bold are 24 Hour **									
Resource Identifier	ALS	LWD	Leader	Personnel	Request #	Hours	Reporting Location		
S/T ENG T1 XLC 1204A			Khail			0600-0600	ICP		
S/T ENG T3 MVU 9330C		8/26	Reynolds	17	E-39	0600-0600	ICP		
S/T ENG T3 CDF 9310C		8/26	Burrow	18	E-38	0600-0600	ICP		
S/T ENG T3 MMU 9420C						0600-0600	ICP		
S/T ENG T3 LAC 1151C			Delaney/Perry			0600-0600	ICP		
S/T ENG T3 VNC 1566C			Rob Szczepanek	22		0600-1800	ICP		
LAC WT 128			Dan Hathaway	2		0600-0600	ICP		
MRVWater TenderE-54			Nick Board	2	E-54	1800-0600	ICP		
TFLD Livingston			Livingston		O-10020	1800-0600	ICP		
EMTF Fredrickson			Fredrickson	1	O-146	1800-0600	ICP		
EMTF Turner			Turner	1	O-147	1800-0600	ICP		
EMTF Brodbeck			Brodbeck	1	O-150	1800-0600	ICP		
EMTF Moore			C. Moore	1	O-10056	1800-0600	ICP		
6. Work Assignments:									
Task: Advance perimeter control from Pine Canyon Road north to Lancaster Road utilizing both direct and indirect as feasible. Prep Pine Canyon Road from black edge west to intersection with Three Points Rd. Mop up and patrol structures within the existing burn area to minimize damage.									
Purpose: Stop forward spread of fire.									
End State: Confine the fire between Pine Canyon Road to the junction 195th St. West and Aquaduct Road.									
7. Special Instructions:									
Provide for structure protection as needed.									
*** SOFR Holloway assigned to all Divisions in Branch I***									
8. Communications									
Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes		
ANF 8	1	COMMAND	172.375	CSQ	164.9375	103.5			
ANF 14	2	COMMAND	172.375	CSQ	164.9375	151.4			
ANF 15	3	COMMAND	172.375	CSQ	164.9375	162.2			
VFIRE 22	8	TACTICAL	154.2650N	T6 - 156.7	154.2650N	T6 - 156.7			
A/G TAC	14	A/G TAC	169.2875	CSQ	169.2875	CSQ			
A/G COMMAND	15	A/G COMMAND	167.9500	CSQ	167.9500	CSQ			
CALCORD	13	MEDICAL	156.0750N	T6 - 156.7	156.0750N	T6 - 156.7			
AIRGUARD	16	EMERGENCY	168.6250N	CSQ	168.6250N	T1 - 110.9			
9. Prepared by: Name:									
R. Resnick, J. Padilla, H. Kelsonson (T), I. Gates (T), Williams (T)				M. RESL		Signature: <u><i>I. Gates</i></u>			
ICS 204		Date/Time: 8/15/2020 2200				Personnel Count: 65			

ASSIGNMENT LIST (ICS 204 WF)

CONTROLLED UNCLASSIFIED
INFORMATION//BASIC

1. Incident Name: <p style="text-align: center; font-weight: bold;">LAKE FIRE</p>		2. Operational Period: Date From: 08/16/20 Date To: 08/17/20 Time From: 1800 Time To: 0600				3. Branch <p style="text-align: center; font-weight: bold;">V</p>		Division <p style="text-align: center; font-weight: bold;">S/T</p>	
4. Operations Personnel:						Page 1 of 1		Sierra/Tango	
Operations Section Chief: R. Wills, D. Freguila (T)					Night Ops: C. Rose (T)				
Branch Director: J. Ohs					Branch Safety:				
Division/Group Supervisor: C. Rash/A. Buzzerio (T)					Air Attack:				
5. Resources Assigned:		** Resources Below in Bold are 24 Hour **							
Resource Identifier	ALS	LWD	Leader	Personnel	Request #	Hours	Reporting Location		
CRW T2IA PVT Fire Storm C-2				22	C-2	1800-0600	ICP		
S/T ENG T1 LAC 1103A				22	E-1	0600-0600	ICP		
S/T ENG T1 LAC 1120A			Anzal / Svoboda	22	E-49	0600-0600	ICP		
S/T ENG T3 STB 1521C			Deponce		E-30018	1800-0600	ICP		
S/T ENG T3 SKY 2140C			Roberge		E-221	1800-0600	ICP		
S/T ENG T3 RED 6828C			Miller			1800-0600	ICP		
S/T ENG T3 CDF 9410C						1800-0600	ICP		
S/T ENG T3 CDF 9430C						1800-0600	ICP		
S/T ENG T6 LAC 1146F					E-31	0600-0600	ICP		
DOZ T1 LAC 9318L				2		0600-1800	ICP		
DOZ MVU 9334L					E-196	0600-1800	ICP		
WTT T1 LAC WT-32				1		0600-1800	ICP		
WTT1 LAC WT-117						0600-1800	ICP		
6. Work Assignments:									
Task: Advance perimeter control lines from Lancaster road east and south to Pine Canyon Rd. to protect the Lake Hughes area. Mop up and patrol around structures within the existing burn area to minimize damage.									
Purpose: Stop forward spread of fire.									
End State: Confine the fire between 195th St./Aqueduct Road and Pine Canyon Road.									
7. Special Instructions:									
Provide for structure protection as needed.									
*** SOFR Goudchaux and SOFR(T) Adamo assigned to all Divisions***									
8. Communications									
Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes		
ANF 8	1	COMMAND	172.375	CSQ	164.9375	103.5			
ANF 14	2	COMMAND	172.375	CSQ	164.9375	151.4			
ANF 15	3	COMMAND	172.375	CSQ	164.9375	162.2			
VFIRE 23	9	TACTICAL	154.2950N	T6 - 156.7	154.2950N	T6 - 156.7			
A/G TAC	14	A/G TAC	169.2875	CSQ	169.2875	CSQ			
A/G COMMAND	15	A/G COMMAND	167.9500	CSQ	167.9500	CSQ			
CALCORD	13	MEDICAL	156.0750N	T6 - 156.7	156.0750N	T6 - 156.7			
AIRGUARD	16	EMERGENCY	168.6250N	CSQ	168.6250N	T1 - 110.9			
9. Prepared by: Name:		R. Resnick, J. Padilla, H. Kelsonson (T), I. Gates (T), M. Williams (T)							
		RESL							
		Signature: <u><i>I. Gates</i></u>							
ICS 204		Date/Time: 8/15/2020 2200				Personnel Count: 69			

ASSIGNMENT LIST (ICS 204 WF)

CONTROLLED UNCLASSIFIED
INFORMATION//BASIC

1. Incident Name:	2. Operational Period:	3. Branch	Division
LAKE FIRE	Date From: 08/16/20 Date To: 08/17/20 Time From: 1800 Time To: 0600	V	Contingency

Page 1 of 1

4. Operations Personnel:			
Operations Section Chief: R. Wills, D. Freguila (T)	Night Ops: C. Rose (T)		
Branch Director: J. Ohs	Branch Safety:		
Division/Group Supervisor: R. White, R. Chavez (T)	Air Attack:		

5. Resources Assigned:		** Resources Below in Bold are 24 Hour **					
Resource Identifier	ALS	LWD	Leader	Personnel	Request #	Hours	Reporting Location
S/T DZR T2 BDU 9353L					E-30004	1800-0600	ICP
S/T DZR T1 CDF 9416L					E-30005	1800-0600	ICP
PVT DZ Wilkin Mining					E-228	1800-0600	ICP
PVT DZ Denis Equipment					E-243	1800-0600	ICP

6. Work Assignments:
Identify structure defense needs. Prep structures and construct or improve defensible space if feasible to defend structures from fire damage and limit spread to adjacent structures.

7. Special Instructions:

*** SOFR Goudchaux and SOFR(T) Adamo assigned to all Divisions***

8. Communications							
Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
	#N/A						
ANF 14	2	COMMAND	172.375	CSQ	164.9375	151.4	
ANF 15	3	COMMAND	172.375	CSQ	164.9375	162.2	
	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	#N/A						
A/G COMMAND	15	A/G COMMAND	167.9500	CSQ	167.9500	CSQ	
CALCORD	13	MEDICAL	156.0750N	T6 - 156.7	156.0750N	T6 - 156.7	
AIRGUARD	16	EMERGENCY	168.6250N	CSQ	168.6250N	T1 - 110.9	

9. Prepared by: Name: R. Resnick, J. Padilla, H. Kelsonson (T), I. Gates (T), M. Williams (T) RESL

Signature: *I. Gates*

ICS 204 Date/Time: 8/15/2020 2200 Personnel Count: 0

ASSIGNMENT LIST (ICS 204 WF)

CONTROLLED UNCLASSIFIED
INFORMATION/BASIC

1. Incident Name:	2. Operational Period:	3. Branch	Division
LAKE FIRE	Date From: 08/16/20 Date To: 08/17/20 Time From: 1800 Time To: 0600	VII	X/Z

Page 1 of 1 X-ray/Zulu

4. Operations Personnel:	
Operations Section Chief: R. Wills, D. Freguila (T)	Night Ops: C. Rose (T)
Branch Director:	Branch Safety:
Division/Group Supervisor: UNSTAFFED	Air Attack:

5. Resources Assigned:		** Resources Below in Bold are 24 Hour **					
Resource Identifier	ALS	LWD	Leader	Personnel	Request #	Hours	Reporting Location

6. Work Assignments:

7. Special Instructions:
Provide for structure protection as needed.
Report to Ops in the absence of Branch

*** SOFR Goudchaux and SOFR(T) Adamo assigned to all Divisions***

8. Communications							
Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
ANF 8	1	COMMAND	172.375	CSQ	164.9375	103.5	
ANF 14	2	COMMAND	172.375	CSQ	164.9375	151.4	
ANF 15	3	COMMAND	172.375	CSQ	164.9375	162.2	
VFIRE 24	10	TACTICAL	154.2725N	T6 - 156.7	154.2725N	T6 - 156.7	
A/G TAC	14	A/G TAC	169.2875	CSQ	169.2875	CSQ	
A/G COMMAND	15	A/G COMMAND	167.9500	CSQ	167.9500	CSQ	
CALCORD	13	MEDICAL	156.0750N	T6 - 156.7	156.0750N	T6 - 156.7	
AIRGUARD	16	EMERGENCY	168.6250N	CSQ	168.6250N	T1 - 110.9	

9. Prepared by: Name: R. Resnick, J. Padilla, H. Kelmonson (T), I. Gates (T), M. Williams (T) RESL

Signature: *Ilda Gates*

ICS 204 Date/Time: 8/15/2020 2200 Personnel Count: 0

AIR OPERATIONS SUMMARY ICS-220

Incident Name and Incident Number
LAKE FIRE, CA-ANF-003277

Sunrise 6:13 **Startup** 6:43 **Cutoff** 19:09 **Sunset** 19:39

General Remarks, Safety Notes, Hazards, Air Operations Special Equipment, etc.
TRACK ALL DIPSITE LOCATIONS / NUMBER OF DIPS / GALLONS TAKEN.
TRACK ALL DROP LOCATIONS / NUMBER OF DROPS / GALLONS DROPPED
ALL GPS DATA TO BE COLLECTED IN DEGREES, MINUTES, DECIMAL MINUTES, FORMAT.
AVOID Aerial Application of Retardant / Foam / Agent within 300' of Waterways, Bodies of Water, etc.
If Retardant / Foam / Agent is Dropped Within These Areas Immediately Notify the AOB and Provide the Following Information: Lat / Long, Estimated Number of Gallons and a Map Detailing The Area.

Time Prepared
19:00

Shutdown
20:09

Date Prepared
Saturday, August 15, 2020

Operational Period - Date
Sunday, August 16, 2020

Prepared By
David Carrera ASGS (t) **OK**

Operational Period - Time
0600-0600

Helibase Information
Name: KWJF - Fox Field
Latitude: 34 44.46
Longitude: 118 13.12
Mobile Retardant Plant
Name: 3 points MRB
Latitude: 34 46.442
Longitude: 118 35.141
(use page 2 if needed)

TFR Information
Request # A-61
Radius: 10 NM
Altitude: 9000' MSL
Centerpoint: 34 40.98 Lat 118 34.61 Long
NOTAMS: 0/2198
Frequency: 124.725
http://tfr.faa.gov/tfr2/list.html

Rescue Ship Information
Day | Night
Name | LA County or LA County or
Phone | LA City, LA City,
Make/Model | Request Request
Location | through ECC through ECC
Request Procedure for These Aircraft:
See Medical Plan For Additional Info

Frequencies	RX	Tone	TX	Tone	AM / FM	Position	Name	Phone	Trainee Name	Phone
AIR TACTICS Primary	166.6125		166.6125		FM	AOBD	John Keesee	949-473-3265		
AIR TACTICS Secondary					FM	AOBD				
AIR / AIR Rotor Primary	124.7250		124.7250		AM	ASGS	David Carrera	760-883-9110		
AIR/AIR Rotor Wing Secondary					AM	ASGS (t)	Brad Nelson	559-349-6793		
AIR / AIR - Briefing					AM	HEBM				
AIR / GROUND Command	167.9500		167.9500		FM	HEBM				
AIR / GROUND Tactical	169.2875		169.2875		FM	HLCO	Mike Deacon	530-708-2716	Steve Martin	805-903-3481
COMMAND	172.3750		164.9375	151.4 (15)	FM	HLCO				
TOLC					AM	ATGS	AA52 Derek Wheeler	530-355-3274	Daniel Diaz	909-659-4596
DECK	163.1000		163.1000		FM	ATGS				
CALCORD - MEDICAL	156.0750	156.7 (6)	156.0750	156.7 (6)	FM					
AIR GUARD - Emergency Only	168.6250		168.6250	110.9 (1)	FM					

HELICOPTERS (Use page 2 if Needed)

FAA #	Type	Make/Model	Helibase	Start	Avail	Remarks / A - #	FAA #	Type	Make/Model	Helibase	Start	Avail	Remarks / A - #
H532	2	Bell 205 A1++	KWJF	0630	0700	13 personal / A-7	0HT	1	Sikorsky CH54B	KWJF	0630	0700	1 mgr / A-6
H512	2	Bell 212HP	KWJF	0630	0700	14 personal / A-51	1CG	1	Sikorsky S61N	KWJF	0630	0700	1 mgr / A-29
H520	2	Bell 205 A1++	KWJF	0630	0700	12 personal / A-52	9RH	1	Kaman K-MAX	KWJF	0630	0700	1 mgr / A-30
H531	2	Bell 205 A1++	KWJF	1900	0700	10 personal / A	N191CH	1	BV-107-II	KWJF	0630	0700	1 mgr / A-34
5AS	3	Bell 407	KWJF	0630	0700	2 personal / A-71	N135BH	1	Sikorsky S70A	KWJF	0630	0700	2 mgr / A-33
							NH9CU	1	CH-47D	KWJF	0630	0700	1 mgr / A-31
							N245CH	1	BV-234	KWJF	0630	0700	1 mgr / A-32

Helibase Name: Fox Field Helibase Name: Fox Field
 Latitude: Latitude:
 Longitude: Longitude:

Lake Fire – Safety Message

INCIDENT #CA-ANF-003273

DATE: 08-16-20 TIME: 1800 – 0600

Firefighter Fatigue/Driver Safety

With continued physically demanding operational periods, expect and predict fatigue of all crew members working in and around your division. Take the following steps to limit and address fatigue and driver safety:

1. Follow work/rest guidelines.
2. Take breaks as needed.
3. Rotate qualified drivers/operators.
4. Supervisors assess the fatigue levels of your crews during operational periods.
5. Ask/tell if you are physically unable to complete a task or assignment.
6. Front seat passengers should remain awake and maintain situational awareness while driving.

Heat Related Illness

Heat Stroke- A condition that occurs when the body becomes unable to control its temperature, and can cause death or permanent disability. Description of signs and symptoms include:

- Confusion, loss of coordination.
- Throbbing headaches.
- High body temperature.
- Seizures, coma.

Heat Exhaustion- The body's response to an excessive loss of water and salt, usually through sweating.

- Heavy sweating, extreme weakness or fatigue.
- Dizziness, nausea, vomiting, irritability.
- Fast, shallow breathing.
- Trouble concentrating, loss in coordination.

Heat Cramps- Affects workers who sweat a lot during strenuous activity. Sweating depletes the body's salt and moisture levels.

- Muscle cramps, pain, or spasms in the abdomen, arms or legs.

Personal Hygiene and Illness Prevention


With shared utilities such as sleeping quarters, restrooms and the chow hall, the chance of spreading illness and infection is a concern. Take the following steps to limit your exposure to illness or infection:

- Use handwashing stations routinely.
- Stay hydrated and well nourished.
- Get your rest, use hand sanitizer.
- Avoid contact with social surfaces (handrails, doorknobs) without washing hands after.
- Follow all CDC and Agency COVID 19 protocols.

Safety Officers: Brian Savage (SOF1)

Dave Welch (SOF1)

Know It Before You Need It



17.TERRAIN AND FUELS MAKE ESCAPE TO SAFETY ZONES DIFFICULT

INCIDENT RISK ANALYSIS

LAKE FIRE

(ICS 215a) Night Shift

BR/ DIV	HAZARDOUS ACTIONS / CONDITIONS	MITIGATIONS / WARNINGS / REMEDIES
ALL	WEATHER	<ul style="list-style-type: none"> • Be aware of changing weather conditions. • Watch out for increasing heat, winds, and instability. • Anticipate increased fire behavior conditions. • Communicate any observed changes in weather and fire behavior. • "Base all actions on current and expected behavior of the fire."
ALL	FIRE BEHAVIOR	<ul style="list-style-type: none"> • Conduct thorough assessments before starting work. • Ensure LCES is in place. • Provide additional briefing on drought related fire behavior and areas of high concentration of hazard trees. • Increase the level of SA. • Provide additional briefing for new resources and maintain communications..
ALL	LINE CONSTRUCTION	<ul style="list-style-type: none"> • Follow the line construction protocols and safety precautions for direct and indirect line construction. • Watch footing and spacing between firefighters, especially those working below. • Make sure LCES is in place. • Follow the "Downhill Line Construction Checklist" on IRPG page 9. • Do not work above any personnel. • Evaluate necessity to send personnel in areas with limited access.
ALL	TRAFFIC HAZARDS AND DRIVING	<ul style="list-style-type: none"> • Practice "Defensive Driving" techniques. Traffic volume is high. • Use spotters when backing. • Always use headlights. • Use warning lights when working on roads or traveling in smoke. • Observe posted speed limits. • Use chock blocks and turn wheels into the hill. • Watch for rolling rocks and debris from hillsides.
ALL	COMMUNICATIONS	<ul style="list-style-type: none"> • Share your Situational Awareness (hazards, changes, etc.) to those who also have a need. • Radio Communications may be poor in some areas: use human repeaters as needed. • Ensure all personnel are familiar with the incident and the IAP communications plans. • Make sure all resources have radios cloned appropriately. • Ensure that non-agency resources understand radio use and procedures.
ALL	FATIGUE / COMPLACENCY	<ul style="list-style-type: none"> • Be alert for signs of heat stress and fatigue, take breaks as necessary. • HYDRATE before, during and after your shift. • Monitor ALL resources for level of fatigue. • Recognize the symptoms of heat stress and fatigue, and take action as necessary to provide rest and recovery. • Repeated assignments in the same area can lead to complacency making personnel more vulnerable to accidents. • Take steps (switching of assignments, training opportunities during slow periods, etc.) to maintain situational awareness for the duration of the incident
ALL	AIR OPERATIONS	<ul style="list-style-type: none"> • Do not plan on air resources for tactical support or medical transportation. • Refer to page 58, IRPG for directing bucket drops. • Ensure positive communication with all air resources.
ALL	HEAVY EQUIPMENT OPERATIONS	<ul style="list-style-type: none"> • Ensure communications are established with operators. • Ensure ground personnel have safety illumination, with light-sticks being the minimum. • Maintain a 50'-100' exclusion area around equipment. • In timber increase safety distance to 2 ½ times canopy height.
ALL	HAZARD / DANGER TREES	<ul style="list-style-type: none"> • Follow Hazard Tree Safety Guidelines (IRPG p.22-23). • Limit number of personnel around snags and their exposure time; fallers must be qualified for the trees being felled. • Be especially alert around snags during wind events. Large green trees can also be dangerous.
ALL	FIRING OPERATIONS	<ul style="list-style-type: none"> • Only personnel trained in the use of each device will be authorized to use firing equipment. • Ensure all personnel are aware of firing operation that may affect them. • Wear appropriate PPE. • Ensure aerial/ground ignition plans have been adequately developed and personnel are briefed.
ALL	ENVIRONMENTAL HAZARDS	<ul style="list-style-type: none"> • Keep alert for wildlife, deer, rattlesnakes, bees, and plants. Watch footing and hand placement around rocks. Use caution around gas and power lines. • Personal hygiene is #1 when it comes to Poison Oak Prevention. • Watch for agitated buffalo and cattle that may charge. • Follow all CDC and Agency COVID 19 protocols. • Watch for unmarked mine shafts.
<p>INCIDENT NAME:</p> <p>LAKE FIRE</p>		<p>Operational Period: 1800-0600</p> <p>August 16, 2020</p> <hr/> <p>DATE AND TIME PREPARED:</p> <p>August 16, 2020 1400 hours</p>

INCIDENT RADIO		Incident Name		Date/Time Prepared		Operational Period Date/Time					
COMMUNICATIONS PLAN		LAKE		08/16/20 1155		8/16/20 1800 - 08/17/20 0600					
Utilization of any frequency other than those listed on this form are prohibited, subject to fines by the FCC and demobilization from the incident.											
Zh Ch	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq N or W	RX Tone/NAC	TX Freq N or W	TX Tone/NAC	Dev	Pwr	Mode A, D or M	Remarks
1	COMMAND	ANF 8	OPERATIONS	172.3750	CSQ	164.9375	103.5	N	H	A	
2	COMMAND	ANF 14	OPERATIONS	172.3750	CSQ	164.9375	151.4	N	H	A	
3	COMMAND	ANF 15	OPERATIONS	172.3750	CSQ	164.9375	162.2	N	H	A	
4	TACTICAL	NIFC T-1	DIV A/B	168.0500	CSQ	168.0500	131.8	N	L	A	
5	TACTICAL	NIFC T-3	DIV C	168.6000	CSQ	168.6000	131.8	N	L	A	
6	TACTICAL	NIFC T-5	DIV F	166.7250	CSQ	166.7250	131.8	N	L	A	
7	TACTICAL	NIFC T-6	DIV G	166.7750	CSQ	166.7750	131.8	N	L	A	
8	TACTICAL	VFIRE22	DIV I	154.2650	Tone 6 156.7	154.2650	Tone 6 156.7	N	L	A	
9	TACTICAL	VFIRE23	DIV S/T	154.2950	Tone 6 156.7	154.2950	Tone 6 156.7	N	L	A	
10	TACTICAL	VFIRE24	DIV X, DIV Z	154.2725	Tone 6 156.7	154.2725	Tone 6 156.7	N	L	A	
11	TACTICAL	FCA V-1D	CONTINGENCY	155.3250	Tone 6 156.7	155.3250	Tone 6 156.7	N	H	A	
12	TACTICAL	FCA V-2D	UNASSIGNED	155.4000	Tone 6 156.7	155.4000	Tone 6 156.7	N	H	A	
13	TACTICAL	CALCORD	MEDICAL TAC	156.0750	Tone 6 156.7	156.0750	Tone 6 156.7	N	H	A	
14/18	AIR TO GROUND	A/G TAC	AIR TO GROUND TAC	169.2875	CSQ	169.2875	CSQ	N	L	A	
15/19	AIR TO GROUND	A/G CMD	AIR TO GROUND CMD	167.9500	CSQ	167.9500	CSQ	N	L	A	
16/20	EMERGENCY	AIR GUARD	EMERGENCY	168.6250	CSQ	168.6250	Tone 1 110.9	N	L	A	
Prepared By (Communications Unit Leader)				Incident Location		CASTAIC LOWER LAKE ICP, CASTAIC, CA		County: LAC State: CA		Latitude: N Longitude: W	
Kevin Throop COM1(t) 303-229-3246											

The convention calls for frequency lists to show four digits after the decimal place (five digits for 700 MHz frequencies). The letter "U", "N", or "W" in the deviation (Dev) column reflects whether the frequency is ultranarrow (6.25 kHz), narrow (12.5 kHz) or wide band (25 kHz). Mode refers to either "A" indicating Analog, "D" indicating Digital (e.g. Project 25) or "M" indicating Mixed Mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeaters (and depending on use, base stations) must be programmed with the Rx and Tx reversed.

MEDICAL PLAN	1. INCIDENT NAME: Lake	2. DATE PREPARED: August 16, 2020	3. TIME PREPARED: 0730	4. OPERATIONAL PERIOD 08/16/20- 8/17/20 1800-0600
	5. INCIDENT MEDICAL AID STATIONS			

MEDICAL AID STATIONS	LOCATION	ALS	
		YES	NO
LA Co. Squad 4124	ICP	X	
LA Co. Squad 4135	LA Co FS 78 17021 Elizabeth Lake Rd. Lake Hughes, Ca. 93532	X	
Front Line Medical	ICP	X	

6. TRANSPORTATION

A. Ambulance Services

NAME	LOCATION	PHONE	ALS	
			YES	NO
AMR	ICP			X
AMR	LA Co FS 78 17021 Elizabeth Lake Rd. Lake Hughes, Ca. 93532			X

B. AIR AMBULANCE

NAME	LOCATION	ALS	
		YES	NO
LA County Fire, Hoist capable	LACO Dispatch (323) 881-6183	XX	

7. HOSPITALS

NAME	ADDRESS	TRAVEL TIME		PHONE	TRAUMA		HELIPAD		BURN CENTER	
		AIR	GRND		Yes	No	Yes	NO	YES	NO
Henry Mayo N34 23.94 W118 33.11	23845 W. McBean Pkwy Valencia, Ca. 91355	AIR 5	GRND 15	(661) 200-1601	L-II		XX			XX
Antelope Valley Hospital N34 41.283 W118 9.5166	1600 W. Ave. J Lancaster, Ca. 93534	10	45	(661) 949-5000	L-II		XX			XX
West Hills Hospital N34 12.18 W118 37.75	7300 Medical Center Dr. West Hills, Ca. 91307	20	45	(818) 676-4598		XX	XX		XX	
LAC+USC Med Center N34 03.345 W118 12.48	1200 N. State Street Los Angeles, CA 90033	45	1.75 Hr.	(323) 226-2622	L-I		XX		XX	

8. MEDICAL EMERGENCY PROCEDURES

LINE "MEDICAL-EMERGENCY" PLAN:

- Crew Supervisor to contact Division Supervisor/Operations with:
 - Patient Complaint, Condition and Location via Tactical or Command frequency. Priority 1/Red & 2/Yellow Patients trigger Incident within Incident (IWI).
- Division Supervisor/Operation contacts Lake Communications:
 - Division Supervisor or POC* will run "Medical -Emergency" on the Command frequency.
 - Division Supervisor of POC* to use "Medical Incident Report" worksheet on page 118-119 of the IRPG.

POC* (Point of Contact) and/or Operations

LINE "NON-EMERGENCY INCIDENT" PLAN:

- Crew Supervisor to contact Division Supervisor with:
 - Patient Complaint, Condition and Location via Tactical or Command frequency. Priority 3/Green Patients do not trigger Incident within Incident (IWI).
- Division Supervisor contacts Apple Communications:
 - Division Supervisor or POC* will run "Non-Emergency Incident" on the Command frequency.
 - Division Supervisor or POC* will use "Medical Incident Report" worksheet on page 118 -119 of the IRPG.

IN-CAMP – 24 HOUR MEDICAL

- Contact Lake Communications with:
 - Patient Complaint, Condition and Location via LOGS net or Command frequency

9. PREPARED BY Jeff Carlon - MED 	10. REVIEWED BY 
---	---

Human Resource Message


Hello

As the Human Resource Specialist assigned to this incident, my role is to facilitate a positive work environment, which begins with "Hello"! A simple hello goes a long way toward establishing our human connection and how we relate to others.

My role is to be a focal point for informal resolution of issues and concerns to ensure a positive work environment. You may come to me with any question or concern about any aspect of your work environment while assigned to the incident. I am particularly committed to help assure resolution of issues as they arise, rather than waiting until after the incident is demobilized. High priority is given to resolving issues informally with mutual respect as a priority. If you are aware of inappropriate conduct, you have the right and the obligation to do something about it.

Come see me any time you have questions or concerns.

A sense of humor is part of the art of leadership, of getting along with people, of getting things done. Dwight D. Eisenhower



Andrea Cabida
Human Resource Specialist
707-330-9939

TRAINING SPECIALIST MESSAGE

**All Lake Incident Trainees
Beat the Rush!!!**

In order to receive documented credit for your training assignment you must register with the Incident Training Specialist.

The Training Specialist is available immediately following the morning Briefing.

Bring the following documents to register:

- **ICS Qualification Card**
- **Position Task Book**

Trainee Data Forms are available at the Training Office

Remember: No documentation – it didn't happen!

Claudia Soiza - 949 632-7813

**Incident Trainee/Trainer Data Form
Lake Fire CA-ANF-003273**

Training Specialist: Claudia Soiza 949.632.7813

- All Incident trainees, including those on Firefighting Modules at your earliest opportunity complete this form and see the Training Specialist.
- Prior to or as you process through DEMOB, remember to close your training package. To close your training package, bring: 1) A performance rating from your trainer. (ICS 225)
2) Your task book that has as many entries as possible by your Trainer.

Trainee Data

Trainee Name: _____ ICS Trainee Position: _____

Request # (A,C,E, or O): _____ Agency Designator (Ex. CA-RRU): _____

Ordered as Trainee? Y N Priority Trainee ____ Local Forest Trainee ____ IMT Trainee

Date Assigned: _____ Cell / Contact # While on Incident: _____

Training Records Mailed To: (Fire Chief, Training Officer):

Name: _____ Title _____

Name of Agency/Unit: _____

Agency/Unit Address: _____

City: _____ State: _____ Zip Code: _____ Phone: _____

Trainee Prerequisites

1. Possesses valid Qualification Card or agency certification card? ___Yes ___No

2. Trainee has current position task book issued by home unit? ___Yes ___No

Current Task Book Progress (Circle) 0% 25% 50% 75% 90%

Priority Open Task in PTB (What do you need to accomplish on this incident?)

Trainer/Evaluator Data

Trainer / Evaluator Name: _____ ICS position on fire: _____

Home Unit: _____ Agency Designator (Ex CA-RRU): _____

Request # (A,C,E,O): _____

Work Address: _____

City: _____ State: _____ Zip Code: _____

Cell / Contact While on Incident: _____

LACOFD FINANCE MESSAGE



**ALL LA COUNTY FIRE RESOURCES ARE TO
COMPLETE A FORM 662 DURING THE DEMOB
PROCESS AND SUBMIT IT TO LACOFD FINANCE
ON THE LAKE INCIDENT**

**ALL LA COUNTY FIRE RESOURCES THAT
UTILIZE ESS (EMPLOYEE SELF-SERVICES) TO
SUBMIT THEIR TIMECARDS, PLEASE USE
PROJECT CODE EM2003B1 WHICH HAS BEEN
ESTABLISHED TO TRACK THE LAKE INCIDENT**

FEDERAL FINANCE MESSAGE



With the Incident being in Unified Command, it has been determined to do Cost Apportionment for determining each agency's cost.

All Division Supervisors and Branch Directors come in each day after shift and debrief with the Cost Apportionment Team (CATS).

All Initial/Type 3 Division Supervisors/IC please go in and see the CATS Team.

CAL FIRE FINANCE MESSAGE



Hired equipment suppliers check in with Cal Fire equipment time.

Line Supervision and HEQB see shift ticket example.

Thanks for your cooperation in getting this done.



Finance Section - Shift Ticket Examples

24HR LINE RESOURCE - EXTENDED SHIFT RESOURCE, GREATER THAN 16HR WORKED

EMERGENCY SHIFT TICKET and EVALUATION FORM The responsible Government Officer will complete this form each shift							Contractor Name DIRT PUSHERS LLC	
Incident or Project Name APPLE			Incident Number CARRU-096640		Request Number E-27		Operator #1 (DAY SHIFT) FIRST & LAST	Operator #2 (NIGHT SHIFT) FIRST & LAST
Agreement Number MEU 247481-01							Operator Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government	
Equipment Make 2002 CATERPILLAR			Equipment Model / Type D6N XL, TYPE 2 - E				Operating Supplies Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government	
Serial Number COMPLETE SERIAL #			License Number				Equipment Status Inspected <input checked="" type="checkbox"/> Under Agreement Released by Government Withdrawn by Contractor	
Equipment Use (Circle) Hours Days / Miles							Remarks/Comments** NO DAMAGE / NO CLAIM EXTENDED SHIFT RESOURCE	
Date Mo / Day	Start	Stop	Work	Assignment				
8/4	0701	2400	17	DIV X				
8/5	0001	0700	7	DIV X				
Vendor Rating							Govt. Rep. Name and Position - PRINT Print Your Name	
Met Performance Expectations							Govt. Rep. Signature <i>Your Signature</i>	
Equipment in Safe Working Condition							Contractor Signature <i>Contractor Signature</i>	
Operator Skill Level							Date 8/5/2020	
Operates Safely							Time 0700	
Operator's Cooperation Level							Overall Performance	
Overall Performance							CAL FIRE 297 (Rev 3-2011)	
* NOTE: any rating of POOR requires an explanation in Comment Section ** Final evaluation or for more documentation, use a CALFIRE Form 230 or equivalent								

12HR LINE RESOURCE - STANDARD SHIFT, CANNOT EXCEED 16HR ON DUTY, INCLUDING TRAVEL

EMERGENCY SHIFT TICKET and EVALUATION FORM The responsible Government Officer will complete this form each shift							Contractor Name TRANSPORTS EXPRESS	
Incident or Project Name APPLE			Incident Number CARRU-096640		Request Number E-123		Operator #1 (DAY SHIFT) FIRST & LAST	Operator #2
Agreement Number LNU 058799-00							Operator Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government	
Equipment Make 1999 PETERBILT 379			Equipment Model / Type TRANSPORT 18 WHEEL				Operating Supplies Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government	
Serial Number COMPLETE VIN #			License Number 12345A1				Equipment Status Inspected <input checked="" type="checkbox"/> Under Agreement Released by Government Withdrawn by Contractor	
Equipment Use (Circle) Hours Days / Miles							Remarks/Comments** NO DAMAGE / NO CLAIM STANDARD SHIFT RESOURCE	
Date Mo / Day	Start	Stop	Work	Assignment				
8/4	0001	0700	7	OFF SHIFT				
8/4	0701	1900	12	DIV X				
8/4	1901	2400	5	OFF SHIFT				
Vendor Rating							Govt. Rep. Name and Position - PRINT Print Your Name	
Met Performance Expectations							Govt. Rep. Signature <i>Your Signature</i>	
Equipment in Safe Working Condition							Contractor Signature <i>Contractor Signature</i>	
Operator Skill Level							Date 8/4/2020	
Operates Safely							Time 1900	
Operator's Cooperation Level							Overall Performance	
Overall Performance							CAL FIRE 297 (Rev 3-2011)	
* NOTE: any rating of POOR requires an explanation in Comment Section ** Final evaluation or for more documentation, use a CALFIRE Form 230 or equivalent								

LINE ORDER FORM

ORDER #	DATE & TIME ORDERED Received from the Line	WHO PLACED ORDER DIVS, OPS, etc...	DELIVER to (DIV, Helispot, DP, etc.) Division, Heli-Spot, Drop Point, etc.	MODE of DEVIVERY Drive, Helo, pick-up

Order Received in Communications By:	TIME:

Communications Relayed/Placed the Order To:	TIME:

Order Shipped to the Line By (Name):	TIME:

ITEM#	DESCRIPTION	AMOUNT
1	1,000 Foot Hose Lay: Includes the following 10 lengths, 1 ½" x 100' Hose. 10 lengths, 1" x 100' Hose. 10ea. 1 ½" Gated Wyes. 10ea. 1 ½" to 1" Reducers. 10ea. 1" Nozzles.	
2	2,000 Foot Hose Lay: Includes the following 20 lengths, 1 ½" x 100' Hose. 20 lengths, 1" x 100' Hose. 20ea. 1 ½" Gated Wyes. 20ea. 1 ½" to 1" Reducers. 20ea. 1" Nozzles.	
3	3,000 Foot Hose Lay: Includes the following 30 lengths, 1 ½" x 100' Hose. 30 lengths, 1" x 100' Hose. 30ea. 1 ½" Gated Wyes. 30ea. 1 ½" to 1" Reducers. 30ea. 1" Nozzles.	

ITEM#	REQUESTED ITEM	NFES#	AMOUNT	ITEM#	REQUESTED ITEM	NFES#	AMOUNT
4	Backpack Pump, 5 gallon	1149		26	Batteries, "AA", (package)	0030	
5	Foam, 5 gallon	1145		27	Gasoline, Unleaded (gallon)		
6	Hose, ¾ inch, 50 ft. length	1016		28	Oil, 2 Cycle Mix (quart)	0341	
7	Hose, 1 inch, 100 ft. length	0966		29	Diesel, straight (gallon)		
8	Hose, 1 ½ inch, 100 ft. length	0967		30	Oil, Bar & Chain (gallon)	1880	
9	Increaser, ¾" to 1"	2235		31	Fusees (box)	0105	
10	Increaser, 1" to 1 ½"	0416		32	Torch, Drip Torch ea.	0241	
11	Nozzle, Garden ¾ inch	0136		33	Mix, Drip Torch 3-1, 5 gal.		
12	Nozzle, Forester, 1"	0024		34	Flagging, Ribbon, Color/Roll		
13	Nozzle, KK Type, 1"	1081		35	Washcloth, Waterless	0206	
14	Nozzle, KK Type, 1 ½"	1082		36	Water, Cubi, 5 gallon ea.	0048	
15	Reducer, 1" to ¾"	0733		37	Water, Bottled, (case)		
16	Reducer, 1 ½" to 1"	0009		38	Sports Drink, Gatorade (case)		
17	Tee, Hoseline, 1"x1"x ¾"	1809		39	Food, MRE's (12 per Box)	1842	
18	Tee, Hoseline, 1"x1"x 1"	2240		40	Pump Kit, High Pressure	0870	
19	Tee, Hoseline, 1 ½" x 1 ½" x 1"	0230		41	Pump, High Pressure	0148	
20	Wye, Gated, ¾" inch	0904		42	Pump Kit, Light Weight	0670	
21	Wye, Gated, 1"	0259		43	Sprinkler Kit	1048	
22	Wye, Gated, 1 ½"	0231		44	Pump Kit, Volume	6041	
23	Tank, Collapsible. Capacity Gallons?			45	Mop-Up Kit	0772	
24	Tank, Folding/Frame. Capacity ??						
25	Wrap, Structure (roll)	0881					

Date and Time Needed: _____ Point of Contact at Delivery Location: _____

OTHER / NOTES:



LAKE INCIDENT COVID-19 Symptom Tracking Form



LACoFD is concerned about the potential spread of COVID-19 during a wildland incident.

If you have any symptoms consistent with COVID-19, complete this form and report to the Medical Unit Leader.

Symptom Monitoring Form

Name *

Contact Phone *

First

Last

Home Agency

Unit Number

Incident Supervisor

Incident Supervisor Phone

Symptoms Tracking

1

Date

Time

AM or PM

8/13/2020



2:36 AM



AM PM

Cough?

Yes No

Do you have a fever or do you feel feverish?

Yes No

Runny nose?

Yes No

Sore Throat?

Yes No

Difficulty Breathing or Shortness of Breath?

Yes No

Muscle Aches or Headache?

Yes No

Loss of Taste or Smell?

Yes No

Abdominal Discomfort?

Yes No


Vomiting?


Yes No

Diarrhea?

Yes No

Lake Fire ICP





- Legend**
- Park Entrance
 - Main Office
 - Lifeguard
 - Restroom
 - Playground
 - Fish Cleaning Station

- Lot - 1 Ground Support
- Lot - 2 Fueling
- Lot - 3 Heli Pad
- Lot - 4 PIO
- Lot - 5 Parking
- Lot - 6 Parking
- Lot - 7 Parking
- Lot - 8 Supply
- Lot - 9 Parking/Kitchen
- Lot - 10 ICP
- Lot - 11 Parking/Showers
- Lot - 12 Parking
- Lot - 13 Parking

Medical Incident Report

FOR A **NON-EMERGENCY INCIDENT**: WORK THROUGH CHAIN OF COMMAND TO REPORT AND TRANSPORT INJURED PERSONNEL AS NECESSARY.

FOR A **MEDICAL EMERGENCY**: IDENTIFY ON SCENE INCIDENT COMMANDER BY NAME AND POSITION AND ANNOUNCE "MEDICAL EMERGENCY" TO INITIATE RESPONSE FROM COMMUNICATIONS

Use the following items to communicate situation to communications/dispatch.

1. CONTACT COMMUNICATIONS / DISPATCH (Verify correct frequency prior to starting report)
 Ex: "Communications, Div. Alpha. Stand-by for Emergency Traffic."

2. INCIDENT STATUS: Provide incident summary (including number of patients) and command structure.
 Ex: "Communications, I have a Red priority patient, unconscious, struck by a falling tree.
 Requesting air ambulance to Forest Road 1 at (Lat./Long.)
 "This will be the Trout Meadow Medical Incident, IC is TFLD Jones. EMT Smith is providing medical care."

Severity of Emergency AND Transport Priority (priority 1, 2, 3)	<input type="checkbox"/> RED / PRIORITY 1 Life or limb threatening injury or illness. Evacuation need is IMMEDIATE Ex: Unconscious, difficulty breathing, bleeding severely, 2° – 3° burns more than 4 palm sizes, heat stroke, disoriented.	
	<input type="checkbox"/> YELLOW / PRIORITY 2 Serious Injury or illness. Evacuation may be DELAYED if necessary. Ex: Significant trauma, unable to walk, 2° – 3° burns not more than 1-3 palm sizes.	
<input type="checkbox"/> GREEN / PRIORITY 3 Minor Injury or illness. Non-Emergency transport Ex: Sprains, strains, minor heat-related illness.		
Nature of Injury or Illness & Mechanism of Injury		Brief Summary of Injury or Illness (Ex: Unconscious, Struck by Falling Tree)
Transport Request		Air Ambulance / Short Haul/Hoist Ground Ambulance / Other
Patient Location		Descriptive Location & Lat. / Long. (WGS84)
Incident Name		Geographic Name + "Medical" (Ex: Trout Meadow Medical)
On-Scene Incident Commander		Name of on-scene IC of Incident within an Incident (Ex: TFLD Jones)
Crew Patient Care		Name of Care Provider (Ex: EMT Smith)

3. INITIAL PATIENT ASSESSMENT: Complete this section for each patient as applicable (start with the most severe patient)

Agency Affiliation: (NO PATIENT NAMES) Federal Contractor Local Government

Patient Assessment: Age: Weight: Chief Complaint:

(If pertinent to Injury) Skin Signs: (color/moisture/temp) Level of Consciousness: BP: HR: Respirations:

Treatment:

4. TRANSPORT PLAN:

Evacuation Location (drop point, intersection, helispot, Lat. / Long, hazards) Patient's ETA to Location:

5. ADDITIONAL RESOURCES / EQUIPMENT NEEDS:

Paramedic / EMT - Crews - Immobilization Devices - AED - Oxygen - Trauma Bag - IV/Fluid(s) - Splints - Rope rescue - Wheeled litter - HAZMAT - Extrication

6. CONTINGENCY: Considerations: If primary options fail, what actions can be implemented in conjunction with primary evacuation method?
 Be thinking ahead.

7. ADDITIONAL INFORMATION: Updates/Changes, etc.

REMEMBER: Confirm ETA's of resources ordered. Act according to your level of training
 Be Alert - Keep Calm - Think Clearly - Act Decisively

*** Follow up with MEDL upon return to ICP ***