

INCIDENT ACTION PLAN

LAKE FIRE

CA-ANF-003273

P5NE2V

Friday / Saturday



BRIEFING LIVE STREAM



NIGHT SHIFT

1800 08/21/2020
to
0600 08/22/2020

**FOR PUBLIC INQUIRIES REGARDING LAKE FIRE
INFORMATION, DIRECT THEM TO CALL (323) 205-5263**

LAKE FIRE

CA-ANF-003273 - QR Codes



Incident Action Plan



Lake Incident Maps



Incident Information



Covid Tracking Form



Remote Check-In



mmn

INCIDENT OBJECTIVES (ICS 202)

1. Incident Name: LAKE FIRE	2. Operational Period:	Date From: 8/21/2020	Date To: 8/22/2020
		Time From: 1800	Time To: 0600

3. Objective(s):

Management Objectives

- Ensure that strategies and tactics provide for firefighter and public safety through the application of sound risk management principles.
- Minimize the threat of exposure to COVID-19 by adhering CDC COVID-19 Guidelines.
- Minimize the threat to private property, critical infrastructure and heritage resources.
- Establish and strengthen cooperators, partners, and stakeholder relationships.
- Minimize the cost of the incident by employing tactics that have the highest probability of success while minimizing firefighter exposure.

Control Objectives

- Keep the fire North of Castaic Lake
- Keep the fire South of Hwy 138
- Keep the fire East of Ridge Route Road.
- Keep the fire West of Tule Ridge

General Situational Awareness:

Steep and rugged terrain, critically dry and receptive fuel beds, active area for fire history and drought stressed trees.

In the COVID-19 environment, high density populations or large groups are particularly at risk. To help protect yourself, your family and to ensure all employees return home safely, make sure to practice social distancing.



Enhanced hygiene (especially handwashing), PPE & monitoring practices help limit the infection rate of first responders.

5. Site Safety Plan Required? Yes No


Approved Site Safety Plan(s) Located at:

6. Incident Action Plan

- | | | | |
|---|--|--|--|
| <input checked="" type="checkbox"/> ICS 203 | <input checked="" type="checkbox"/> ICS 215A | <input type="checkbox"/> ICS 205 A | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> ICS 204 | <input checked="" type="checkbox"/> ICS 220 | <input checked="" type="checkbox"/> Training Message | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> ICS 205 | <input checked="" type="checkbox"/> Facility Maps | <input type="checkbox"/> Travel Map | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> ICS 206 | <input checked="" type="checkbox"/> Weather Forecast | <input type="checkbox"/> Demob Plan | <input type="checkbox"/> County Health Message |
| <input checked="" type="checkbox"/> ICS 208 | <input checked="" type="checkbox"/> Fire Behavior | <input checked="" type="checkbox"/> Finance Message | <input checked="" type="checkbox"/> ICS 214 |

7. Prepared By: R. Leuck	Position/Title: PSC1	Signature: 
8. Approved by Incident Commander:	D. Mueller (T)	Signature: 

ORGANIZATION ASSIGNMENT LIST (ICS 203)

1. Incident Name: LAKE FIRE		2. Operational Period: Date From: 8/21/2020 Time From: 1800		Date To: 8/22/2020 Time To: 0600	
3. Incident Commander(s) and Command Staff:			7. Operation Section:		
IC/UC's	R. Young, V. Pena, T. Ewald(T), D. Mueller(T)	Operations	R. Wills, D. Fregulia (T)		
Deputy	C. Joseph	Night Ops	M. Inman, C. Rose (T)		
Safety Officer	B. Savage, D. Welch	Planning Ops	A. McBath, J. Eichamer (T), D. Breshears (T)		
Information Officer	M. Savage, N. Judy(T), K. Haskett(T)				
Liaison Officer	R. Alpert, D. Laub(T)	Branch	I	K. Olson, J. Underwood(T)	
HRSP	A. Cabida	Division/Group	A/B	R. White	
4. Agency/Organization Representatives:			Division/Group	C/E	R. Valazquez, J. Mitchell(T)
Agency/Organization	Name	Division/Group	Firing Group	J. Estrada	
USFS	Robert Garcia	Division/Group	F	J. Wickizer	
LAC	David Richardson	Division/Group	G/I	R. Gilson, D. Ybarra(T)	
CalFire	Tony Jones	Division/Group			
LASD	Capt. Ron Shaffer	Division/Group			
OES	Dave Stone	Division/Group			
Edison	Troy Whitman	Division/Group			
CHP	Sgt. Kevin Pack	Division/Group			
READ	Linn Gassaway	Branch	V		
LA County Public Health	Michael Rogers	Division/Group	S/T/X/Z	R. Gilson, D. Ybarra(T)	
LA County OEM	Jeremy Harriss	Division/Group			
CCC	Ben Herbert	Division/Group			
CDCR	Manny Nunez	Division/Group			
LAC Animal Control	Fred Agoopi	Division/Group			
		Division/Group			
		Division/Group			
		Division/Group			
5. Planning Section:			Division/Group		
Chief	J. Schillinger, R. Leuck, R. Ashby(T)	Division/Group			
Deputy		Division/Group			
Resource Unit	R. Resnick, J. Padilla, J. Switzler, H. Kelsonson (T), M. Williams (T) M. Weisenberg (T)	Division/Group			
SCKN	M. Carlson, A. Mateljak(T)	Division/Group			
Situation Unit	T. Morelock, R. Wakefield, F. Baker (T)	Branch			
Demobilization Unit	J. Roberts	Division/Group			
GISS	M. Yanez, R. Rametta, D. Hutchinson	Division/Group			
FBAN	M. Brown, J. Shelton	Division/Group			
IMET	M. Mehle	Division/Group			
ITSS	J. Youngblood, J. LeMay, J. Hawkins	Air Operations Branch	Director:	J. Keesee	
Training Tech Spec	C. Soiza	Air Support Group Supervisor	K. McElfish, D. Carrera (T)		
DOCL	I. Gates	Air Tactical Group Supervisor			
DINS	S. Barkley, M. Nunez (T)	Helibase Manager			
6. Logistics Section			8. Finance/Administration Section:		
Chief	K. Kumpe, J. Eckroth, B. Schurr, R. Crowther(T), B. Romo(T)	Chief	T. Fork, T. Hasert, P. D'Souza		
Ordering	K. Morris	Time Unit	M. Prochazka, J. Brown		
Ground Support Unit	J. Hart, L. Campbell (T)	Procurement Unit			
Communications Unit	K. Throop, S. Weston	Comp/Claims Unit			
Medical Unit	J. Carlon, R. Russell, A. Reyes	Cost Unit	R. Siemers		
Food Unit	R. Folino	Equipment Time	C. Hamlett		
Supply Unit	M. Bradford				
Facilities Unit	M. Whitehurst, D. Norvell, D. Nugent				
Prepared By: Name:	R. Leuck	Position/Title:	PSC1	Signature:	
ICS 203		Date/Time:	8/20/2020 2300 hours		NIMS IAP



Fire Weather Forecast

FORECAST NO: 14

NAME OF FIRE: Lake Fire

PREDICTION FOR: 1800 Fri - 0600 Sat

UNIT: CA-ANF

SHIFT DATE: 08/21

SIGNED: *Matt Mehle*

TIME AND DATE

Incident Meteorologist - Matt Mehle

FORECAST ISSUED: 1200 08/21/20

WEATHER DISCUSSION: Southerly flow aloft will usher in clouds and increasing moisture. The moisture will result in better humidity recoveries tonight. Temperatures will cool as well. Winds will be breezy early in the shift then gradually diminish after midnight. Increasing moisture will bring a return of thunderstorms the region over the weekend. Smoke from Northern California fires will impact the region as well.

WEATHER FORECAST FOR FRIDAY NIGHT:

WEATHER: Partly cloudy overnight.

TEMPERATURES: Min 75-80 F...above 4000' 70-75 F.

24 HR Trend: 3-5 degrees cooler.

HUMIDITY: Max 45-60%...above 4000' 50-65%.

24 HR Trend: 5-15% wetter.

20-FOOT WIND: West to Northwest 10-15 mph early evening with gusts 20mph becoming 5-10 mph with gusts to 15 mph overnight..

Chance of Wetting Rain (0.10"): 0%

LAL: 1

WEATHER FORECAST FOR SATURDAY:

WEATHER: Partly cloudy. Slight chance for thunderstorms in the afternoon.

TEMPERATURES: Max 89-96 F...above 4000' 80-87 F

24 HR Trend: 5-10 degrees cooler.

HUMIDITY: Min 25-35% ...above 4000' 30-40%

24 HR Trend: 5-10% wetter.

20-FOOT WIND: West to southwest 5-10 mph with gusts 15-20 mph.

Chance of Wetting Rain (0.10"): <10%

LAL: 1 becoming 2 in the afternoon


EXTENDED FORECAST:

SUNDAY... Partly cloudy. Slight chance for thunderstorms in the afternoon. Max temps 82-94 F. Min RH 25-40%. West Southwest 5-10 mph with gusts 15 mph in the afternoon.

SCAN FOR REALTIME OBS

WEATHER SAFETY MESSAGE

- Hot weather – Stay hydrated.
- Thunderstorms can produce gusty and erratic winds
- Have a plan in place before any lightning occurs



FIRE BEHAVIOR FORECAST

FORECAST NUMBER: 015	TYPE OF FIRE: Wildfire Full Suppression
FIRE NAME: Lake	OPERATIONAL PERIOD: 8-21-20 Night Shift
DATE ISSUED: 8-21-20	TIME ISSUED: 1200
UNIT: CA-ANF	SIGNED: <i>Matt Brown</i> Typed/printed: Matt Brown FBAN(t)

INPUTS

WEATHER SUMMARY: Expect evening temperatures to be starting off right around 100 at the upper elevations with RH in the mid teens in the same locations. RH will recover to the 45-65% range. Winds will be WNW early in the evening then slowing later in the shift, 10-15 mph at the 20 ft level.

Moderate recoveries, and warm overnight temperatures will continue the burn period into the evening.

OUTPUTS

FIRE BEHAVIOR

GENERAL:

The fire will experience moderate RH recovery. It is expected to recovery above 30%, which is the threshold for effective consumption in the shrub type fuels through firing.

Live fuels are at critical and ERCs are trending toward the 90th percentile, BI is in the 97th percentile.

SPECIFIC:

Divisions north of Pine Mt. Road are expected to have minimal fire activity.

Divisions on the right flank of the fire will have minimal fire spread.

Divisions on the left flank of the fire will experience favorable winds in most locations. Upslope west aspect terrain winds will be adverse early in the shift. The probability of ignition will be 80% at the start of night shift, unless shaded by cloud cover and smoke. Later in the evening the forecasted WNW wind and moderate recovery will be favorable for firing the Liebre ridge system early in the shift. Dog-legs and line oriented adverse to the winds will experience very slow backing (2ch/hr) and high spotting or slop over probability.

Divisions in the south part of the fire will experience wind eddies. The WNW dry flow will interact with broken terrain and produce gusty and erratic winds. Early in the shift, terrain winds will check fire spread into the burn until the diurnal downslopes set up later in the evening and become more adverse to the proposed line. Winds are expected to diminish later in the shift but will continue to have an erratic effect on fire behavior. Expect minimal fire activity after midnight due to higher RH and corresponding 1 and 10 hour fuel moisture increases.

Head Fire Estimates BEHAVE Plus 5.0.5

Fuel Type	ROS	FL	PIG
Shrub SH7	100-110 ch/hr uphill run 40-50 ch/hr after 2300	20-25 ft uphill run 10-15 ft after 2300	80% 40% after sunset

AIR OPERATIONS:


Transport winds will carry most of the smoke to the SE overnight. Air Operations should experience good visibility throughout the operational period.

SAFETY

As winds intensify and change direction, wind battle may develop. Avoid areas of broken terrain features where these may form, mostly on the lee sides. When firing complex terrain, forecast slop over impact areas and ensure escape routes.

FIRE DANGER --- High Country

Maximum, Average, and 84th Percentile, based on 21 years data



Fire Danger Area:

- ◆ Represents portions of
- ◆ FRDAs 656, 658, 690
- ◆ above 5,000 ft
- * Meets NWCG Wx Station Standards

Fire Danger Interpretation:



- EXTREME --- Use extreme caution
- Moderate --- Watch for change
- Moderate --- Lower Potential, but always be aware


Maximum --- Highest Energy Release Component by 3 day period for 1994 - 2014

Average --- shows peak fire season over 21 years (4591 observations) 84th Percentile --- Only 36% of the 4591 days from 1994 - 2014 had an Energy Release Component above 85

Local Thresholds - Watch out:

- Combinations of any of these factors can greatly increase fire behavior:
- 20' Wind Speed over 15 mph, RH less than 25%,
- Temperature over 85, 10-Hour Fuel Moisture less than 7

Years to Remember: 1997 2002



Fuel Model: G - Short-Needle (Heavy Dead)

Remember what Fire Danger tells you:

- ✓ Energy Release Component gives seasonal trends calculated from 2 pm temperature, humidity, daily temperature & rh ranges, and precip duration.
- ✓ Wind is NOT part of ERC calculation.
- ✓ Watch local conditions and variations across the landscape --- Fuel, Weather, Topography.
- ✓ Listen to weather forecasts --- especially WIND.

Past Experience:

Recent drought related conifer mortality has increased fire potential in these fuels. Torching and short duration crown fires should be expected. Medium and long distance spotting is common with 20 ft. winds in excess of 15 mph. Spot fire probability of ignition increases in full sun and at dry bulb temperatures above 85°F. Large fires (greater than 100 acres) have been documented at ERCs of 54, but become more probable as ERCs reach the mid-80's.

Weather Stations: Mill Creek, Big Pines, Valyermo, Chialoo. Large fire threshold 100 acres.

Responsible Agency: U. S. Forest Service

FF+4.1 build 1622 02/24/2016-22:28 (E:\30JUN2016)

Design by NWCG Fire Danger Working Team

ASSIGNMENT LIST (ICS 204 WF)

CONTROLLED UNCLASSIFIED
INFORMATION//BASIC

1. Incident Name: <p style="text-align: center;">LAKE FIRE</p>	2. Operational Period: Date From: 08/21/20 Date To: 08/22/20 Time From: 1800 Time To: 0600	3. Branch Division <p style="text-align: center;">I A/B</p>
---	---	---

Page 1 of 1

4. Operations Personnel:	
Operations Section Chief: R. Wills, D. Fregulia (T)	Night Ops: M. Inman, C. Rose (T)
Branch Director: K. Olson, J. Underwood(T)	Branch Safety:
Division/Group Supervisor: R. White	Air Attack:

5. Resources Assigned:	** Resources Below in Bold are 24 Hour **						
Resource Identifier	ALS	LWD	Leader	Personnel	Request #	Hours	Reporting Location
S/T CRW T1 LAC 1182G		8/26	Rich Garcia	22	C-20002	0600-0600	ICP
S/T ENG T3 LAC 1151C		8/29	Cabrera, Bartram (T)	22	E-30	0600-0600	ICP
S/T ENG T3 XMY 2175C		8/27	Justin Cooper	20	E-65	0600-0600	ICP
ENG T3 ANF 532		8/24	Monterrosa	5	E-262	1800-0600	ICP
S/T DOZ T2 KRN 9360L		8/27	Grisedale	6	E-124	0600-0600	ICP
S/T DOZ T1 CDF 9416L		8/28	Shain Braziel		E-30005	0600-0600	ICP
WTT1 OES WT 62		8/27	Joe Basinski	2	E-84	0600-1800	ICP
HEQB(T) Farsworth		9/3	Joe Forsworth	1	O-30033	0600-0600	ICP
SOFR Goudchaux			Mike Goudchaux	1	O-29	1800-0600	ICP
SOFR Holloway			Jack Holloway	1	O-10114	1800-0600	ICP
SOFR (T) Adamo			Pete Adamo	1	O-20003	1800-0600	ICP

6. Work Assignments:
Construct line from the fires edge west to Burro Canyon. Finish prep of the indirect line to the fires edge southwest to the East Fork of Fish Canyon. Prepare for firing operations from the fires edge to the dozer line in Red Rock Canyon as approved by Branch .


7. Special Instructions:

*** Resources in Div A/B shall report to the ICP at Castaic Lake ***

*** SOFR Goudchaux, SOFR Holloway, SOFR (T) Adamo in all Divisions ***

8. Communications							
Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
NIFC C3	1	COMMAND	170.4250	CSQ	168.0750	T3 - 131.8	Warm Springs
NIFC C10	2	COMMAND	170.4125	CSQ	165.9625	T3 - 131.8	Frazier Mountain
NIFC C31	3	COMMAND	172.5500	CSQ	162.1875	T3 - 131.8	Grass Mountain
NIFC C35	4	COMMAND	169.9750	T3 - 131.8	164.8625	T3 - 131.8	Burnt Peak
NIFC T1	5	TACTICAL	168.0500N	T3 - 131.8	168.0500N	131.8	
A/G TAC	14	A/G TAC	169.2875	CSQ	169.2875	CSQ	
A/G COMMAND	15	A/G COMMAND	167.9500	CSQ	167.9500	CSQ	
CALCORD	13	MEDICAL	156.0750N	T6 - 156.7	156.0750N	T6 - 156.7	
AIRGUARD	16	EMERGENCY	168.6250N	CSQ	168.6250N	T1 - 110.9	

9. Prepared by: Name: R. Resnick, J. Padilla, J. Switzler, H. Kelmonson (T), M. Williams (T) M. Weisenberg (T) RESL

Signature:  Personnel Count: 81

ICS 204

Date/Time: 8/20/2020 2200

ASSIGNMENT LIST (ICS 204 WF)

CONTROLLED UNCLASSIFIED
INFORMATION/BASIC

1. Incident Name:	2. Operational Period:	3. Branch:	Division:
LAKE FIRE	Date From: 08/21/20 Date To: 08/22/20 Time From: 1800 Time To: 0600	I	C/E

4. Operations Personnel:		Page 1 of 1
Operations Section Chief: R. Wills, D. Fregulia (T)	Night Ops: M. Inman, C. Rose (T)	
Branch Director: K. Olson, J. Underwood(T)	Branch Safety:	
Division/Group Supervisor: R. Valazquez, J. Mitchell(T)	Air Attack:	

5. Resources Assigned:	** Resources Below in Bold are 24 Hour **						
Resource Identifier	ALS	LWD	Leader	Personnel	Request #	Hours	Reporting Location
UNSTAFFED							

6. Work Assignments:

7. Special Instructions:

If firing proceeds into Division E, Division F will assume leadership.

8. Communications							
Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
NIFC C3	1	COMMAND	170.4250	CSQ	168.0750	T3 - 131.8	Warm Springs
NIFC C10	2	COMMAND	170.4125	CSQ	165.9625	T3 - 131.8	Frazier Mountain
NIFC C31	3	COMMAND	172.5500	CSQ	162.1875	T3 - 131.8	Grass Mountain
NIFC C35	4	COMMAND	169.9750	T3 - 131.8	164.8625	T3 - 131.8	Burnt Peak
NIFC T5	7	TACTICAL	166.7250N	CSQ	166.7250N	T3 - 131.8	
A/G TAC	14	A/G TAC	169.2875	CSQ	169.2875	CSQ	
A/G COMMAND	15	A/G COMMAND	167.9500	CSQ	167.9500	CSQ	
CALCORD	13	MEDICAL	156.0750N	T6 - 156.7	156.0750N	T6 - 156.7	
AIRGUARD	16	EMERGENCY	168.6250N	CSQ	168.6250N	T1 - 110.9	

9. Prepared by: Name: R. Resnick, J. Padilla, J. Switzler, H. Kelmonson (T), M. Williams (T), M. Weisenberg (T) RESL

Signature:

ICS 204 Date/Time: 8/20/2020 2200 Personnel Count: 0

ASSIGNMENT LIST (ICS 204 WF)

CONTROLLED UNCLASSIFIED
INFORMATION/BASIC

1. Incident Name: <p style="text-align: center;">LAKE FIRE</p>	2. Operational Period: Date From: 08/21/20 Date To: 08/22/20 Time From: 1800 Time To: 0600	3. Branch Division <p style="text-align: center;">I Firing Group</p>
---	---	---

4. Operations Personnel: Page 1 of 1

Operations Section Chief: R. Wills, D. Fregulia (T)	Night Ops: M. Inman, C. Rose (T)
Branch Director: K. Olson, J. Underwood(T)	Branch Safety:
Division/Group Supervisor: J. Estrada	Air Attack:

5. Resources Assigned: **** Resources Below in Bold are 24 Hour ****

Resource Identifier	ALS	LWD	Leader	Personnel	Request #	Hours	Reporting Location
IHC Vista Grande		8/24	Jess Estrada	19	C-5	1800-0600	Camp 300
IHC Truckee		8/27	Scott Burghardt	20	C-13	1800-0600	Camp 300
IHC Cherokee		8/28	Logan Ballesterro	21	C-58	1800-0600	Camp 300
S/T CRW T1 LAC 1178G		8/27	D. Hernandez	22	C-30004	0600-0600	Camp 300
CRW T21A PVT Firestorm 3		8/27	Alex Rhey	20	C-19	1800-0600	Camp 300
S/T ENG T3 SKY 2140C		8/30	Roberge		E-221	1800-0600	Camp 300
WTT2 BDU WT 78		8/27	Dustin Kajeski	2	E-72	0600-0600	Camp 300
SOFR Goudchaux			Mike Goudchaux	1	O-29	1800-0600	ICP
SOFR Holloway			Jack Holloway	1	O-10114	1800-0600	ICP
SOFR (T) Adamo			Pete Adamo	1	O-20003	1800-0600	ICP

6. Work Assignments:

Continue firing operations from Cow Springs Canyon to Liebre Mountain and coordinate with Division F in Branch I.

7. Special Instructions:

*** Resources in the Firing Div shall report to Camp 300 located at Highway 138 and Avenue 300th St West ***


Coordinate firing operation within division and communicate location of firing teams and status.

*** SOFR Goudchaux, SOFR Holloway, SOFR (T) Adamo in all Divisions ***

8. Communications

Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
NIFC C3	1	COMMAND	170.4250	CSQ	168.0750	T3 - 131.8	Warm Springs
NIFC C10	2	COMMAND	170.4125	CSQ	165.9625	T3 - 131.8	Frazier Mountain
NIFC C31	3	COMMAND	172.5500	CSQ	162.1875	T3 - 131.8	Grass Mountain
NIFC C35	4	COMMAND	169.9750	T3 - 131.8	164.8625	T3 - 131.8	Burnt Peak
VFIRE 24	11	TACTICAL	154.2725N	T6 - 156.7	154.2725N	T6 - 156.7	
A/G TAC	14	A/G TAC	169.2875	CSQ	169.2875	CSQ	
CALCORD	13	MEDICAL	156.0750N	T6 - 156.7	156.0750N	T6 - 156.7	
AIRGUARD	16	EMERGENCY	168.6250N	CSQ	168.6250N	T1 - 110.9	

9. Prepared by: Name: R. Resnick, J. Padilla, J. Switzler, H. Kelmonson (T), M. Williams (T), M. Weisenberg (T) RESL

Signature: 

ICS 204 Date/Time: 8/20/2020 2200 Personnel Count: 107

ASSIGNMENT LIST (ICS 204 WF)

CONTROLLED UNCLASSIFIED
INFORMATION//BASIC

1. Incident Name: LAKE FIRE	2. Operational Period: Date From: 08/21/20 Date To: 08/22/20 Time From: 1800 Time To: 0600	3. Branch Division I F
--	---	---

4. Operations Personnel:		Page 1 of 1
Operations Section Chief: R. Wills, D. Fregulia (T)	Night Ops:	M. Inman, C. Rose (T)
Branch Director: K. Olson, J. Underwood(T)	Branch Safety:	
Division/Group Supervisor: J. Wickizer	Air Attack:	

5. Resources Assigned:		** Resources Below in Bold are 24 Hour **					
Resource Identifier	ALS	LWD	Leader	Personnel	Request #	Hours	Reporting Location
S/T ENG T3 XBO 6220C		8/26	Mike Gerken	22	E-68	0600-0600	Camp 300
S/T ENG T3 XAL 2004C		8/29	Gary Ashley	22	E-224	1800-0600	Camp 300
S/T ENG T6 LAC 1148F		8/27	J. Sullivan, Evans (T)	12		0600-0600	Camp 300
Eng T3 ANF 310		8/26	Kevin Slack	5	E-261	1800-0600	Camp 300
Eng T3 ANF 333		8/25	Greg Herrera	4		1800-0600	Camp 300
S/T DOZ T2 BDU 9353L		8/28	Mike Breese	9	E-30004	0600-0600	Camp 300
S/T DOZ T2 BEU 9467L		8/28	Milton	5	E-30008	0600-0600	Camp 300
WTT2 LAC WT 117		8/27	S. Corbet, D. Thompson	2	E-30024	0600-0600	Camp 300
WTT1 PVT WT Bartlett		8/27	Gregg Bartlett	2	E-130	0600-0600	Camp 300
SOFR Goudchaux			Mike Goudchaux	1	O-29	1800-0600	ICP
SOFR Holloway			Jack Holloway	1	O-10114	1800-0600	ICP
SOFR (T) Adamo			Pete Adamo	1	O-20003	1800-0600	ICP
REMS 3 Facer			Nick Facer	1	O-10180	1800-0600	DP-19
EMTF Fredrickson			Todd Fredrickson	1	I-146	1800-0600	DP-19
EMTF Turner		8/19	Jared Turner	1	O-147	1800-0600	DP-19
EMTF Brodbeck		8/27	Michael Brodbeck	1	O-150	1800-0600	DP-19
EMTP Moore			Craig Moore	1	O-10056	1800-0600	DP-19

6. Work Assignments:
Continue firing operations from DP17 west along Sawmill Ridge to Liebre Mountain. Continue with line prep as needed from Liebre Mountain south to Redrock Canyon.

7. Special Instructions:
*** Resources in Div F shall report to Camp 300 located at Highway 138 and Avenue 300th St West ***
Coordinate firing operation within division and communicate location of firing teams and status.

*** SOFR Goudchaux, SOFR Holloway, SOFR (T) Adamo in all Divisions ***

8. Communications							
Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
NIFC C3	1	COMMAND	170.4250	CSQ	168.0750	T3 - 131.8	Warm Springs
NIFC C10	2	COMMAND	170.4125	CSQ	165.9625	T3 - 131.8	Frazier Mountain
NIFC C31	3	COMMAND	172.5500	CSQ	162.1875	T3 - 131.8	Grass Mountain
NIFC C35	4	COMMAND	169.9750	T3 - 131.8	164.8625	T3 - 131.8	Burnt Peak
VFIRE 23	10	TACTICAL	154.2950N	T6 - 156.7	154.2950N	T6 - 156.7	
A/G TAC	14	A/G TAC	169.2875	CSQ	169.2875	CSQ	
A/G COMMAND	15	A/G COMMAND	167.9500	CSQ	167.9500	CSQ	
CALCORD	13	MEDICAL	156.0750N	T6 - 156.7	156.0750N	T6 - 156.7	
AIRGUARD	16	EMERGENCY	168.6250N	CSQ	168.6250N	T1 - 110.9	

9. Prepared by: Name:	R. Resnick, J. Padilla, J. Switzler, H. Kelsonson (T), M. Williams (T) M. Weisenberg (T)	RESL	Signature:
ICS 204	Date/Time: 8/20/2020	2200	Personnel Count: 91

ASSIGNMENT LIST (ICS 204 WF)

CONTROLLED UNCLASSIFIED
INFORMATION/BASIC

1. Incident Name:	2. Operational Period:	3. Branch	Division
LAKE FIRE	Date From: 08/21/20 Date To: 08/22/20 Time From: 1800 Time To: 0600	I	G/I

4. Operations Personnel: Page 1 of 1

Operations Section Chief: R. Wills, D. Fregulia (T)	Night Ops: M. Inman, C. Rose (T)
Branch Director: K. Olson, J. Underwood(T)	Branch Safety:
Division/Group Supervisor: R. Gilson, D. Ybarra(T)	Air Attack:

5. Resources Assigned:		** Resources Below in Bold are 24 Hour **					
Resource Identifier	ALS	LWD	Leader	Personnel	Request #	Hours	Reporting Location
S/T ENG T1 LFD 1001A		9/3	Gregg Avery	23	E-30033	0600-0600	Camp 300
S/T ENG T1 LAC 1103A		9/13	Ramirez, Gayton (T)	22	E-1	0600-0600	Camp 300
S/T ENG T3 XBO 2870C		8/26	Jason Livermore	22	E-67	0600-0600	Camp 300
WTT1 LAC WT 32		8/27	Dier	2	E-317	0600-0600	Camp 300
WTT1 LAC WT 128		8/27	Hathhaway	2	E-30026	0600-0600	Camp 300
WTT2 PVT L & L Logistics		8/26	Harold Lang	2	E-127	0600-0600	Camp 300
SOFR Goudchaux			Mike Goudchaux	1	O-29	1800-0600	ICP
SOFR Holloway			Jack Holloway	1	O-10114	1800-0600	ICP
SOFR (T) Adamo			Pete Adamo	1	O-20003	1800-0600	ICP

6. Work Assignments:
Mop up and Patrol from DP20 northeast to Bleich Flat.

7. Special Instructions:
 *** Resources in Div G shall report to Camp 300 located at Highway 138 and Avenue 300th St West ***
 Report to Division Sierra (on the Division G/I Tactical).
 *** SOFR Goudchaux, SOFR Holloway, SOFR (T) Adamo in all Divisions ***

8. Communications

Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
NIFC C3	1	COMMAND	170.4250	CSQ	168.0750	T3 - 131.8	Warm Springs
NIFC C10	2	COMMAND	170.4125	CSQ	165.9625	T3 - 131.8	Frazier Mountain
NIFC C31	3	COMMAND	172.5500	CSQ	162.1875	T3 - 131.8	Grass Mountain
NIFC C35	4	COMMAND	169.9750	T3 - 131.8	164.8625	T3 - 131.8	Burnt Peak
VFIRE 22	9	TACTICAL	154.2650N	T6 - 156.7	154.2650N	T6 - 156.7	
A/G TAC	14	A/G TAC	169.2875	CSQ	169.2875	CSQ	
A/G COMMAND	15	A/G COMMAND	167.9500	CSQ	167.9500	CSQ	
CALCORD	13	MEDICAL	156.0750N	T6 - 156.7	156.0750N	T6 - 156.7	
AIRGUARD	16	EMERGENCY	168.6250N	CSQ	168.6250N	T1 - 110.9	

9. Prepared by: Name: R. Resnick, J. Padilla, J. Switzler, H. Kelsonson (T), M. Williams (T), M. Weisenberg (T) RESL

Signature: Personnel Count: 76

ASSIGNMENT LIST (ICS 204 WF)

CONTROLLED UNCLASSIFIED
INFORMATION/BASIC

1. Incident Name:	2. Operational Period:	3. Branch	Division
LAKE FIRE	Date From: 08/21/20 Date To: 08/22/20 Time From: 1800 Time To: 0600	V	S/T/X/Z

4. Operations Personnel: Page 1 of 1

Operations Section Chief: R. Wills, D. Fregulia (T)	Night Ops: M. Inman, C. Rose (T)
Branch Director:	Branch Safety:
Division/Group Supervisor: R. Gilson, D. Ybarra(T)	Air Attack:

5. Resources Assigned:	** Resources Below in Bold are 24 Hour **						
Resource Identifier	ALS	LWD	Leader	Personnel	Request #	Hours	Reporting Location
S/T ENG T1 LAC 1120A		8/30	Gaylor, Stangl (T)	22	E-49	0600-0600	Camp 300
S/T ENG T3 KFC 5804C		8/24	Josh Cunningham	18	E-63	0600-0600	Camp 300
S/T ENG T3 RIV 6074C		8/29	Michael Staley	22	E-223	0600-0600	Camp 300
S/T ENG T3 XSD 6415C		8/29	Tim Scott	22	E-225	0600-0600	Camp 300
S/T ENG T6 LAC 1146F		8/27	J. Robertson, Ghorbani (T)	12	E-31	0600-0600	Camp 300
WTT2 PVT WT 203		8/29	Robert Latham	1	E-161	1800-0600	Camp 300
SOFR Goudchaux			Mike Goudchaux	1	O-29	1800-0600	ICP
SOFR Holloway			Jack Holloway	1	O-10114	1800-0600	ICP
SOFR (T) Adamo			Pete Adamo	1	O-20003	1800-0600	ICP

6. Work Assignments:
Mop up and patrol from Pine Canyon Road north to Lancaster Road. Identify any excess property and supplies left out on the line and move to drop points within the branch.

7. Special Instructions:
*** Resources in Div I shall report to Camp 300 located at Highway 138 and Avenue 300th St West ***
Remain on Division Tactical and report any needs to Division G/I.
*** SOFR Goudchaux, SOFR Holloway, SOFR (T) Adamo in all Divisions ***

8. Communications							
Name	Ch	Function	Rx Freq	Rx Tone	Tx Freq	Tx Tone	Notes
NIFC C3	1	COMMAND	170.4250	CSQ	168.0750	T3 - 131.8	Warm Springs
NIFC C10	2	COMMAND	170.4125	CSQ	165.9625	T3 - 131.8	Frazier Mountain
NIFC C31	3	COMMAND	172.5500	CSQ	162.1875	T3 - 131.8	Grass Mountain
NIFC C35	4	COMMAND	169.9750	T3 - 131.8	164.8625	T3 - 131.8	Burnt Peak
NIFC T6	8	TACTICAL	166.7750N	T3 - 131.8	166.7750N	T3 - 131.8	
A/G TAC	14	A/G TAC	169.2875	CSQ	169.2875	CSQ	
A/G COMMAND	15	A/G COMMAND	167.9500	CSQ	167.9500	CSQ	
CALCORD	13	MEDICAL	156.0750N	T6 - 156.7	156.0750N	T6 - 156.7	
AIRGUARD	16	EMERGENCY	168.6250N	CSQ	168.6250N	T1 - 110.9	

9. Prepared by: Name: R. Resnick, J. Padilla, J. Switzler, H. Kelmonson (T), M. Williams (T), M. Weisenberg (T) RESL

Signature:

ICS 204 Date/Time: 8/20/2020 2200 Personnel Count: 100

AIR OPERATIONS SUMMARY ICS-220

Prepared By
Jonathan Keesee AOB

Date Prepared
Thursday, August 20, 2020

Time Prepared
19:00

Operational Period - Date
Friday, August 21, 2020

Operational Period - Time
0600-0600

Incident Name and Incident Number
LAKE FIRE, CA-ANF-003277

Sunrise 6:17 Cutoff 19:04 Sunset 19:34

Shutdown
20:04

Helibase Information
Name KWJF - Fox Field
Latitude 34 44.46
Longitude 118 13.12
Mobile Retardant Plant
Name 3 points MRB
Latitude 34 46.442
Longitude 118 35.141
(use page 2 if needed)

TFR Information
Request # A-61
Radius: 10 NM
Altitude: 9000' MSL
Centerpoint: 34.40.98 Lat 118 34.61 Long
NOTAMS: 012198
Frequency 124.725
<http://tfr.faa.gov/tfr2/list.html>

Rescue Ship Information
Day | Night
Name LA County or LA County or
Phone LA City, LA City,
Make/Model Request Request
Location through ECC through ECC
Request Procedure for These Aircraft:

See Medical Plan For Additional Info

General Remarks, Safety Notes, Hazards, Air Operations Special Equipment, etc.
TRACK ALL DIPSITE LOCATIONS / NUMBER OF DIPS / GALLONS TAKEN.
TRACK ALL DROP LOCATIONS / NUMBER OF DROPS / GALLONS DROPPED.
ALL GPS DATA TO BE COLLECTED IN DEGREES, MINUTES, DECIMAL MINUTES FORMAT.
AVOID Aerial Application of Retardant / Foam / Agent within 300' of Waterways, Bodies of Water, etc.
If Retardant / Foam / Agent is Dropped Within These Areas Immediately Notify the AOB and Provide the Following Information: Lat / Long, Estimated Number of Gallons and a Map Detailing The Area.

Incident Name and Incident Number	Sunrise	Cutoff	Sunset	Shutdown	Time Prepared	Date Prepared	Operational Period - Date	Operational Period - Time
LAKE FIRE, CA-ANF-003277	6:17	19:04	19:34	20:04	19:00	Thursday, August 20, 2020	Friday, August 21, 2020	0600-0600

FAA #	Type	Make/Model	Helibase	Start	Avail	Remarks / A - #	FAA #	Type	Make/Model	Helibase	Start	Avail	Remarks / A - #
H532	2	Bell 205 A1++	KWJF	0630	0700	13 crew / A-7	0HT	1	CH-54B	KWJF	0630	0700	1 mgr / A-6
H512	2	Bell 212HP	KWJF	0630	0700	14 crew / A-51	8CH	1	CH-47	KWJF	0630	0700	1 mgr / A-30
H520	2	Bell 205 A1++	KWJF	0630	0700	12 crew / A-52	9CU	1	CH-47	KWJF	0630	0700	1 mgr / A-
H531	2	Bell 205 A1++	KWJF	1900	0700	Night only, 10 crew	5CH	1	BV-234	KWJF	0630	0700	1 mgr / A-32
5AS	3	Bell 407	KWJF	0630	0700	HLCO 3 crew / A-71	1CH	1	BV-107-II	KWJF	0630	0700	CWN 1 mgr / A-34
							5BH	1	Sikorsky S70A	KWJF	0630	0700	CWN 2 mgr / A-33
							4PJ	1	UH-60	KWJF	0630	0700	1 mgr / A-94
							1CG	1	Sikorsky S61N	KWJF	0630	0700	1 mgr / A-29

Helibase Name:	Latitude:	Longitude:
Fox Field	34 44.451	118 12.559
Fox Field	34 44.451	118 12.559

HELICOPTERS (Use page 2 if Needed)

SAFETY MESSAGE

Lake Fire CA-ANF- 003273	Night Shift	08/21/2020	1800-0600
--------------------------	-------------	------------	-----------

MAJOR HAZARDS:

- High potential for EXTREME FIRE BEHAVIOR
- Snags, rolling rocks and debris.
- Heavy Equipment Operations
- Snakes, scorpions, bees, poison oak.

******INCIDENT DRIVING – Too Many Incident Personnel are Driving Too Fast- SLOW DOWN. If You Drive at Unsafe Speeds, Be Prepared to GO HOME.******

Fire Order of the Day – Base all actions on current and expected behavior of the fire.

- Aggressive risk management is our primary means of maintaining safe wildland fire operations. Consistently evaluate fireline tactics and do not hesitate to adjust tactics as environmental and human factor conditions change – **Review Risk Management Process in IRPG, page 1.**
- **Dehydration, Heat Stress, and Fatigue** – Constantly monitor firefighter’s water and electrolyte intake to avoid dehydration. Dehydration and long work hours, coupled with poor air quality and high temperatures all impact fatigue. Provide rest opportunities.

FIRING OPERATIONS SAFETY:

- Conduct thorough briefing for all personnel involved (inside rear cover IRPG).
- All personnel to be fully qualified for their assignments. Trainees must have qualified trainers.
- Utilize Risk Mgmt. Process (IRPG p. 1) for implementing the plan.
- Required PPE to be worn by all personnel involved.

LCES must be established prior to implementing burning operations (IRPG p. 7).

COMMUNICATIONS RESPONSIBILITIES

All firefighters have five communication responsibilities:

- Brief others as needed.
- Debrief your actions.
- Communicate hazards to others.
- Acknowledge messages.
- **ASK** if you don't know or are unclear.

In addition, all leaders of firefighters have the responsibility to provide complete briefings that include a clearly stated “Leader’s Intent.”

- Task = What is to be done
- Purpose = Why it is to be done
- End State = How it should look when done

Safety Officers: Brian Savage & Dave Welch

08/21/2020

INCIDENT RISK ANALYSIS

LAKE FIRE

(ICS 215a) Night Shift

BR/ DIV	HAZARDOUS ACTIONS / CONDITIONS	MITIGATIONS / WARNINGS / REMEDIES
ALL	WEATHER	<ul style="list-style-type: none"> • Be aware of changing weather conditions. • Watch out for increasing heat, winds, and instability. • Anticipate increased fire behavior conditions. • Communicate any observed changes in weather and fire behavior. • "Base all actions on current and expected behavior of the fire."
ALL	FIRE BEHAVIOR	<ul style="list-style-type: none"> • Conduct thorough assessments before starting work. • Ensure LCES is in place. • Provide additional briefing on drought related fire behavior and areas of high concentration of hazard trees. • Increase the level of SA. • Provide additional briefing for new resources and maintain communications..
ALL	LINE CONSTRUCTION	<ul style="list-style-type: none"> • Follow the line construction protocols and safety precautions for direct and indirect line construction. • Watch footing and spacing between firefighters, especially those working below. • Make sure LCES is in place. • Follow the "Downhill Line Construction Checklist" on IRPG page 9. • Do not work above any personnel. • Evaluate necessity to send personnel in areas with limited access.
ALL	FIRING OPERATIONS	<ul style="list-style-type: none"> • Only personnel trained in the use of each device will be authorized to use firing equipment. • Ensure all personnel are aware of firing operation that may affect them. • Wear appropriate PPE. • Ensure aerial/ground ignition plans have been adequately developed and personnel are briefed.
ALL	HAZARD / DANGER TREES	<ul style="list-style-type: none"> • Follow Hazard Tree Safety Guidelines (IRPG p.22-23). • Limit number of personnel around snags and their exposure time; fallers must be qualified for the trees being felled. • Be especially alert around snags during wind events. Large green trees can also be dangerous.
ALL	FATIGUE / COMPLACENCY	<ul style="list-style-type: none"> • Be alert for signs of heat stress and fatigue, take breaks as necessary. • HYDRATE before, during and after your shift. • Monitor ALL resources for level of fatigue. • Recognize the symptoms of heat stress and fatigue, and take action as necessary to provide rest and recovery. • Repeated assignments in the same area can lead to complacency making personnel more vulnerable to accidents. • Take steps (switching of assignments, training opportunities during slow periods, etc.) to maintain situational awareness for the duration of the incident
ALL	AIR OPERATIONS	<ul style="list-style-type: none"> • Do not plan on air resources for tactical support or medical transportation. • Refer to page 58, IRPG for directing bucket drops. • Ensure positive communication with all air resources.
ALL	HEAVY EQUIPMENT OPERATIONS	<ul style="list-style-type: none"> • Ensure communications are established with operators. • Ensure ground personnel have safety illumination, with light-sticks being the minimum. • Maintain a 50'-100' exclusion area around equipment. • In timber increase safety distance to 2 ½ times canopy height.
ALL	COMMUNICATIONS	<ul style="list-style-type: none"> • Share your Situational Awareness (hazards, changes, etc.) to those who also have a need. • Radio Communications may be poor in some areas: use human repeaters as needed. • Ensure all personnel are familiar with the incident and the IAP communications plans. • Make sure all resources have radios cloned appropriately. • Ensure that non-agency resources understand radio use and procedures.
ALL	TRAFFIC HAZARDS AND DRIVING	<ul style="list-style-type: none"> • Practice "Defensive Driving" techniques. Traffic volume is high. • Use spotters when backing. • Always use headlights. • Use warning lights when working on roads or traveling in smoke. • Observe posted speed limits. • Use chock blocks and turn wheels into the hill. • Watch for rolling rocks and debris from hillsides.
ALL	ENVIRONMENTAL HAZARDS	<ul style="list-style-type: none"> • Keep alert for wildlife, deer, rattlesnakes, bees, and plants. Watch footing and hand placement around rocks. Use caution around gas and power lines. • Personal hygiene is #1 when it comes to Poison Oak Prevention. • Watch for agitated buffalo and cattle that may charge. • Follow all CDC and Agency COVID 19 protocols. • Watch for unmarked mine shafts.
<p>INCIDENT NAME:</p> <p>LAKE FIRE</p>		<p>Operational Period: 1800-0600</p> <p>August 21, 2020</p> <hr/> <p>DATE AND TIME PREPARED:</p> <p>August 21, 2020 1100 hours</p>

INCIDENT RADIO COMMUNICATIONS PLAN		Incident Name LAKE	Date/Time Prepared 8/21/2020 1145	Operational Period Date/Time 8/21/20 1800 - 8/22/20 0600
---	--	------------------------------	---	--

Utilization of any frequency other than those listed on this form are prohibited, subject to fines by the FCC and demobilization from the incident.

CONTROLLED UNCLASSIFIED INFORMATION//BASIC

Zn Ch	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq	N or W	RX Tone/NAC	TX Freq	N or W	TX Tone/NAC	Dev	Pwr	Mode A, D or M	Remarks
1	COMMAND	NIFC C-3	OPERATIONS	170.4250		Tone 3 131.8	168.0750		Tone 3 131.8	N	H	A	Warm Springs
2	COMMAND	NIFC C-10	OPERATIONS	170.4125		Tone 3 131.8	165.9625		Tone 3 131.8	N	H	A	Frazier Mountain
3	COMMAND	NIFC C-31	OPERATIONS	172.5500		Tone 3 131.8	162.1875		Tone 3 131.8	N	H	A	Grass Mountain
4	COMMAND	NIFC C-35	OPERATIONS	169.9750		Tone 3 131.8	164.8625		Tone 3 131.8	N	H	A	Burnt Peak
5	TACTICAL	NIFC T-1	DIV A/B	168.0500		Tone 3 131.8	168.0500		Tone 3 131.8	N	L	A	
6	TACTICAL	NIFC T-3	UNASSIGNED	168.6000		Tone 3 131.8	168.6000		Tone 3 131.8	N	L	A	
7	TACTICAL	NIFC T-5	DIVS C/E	166.7250		Tone 3 131.8	166.7250		Tone 3 131.8	N	L	A	
8	TACTICAL	NIFC T-6	DIV S/T/X/Z	166.7750		Tone 3 131.8	166.7750		Tone 3 131.8	N	L	A	
9	TACTICAL	VFIRE22	DIV G/I	154.2650		Tone 6 156.7	154.2650		Tone 6 156.7	N	L	A	
10	TACTICAL	VFIRE23	DIV F	154.2950		Tone 6 156.7	154.2950		Tone 6 156.7	N	L	A	
11	TACTICAL	VFIRE24	FIRING	154.2725		Tone 6 156.7	154.2725		Tone 6 156.7	N	L	A	
12	TACTICAL	FCA V-1D	UNASSIGNED	155.3250		Tone 6 156.7	155.3250		Tone 6 156.7	N	H	A	
13	TACTICAL	CALCORD	MEDICAL TAC	156.0750		Tone 6 156.7	156.0750		Tone 6 156.7	N	H	A	
14/18	AIR-to-GROUND	A/G TAC	AIR-to-GROUND TAC	169.2875		CSQ	169.2875		CSQ	N	H	A	
15/19	AIR-to-GROUND	A/G CMD	AIR-to-GROUND CMD	167.9500		CSQ	167.9500		CSQ	N	H	A	
16/20	EMERGENCY	GUARD	EMERGENCY	168.6250		CSQ	168.6250		Tone 1 110.9	N	H	A	

Prepared By (Communications Unit Leader) **Stephen Weston, COML (949) 412-1215**

Incident Location **CASTAIC LAKE, LAKE HUGHES, ELIZABETH LAKE, THREE POINTS**

County: **LAC** State: **CA** Latitude: **" N** Longitude: **W**

The convention calls for frequency lists to show four digits after the decimal place (five digits for 700 MHz frequencies). The letter "U", "N", or "W" in the deviation (Dev) column reflects whether the frequency is ultranarrow (6.25 kHz), narrow (12.5 kHz) or wide band (25 kHz). Mode refers to either "A" indicating Analog, "D" indicating Digital (e.g. Project 25) or "M" indicating Mixed Mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeaters (and depending on use, base stations) must be programmed with the Rx and Tx reversed.

CONTROLLED UNCLASSIFIED INFORMATION//BASIC

MEDICAL PLAN	1. INCIDENT NAME: Lake	2. DATE PREPARED: August 21, 2020	3. TIME PREPARED: 1000	4. OPERATIONAL PERIOD 08/21/20-08/22/20 1800-0600
---------------------	---------------------------	--------------------------------------	---------------------------	--

5. INCIDENT MEDICAL AID STATIONS			
MEDICAL AID STATIONS	LOCATION	ALS	
		YES	NO
LA Co. Fire, Squad 4124	ICP	XX	
LA Co. Fire, Squad 4135	Camp 300	XX	
Front Line Medical	ICP and Camp 300	XX	

6. TRANSPORTATION				
A. Ambulance Services				
NAME	LOCATION	PHONE	ALS	
			YES	NO
AMR	ICP			XX
AMR	Camp 300			XX

B. AIR AMBULANCE			
NAME	LOCATION	ALS	
		YES	NO
LA County Fire, Hoist capable	LA CO. Fire Dispatch (323) 881-6183	XX	

7. HOSPITALS										
NAME	ADDRESS	TRAVEL TIME		PHONE	TRAUMA		HELIPAD		BURN CENTER	
		AIR	GRND		Yes	No	Yes	NO	YES	NO
Henry Mayo Hospital N34 23.94 W118 33.11	23845 W. McBean Pkwy Valencia, Ca. 91355	AIR 5	GRND 15	(661) 200-1601	L-II		XX			XX
Antelope Valley Hospital N34 41.283 W118 9.5166	1600 W. Ave. J Lancaster, Ca. 93534	10	45	(661) 949-5000	L-II		XX			XX
West Hills Hospital N34 12.18 W118 37.75	7300 Medical Center Dr. West Hills, Ca. 91307	20	45	(818) 676-4598		XX	XX		XX	
LAC+USC Med Center N34 03.345 W118 12.48	1200 N. State Street Los Angeles, CA 90033	45	1.75 Hr.	(323) 226-2622	L-I		XX		XX	

8. MEDICAL EMERGENCY PROCEDURES

LINE "MEDICAL-EMERGENCY" PLAN:

- Crew Supervisor to contact Division Supervisor/Operations with:
 - Patient Complaint, Condition and Location via Tactical or Command frequency. Priority 1/Red & 2/Yellow Patients trigger Incident within Incident (IWI).
- Division Supervisor/Operation contacts Lake Communications:
 - Division Supervisor or POC* will run "Medical -Emergency" on the Command frequency.
 - Division Supervisor or POC* to use "Medical Incident Report" worksheet on page 118-119 of the IRPG.

POC* (Point of Contact) and/or Operations

LINE "NON-EMERGENCY INCIDENT" PLAN:

- Crew Supervisor to contact Division Supervisor with:
 - Patient Complaint, Condition and Location via Tactical or Command frequency. Priority 3/Green Patients **do not** trigger Incident within Incident (IWI).
- Division Supervisor contacts Lake Communications:
 - Division Supervisor or POC* will run "Non-Emergency Incident" on the Command frequency.
 - Division Supervisor or POC* will use "Medical Incident Report" worksheet on page 118 -119 of the IRPG.

IN-CAMP – 24 HOUR MEDICAL

- Contact Lake Communications with:
 - Patient Complaint, Condition and Location via LOGS net or Command frequency

9. PREPARED BY Jeff Carlon - MEDL 	10. REVIEWED BY SOF1 
--	---

Human Resource Message

Leaders who Motivate

Leading others effectively encourages those we lead to do great things. Let's remember the value of our leadership while we continue to do the important work we are doing here.

Leaders Who Motivate People:

- Know their job
- Know the jobs of those they supervise
- Set the direction
- Make the team stronger by pulling from everyone
- Give people the chance to succeed or fail
- Work with reality and current conditions
- Enjoy their work and provide a positive work environment
- Keep it simple and keep it real
- Take responsibility

In a learning organization, leaders treat honest mistakes as opportunities to do better next time. Understanding that failure is a part of learning, they establish command climates in which leaders are motivated by desire to succeed rather than fear of failure. - *Leading in the Wildland Fire Service, Page 42-*

- Make a difference whenever and wherever they can

TRAINING SPECIALIST MESSAGE

**All Lake Incident Trainees
Beat the Rush!!!**

In order to receive documented credit for your training assignment you must register with the Incident Training Specialist.

If you are preparing to leave the Incident please scan the QR Code to start the Demob process.



No documentation...it didn't happen

Forms are available at the Training Office

FEDERAL FINANCE MESSAGE

DIVISION SUPERVISORS / BRANCH DIRECTORS debrief with Cost Apportionment Teams (CATS) daily after each shift. CATS is located at the ICP in Parking Lot 12 in the white trailer.

DIVISION SUPERVISORS / BRANCH DIRECTORS that are unable to come to the ICP please contact CATS

CONTACT NUMBERS: (805) 698-2541; (626) 698-9852

Federal Resources unable to come to ICP send an electronic copy of your signed CTRs or Shift Tickets to:

2020.lake.finance@firenet.gov

LACOFD FINANCE MESSAGE

All Los Angeles County Fire resources are to complete a Form 662 during the Demob process and submit it to LACOFD Finance on the LAKE FIRE.

All LA County Fire Resources that utilize Employee Self-Services (ESS) to submit their timecards, please use project **CODE EM2003B1** which has been established to track the LAKE INCIDENT

CAL FIRE FINANCE MESSAGE

Hired equipment suppliers check in with Cal Fire Equipment Time. Line Supervision and HEQB see shift ticket example.

FEDERAL FINANCE MESSAGE

FEDERAL RESOURCES unable to come to ICP, electronically send a copy of your signed CTRs or Shift Tickets to:

2020.lake.finance@firenet.gov

**CONTACT NUMBER FOR FINANCE
REGARDING PROBLEMS WITH TIME
CALL 530-524-2699**

C-11 Los Padres IHC

E-273 ANF Dozer 10

O-10074 Exline, Sue

O-10076 Kimberly Peterson



Finance Section – Shift Ticket Examples

24HR LINE RESOURCE - EXTENDED SHIFT RESOURCE, GREATER THAN 16HR WORKED


EMERGENCY SHIFT TICKET and EVALUATION FORM The responsible Government Officer will complete this form each shift.						Contractor Name DIRT PUSHERS LLC	
Incident or Project Name APPLE		Incident Number CARRU-096640		Request Number E-27		Operator #1 (DAY SHIFT) FIRST & LAST	Operator #2 (NIGHT SHIFT) FIRST & LAST
Agreement Number MEU 247481-01						Operator Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government	
Equipment Make 2002 CATERPILLAR		Equipment Model / Type D6N XL, TYPE 2 - E				Operating Supplies Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government	
Serial Number COMPLETE SERIAL #		License Number				Equipment Status Inspected <input checked="" type="checkbox"/> Under Agreement Released by Government Withdrawn by Contractor	
Equipment Use						Remarks/Comments** NO DAMAGE / NO CLAIM EXTENDED SHIFT RESOURCE	
Date Mo / Day	Start	Stop	Work	(Circle) Hours	Days / Miles	Assignment	
8/4	0701	2400	17			DIV X	
8/5	0001	0700	7			DIV X	
Vendor Rating						Govt. Rep. Name and Position – PRINT Print Your Name	
Met Performance Expectations						Govt. Rep. Signature <i>Your Signature</i>	
Equipment in Safe Working Condition						Contractor Signature <i>Contractor Signature</i>	
Operator Skill Level						Date 8/5/2020	
Operates Safely						Time 0700	
Operator's Cooperation Level						Overall Performance	
* NOTE: any rating of POOR requires an explanation in Comment Section.						CAL FIRE 297 (Rev 3-2011)	
** Final evaluation or for more documentation, use a CALFIRE Form 230 or equivalent.							

12HR LINE RESOURCE - STANDARD SHIFT, CANNOT EXCEED 16HR ON DUTY, INCLUDING TRAVEL

EMERGENCY SHIFT TICKET and EVALUATION FORM The responsible Government Officer will complete this form each shift.						Contractor Name TRANSPORTS EXPRESS	
Incident or Project Name APPLE		Incident Number CARRU-096640		Request Number E-123		Operator #1 (DAY SHIFT) FIRST & LAST	Operator #2 FIRST & LAST
Agreement Number LNU 058799-00						Operator Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government	
Equipment Make 1999 PETERBILT 379		Equipment Model / Type TRANSPORT 18 WHEEL				Operating Supplies Furnished By: <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> Government	
Serial Number COMPLETE VIN #		License Number 12345A1				Equipment Status Inspected <input checked="" type="checkbox"/> Under Agreement Released by Government Withdrawn by Contractor	
Equipment Use						Remarks/Comments** NO DAMAGE / NO CLAIM STANDARD SHIFT RESOURCE	
Date Mo / Day	Start	Stop	Work	(Circle) Hours	Days / Miles	Assignment	
8/4	0001	0700	7			OFF SHIFT	
8/4	0701	1900	12			DIV X	
8/4	1901	2400	5			OFF SHIFT	
Vendor Rating						Govt. Rep. Name and Position – PRINT Print Your Name	
Met Performance Expectations						Govt. Rep. Signature <i>Your Signature</i>	
Equipment in Safe Working Condition						Contractor Signature <i>Contractor Signature</i>	
Operator Skill Level						Date 8/4/2020	
Operates Safely						Time 1900	
Operator's Cooperation Level						Overall Performance	
* NOTE: any rating of POOR requires an explanation in Comment Section.						CAL FIRE 297 (Rev 3-2011)	
** Final evaluation or for more documentation, use a CALFIRE Form 230 or equivalent.							



LAKE INCIDENT COVID-19 Symptom Tracking Form



LACoFD is concerned about the potential spread of COVID-19 during a wildland incident.

If you have any symptoms consistent with COVID-19, complete this form and report to the Medical Unit Leader.

Symptom Monitoring Form

Name *

Contact Phone *

First

Last

Home Agency

Unit Number

Incident Supervisor

Incident Supervisor Phone

Symptoms Tracking

1

Date

Time

AM or PM

8/13/2020



2:36 AM



AM PM

Cough?

Yes No

Do you have a fever or do you feel feverish?

Yes No

Runny nose?

Yes No

Sore Throat?

Yes No

Difficulty Breathing or Shortness of Breath?

Yes No

Muscle Aches or Headache?

Yes No

Loss of Taste or Smell?

Yes No

Abdominal Discomfort?


Yes No

Vomiting?

Yes No

Diarrhea?



Yes No



- Lot - 1 Ground Support
- Lot - 2 Fueling
- Lot - 3 Heli Pad
- Lot - 4 PIO
- Lot - 5 Parking
- Lot - 6 Parking
- Lot - 7 Parking
- Lot - 8 Supply
- Lot - 9 Parking/Kitchen
- Lot - 10 ICP
- Lot - 11 Parking/Showers
- Lot - 12 Parking
- Lot - 13 Parking




LAKE FIRE ICP



as of 11:30 hrs / 08/20/2020

Camp 300 Base Camp



RESOURCE ADVISOR MESSAGE



Old Ridge Route (ORR)

The Old Ridge Route/8N04 dates to 1915 and is of national significance and fragility.

In order to have no impacts to the ORR,

- Suppression activities along the Old Ridge Route should have an ARCH or REAF monitor.
- When possible use Fisher Springs Road or Posey Canyon Road to minimize trips along the ORR.
- Staging areas should be located off the ORR, whenever possible.
- No grading of staging areas along the ORR; any areas along the ORR suitable for staging are archaeological sites.

Tracked equipment and heavy vehicles can damage the road surface of the ORR.

- No blading of the ORR road surface. Lift Blade whenever possible
- Use rubber tired vehicles and equipment as much as possible **whenever possible avoid using tracked vehicles or equipment based on operational necessity.**
 - **If tracked equipment cannot be avoided on the ORR surface, coordination should be made with an ARCH or REAF. If tracking must occur, it is preferable to stay on the asphalt surface (NOT the concrete).**
- Any tracked equipment must be brought in on a low boy trailer and offloaded onto the dirt access road or other dirt surface outside the ORR;
- Diversion cones to direct traffic and/or rubber pads will used to protect fragile road surfaces. **The edges of the ORR where equipment must cross the road should be armored with rubber mats** or other effective material.
- Vehicles should avoid stopping and maneuvering on pavement that is in poor condition.
- Heavy vehicles (Gross Weight 8,500 pounds/axle and over) should maintain a speed limit of 10 miles per hour. Light duty pickups and crew transports should maintain a speed limit of 15 miles per hour.

Botany/Invasives

Areas of invasives will be flagged and should be avoided whenever possible to avoid their spread. If avoidance is not possible, areas will be monitored in the future. Types of invasives include (Phytophthora. - soil born fungus which can spread into native areas as kill native vegetation), Yellow Star Thistle, Perennial Pepperweed, Blessed thistle.

SOCAL Gas Pipeline mitigation/restoration sites

Soils are thin and the areas has a history of landslides 2005 landslide broke oil line

UNIT LOG (ICS 214)

1. Incident Name: <div style="text-align: center;">LAKE FIRE</div>	2. Operational Period:	Date From: _____ Time From: _____	Date To: _____ Time To: _____
--	-------------------------------	--------------------------------------	----------------------------------

3. Unit Name/Designators	4. Unit Leader (Name and ICS Position)
---------------------------------	---

5. Personnel Assigned/Designators		
NAME	ICS POSITION	HOME BASE

6. Activity Log (Continue on Reverse)	
TIME	MAJOR EVENTS

7. Prepared By: _____	Date/Time: _____
------------------------------	-------------------------

LINE ORDER FORM

ORDER #	DATE & TIME ORDERED Received from the Line	WHO PLACED ORDER DIVS, OPS, etc...	DELIVER to (DIV, Helispot, DP, etc.) Division, Heli-Spot, Drop Point, etc.	MODE of DEVIVERY Drive, Helo, pick-up			
Order Received in Communications By:				TIME:			
Communications Relayed/Placed the Order To:				TIME:			
Order Shipped to the Line By (Name):				TIME:			
ITEM#	DESCRIPTION			AMOUNT			
1	1,000 Foot Hose Lay: Includes the following 10 lengths, 1 1/2" x 100' Hose. 10 lengths, 1" x 100' Hose. 10ea. 1 1/2" Gated Wyes. 10ea. 1 1/2" to 1" Reducers. 10ea. 1" Nozzles.						
2	2,000 Foot Hose Lay: Includes the following 20 lengths, 1 1/2" x 100' Hose. 20 lengths, 1" x 100' Hose. 20ea. 1 1/2" Gated Wyes. 20ea. 1 1/2" to 1" Reducers. 20ea. 1" Nozzles.						
3	3,000 Foot Hose Lay: Includes the following 30 lengths, 1 1/2" x 100' Hose. 30 lengths, 1" x 100' Hose. 30ea. 1 1/2" Gated Wyes. 30ea. 1 1/2" to 1" Reducers. 30ea. 1" Nozzles.						
ITEM#	REQUESTED ITEM	NFES#	AMOUNT	ITEM#	REQUESTED ITEM	NFES#	AMOUNT
4	Backpack Pump, 5 gallon	1149		26	Batteries, "AA", (package)	0030	
5	Foam, 5 gallon	1145		27	Gasoline, Unleaded (gallon)		
6	Hose, 3/4 inch, 50 ft. length	1016		28	Oil, 2 Cycle Mix (quart)	0341	
7	Hose, 1 inch, 100 ft. length	0966		29	Diesel, straight (gallon)		
8	Hose, 1 1/2 inch, 100 ft. length	0967		30	Oil, Bar & Chain (gallon)	1880	
9	Increaser, 3/4" to 1"	2235		31	Fusees (box)	0105	
10	Increaser, 1" to 1 1/2"	0416		32	Torch, Drip Torch ea.	0241	
11	Nozzle, Garden 3/4 inch	0136		33	Mix, Drip Torch 3-1, 5 gal.		
12	Nozzle, Forester, 1"	0024		34	Flagging, Ribbon, Color/Roll		
13	Nozzle, KK Type, 1"	1081		35	Washcloth, Waterless	0206	
14	Nozzle, KK Type, 1 1/2"	1082		36	Water, Cubi, 5 gallon ea.	0048	
15	Reducer, 1" to 3/4"	0733		37	Water, Bottled, (case)		
16	Reducer, 1 1/2" to 1"	0009		38	Sports Drink, Gatorade (case)		
17	Tee, Hoseline, 1"x1"x 3/4"	1809		39	Food, MRE's (12 per Box)	1842	
18	Tee, Hoseline, 1"x1"x 1"	2240		40	Pump Kit, High Pressure	0870	
19	Tee, Hoseline, 1 1/2" x 1 1/2" x 1"	0230		41	Pump, High Pressure	0148	
20	Wye, Gated, 3/4" inch	0904		42	Pump Kit, Light Weight	0670	
21	Wye, Gated, 1"	0259		43	Sprinkler Kit	1048	
22	Wye, Gated, 1 1/2"	0231		44	Pump Kit, Volume	6041	
23	Tank, Collapsible. Capacity Gallons?			45	Mop-Up Kit	0772	
24	Tank, Folding/Frame. Capacity ??						
25	Wrap, Structure (roll)	0881					

Date and Time Needed: _____ Point of Contact at Delivery Location: _____


OTHER / NOTES:

LINE ORDER FORM

ORDER #	DATE & TIME ORDERED Received from the Line	WHO PLACED ORDER DIVS, OPS, etc...	DELIVER to (DIV, Helispot, DP, etc.) Division, Heli-Spot, Drop Point, etc.	MODE of DEVIVERY Drive, Helo, pick-up			
Order Received in Communications By:				TIME:			
Communications Relayed/Placed the Order To:				TIME:			
Order Shipped to the Line By (Name):				TIME:			
ITEM#	DESCRIPTION			AMOUNT			
1	1,000 Foot Hose Lay: Includes the following 10 lengths, 1 1/2" x 100' Hose. 10 lengths, 1" x 100' Hose. 10ea. 1 1/2" Gated Wyes. 10ea. 1 1/2" to 1" Reducers. 10ea. 1" Nozzles.						
2	2,000 Foot Hose Lay: Includes the following 20 lengths, 1 1/2" x 100' Hose. 20 lengths, 1" x 100' Hose. 20ea. 1 1/2" Gated Wyes. 20ea. 1 1/2" to 1" Reducers. 20ea. 1" Nozzles.						
3	3,000 Foot Hose Lay: Includes the following 30 lengths, 1 1/2" x 100' Hose. 30 lengths, 1" x 100' Hose. 30ea. 1 1/2" Gated Wyes. 30ea. 1 1/2" to 1" Reducers. 30ea. 1" Nozzles.						
ITEM#	REQUESTED ITEM	NFES#	AMOUNT	ITEM#	REQUESTED ITEM	NFES#	AMOUNT
4	Backpack Pump, 5 gallon	1149		26	Batteries, "AA", (package)	0030	
5	Foam, 5 gallon	1145		27	Gasoline, Unleaded (gallon)		
6	Hose, 3/4 inch, 50 ft. length	1016		28	Oil, 2 Cycle Mix (quart)	0341	
7	Hose, 1 inch, 100 ft. length	0966		29	Diesel, straight (gallon)		
8	Hose, 1 1/2 inch, 100 ft. length	0967		30	Oil, Bar & Chain (gallon)	1880	
9	Increaser, 3/4" to 1"	2235		31	Fusees (box)	0105	
10	Increaser, 1" to 1 1/2"	0416		32	Torch, Drip Torch ea.	0241	
11	Nozzle, Garden 3/4 inch	0136		33	Mix, Drip Torch 3-1, 5 gal.		
12	Nozzle, Forester, 1"	0024		34	Flagging, Ribbon, Color/Roll		
13	Nozzle, KK Type, 1"	1081		35	Washcloth, Waterless	0206	
14	Nozzle, KK Type, 1 1/2"	1082		36	Water, Cubi, 5 gallon ea.	0048	
15	Reducer, 1" to 3/4"	0733		37	Water, Bottled, (case)		
16	Reducer, 1 1/2" to 1"	0009		38	Sports Drink, Gatorade (case)		
17	Tee, Hoseline, 1"x1"x 3/4"	1809		39	Food, MRE's (12 per Box)	1842	
18	Tee, Hoseline, 1"x1"x 1"	2240		40	Pump Kit, High Pressure	0870	
19	Tee, Hoseline, 1 1/2" x 1 1/2" x 1"	0230		41	Pump, High Pressure	0148	
20	Wye, Gated, 3/4" inch	0904		42	Pump Kit, Light Weight	0670	
21	Wye, Gated, 1"	0259		43	Sprinkler Kit	1048	
22	Wye, Gated, 1 1/2"	0231		44	Pump Kit, Volume	6041	
23	Tank, Collapsible. Capacity Gallons?			45	Mop-Up Kit	0772	
24	Tank, Folding/Frame. Capacity ??						
25	Wrap, Structure (roll)	0881					

Date and Time Needed: _____ **Point of Contact at Delivery Location:** _____

OTHER / NOTES:



Medical Incident Report

FOR A **NON-EMERGENCY INCIDENT**: WORK THROUGH CHAIN OF COMMAND TO REPORT AND TRANSPORT INJURED PERSONNEL AS NECESSARY.

FOR A **MEDICAL EMERGENCY**: IDENTIFY ON SCENE INCIDENT COMMANDER BY NAME AND POSITION AND ANNOUNCE TO INITIATE RESPONSE FROM COMMUNICATIONS

Use the following items to communicate situation to communications/dispatch.

1. CONTACT COMMUNICATIONS / DISPATCH (Verify correct frequency prior to starting report)
Ex: "Communications, Div. Alpha. Stand-by for Emergency Traffic."

2. INCIDENT STATUS: *Provide incident summary (including number of patients) and command structure.*
Ex: "Communications, I have a Red priority patient, unconscious, struck by a falling tree.
Requesting air ambulance to Forest Road 1 at (Lat./Long.)
"This will be the Trout Meadow Medical Incident, IC is TFLD Jones. EMT Smith is providing medical care."

Severity of Emergency AND Transport Priority (priority 1, 2, 3)	<input type="checkbox"/> RED / PRIORITY 1 Life or limb threatening injury or illness. Evacuation need is IMMEDIATE <i>Ex: Unconscious, difficulty breathing, bleeding severely, 2° – 3° burns more than 4 palm sizes, heat stroke, disoriented.</i>	
	<input type="checkbox"/> YELLOW / PRIORITY 2 Serious Injury or illness. Evacuation may be DELAYED if necessary. <i>Ex: Significant trauma, unable to walk, 2° – 3° burns not more than 1-3 palm sizes.</i>	
	<input type="checkbox"/> GREEN / PRIORITY 3 Minor Injury or illness. Non-Emergency transport <i>Ex: Sprains, strains, minor heat-related illness.</i>	
Nature of Injury or Illness & Mechanism of Injury		<i>Brief Summary of Injury or Illness (Ex: Unconscious, Struck by Falling Tree)</i>
Transport Request		<i>Air Ambulance / Short Haul/Hoist Ground Ambulance / Other</i>
Patient Location		<i>Descriptive Location & Lat. / Long. (WGS84)</i>
Incident Name		<i>Geographic Name + "Medical" (Ex: Trout Meadow Medical)</i>
On-Scene Incident Commander		<i>Name of on-scene IC of Incident within an Incident (Ex: TFLD Jones)</i>
Crew Patient Care		<i>Name of Care Provider (Ex: EMT Smith)</i>

3. INITIAL PATIENT ASSESSMENT: *Complete this section for each patient as applicable (start with the most severe patient)*

Agency Affiliation: (NO PATIENT NAMES) Federal Contractor Local Government

Patient Assessment: Age: Weight: Chief Complaint:

(If pertinent to Injury) Skin Signs: (color/moisture/temp) Level of Consciousness: BP: HR: Respirations:

Treatment:

4. TRANSPORT PLAN:

Evacuation Location (*drop point, intersection, helispot, Lat. / Long, hazards*) Patient's ETA to Location:

5. ADDITIONAL RESOURCES / EQUIPMENT NEEDS:

Paramedic / EMT - Crews - Immobilization Devices - AED - Oxygen - Trauma Bag - IV/Fluid(s) - Splints - Rope rescue - Wheeled litter - HAZMAT - Extrication

6. COMMUNICATIONS: Identify State Air/Ground EMS Frequencies and Hospital Contacts as applicable

Function	Channel Name/Number	Receive (RX)	Tone/NAC *	Transmit (TX)	Tone/NAC *
COMMAND					
AIR-TO-GRND					

7. CONTINGENCY: Considerations: *If primary options fail, what actions can be implemented in conjunction with primary evacuation method? Be thinking ahead.*

8. ADDITIONAL INFORMATION: *Updates/Changes, etc.*

REMEMBER: Confirm ETA's of resources ordered. Act according to your level of training. Be Alert - Keep Calm - Think Clearly - Act Decisively

*** Follow up with MEDL upon return to ICP ***