


Castle Fire: 67,516 Acres
Shotgun Fire: 577 Acres



BRANCH I
SEQUOIA COMPLEX

CA-SQF-002622
09/12/2020



1:35,000
Datum: NAD 83

- | | | | | | | | | | |
|---|---------------------|---|-------------------------|-----|----------------------------------|---|-------------------------------|---|----------------------------------|
| A | Dip Site | > | Retardant/Mud Pit |) (| Division Break | — | Wildfire Daily Fire Perimeter | — | Access or Improved Road |
| ! | Aerial Hazard | U | Sling Site | D | Proposed Dozer Line | — | Uncontrolled Fire Edge | — | Proposed Dozer Line |
| ! | Drop Point | U | Staging Area | — | Fire Break Planned or Incomplete | — | Contained Line | — | Fire Break Planned or Incomplete |
| ! | Gate | U | Structure Wrap | — | Planned Fire Line | — | Completed Dozer Line | — | Planned Fire Line |
| ! | Helibase | U | Water Source | — | Completed Hand Line | — | Completed Hand Line | — | Other |
| ! | Helispot | U | Restricted Water Source | — | Road as Completed Line | — | Road as Completed Line | — | Private |
| ! | Mobile Weather Unit | U | Value at Risk | — | Branch Break | — | Value at Risk | — | Structures |
| ! | Repeater | U | Other | | | | | | |

