


| Label | Feature Category (Point Type) | Trackable ID | Serial Number | Comments | Latitude WGS84 DDM | Longitude WGS84 DDM |
|-------|-------------------------------|----------------|----------------|--|--------------------|---------------------|
| P-01 | Pump | GBK-1222-1721 | GBK-1222-1721 | Pump volume supporting food tank; pump pulled 8/9 | 44° 56.086' N | 114° 20.412' W |
| P-02 | Pump | GBK-0148-1201 | 5755343 | 1 mark 3 pump, 800' of hose with 4 sprinklers implemented for point protection. All in compliance as of 7/30 | 44° 57.884' N | 114° 32.018' W |
| P-03 | Pump | GBK-0148-697 | 4166856 | 1 mark 3 pump, 400' of hose with 16 sprinklers implemented for point protection. All in compliance as of July 30th | 44° 58.351' N | 114° 31.981' W |
| P-04 | Pump | GBK-0148-1768 | 6372695 | 1 mark 3 pump with 2,000' of hose with 20 sprinklers implemented for point protection. All in compliance as of 7/30 | 44° 58.560' N | 114° 31.991' W |
| P-05 | Pump | GBK-0148-1180 | 5754961 | 1 mark 3 pump with 1,000' of hose with 16 sprinklers implemented for point protection. Fuel in excess of 5 gallons need to be moved 100 feet away and placed in a separate containment berm; 8/7 fuel placed in its own containment berm | 44° 58.725' N | 114° 31.884' W |
| P-07 | Pump | GBK-0148-1103 | 5433839 | Need containment berm for excess fuel - 7/30; containment berm in place 8/7 | 44° 59.690' N | 114° 28.939' W |
| P-08 | Pump | GBK-1222-1884 | | VOLUME PUMP DEPLOYED TO SUPPORT FOLDATANK. Needs fish screen. Fuel needs containment berm and excess fuel should be moved at least 100' from waterway; pump pulled 8/9 | 45° 00.235' N | 114° 20.047' W |
| P-09 | Pump | | | Might belong to water tender? No Serial Number. | 45° 00.247' N | 114° 20.097' W |
| P-15 | Pump | CHK-7210 | CHK-7210 | Removed 8/9 | 45° 04.061' N | 114° 16.279' W |
| P-16 | Pump | | | Cache of 14 pumps. GBK-0148-1141, 2094, 584, 689, 1160, 1136, 1885, 1654, 2071, 2061, 2068, 1248, GBK-0148-1242 FLAGGED BAD CARS, GBK-0148-3228 FLAGGED BAD FUEL LINE. Removed 8/9 | 45° 04.061' N | 114° 16.327' W |
| P-22 | Pump | GBK-0148-2028 | GBK-0148-2028 | Mark 3; removed 8/9 | 45° 04.889' N | 114° 02.683' W |
| P-23 | Pump | GBK-0148-1753 | GBK-0148-1753 | In compliance as of 7/22; removed 8/9 | 45° 05.248' N | 114° 14.470' W |
| P-24 | Pump | GBK-0148-623 | GBK-0148-623 | Correct as of 08/04 14:22; removed 8/9 | 45° 05.410' N | 114° 14.188' W |
| P-25 | Pump | CHK-3096 | CHK-3096 | Correct as of 08/04 14:16; removed 8/9 | 45° 05.535' N | 114° 14.137' W |
| P-27 | Pump | GBK-0148-1218 | GBK-0148-1218 | In compliance as 7/29 with proper fish screen; removed 8/9 | 45° 05.661' N | 114° 13.857' W |
| P-28 | Pump | GBK-0148-1218 | GBK-0148-1218 | Removed 8/9 | 45° 05.669' N | 114° 13.835' W |
| P-30 | Pump | GBK-0148-1261 | GBK-0148-1261 | Plumb stand sprinklers near structure opposite side of the road correct as of 08/04 14:10; removed 8/9 | 45° 05.929' N | 114° 13.811' W |
| P-31 | Pump | GBK01481214 | GBK01481214 | Duplicate. | 45° 06.486' N | 114° 06.630' W |
| P-32 | Pump | GBK01481287 | GBK01481287 | Duplicate, 2 mark 3 and 2 pumps | 45° 06.488' N | 114° 06.629' W |
| P-33 | Pump | GBK-0148-1214 | GBK-0148-1214 | Removed 8/9 | 45° 06.489' N | 114° 06.625' W |
| P-34 | Pump | GBK-0148-1287 | GBK-0148-1287 | Removed 8/9 | 45° 06.491' N | 114° 06.625' W |
| P-35 | Pump | GBK-1222-2003 | GBK-1222-2003 | TRASH PUMP | 45° 06.507' N | 114° 06.627' W |
| P-37 | Pump | GBK-0148-1705 | GBK-0148-1705 | MK3 pump connects to hose to plumb structure, move to 45' 16.89' N 114° 13.5' W; removed 8/9 | 45° 06.734' N | 114° 13.184' W |
| P-39 | Pump | GBK-0148-1705 | GBK-0148-1705 | Everything in compliance as of 7/29; removed 8/9 | 45° 06.876' N | 114° 13.234' W |
| P-40 | Pump | GBK-0148-2105 | GBK-0148-2105 | In use, 54' correct as of 08/04 13:47 | 45° 06.926' N | 114° 13.085' W |
| P-41 | Pump | GBK-1222-2005 | GBK-1222-2005 | In use as of 08/04 13:36; removed 8/10 | 45° 07.472' N | 114° 12.999' W |
| P-42 | Pump | PN1395 | See comments | No GBK number listed on the box or on the pump. PN1395 was specified on the box. Central Idaho Fire Cache. In use as of 08/04 13:34; removed 8/10 | 45° 07.474' N | 114° 12.998' W |
| P-43 | Pump | GBK-0148-1633 | GBK-0148-1633 | 8/10/13-13 in use; removed 8/10 | 45° 07.475' N | 114° 12.997' W |
| P-44 | Pump | WB30XT | WB30XT | Not at location 08/04 13:40 | 45° 07.475' N | 114° 13.007' W |
| P-45 | Pump | GBK-1222-1988 | GBK-1222-1988 | Trash pump staged, not currently in use, fuel tank full; removed 8/10 | 45° 07.480' N | 114° 12.996' W |
| P-46 | Pump | Wick-375 | CHK-572 | Stage; not currently in use. Correct as of 08/04 13:31; removed 8/9 | 45° 07.481' N | 114° 12.999' W |
| P-52 | Pump | GBK-0148-1682 | GBK-0148-1682 | No pump at location, 08/04 11:19; verified 8/7 delete record | 45° 10.131' N | 114° 18.423' W |
| P-53 | Pump | CHK-0413A-1035 | CHK-0413A-1035 | 2 mark 3 pumps; removed pumps 8/9 | 45° 10.992' N | 114° 08.963' W |
| P-54 | Pump | CHK-0413A-0349 | CHK-0413A-0349 | 2 mark 3 pumps; removed pumps 8/9 | 45° 10.992' N | 114° 08.963' W |
| P-55 | Pump | CHK-0413A-1076 | CHK-0413A-1076 | Mark 3 pump - pump was located upstream at USGS sprinkler protection needs fuel berm 7/30; pump in theme of Atagi station; duplicate of pump 5/9 | 45° 11.702' N | 114° 08.208' W |
| P-56 | Pump | CHK-0413A-1076 | CHK-0413A-1076 | Mark 3 with sprinklers; protecting USGS gauge. Serial on side says CHK-29. Tag is missing; removed pump 8/9 | 45° 11.702' N | 114° 08.208' W |
| P-64 | Pump | BB-0148-513 | BB-0148-513 | Wallace lake approved by DIV 1 | 45° 14.793' N | 114° 00.285' W |
| P-65 | Pump | GBK-0148-2028 | GBK-0148-2028 | Supply sprinklers for private land; removed 8/8 | 45° 14.993' N | 114° 17.323' W |
| P-66 | Pump | GBK-0148-1775 | GBK-0148-1775 | Supply sprinklers for private land; removed pump 8/9 | 45° 14.995' N | 114° 16.885' W |
| P-67 | Pump | GBK-0148-1674 | GBK-0148-1674 | Removed 8/9 | 45° 15.025' N | 114° 15.148' W |
| P-68 | Pump | GBK-0148-2073 | GBK-0148-2073 | Removed 8/9 | 45° 15.482' N | 114° 19.397' W |
| P-69 | Pump | GBK-0148-674 | GBK-0148-674 | Duplicate; removed 8/9 | 45° 16.375' N | 114° 20.092' W |
| P-70 | Pump | GBK-0148-674 | GBK-0148-674 | 2 mark 3s with containment kits set up GBK-0148-1236 and GBK-0148-674. Delete this. Duplicate. | 45° 16.387' N | 114° 20.092' W |
| P-71 | Pump | GBK-0148-1236 | GBK-0148-1236 | Duplicate. Removed 8/9 | 45° 16.389' N | 114° 20.093' W |
| P-72 | Pump | GBK-0148-1236 | GBK-0148-1236 | 2 mark 3s with proper containment kits GBK-0148-674 and GBK-0148-1236 both on public land; removed 8/9 | 45° 16.391' N | 114° 20.092' W |
| P-73 | Pump | GBK-0148-1769 | GBK-0148-1769 | Containment kit in place; removed 8/9 | 45° 16.694' N | 114° 18.889' W |
| P-74 | Pump | GBK-0148-932 | GBK-0148-932 | Removed 8/9 | 45° 17.360' N | 114° 20.961' W |
| P-75 | Pump | GBK-1222-994 | GBK-1222-994 | Removed 8/9 | 45° 17.360' N | 114° 20.965' W |
| P-76 | Pump | GBK-0148-664 | GBK-0148-664 | Removed 8/9 | 45° 17.382' N | 114° 20.949' W |
| P-77 | Pump | GBK-0148-1147 | GBK-0148-1147 | Removed 8/9 | 45° 17.802' N | 114° 20.953' W |
| P-78 | Pump | GBK-0148-1147 | GBK-0148-1147 | 2 mark 3s and one trash pump. All with proper screens and containment kits; duplicate | 45° 17.406' N | 114° 20.937' W |
| P-79 | Pump | GBK-0148-1259 | GBK-0148-1259 | 1 removed 8/9 Pump near house with purple gate. All with proper screens and containment kits; duplicate | 45° 17.806' N | 114° 21.489' W |
| T-01 | Water Tank | NFE5-0664 | NFE5-0664 | 1500 gallon FOLDATANK; tank pulled 8/8 | 45° 00.240' N | 114° 20.055' W |
| T-02 | Water Tank | NFE5-0664 | NFE5-0664 | FOLDATANK 1500 GALLONS; tank pulled 8/8 | 45° 01.240' N | 114° 20.052' W |
| T-03 | Water Tank | 0568 TANK | 0568 TANK | Removed 8/8 | 45° 01.332' N | 114° 18.870' W |
| T-04 | Water Tank | NFE5-0668 | NFE5-0668 | Tank removed 8/8 | 45° 01.332' N | 114° 18.854' W |
| T-05 | Water Tank | NFE5-6031 | NFE5-6031 | Tank removed 8/9 | 45° 04.061' N | 114° 16.302' W |
| T-06 | Water Tank | NFE5-6031 | NFE5-6031 | Pumpkin-6000 gal; removed 8/9 | 45° 04.869' N | 114° 02.678' W |
| T-07 | Water Tank | NFE5-6031 | NFE5-6031 | NFE5-6031 6000 gal; removed 8/9 | 45° 06.503' N | 114° 06.624' W |
| T-08 | Water Tank | STFS-3000 | STFS-3000 | Pumpkin-3000 gal; removed 8/9 | 45° 07.476' N | 114° 13.006' W |
| T-09 | Water Tank | NFE5-6031 | NFE5-6031 | Pumpkin-6000 gal; removed 8/10 | 45° 07.479' N | 114° 13.002' W |
| T-10 | Water Tank | NFE5-0664 | NFE5-0664 | Wallace lake approved by DIV 1 and REAS | 45° 14.785' N | 114° 00.249' W |
| T-11 | Water Tank | NFE5-0664 | NFE5-0664 | 6000 gal pumpkin plumbed into the bottom for possible dip; removed 8/8 | 45° 17.366' N | 114° 20.955' W |

Accountable Property
 Mud Lick
 ID-SCF-021130
 8/11/2021
 20,643 acres @ 8/07 2144 hrs



- Pump not at location
 - P Pump
 - W Water Tank
 - O Other Property
 - O Other
 - ⊗ Mud Lick Fire
 - Dip Site
- Helispot
 - X Division Break
 - X Drop Point
 - Camp
 - ⊗ Lookout
 - ⊗ Fire Origin
 - Other
- Bridge
 - Mobile Weather Unit
 - Repeater
 - Contained Line
 - Trail
 - Primary Highway
 - Paved Roads
- Dirt (Not Paved)
 - Paved Road
 - Gravel Road
 - Dirt Roads
 - Unimproved Roads
 - Closed Roads
 - Proclaimed FS Boundary
- Administrative FS Boundary
 - Ranger District Boundary
 - FS Wilderness Boundary
 - State Boundary
 - County Boundary
 - Township
 - Protracted Section
 - Section
 - Scenic Byway