


INCIDENT OBJECTIVES (ICS 202)

1. Incident Name:		2. Operational Period: 0600-2200																			
WILDCAT		Date/Time From: 07/20/2022 0600 WED	Date/Time To: 07/20/2022 2200 WED																		
3. Objective(s):																					
<p>Firefighter and public safety are priority over all other incident objectives and incident requirements. All operational strategies and tactics should consider associated risk to firefighter / public safety and utilize the options that have the highest probability for success combined with least safety risk.</p> <p>Protect Greater Sage-grouse habitat within the planning area including Sagebrush Focal Areas (SFA), Priority Habitat Management Areas (PHMA) and General Habitat Management Areas (GHMA) as the highest priorities for protection of natural resources. Minimize fire size and intensity where safe and effective to do so to decrease any additional cumulative loss of habitat.</p> <p>Protect Lahontan Cutthroat Trout habitat in Mary's, T, and Draw Creek Watershed by limiting fire intensity that will kill riparian vegetation overstory, increase stream sedimentation, and raise stream temperatures to lethal temperatures.</p> <p>Protect crucial mule deer winter range within the planning area following the same protection guidelines as Greater Sage-grouse habitat to minimize loss of existing sagebrush ecosystems. Limit fire size where safe and effective to protect critical forage for deer herds that have been severely impacted by past wildland fires.</p> <ul style="list-style-type: none"> • Keep fire north and west of county road 753 • Keep fire south of prominent ridge south of Sun Creek • Keep fire east of the 58309/Wildcat access road 																					
4. Operational Period Command Emphasis:																					
<p>General Situational Awareness:</p> <p>Maintain LCES</p>																					
<p>5. Site Safety Plan Required? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/></p> <p>Approved Site Safety Plan(s) Located</p>																					
<p>6. Incident Action Plan (the items checked below are included in this Incident Action Plan):</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;"><input checked="" type="checkbox"/> ICS 202</td> <td style="width: 33%;"><input type="checkbox"/> ICS 207</td> <td style="width: 34%;">Other Attachments:</td> </tr> <tr> <td><input checked="" type="checkbox"/> ICS 203</td> <td><input type="checkbox"/> ICS 208</td> <td><input type="checkbox"/> _____</td> </tr> <tr> <td><input checked="" type="checkbox"/> ICS 204</td> <td><input type="checkbox"/> ICS 220</td> <td><input type="checkbox"/> _____</td> </tr> <tr> <td><input checked="" type="checkbox"/> ICS 205</td> <td><input type="checkbox"/> Map/Chart</td> <td><input type="checkbox"/> _____</td> </tr> <tr> <td><input type="checkbox"/> ICS 205A</td> <td><input checked="" type="checkbox"/> Weather Forecast/Tides/Currents</td> <td><input type="checkbox"/> _____</td> </tr> <tr> <td><input checked="" type="checkbox"/> ICS 206</td> <td></td> <td></td> </tr> </table>				<input checked="" type="checkbox"/> ICS 202	<input type="checkbox"/> ICS 207	Other Attachments:	<input checked="" type="checkbox"/> ICS 203	<input type="checkbox"/> ICS 208	<input type="checkbox"/> _____	<input checked="" type="checkbox"/> ICS 204	<input type="checkbox"/> ICS 220	<input type="checkbox"/> _____	<input checked="" type="checkbox"/> ICS 205	<input type="checkbox"/> Map/Chart	<input type="checkbox"/> _____	<input type="checkbox"/> ICS 205A	<input checked="" type="checkbox"/> Weather Forecast/Tides/Currents	<input type="checkbox"/> _____	<input checked="" type="checkbox"/> ICS 206		
<input checked="" type="checkbox"/> ICS 202	<input type="checkbox"/> ICS 207	Other Attachments:																			
<input checked="" type="checkbox"/> ICS 203	<input type="checkbox"/> ICS 208	<input type="checkbox"/> _____																			
<input checked="" type="checkbox"/> ICS 204	<input type="checkbox"/> ICS 220	<input type="checkbox"/> _____																			
<input checked="" type="checkbox"/> ICS 205	<input type="checkbox"/> Map/Chart	<input type="checkbox"/> _____																			
<input type="checkbox"/> ICS 205A	<input checked="" type="checkbox"/> Weather Forecast/Tides/Currents	<input type="checkbox"/> _____																			
<input checked="" type="checkbox"/> ICS 206																					
7. Prepared by: WENDY MARKHAM		Position/Title: PSC	Signature:																		
8. Approved by Incident Commander:		Name: <u>TREVOR RIDING</u>	Signature: 																		
ICS 202		IAP Page	Date/Time: <u>7/19/22 1800</u>																		

Fire Weather Forecast

.DISCUSSION...Scattered showers and storms south with isolated dry dry storms north. Warmer and drier Wednesday and Thursday. Some isolated dry storms possible along the eastern border.

.TODAY...

- * Sky/weather.....Mostly sunny with isolated dry thunderstorms in the afternoon east.
- * Max Temperature....
- * Valleys.....88-98.
- * Mid slope.....84-94.
- * 24 hr trend.....3 degrees warmer.
- * Min humidity.....
- * Valleys.....13-18%.
- * Mid slope.....16-22%.
- * 24 hr trend.....5% drier.
- * 20-foot winds.....
- * Valleys.....Upslope/up valley winds 4 to 8 mph.
- * Ridge top.....Southwest 6 to 12 mph.
- * Haines Index.....6.
- * LAL.....2.
- * Mixing Height.....14000 ft agl.
- * Transport winds....West 10 to 15 mph.
- * Chc Wetting Rain...0%.

.TONIGHT...

- * Sky/weather.....Mostly cloudy then becoming partly cloudy. Isolated dry thunderstorms in the evening.
- * Min Temperature....
- * Valleys.....55-65.
- * Mid slope.....62-72.
- * 24 hr trend.....Little change.
- * Max humidity.....
- * Valleys.....37-47%.
- * Mid slope.....27-37%.
- * 24 hr trend.....20% drier.
- * 20-foot winds.....
- * Valleys.....Northwest winds 10 to 20 mph in the evening becoming downslope/down valley winds 2 to 5 mph.
- * Ridge top.....West 6 to 12 mph.
- * Haines Index.....6.
- * LAL.....2.
- * Chc Wetting Rain...0%.

.THURSDAY...

- * Sky/weather.....Mostly sunny with isolated dry thunderstorms in the afternoon.
- * Max Temperature....
- * Valleys.....90-100.
- * Mid slope.....84-94.
- * 24 hr trend.....2 degrees warmer.
- * Min humidity.....
- * Valleys.....10-15%.

- * Mid slope.....12-18%.
- * 24 hr trend.....3% drier.
- * 20-foot winds.....
- * Valleys.....Upslope/up valley winds 4 to 8 mph becoming west
10 to 20 mph with gusts around 25 mph in the
afternoon.
- * Ridge top.....Southwest 10 to 15 mph.
- * Haines Index.....6.
- * LAL.....2.
- * Mixing Height.....15000 ft agl.
- * Transport winds...East 6 to 12 mph shifting to the southwest in
the afternoon.
- * Chc Wetting Rain...0%.

.Extended...

.THURSDAY NIGHT...Mostly clear. Lows 55-65. Downslope/down valley
winds 2 to 5 mph.

.FRIDAY...Mostly sunny. Highs 88-98. West winds 10 to 20 mph.

.SATURDAY...Mostly clear. Lows 52-62. Highs 86-96.

.SUNDAY...Mostly clear. Lows 51-61. Highs 88-98.

.MONDAY...Mostly clear. Lows 52-62. Highs 88-98.

.TUESDAY...Mostly clear with isolated dry thunderstorms. Lows 53-63.
Highs 88-98.

ORGANIZATION ASSIGNMENT LIST (ICS 203)

1. Incident Name:		2. Operational Period: 0600-2200	
WILDCAT		Date/Time From: 07/20/2022 0600 WED	Date/Time To: 07/20/2022 2200 WED
3. Incident Commander(s) and Command Staff:			
IC/UC	ANDY BERTELSON TREVOR RIDING (T)		
IC/UC	ISAAC WALDEN (T)		
SAFETY OFFICER	KEITH SUTTLES		
INFORMATION OFFICER	COLIN DUNN RICH MARTINEZ (T)		
4. Agency/Organization Representative(s):			
Agency/Organization	Name		
USFS	DEBORAH MACNEILL		
BLM	MELANIE MITCHELL		
NDF	MARCUS LESBO		
RANCHER LIASON	AGEE SMITH		
LEAD REAF	ROBERT BURDICK		
5. Planning Section:			
CHIEF	WENDY MARKHAM		
DOCUMENTATION UNIT	JON SAMPSON (T)		
GIS SPECIALIST	KAT RUSSELL		
6. Logistics Section:			
CHIEF	KEVIN WILMOT JAMES HAMILTON (VIRTUAL) (T)		
MEDICAL UNIT	DENNIS MCLANE		
FOOD UNIT	DAN EASON (T)		
7. Operations Section:			
PLANNING OPS	BRAD MILAM		
OPS SECTION CHIEF	FRANK GOODSON JOE MALSAM (T)		
DIVISION/GROUP	A	COLTEN RICHARDS	
DIVISION/GROUP	H	STEVEN TRAVERSO BRANDON HANSEN (T)	
DIVISION/GROUP	R	SCOTT BIDDLE (T)	
DIVISION/GROUP	Z	SLADE SANBORN (T)	
7b. Air Operations Branch:			
AIR SUPPORT SUPERVISOR	JEFF QUICK		
HELIBASE MANAGER	KEVIN PELLMAN		
HELIBASE MANAGER-AVIATION POC	KATE MILICH		
8. Finance/Administration Section:			
CHIEF	BONNIE KENNEDY		
DEPUTY	JULIE FREDERICK		
TIME UNIT	PORTIA JELINEK		
9. Prepared By:			
Name:	WENDY MARKHAM	Position/Title:	PSC
Signature:			
ICS 203	IAP Page	Date/Time:	07/18/2022 2311

Division/Group Assignment List (ICS 204 WF)
Controlled Unclassified Information//Basic

1. Incident Name:			3.			
WILDCAT			Branch:		Division/Group	
2. Operational Period: 0600-2200					A	
Date/Time From: 07/20/2022 0600 WED		Date/Time To: 07/20/2022 2200 WED				
4. Operations Personnel						
OPERATIONS CHIEF		FRANK GOODSON JOE MALSAM (T)		DIVISION/GROUP SUPERVISOR		COLTEN RICHARDS
5. Resources Assigned this Period						
Strike Team / Task Force / Resource Designator		LWD	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time
C-10 T2 PIOCHE		07/29	DAVID ROBBINS	25		
E-14 WTS2		07/27	BLACK OPERATIONS	1		
E-25 ENG4 421		07/27	NATHAN CRAWFORD	5		
O-60 EMPF		07/24	RYLAN MCDUGAL	1		
E-10 DZR2 DODGE		07/27	JDB3 LLC	2		
6. Control Operations/Work Assignments:						
100% MOP UP						
7. Special Instructions:						
Available for IA: E-21 Bliss WTS2 E-25 ENG4 421						
8. Division/Group Communication Summary						
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode
COMMAND	1	169.9		164.1375	136.5	
TACTICAL	3	166.725		166.725		
AIR TO GROUND	13	166.6125		166.6125		
9. Prepared By (Resource Unit Leader)			Approved By (Planning Section Chief)		Date	Time
WENDY MARKHAM					07/18/2022	2311

Division/Group Assignment List (ICS 204 WF)
Controlled Unclassified Information//Basic

1. Incident Name:				3.		
WILDCAT				Branch:	Division/Group H	
2. Operational Period: 0600-2200						
Date/Time From: 07/20/2022 0600 WED		Date/Time To: 07/20/2022 2200 WED				
4. Operations Personnel						
OPERATIONS CHIEF		FRANK GOODSON JOE MALSAM (T)		DIVISION/GROUP SUPERVISOR		STEVEN TRAVERSO BRANDON HANSEN (T)
5. Resources Assigned this Period						
Strike Team / Task Force / Resource Designator		LWD	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time
E-60 ENG3 311 SMOKIN RIDGE		07/27		3		
C-8 CRW2 - CARLIN		07/26	MIKE SANDBERG	21		
O-58 EMPF		07/30	ADAM NESBITT	1		
E-59 DZR2 RANGE WATER		07/29	SAM HEARST	2		
6. Control Operations/Work Assignments: 100% MOP UP						
7. Special Instructions:						
8. Division/Group Communication Summary						
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode
COMMAND	1	169.9		164.1375	136.5	
TACTICAL	5	168.05		168.05		
AIR TO GROUND	13	166.6125		166.6125		
9. Prepared By (Resource Unit Leader)			Approved By (Planning Section Chief)		Date	Time
WENDY MARKHAM					07/18/2022	2311

Division/Group Assignment List (ICS 204 WF)
Controlled Unclassified Information//Basic

1. Incident Name:			3.			
WILDCAT			Branch:		Division/Group	
2. Operational Period: 0600-2200					Z	
Date/Time From: 07/20/2022 0600 WED		Date/Time To: 07/20/2022 2200 WED				
4. Operations Personnel						
OPERATIONS CHIEF		FRANK GOODSON JOE MALSAM (T)		DIVISION/GROUP SUPERVISOR		SLADE SANBORN
5. Resources Assigned this Period						
Strike Team / Task Force / Resource Designator		LWD	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time
C-9 T2 HUMBOLDT		07/27	KEN SMITH	25		
E-59 DZR2 RANGE WATER		07/27	SAM HEARST	2		
E-28 DZR2		07/27	UPPER VALLEY CONTRACTING LLC	2		
E-34 DZR2		07/29	RANGE WATER	2		
E-45 DZR2 FYREFOX		07/30	KEVIN LEWEY	2		
E-21 WTS2 BLISS		07/30	BLISS FIRE	1		
O-59 EMPF		07/26	DAVID POTTER	1		
6. Control Operations/Work Assignments:						
100% MOP UP						
7. Special Instructions:						
8. Division/Group Communication Summary						
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode
COMMAND	1	169.9		164.1375	136.5	
TACTICAL	4	166.75		166.75		
AIR TO GROUND	13	166.6125		166.6125		
9. Prepared By (Resource Unit Leader)			Approved By (Planning Section Chief)		Date	Time
WENDY MARKHAM					07/18/2022	2311

INCIDENT RADIO COMMUNICATIONS PLAN			Incident Name Wildcat			Date/Time Prepared 7/17/22 1530 hrs		Operational Period Date/Time 7/20/22 0600 - 2200		
Ch #	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq N or W	RX Tone/NAC	TX Freq N or W	Tx Tone/NAC	Mode A, D or M	Remarks	
1	Command	USFS Spruce	ALL	169.9		164.1375	136.5			
2	Command 2	BLM Spruce	ALL	171.53750	110.9	163.57500	123			
3	Tactical	Tac 1	DIV A	166.725		166.725				
4	Tactical	Tac 2	DIV Z	166.75		166.75				
5	Tactical	Tac 3	DIV H	168.05		168.05				
6	Tactical	Tac 4	DIV R	168.2		168.2				
7	Local Rept	FS Hummingbird	IA	169.9		164.1375	156.7			
8	Local Rept	BLM Knoll	IA	171.5375	110.9	163.575	110.9			
9	Local Rept	NDF Knoll	IA	158.895		151.22	131.8			
10	Local Rept	Elko Local	IA	171.5375	110.9	171.5375	110.9			
11	Local Tac	BLM SOA	IA	171.675	114.8	171.675	114.8			
12	Local Tac	NDF Red 1	IA	159.345		159.345				
13	A/G	PRIMARY A/G	ALL	166.6125		166.6125				
14	A/G	S A/G	ALL	167.95		167.95				
15	VMED	VMED 28	ALL	155.34		155.34	156.7		Life Flight	
16	VMED	VMED 29	ALL	155.3475		155.3475	156.7		Life Flight	
17										
18										
19										
20										
Prepared By (Planning Operations)										
Bradley Milam										

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

10. TASK/ MISSION/ ASSIGNMENT (Type/ function includes: Air Tactical, Retardant, Recon, Personnel Transport, Bucket Operations, SAR, etc.)					
TYPE/FUNCTION	PRIORITY	NAME OF PERSONNEL OR CARGO (If applicable) or instructions for tactical aircraft	MISSION START	FLY FROM	FLY TO
ATGS		As requested	0900	ELKO	Fire
Water Drops/Recon		As needed			
Helibase, Dip Sites, Pick Up Sites, etc.			Helibase, Dip Sites, Pick Up Sites, etc.		
Helibase: Lat/Long (Elevation) 41-07.026667N 114-55.328333W (5770')			Dip: Lat/Long (Elevation)		
Helispot (Gibbs Ranch): Lat/Long 41 35.53N 115 13W			Dip: Lat/Long (Elevation)		

Wind Restrictions

Flights above ground level	Flight Permitted in Winds Less than/Maximum Gust Spread		
	Type 1 Helicopters	Type 2 Helicopters	Type 3 Helicopters
More than 500' AGL	<50 Kts / Gusts: N/A	<50 Kts / Gusts: N/A	<50 Kts / Gusts: N/A
Less than 500' AGL	<40 Kts / Max Gust Spread: 15 Kts	<40 Kts / Max Gust Spread: 15 Kts	<30 Kts? Max Gust Spread: 15 Kts

Approved by: /s/ Jeff Quick

DEMOB LIST

7/20

0700- O-38 ARC DOME WFM

0730- O-16 B. Congleton

0745- O-17 B. Gillespie

0800- O-3 B. James

7/21

0700- E-45 DZR FYREFOX

0730- E-12 MUD LAKE FUEL TENDER

0800- E-14 WT BLACK OPS

0830- E-21 WT BLISS

0900- E-22 Rock Creek

0930- E-60 ENG311 SMOKING RIDGE

1000 E-10 DZR JDB3, LLC.

1030- E-28 DZR UPPER VALLEY

1100- E-34 DZR RANGE WATER

1130- E-59 DZR RANGE WATER

1200- C-10 PIOCHE

1230- C-9 HUMBOLDT

1300- C-8 CARLIN

1330- C-5 SHOPAI CAMP CREW

Resource Advisor	Incident Name Wildcat Fire	Date/Time Prepared 7/18/22 16:00	Prepared by Greg Van Oosbree, REAF Robert Burdick, REAF Mariah Blackhorse, REAF Mary Newton, REAF (T) Coralee Ditman, REAF (T)

RESOURCE OBJECTIVES & OPERATIONAL EMPHASIS

HERITAGE/CULTURAL RESOURCES

- Protect cultural resources.

WATER QUALITY

- Avoid negatively impacting natural waters.

NOXIOUS WEEDS

- Limit the spread of noxious and invasive weed species.

SUPPRESSION REPAIR

- Repair suppression related impacts on the fire.

RESOURCE PROTECTION STANDARDS

Heritage & Cultural – Standards	Division/Area
✓ All cultural resources and human remains are protected. <u>Please leave them in place – no collecting.</u> Please coordinate with the READs if cultural resources are found.	All
Water Quality – Standards	
✓ FUEL: Use containment dikes and absorbents at portable pumps, fuel storage and fuel transfer sites; properly store and dispose of all contaminated containment materials, absorbents and rags from the fire; report all spills to the land manager.	All
✓ DOZER LINE: Coordinate with READs previous to attempting repair work on the dozer line.	All
Suppression Repair - Standards	
<ul style="list-style-type: none"> ✓ GENERAL: Follow the suppression repair standards provided by the Elko District (Division Supervisors have a copy of this document) and as outlined below. Limit further soil disturbance. ✓ NEW DOZER LINES: <ul style="list-style-type: none"> ○ Re-contour berms as best as possible. ○ Do not spread brush, limbs, rocks or sod back across the exposed soils of the dozer line unless the area has steep slopes greater than 30% grade. ○ Remove material from ephemeral drainages. Avoid pushing sediment into draws, wet areas, or waterways. ✓ DOZER LINES ON EXISTING ROADS: <ul style="list-style-type: none"> ○ Restore original road width. ○ Pull back berm material and brush to side of road or trail. ✓ HANDLINE <ul style="list-style-type: none"> ○ Remove “cup trenches” on perimeter line. ○ As possible, pull back berms, topsoil, and organic debris to blend with adjacent undisturbed ground. ✓ FENCES <ul style="list-style-type: none"> ○ Repair fences cut in the course of suppression activities. ✓ GATES <ul style="list-style-type: none"> ○ Repair gates damaged in the course of suppression activities as materials for repair are made available. ✓ LAHONTAN CUTTHROAT TROUT HABITAT: <ul style="list-style-type: none"> ○ Do not complete any suppression repair within T Creek, Draw Creek, or Wildcat Creek without prior coordination with the READs. 	All

Public Information Shop

Contact Info:

(Please give this to the public)

Phone: 775-453-0040

Email: HTNFfireinfo@gmail.com

(This will remain active after the team
transitions)

Finance

Everything will be done electronically, please send to
2022.wildcat.finance@firenet.gov.



Submit Time Here!

Forms needed to expedite a smooth demob and prompt payment:

- Resource order
- Legible CTRs, and Shift Tickets
- Breaks need to be shown unless documented.
- Hazard pay must be properly identified as to what you were doing on the fire.
- Contract or Agreements
- Crew manifest
- Casual Hire Forms

If you have any questions please call 208-514-1354.

GREAT BASIN CONSUMABLE CHAINSAW PARTS LIST

PART	034/341	360/MS360	MS361	MS362	038/381	044/MS440	MS441	460/MS461	MS462	MS5001	0640/650	MS660	MS880	
Spark Plug (NFES# 000344)	Bosch WSR6F NGK BPMR7A Champion RC16Y	Bosch WSR6F NGK BPMR7A Champion RC16Y	Bosch WSR6F NGK BPMR7A Champion RC16Y	Bosch WSR6F NGK BPMR7A Champion RC16Y	Bosch WSR6F NGK BPMR7A Champion RC16Y	Bosch WSR6F NGK BPMR7A Champion RC16Y	Bosch WSR6F NGK BPMR7A Champion RC16Y	Bosch WSR6F NGK BPMR7A Champion RC16Y	Bosch WSR6F NGK BPMR7A Champion RC16Y	Bosch USR7AC NGK CMR6H	Bosch USR7AC NGK CMR6H	Bosch WSR6F NGK BPMR7A Champion RC16Y	Bosch WSR6F NGK BPMR7A Champion RC16Y	Bosch WSR6F NGK BPMR7A Champion RC16Y
Needle Cage Bearing (NFES# 066565)	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-3150	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2380	9512-003-3146	9512-933-2382	9512-933-2382	9512-933-3170	
E Clip (NFES# 066517)	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-1001	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-1001	
Retaining Washer for Rim Sprocket	0000-958-1022	0000-958-1022	0000-958-1032	0000-958-1032	0000-958-1231	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1236	
Rim Sprocket Kit 3/8 - 7T	1125-007-1040	1125-007-1223	1128-007-1000	1135-007-1002	1119-007-1003	1128-007-1000	1128-007-1000	1128-007-1017	1128-007-1000	1128-007-1017	1122-007-1000	1122-007-1000	N/A	
Clutch Drum	Order Sprocket Kit													
Rim Sprocket 3/8 7T (NFES# 06665)	0000-642-1231	0000-642-1023	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	N/A
Rim sprocket KIT 3/8 - 8T	N/A	N/A	1128-007-1001	1128-007-1001	N/A	1128-007-1001	1128-007-1001	1128-007-1001	1128-007-1001	1128-007-1001	1122-007-1001	1122-007-1001	1122-007-1025	
Clutch Drum	Order Sprocket Kit													
Rim Sprocket 3/8 - 8T	N/A	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	
Clutch	1127-160-2050	1125-160-2005	1128-160-2004	1138-160-2010	1119-160-2000	1128-160-2001	1138-160-2010	1128-160-2004	1142-160-2000	1128-160-2004	1122-160-2005	1122-160-2002	1124-160-2005	
Chain Adjuster Kit / Spur Gear	1125-007-1036	1125-007-1021	1125-007-1021	1125-007-1021	1118-664-1600	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1124-007-1008	
Bump Strip	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	
Starter Rope w/handle	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	
Worm Gear (Oiler)	1125-640-7110	1125-640-7110	1128-640-7112	1128-640-7112	1119-642-1501	1128 640 7112	1128 640 7112	1128 640 7112	1128-640-7112	1147-640-7110	1122-640-7105	1122-640-7105	1124-640-7512	
Manifold Boot	1125 141 2200	1125 141 2200	1135 141 2200	1140 140 2503	1119 140 2500	1128 141 2204	1138 140 2508	1128 141 2204	1142 141 2200	1147-141-2200	1122 141 2200	1122 141 2201	1124 141 2202	
Fuel Filter / Pickup Body	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3518	0000-350-3518	0000-350-3504	0000-350-3500	0000-350-3504	
Tank Vent	N/A	N/A	N/A	N/A	N/A	0000-350-5800	0000-350-5800	0000-350-5800	0000-350-5800	0000-350-5800	0000-350-5800	0000-350-5800	0000-350-5800	
Cap (for Fuel Injection Pump)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0000-121-2702	N/A	N/A	
Inner Side Plate	1122-664-1000	1122-664-1000	1122-664-1000	1122-664-1000	1119-664-1000	1128-664-1001	1138-664-1000	1128-664-1001	1128-664-1001	1128-664-1000	1128-664-1001	1128-664-1001	1124-664-1001	
Bar Nut / Collar Nut (NFES# 06661)	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0803	0000-955-0803	0000-955-0801	0000-955-0903	
Air Filter - HD (NFES# 066756)	1125-120-1626	1125-120-1612	1135-120-1600	1140-140-4401	1119-120-1611	0000-140-4402	0000-120-1654	0000-120-1654	1142-140-4402	1144-140-4402	0000-140-4402	0000-140-4402	0000-140-4402	
Pre Filter - OEM	N/A	N/A	N/A	N/A	1119-120-1500	0000-141-0300	0000-141-0300	0000-141-0300	N/A	N/A	0000-141-0300	0000-141-0300	0000-141-0300	
MaxFlow Air Filter	Fill locally													
Filter Oil	Fill locally													
Filter Cleaner	Fill locally													
Bearing Grease - Tube														
Bar oil - Gallon (NFES# 1880)														
Bar oil - Quart (NFES# 1869)														
2 Cycle Oil - Quart (NFES# 0341)														
2 Cycle Oil: STIHL HD	All saws being ran on the fireline should be fueled with Non-Ethanol Fuel mixed with High Definition (HD) 2-cycle mix in order for the saw to run more efficiently in the extremely harsh environments that they are performing in.													
Non-Ethanol Fuel	All saws being ran on the fireline should be fueled with Non-Ethanol Fuel mixed with High Definition (HD) 2-cycle mix in order for the saw to run more efficiently in the extremely harsh environments that they are performing in.													
Felling Wedges														
6" Pocket - (NFES# 0515)														
8" Smooth - (NFES# 0884)														
8" Riffed - (NFES# 0516)														
12" - (NFES# 02725)														
Round File - 7/32" (NFES# 0345) or 13/64"														
Raker File - 8" Flat File														
Scrunch - Combo Wrench (NFES# 0875)														
Chain STIHL Rapid-Super (RS) - 3/8" PITCH - .050" GUAGE														
20" - 72 DR	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	
25" - 84 DR (NFES# 006500)	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	
28" - 91 DR	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	
32" - 105 DR	N/A	N/A	N/A	N/A	N/A	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	
Chain STIHL Rapid-Super-Full Sktp (RSF) - 3/8" PITCH - .050" GUAGE														
20" - 72 DR	N/A	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	
25" - 84 DR	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	
28" - 91 DR	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	
32" - 105 DR	N/A	N/A	N/A	N/A	N/A	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	
Guide Bars (STIHL ROLLOMATIC - ES) - 3/8" PITCH - .050" GUAGE														
20"	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	
25" (NFES# 066584)	N/A	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	
28"	N/A	N/A	N/A	N/A	N/A	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	
32"	N/A	N/A	N/A	N/A	N/A	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	

The items listed here are considered consumable. Replacement requests for these parts should be filled at the Incident Supply Unit or Local Cache. If the order is unable to be filled it should be sent to Ordering for S# replacements to be filled at the requesting resource's home unit.

Items highlighted in gray should be fillable at most cache locations.

REQUESTING PARTY: If the items you are ordering are not listed above, an OF-296 (Property Loss/Damage Form) *MAY* be required.
Be descriptive on your orders and fill the order form out completely!

Wildcat Fire Safety Message

07/20/2022

Continuing our theme from yesterday where John was “Leaving on a Jet Plane.” Today we will follow up with a tune from James Taylor. “In My Mind I’m Going to Carolina”, not sure where you will be headed when you demob but please adhere to driving policies, take lots of breaks, wear your seat belt, and arrive home safely.

“I want a New Drug” or at least that’s what Huey Lewis and the News wanted, but that was back then. Covid is rearing its ugly head again so let’s be vigilant and take care of ourselves and our brothers and sisters in fire. The season seems to be cranking up a bit so let’s not take ourselves out of the game by not managing our health.

Fatigue and boredom may cause you to lose focus and situational awareness. The Ramones had nothing to do so they wanted to be sedated. Don’t fall into that trap stay engaged, maintain situational awareness, and keep your head in the game. It ain’t over til’ it’s over.

Mop-up and suppression rehab present a different set of challenges and hazards. While these challenges may not be as “Urgent” as the ones Foreigner sang about, they do exist. Identify hazards and mitigate them prior to continuing assignment.

Thanks for all the great work, let’s keep it up for a couple more days.

Safety Officer: Keith Suttles

WILDCAT FIRE MEDICAL PLAN

1. Incident/Project Name	2. Operational Period
WILDCAT Fire	Date/Time 7/20/2022, 0600-2200

3. Ambulance Services				
Name	Complete Address	Phone & EMS Frequency	Advanced Life Support (ALS)	
			Yes	No
ICP Ambulance	Wildcat ICP	FS Spruce	X	
Elko County EMS	Elko Nevada	775-777-7300	X	

4. Air Ambulance Services		
Name	Phone	Type .of Aircraft & Capability
77SF	A/G Primary	Rotor, 1 patient, Short haul
Air St. Luke's	877-785-8537	Rotor, 1 patient, Night Flight
LZ for Air Ambulance will be Gibbs Ranch (Lat: N41° 34.92 Long: W115° 13.00) or WELLS Airport		
A/G with Air Ambulance		
NEVCORD1 (VMed28)	RX 155.3400	TX 155.3400 TX CTCSS 156.7
NEVCORD2 (VMed29)	RX 155.3475	TX 155.3475 TX CTCSS 156.7

5. Hospitals								
Name Complete Address	GPS Datum – WGS 84 Degrees Decimal Minutes DD° MM.MM' N - Lat DD° MM.MM' W - Long		Travel Time		Phone	Helipad		Level of Care Facility
	Air	Ground	Yes	No				
Northeast Nevada Reg. Medical Center 2001 Ececart Blvd Elko Nv	Lat:	N 40° 49.24	20 minutes	45 minutes	775-748-2091	X		General Medical
	Long:	W 115° 43.50						
	VHF:							
University of Utah Health Care 50 N Medical Drive Salt Lake City, Ut	Lat:	N 40° 46.18	75 minutes	120 minutes	801-581-2700	X		Burn / Trauma
	Long:	W 115° 50.12						
	VHF:							


6. Division Branch Group Spike		
ALPHA	EMS Responders & Capability:	Medic McDougal
	Equipment Available on Scene:	ALS
	Medical Emergency Channel:	Tac 1
	Air ETA to area:	Minute
	Ground ETA to area:	Minute
	Helispot:	
	Latitude / Longitude	N W
	Landing Zone:	
	Latitude / Longitude	N W
	Primary Evacuation Route	TBD by Division

WILDCAT FIRE MEDICAL PLAN

HOTEL	EMS Responders & Capability:	Medic Nesbitt
	Equipment Available on Scene:	ALS
	Medical Emergency Channel:	Tac 3
	Air ETA to area:	Minute
	Ground ETA to area:	Minute
	Helispot:	
	Latitude / Longitude	N W
	Landing Zone:	
	Latitude / Longitude	N W
	Primary Evacuation Route	TBD by Division
Division Branch Group Spike		
ROMEO	EMS Responders & Capability:	Medic Abel
	Equipment Available on Scene:	ALS
	Medical Emergency Channel:	Tac 4
	Air ETA to area:	Minute
	Ground ETA to area:	Minute
	Helispot:	
	Latitude / Longitude	N W
	Landing Zone:	
	Latitude / Longitude	N W
	Primary Evacuation Route	TBD by Division
Division Branch Group Spike		
ZULU	EMS Responders & Capability:	Medic Potter
	Equipment Available on Scene:	ALS
	Medical Emergency Channel:	Tac 2
	Air ETA to area:	Minute
	Ground ETA to area:	Minute
	Helispot:	
	Latitude / Longitude	N W
	Landing Zone:	
	Latitude / Longitude	N W
	Primary Evacuation Route	TBD by Division

WILDCAT FIRE MEDICAL PLAN

Medical Emergency Communication Procedures



In the event of a medical emergency, the first resource on scene will become On-Scene IC. The On-Scene IC will contact the appropriate DIVS with their Identifier, patient condition and location. Upon this notification do the below.

Green Direct to Medical / Division

Yellow or Red Forest Service SPRUCE to Elko Dispatch

DIVS will respond to the scene and determine if a transition to a higher level of qualification of On-Scene IC is required.

1. Prepared By (Medical Unit Leader)	2. Date/Time	3. Reviewed By (IC)	4. Date/Time
Dennis McLane MEDL 702-461-6977	7/19/22	Keith Suttles Safety Officer	7/19/22

MEDICAL PLAN (ICS 206 WF)

Controlled Unclassified Information//Basic

Medical Incident Report

FOR A NON-EMERGENCY INCIDENT, WORK THROUGH CHAIN OF COMMAND TO REPORT AND TRANSPORT INJURED PERSONNEL AS NECESSARY.

FOR A MEDICAL EMERGENCY: IDENTIFY ON SCENE INCIDENT COMMANDER BY NAME AND POSITION AND ANNOUNCE "MEDICAL EMERGENCY" TO INITIATE RESPONSE FROM IMT COMMUNICATIONS/DISPATCH.

Use the following items to communicate situation to communications/dispatch.

1. CONTACT COMMUNICATIONS / DISPATCH (Verify correct frequency prior to starting report)

Ex: "Communications, Div. Alpha. Stand-by for Emergency Traffic."

2. INCIDENT STATUS: Provide incident summary (including number of patients) and command structure.

Ex: "Communications, I have a Red priority patient, unconscious, struck by a falling tree. Requesting air ambulance to Forest Road 1 at (Lat./Long.) This will be the Trout Meadow Medical, IC is TFLD Jones. EMT Smith is providing medical care."

Severity of Emergency / Transport Priority	<input type="checkbox"/> RED / PRIORITY 1 Life or limb threatening injury or illness. Evacuation need is IMMEDIATE Ex: Unconscious, difficulty breathing, bleeding severely, 2 ^o – 3 ^o burns more than 4 palm sizes, heat stroke, disoriented.	
	<input type="checkbox"/> YELLOW / PRIORITY 2 Serious Injury or illness. Evacuation may be DELAYED if necessary. Ex: Significant trauma, unable to walk, 2 ^o – 3 ^o burns not more than 1-3 palm sizes.	
	<input type="checkbox"/> GREEN / PRIORITY 3 Minor Injury or illness. Non-Emergency transport Ex: Sprains, strains, minor heat-related illness.	
Nature of Injury or Illness & Mechanism of Injury		Brief Summary of Injury or Illness (Ex: Unconscious, Struck by Falling Tree)
Transport Request		Air Ambulance / Short Haul/Hoist Ground Ambulance / Other
Patient Location		Descriptive Location & Lat. / Long. (WGS84)
Incident Name		Geographic Name + "Medical" (Ex: Trout Meadow Medical)
On-Scene Incident Commander		Name of on-scene IC of Incident within an Incident (Ex: TFLD Jones)
Patient Care		Name of Care Provider (Ex: EMT Smith)

3. INITIAL PATIENT ASSESSMENT: Complete this section for each patient as applicable (start with the most severe patient)

Patient Assessment: See IRPG page 106

Treatment:

4. TRANSPORT PLAN:

Evacuation Location (if different): (Descriptive Location (drop point, intersection, etc.) or Lat. / Long.) Patient's ETA to Evacuation Location:

Helispot / Extraction Site Size and Hazards:

5. ADDITIONAL RESOURCES / EQUIPMENT NEEDS:

Example: Paramedic/EMT, Crews, Immobilization Devices, AED, Oxygen, Trauma Bag, IV/Fluid(s), Splints, Rope rescue, Wheeled litter, HAZMAT, Extraction

6. COMMUNICATIONS: Identify State Air/Ground EMS Frequencies and Hospital Contacts as applicable

Function	Channel Name/Number	Receive (RX)	Tone/NAC *	Transmit (TX)	Tone/NAC *
COMMAND					
AIR-TO-GRND					
TACTICAL					

7. CONTINGENCY: Considerations: If primary options fail, what actions can be implemented in conjunction with primary evacuation method? Be thinking ahead.

8. ADDITIONAL INFORMATION: Updates/Changes, etc.

REMEMBER: Confirm ETA's of resources ordered. Act according to your level of training. Be Alert. Keep Calm. Think Clearly. Act Decisively.

