Dollar Lake

Incident Action Plan



WY-BTF-002533

P4S8AE25(0403)

Day Operational Period 0600 - 2200 Sunday, September 14th, 2025

Matt Weakland, ICT3
Isaac Bayer, Deputy ICT3

Linktree



Virtual Check-in



I	NCIDENT OBJECT	IVES (ICS 202)		
1. Incident Name:	2. Operational Period:	DAY		
DOLLAR LAKE	Date/Time From:		Date/Time To:	
	09/14/2025 0600	SUN	09/14/2025 2200	SUN
3. Objective(s):			I	
Management Objectives:				
management Objectives.				
 Firefighter and public safety will be the address firefighter, aviation, and public safe fundamental firefighting principles using risk Implement strategies and tactics to min plans to protect high-value resources. Continue to foster and maintain partner stakeholders with effective and timely dialog information to the public. Keep cost commensurate with values a 	ty through clear leaders -informed decisions. imize fire spread and infoships and relationships jue, meetings, and comp	intent with established ensity and develop of with Agency Adminis	ed work priorities and i contingency and structu trators, cooperators, p	mplementation of ure protection ermittees, and
Control Objectives:				
 Keep fire South and East of Green Rive Keep fire North of Forest Boundary. Keep fire West of the Continental Divide 				
4. Operational Period Command Emphasis:				
Prioritize firefighter and public safety while n strong situational awareness.	naintaining clear focus c	n the mission throug	h coordinated suppres	sion efforts and
General Situational Awareness:				
Ensure every assignment has a clear task, tactical hazards and develop effective contrauppression repair tasks.				
5. Site Safety Plan Required? Yes No				
Approved Site Safety Plan(s) Located at:				
6. Incident Action Plan (the items of ICS 202 ☐ ICS 207 ☐ ICS 208 ☐ ICS 208 ☐ ICS 204 ☐ ICS 220	hecked below are included in Othe	this Incident Action Plan): r Attachments:		
X ICS 205 X Map/Chart				
☐ ICS 205A ☐ Weather Forecast/Ti	des/Currents			
X ICS 206				
				2
7. Prepared by: TRAVIS PARDUE Po	osition/Title: PLANNING \$	SECTION CHIEF Sid	gnature: avis F	'ardue
	ame:		gnature:	
	AP Page		ute/Time:	

ORGANIZATION ASSIGNMENT LIST (ICS 203)

1. Incident Name:		2. Operationa	al Period: D	DAY				
DOLLAR LAKE	 E		ne From:		Date/Time To	D:		
		09/14/20	25 0600	SUN	09/14/2025 22	000 SUN		
3. Incident Comm	ander	(s) and Command Staff:	E	BASE CAMP MANAGER	HOLLY KOERN	ER LWD 9/18		
	IC/UC	MATTHEW WEAKLAND LWD	9/24	GROUND SUPPORT UNIT	DAVE FRITZS	CHE LWD 9/18		
		ISAAC BAYER LWD 9/24	-	COMMUNICATIONS	CAMERON OLS	SEN LWD 9/17 (T)		
SAFETY OFF	FICER	MATT ALLEN LWD 9/15	-	UNIT		` ,		
SAFETY OF	ICED	TODD LEGLER LWD 9/24 BOB BUHR LWD 9/24		FOOD UNIT				
SAFETY OFF	ICER	ANDY WILLIAMS LWD 9/24 (T	, -	SECURITY UNIT	JOHN STARCH			
INFORMA		,	<i>'</i>	ORDERING MANAGER				
	FICER	KALIE GLINES LWD 9/24 (T)		7. Operations Section:	LEIGHTOSTIN	LVVD 9/24		
INFORMA	ATION FICER	ISRAEL DAVIDSON LWD 9/18	(T)	•	TROY THOMAS	S I WD 9/24		
		MIKE WELKER (T)				RGEE LWD 9/15 (T)		
MEDICAL	_	CURTISS ORDE LWD 9/25		OPS SECTION CHIEF	GRIF COCHRA	N LWD 9/24		
		YVETTE WIDMAN LWD 9/25 (T)					
HUMAN RESOL SPECIA				DIVISION/GROUP	A/C	WILL HALL LWD 9/24		
		Representative(s):		DIVISION/GROUP	M/O	JOE MILLIAN LWD 9/16		
Agency/Organiza	-	Name	-		OTDIJOTI DE /IA	JEF PRIEBE LWD 9/19		
BRIDGER TETC	ON NF	BEKEE HOTZE		DIVISION/GROUP	STRUCTURE/IA	MATT HEINZ PATRICK MCGUNAGLE		
		KATE OLSEN (T); JASON WIL	MONT (T)			LWD 9/23 (T)		
SUBLETTE CO	UNTY ERIFF	KC LEHR	Ī	DIVISION/GROUP	WILDERNESS	GREG KOLBERG		
SUBLETTE CO	UNTY	SHAD COOPER		7b. Air Operations Bran	nch:			
SUBLETTE CO	FIRE WARDEN ETTE COUNTY SAM WHITE			HELIBASE MANAGER	KATE MILICH			
COMMISSIO	ONER			8. Finance/Administrati				
RESOURCE ADVIS		CALEB GEORGE (LEAD)		CHIEF	CHRISTY RAM			
RESOURCE ADVIS		SHANNON GROVES KELLY OWENS; BEN HARMS		DEPUTY	ALLISON WEAR	KLAND LWD 9/24 (T)		
	S M/O	JAKE BAKER; DALYN GRIND		TIME UNIT	CATHY JACOBY LWD 9/24 (T)			
		,		TIME OIVIT	DARBY MCWILLIAMS			
5. Planning Section	on:			PROCUREMENT UNIT	JAKE CHAFFIN (V)			
C	CHIEF	TRAVIS PARDUE (V)		COMPENSATION UNIT	REBECCA HO	WARD (V)		
		MIKE ORTNER (T)		COST UNIT	KRISSY KAPP	US (V)		
RESOURCES		DONNA TURNA COMP.						
DEMOBILIZATION		DONNA THOMAS LWD 9/18						
SITUATION		DON MAXWELL LWD 9/25						
	UNIT	SHANNON GRAHAM (V)						
GIS SPECIA	ALIST	JENNY BAXTER LWD 9/17						
TECHNOI	I OGV	CARA WHALEN LWD 9/24 (T)					
SUPPORT SPECIA								
INCII METEOROLO	DENT	JULIE MALINGOWSKI						
6. Logistics Section								
_		LANNY RICE LWD 9/24						
	JESSON VASEY LWD 9/24 (T)							
		MICHAEL MCREYNOLDS LW	O 9/18 (T)					
SUPPLY	SUPPLY UNIT JAMIE COPPLE LWD 9/15							
ļ			Decision Fitt					
9. Prepared By:	Name	: TRAVIS PARDUE	Position/Title	PSC3	Signature:	5 2		
ICS 202	IABB	200	Date/Time:	00/12/2025 1742	i n avis	Pardue		
ICS 203	IAP Pa	19e	Date/Time:	09/13/2025 1742				

FINAL Page 1 of 1



INCIDENT Weather Forecast



Forecast No: 20 Name of Incident: Dollar Lake
Prediction For: Sunday Unit: WY-BTF-002533

Shift Date: September 14, 2025 Incident Meteorologist: Julie Malingowski JAM

Forecast Issued: September 13, 2025 at 1730 (801) 872-3416

<u>Discussion:</u> Much drier conditions are expected on Sunday with abundant sunshine. West-southwest winds and mid-

level clouds will gradually increase in the late afternoon. A weak cold front dropping into the region will

usher in chances of rain and thunderstorms Monday through early Tuesday.

Forecast for Today: Drier and sunnier

Sky/Weather: Sunny. Increasing clouds in the afternoon.

	<u>Dollar Lake</u>	W 8,200°	DIV C 8	3,600°	Dollar Lake	E 9,600°		
Max Temperature:		66		62		58	°F	
Min RH:		26		30		32	%	
Wind (20 FT):	Inversion bre	eaking betw	een 0800 ar	nd 0900 at I	ower elevatio	ns and clo	ser to 1030	in
Willa (20 F1).	protected ar	eas.						
•••	WSW	6-12	WSW	6-14	W	6-16	mph	
	Custon	15 > 21	Custo	10 - 25	Custon	10 - 20	ma m la	

•••	WSW	6-12	WSW	6-14	W	6-16	mpn
	Gusts:	15->21	Gusts:	16->25	Gusts:	18->26	mph
Mixing Height:		8,500		8,000		8,000	ft AGL
Chance of Precipitation:		0		0		0	%
Tonight's Min Temperature:		35		37		45	°F
Tonight's Max RH:		90		85		65	%
Tonight's Wind (20 FT):	Inversion de	veloping be	etween 1800	and 1900			
	DS/DV	0-4	DS/DV	0-2	DS/DV	0-3	mph
	Gusts:	5	Gusts:	6	Gusts:	6	mph
Tonight's Mixing Height:		1,600		1,800		400	ft AGL
Tonight's Chnc of Precip:		5		5		5	%

Forecast for Mon/Mon PM:	Scattered rain showers and thunderstorms
Forecast for Ivion/Ivion Pivi:	Scatterea rain snowers and thunderstorms

Sky/Weather:	Variable clouds. Scattered rain showers. Snow level 9700 ft Monday night.

	Dollar Lake W 8,200'		Div C 8	3,600 <u>'</u>	Dollar Lak	e E 9,600'				
Max / Min Temperature:	58	31	56	33	52	37	°F			
Min / Max RH:	39	90	40	80	42	65	%			
Wind (20 FT):		Inversion breaking between 0800 and 0900 at lower elevations and closer to 1000 in protected areas.								
•••	SW	6-14	SW	7-14	WSW	7-16	mph			
•••	Gusts:	20-25	Gusts:	25-30	Gusts:	27-32	mph			
Mixing Height:		5,500		5,000		5,000	ft AGL			
Chance of Precipitation:		55-65		50-60		55-65	%			

Extended Outlook:

The rain/snow line will drop to near 9,700 ft early Tuesday morning, but rebound during the day. Additional rain showers are possible on Tuesday behind the front. Temperatures will recover Wednesday with a two day drying and warming period under high pressure. On Friday, unsettled weather returns with additional chances of rain and thunderstorms for next weekend.

		Max T	Min T	Min RH	Max RH	Ridge Winds @ 1500	<u>Weather</u>
8,600'	Tue/Tue PM:	59	38	30	75	W->NW @ 6-12 G18	35% chance rain/t-storms
8,000	Wed/Wed PM:	64	44	22	65	WNW @ 6-12 G19	Partly cloudy
	Thu/Thu PM:	67	43	18	55	W @ 7-14 G21	Partly cloudy



Division/Group Assignment List (ICS 204 WF)

		Co	muonea	Uliciassi	nea mio	mation	//Dasic				
1. Incident Name:						3.					
DOLLAR LAKE						Bran	ch:		Division/Grou	p:	
2. Operational Period:	DAY										
Date/Time From:		Date	e/Time To:							A/C	
09/14/2025 0600	SUN	09/14	/2025 220	0	SUN						
4.				Operations	s Personn	el					
OPERATIONS CH	IIEF GRIF COCH	RAN				BRA	ANCH DIRE	CTOR			
DIVISION/GROUP SUPERVIS	OR WILL HALL				All	R OPERA	ATIONS BR	ANCH			
								CTOR			
5.	1		Resou	ırces Assi	gned this	Period					
Strike Team / Tas		Т	LWD		Leader		Number	Dro	Off DT /Time	Diel	· Un DT /Time
Resource Desi	gnator		09/22	LARRY V			Persons 1	ICP/06	Off PT./Time	ICP/22	C Up PT./Time
O-182.3 TFLD (T)				RITA KRA				ICP/06		ICP/220	
·			09/22				1				
O-235.20 TFLD (T)			09/24	TRAE HO			1	ICP/06		ICP/22	
O-237 HEQB			09/22	DAVID RE	ENTON		1	ICP/06	00	ICP/22	JO
C-25 WEST COAST REFORE	STATION CRW2		09/14	ABEL AN	GULO SAI	NDOVAL	20	ICP/06	00	ICP/22	00
C-26 RT FORESTRY CRW2			09/15	FERNANI	DO MART	INEZ	20	ICP/06	00	ICP/22	00
C-28 R&R CONTRACTING IN	IC. CRW2		09/21	BERNABI	E CISNER	OS	20	ICP/06	00	ICP/22	00
C-34 CR2I - ZEPHYR CR2I			09/27				20	ICP/06	00	ICP/22	00
							1				
** E-51 FIRE CONTROL RESC	OURCES ENG6		09/20	BRETT P	ARTRIDG	E	3	ICP/06	00	ICP/22	00
E-55 TETON RESOURCE MA	NAGEMENT ENG6		09/23	GIL WILL	IAMS		4	ICP/0600		ICP/2200	
E-145 UTWDD ENGINE 2435	ENG4		09/14	EDWARD HERRER		A	4	ICP/0600		ICP/2200	
E-153 ICE FIRE SUPPRESSION	ON INC - 553280		09/14	BEN TITU	JS		3	ICP/06	00	ICP/22	00
ENG4 E-157 RED TRUCK WILDFIRI		G4	09/15	NICK CAF			3	ICP/06		ICP/22	
		G4									
E-158 GRIZ ONE FIREFIGHTI	NG ENG4		09/16	JOHN KR	AFI		3	ICP/06	00	ICP/22	
E-150 COLOR COUNTRY TRE (STAGING)	EE SERVICE CHP1		09/16	RAY LAN	E		3	ICP/06	00	ICP/220	00
E-149 ESB MANAGEMENT L	LC - 002330 CHP1		09/17	RUSSELL	PARTSC	Н	3	ICP/06	00	ICP/22	00
8.			Division	/Group Co	mmunica	tion Sum	ımarv				
Function	Channel	RXF	requency	i	RX Tone		TX Freque	ncv N/M	TX Tone/NA	С	Mode
TACTICAL	2		66.7750 N		146.		166.775		146.2		A
COMMAND	7		69.7500 N		146.		167.100		146.2		A
COMMAND	8	1	73.0375 N	1	146.	2	167.325	50 N	146.2	_	A
AIR TO GROUND	13	1	67.9500 N	ı	NON	E	167.950	00 N	NONE	+	A
AIR GUARD	16	1	68.6250 N	1	NON	E	168.625	50 N	110.9		A
9. Prepared By (Resource Un	nit Leader)		Appro	ved By (Pla	anning Se	ction Ch	ief)		Pate	Tin	ne
TRAVIS PARDUE			TRA	VIS PARDI	JE				9/13/2025	1742	

1. Incident Name:	. Incident Name:								3.					
DOLLAR LAKE							Brar	nch:		Division/Group	o:			
2. Operational Period:		DAY												
Date/Time From:				Date/Time To:							A/C			
	SUN			09/14/2025 220	0	SUN								
4.					Operation	s Personn								
OPERATIONS CH	HEF	GRIF C	OCHR/	AN			BR	ANCH DIRE	CTOR					
DIVISION/GROUP SUPERVIS	SOR	WILL H	ALL			All	AIR OPERATIONS BRANCH DIRECTOR							
5.				Resou	ırces Assi	gned this	Period		<u> </u>					
Strike Team / Tas								Number						
Resource Desi				LWD		Leader		Persons		o Off PT./Time		Up PT./Time		
E-147 FLYING V TREE INC -	0525	508 CHP	<u> </u>	09/16	CONNER	KINNEY		3	ICP/06	00	ICP/220	00		
O-18 EMPF				09/28	ETHAN E	BIEDERMA	N	1	ICP/06	00	ICP/220	00		
O-21 EMTF				09/15	JUAN MO	ONDRAGO	N	1	ICP/0600		ICP/220	00		
O-235.24 EMTF				09/24	GARRET	GOLDMA	N	1	ICP/0600		ICP/220	00		
E-25 REMOTE MEDICAL ME	SU			09/28	JOHN ME	REDITH		2	ICP/0600		ICP/220	00		
O-224 SOFC				09/24	BRUCE N	/ALLOY		1	ICP/06	00	ICP/220	00		
O-48 SWEDBERG CONTRAC	CTING	G CORP.	- DC	09/14	JAKE ME	HAFFEY		2	ICP/0600		ICP/2200			
O-183 ARTEMIS NORTHWES	ST LL	C FMO)	09/16	JEFF GA	NDEE		2	ICP/0600		ICP/220	00		
E-119 ROGUE HARBOR LLC	SKI	D2		09/15	TYLER S	ULLIVAN		2	ICP/0600		ICP/220	00		
E-165 KORELL OUTFITTERS	FEL	2		09/20	CODY K	ORELL		2	ICP/06	00	ICP/220	00		
E-169 FEL2 - WYEAST FORE MANAGEMENT, LLC - LW147				09/20	BRAD NI	CKLAUS		2	ICP/06	00	ICP/220	00		
E-166 AXSUS ENTERPRISES 1202RZ25K5838 - 003840 FC	S LLC			09/19	CODY A	NDERSON		2	ICP/06	00	ICP/220	00		
6. Control Operations/Work		gnments												
Task: Conduct mop-up														
established control feat														
REAFs on rehab plan for Purpose: To reinforce e														
uipose. To reilliorde d	SAISI	ing con	tallilli	ent by eminin	ating res	iluuai 116	at Heal	CONTROL	ies and	a improve reac	1111633 1	11		
8.				Division	/Group Co	mmunica	ion Sur	mmary						
Function		Channe		RX Frequency	N/W	RX Tone	/NAC	TX Freque	ncy N/W	TX Tone/NA	С	Mode		
TACTICAL		2		166.7750 N	1	146.	2	166.775	50 N	146.2		Α		
COMMAND		7		169.7500 N	N	146.	2	167.100	00 N	146.2		А		
COMMAND		8		173.0375 N	١	146.	2	167.325	50 N 146.2			Α		

TRAVIS PARDUE

Approved By (Planning Section Chief)

NONE

NONE

167.9500 N

168.6250 N

NONE

110.9

Date

09/13/2025

Α

Α

Time

1742

AIR TO GROUND

9. Prepared By (Resource Unit Leader)

AIR GUARD

13

16

167.9500 N

168.6250 N

	Controlled Officiaconic	ou initerimation, Basis	
1. Incident Name:		3.	
DOLLAR LAKE		Branch:	Division/Group:
2. Operational Period:	DAY		
Date/Time From:	Date/Time To:		A/C
09/14/2025 0600 SUN	09/14/2025 2200 SI	JN	
4.	Operations F	Personnel	
OPERATIONS CHIEF	GRIF COCHRAN	BRANCH DIRECTOR	
DIVISION/GROUP SUPERVISOR	WILL HALL	AIR OPERATIONS BRANCH DIRECTOR	
6. Control Operations/Work Assig	ı gnments:	1	

case of increased fire activity, ensuring Green River Road remains a viable containment feature.

End State: The fire is fully secured within current control features. Mop-up is completed to a depth that reduces the risk of escape. Contingency line prep along Green River Road is complete, providing a strengthened barrier to keep the fire east and south of the road.

7. Special Instructions:

- ** Qualified medical personnel.
- Consult with assigned Resource Advisors on use of dozers, heavy equipment, and approval of draft sites.
- Watch out for wildlife and the public on roadways.
- No retardant use in the Green River Drainage.

8. Division/Group Communication Summary									
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode			
TACTICAL	2	166.7750 N	166.7750 N 146.2 166.7750		146.2	A			
COMMAND	7	169.7500 N	69.7500 N 146.2 167.1000		146.2	А			
COMMAND	8	173.0375 N	.0375 N 146.2		146.2	А			
AIR TO GROUND	13	167.9500 N	00 N NONE 16		NONE	A			
AIR GUARD	16	168.6250 N	NONE 168.6250 N		110.9	А			
9. Prepared By (Resource	Unit Leader)	Approved E	y (Planning Section C	hief)	ate	Time			
TRAVIS PARDUE	TRAVIS P	ARDUE	0	9/13/2025	1742				

1. Incident Name:					3.					
DOLLAR LAKE						Bran	ch:		Division/Group):
2. Operational Period:	DAY									
Date/Time From: 09/14/2025 0600	SUN		Date/Time To 09/14/2025 22		SUN					M/O
4.		1		Operations	Personn	el				
OPERATIONS CH	HIEF GRIF	COCHR	AN	•	T	BR	ANCH DIRE	CTOR		
DIVISION/GROUP SUPERVIS	SOR JOE A	MILLIC	Λ N I		A 11	ODED	ATIONS BR	ANCH		
DIVISION/GROUP SUPERVIS		RIEBE			All	COPERA		CTOR		
5.			Resc	ources Assig	ned this	Period		<u> </u>		
Strike Team / Tas				T			Number		0 // DT /T	5
Resource Des		DOL	LWD	MARQUAL	Leader		Persons		p Off PT./Time	Pick Up PT./Time
C-30 CR2I - RED ROCK REG	09/20	MARSHAL	L AUSTII	N	21	ICP/06	000	ICP/2200		
E-26 ACCESS RESCUE MES			09/14	DUSTIN S			2	ICP/06		ICP/2200
E-50 SUNDANCE FIRE SUPI	RESSION EI	NG4	09/24	JAMES HE	BERLEIN	1	3	ICP/06	600	ICP/2200
E-54 NORTHERN UTAH FIRI	E ENG6		09/22	KRISTA SI	PRAYCAI	₹	3	ICP/06	600	ICP/2200
E-70 WY-BTF E671 ENG6			09/20	WES SISE	L		4	ICP/0600		ICP/2200
E-171 ENG6 - EMMETT FD E	301 B35965	ENG6	09/19	BEAU PAT	TERSON	1	2	ICP/0600		ICP/2200
E-40 307 TACTICAL FIRE DZ	R2		09/17	JASON WI	NEGAR		2	ICP/06	600	ICP/2200
E-41 SUMMIT CONTRACTING	G DZR2		09/21	TOM PITM	IAN		2	ICP/06	600	ICP/2200
E-68 TRUCKEE MEADOWS	FPD DZR2		09/21	JAMES BR	RUMFIELI)	2	ICP/06	600	ICP/2200
E-94 EMERY FARM INC - X4	0486 EXC2		09/24	BURT ALL	.EN		2	ICP/06	600	ICP/2200
			-							
O-33 REMS 1			09/14	ZACK SCH	HWABE		1 ICP/06		600	ICP/2200
O-225 SOF3			09/24	RICHARD	MCINTY	RE	1	ICP/06	600	ICP/2200
6. Control Operations/Work	Assignment	s:								
Task: Monitor previous	•		indirect fire	line from Li	ttle She	en Moi	untain to s	outhe	rn division brea	ak assess anv
control issues with fored						оро	arrair to c			an, access any
Purpose: To keep the fi	re within n	rimarv	firing and he	oldina indir	ect line	constri	ucted by m	nixed t	actics	
8.				n/Group Con						
Function	Chann	el	RX Frequenc	T	RX Tone		TX Frequer	ncv N/W	/ TX Tone/NAC	C Mode
			166.7250	•	146.		166.725	-	146.2	A
			169.7500	N	146.	2	167.100		146.2	A
COMMAND 8 173.				N	146.	2	167.325	50 N	146.2	A
AIR TO GROUND 13 167.9						E	167.9500 N		NONE	A
AIR GUARD 16 168.6				N	NON	E	168.625	50 N	110.9	A
9. Prepared By (Resource Unit Leader)				proved By (Planning Section Chief)				[Date	Time
TRAVIS PARDUE				TRAVIS PARDUE					09/13/2025	1742

Division/Group Assignment List (ICS 204 WF)

		Controlled Uncla	assified Info	rmation//Basic						
1. Incident Name:				3.						
DOLLAR LAKE				Branch:	Division/Group:					
2. Operational Period:	DAY									
Date/Time From:		Date/Time To:			M/O					
09/14/2025 0600 SUN		09/14/2025 2200	SUN							
4.		Opera	tions Personn	el						
OPERATIONS CHIEF	GRIF C	OCHRAN		BRANCH DIRECTOR						
DIVISION/GROUP SUPERVISOR	JOE A N	/ILLIGAN	All	R OPERATIONS BRANCH						
	JEFF PF	RIEBE (T)		DIRECTOR						
5. Control Operations/Work Assignments:										
End State: Burnout operation	ns stay	within primary control li	ines establis	shed. Fire is secured w	ithin these lines.					
7. Special Instructions:										

- ** Qualified medical personnel.
- Any aircraft use or mechanical treatments in Wilderness area will need approval through IC / AA's prior to implementation. If bucket drops are used in the Wilderness area, a count of drops will need to be recorded and passed through the chain of command.
 - Be aware of private citizens in the area.
 - While conducting drone operations, document any locations that have large groups of cattle and provide to Liaison.
 - Do not use retardant in the Green River drainage. Do not disturb the Warm Springs exclosure.
 - Consult with assigned Resource Advisors on use of dozers, heavy equipment, and approval of draft sites.

8. Division/Group Communication Summary											
Function	Channel	RX Frequency N/W	RX Tone/NAC	V TX Tone/NAC	Mode						
TACTICAL	3	166.7250 N	146.2	166.7250 N	146.2	A					
COMMAND	7	169.7500 N	146.2	167.1000 N	146.2	A					
COMMAND	8	173.0375 N	146.2	167.3250 N	146.2	A					
AIR TO GROUND	13	167.9500 N	NONE	167.9500 N	NONE	A					
AIR GUARD	16	168.6250 N	NONE	168.6250 N	110.9	A					
9. Prepared By (Resource U	nit Leader)	Approved B	y (Planning Section C	Date	Time						
TRAVIS PARDUE		TRAVIS P	ARDUE	09/13/2025	1742						

Division/Group Assignment List (ICS 204 WF)

		Controlled	Unciassine	ea iiiioi		Dasic				
1. Incident Name:					3.					
DOLLAR LAKE					Branch	n:		Division/Grou	ıp:	
2. Operational Period:	DAY									
Date/Time From: 09/14/2025 0600 SUN		Date/Time To 9/14/2025 220		UN				STRUCT	URE GROUP / IA	
4.	•		Operations I	Personn	el					
OPERATIONS CHIEF	GRIF COCHRAI	N		BRAN	ICH DIRE	CTOR				
DIVISION/GROUP SUPERVISOR	MATT HEINZ PATRICK MCGL	JNAGLE (T)		All	R OPERATIONS BRANCH DIRECTOR					
5.		Reso	urces Assign	ed this	Period					
Strike Team / Task Fo Resource Designate		LWD		Leader		Number Persons	Dro	pp Off PT./Time	Pick Up PT./Time	
E-151 WELLBORN AQUA HAUL &	FIRE WTS2	09/15	STEVE COLLINS			1	ICP/0600		ICP/2200	
E-159 IDBSR BLISS FD 93404 01	1176 WTS1	09/20	JORDAN TI	REMELL	ING	1	ICP/0600		ICP/2200	
E-172 INKOM FD #163 WTT2		09/20	ROBERT BEVAN			2	ICP/0600		ICP/2200	
E-156 SCHOLL FIRE ENG6		09/22	CARLOS A	LEMAN		3	ICP/06	600	ICP/2200	
E-177 ENG3 - WYBTF E341 ENG	09/25	JAMES HYI	NES		5	ICP/06	600	ICP/2200		
E-141 BRETT PRICE EXCAVATIN GRD1		09/24	CHANCE R	OSE		1	ICP/06	600	ICP/2200	
6. Control Operations/Work Assid	inments:								,	

Task:

Ensure structure defense systems and resources at Red Cliff Bible Camp and along Green River Road are adequate for anticipated fire activity.

Provide IA support to local forest in the event of a new wildfire incident within the Dollar Lake Fire TFR. Coordinate response with local duty officers and incident operations.

Purpose:

Reduce risk to life and property. Structure protection group resources are adequate for anticipated fire behavior and predicted weather.

End State:

Structures at Red Cliff Bible Camp and along Green River Road are assessed, prepped, and ready for defense. Initial attack resources are available and to respond to a new incident.

7. Special Instructions:

8. Division/Group Communication Summary											
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/V	/ TX Tone/NAC	Mode					
TACTICAL	5	168.2000 N	146.2	168.2000 N	146.2	A					
COMMAND	7	169.7500 N	146.2	167.1000 N	146.2	A					
COMMAND	8	173.0375 N	146.2	167.3250 N	146.2	A					
AIR TO GROUND	13	167.9500 N	NONE	167.9500 N	NONE	A					
AIR GUARD	16	168.6250 N	68.6250 N NONE 168.6250 N			A					
9. Prepared By (Resource U	nit Leader)	Approved By	y (Planning Section C	hief)	Date	Time					
TRAVIS PARDUE		TRAVIS PA	ARDUE	09/13/2025	1742						

1. Incident Name:				3.	
DOLLAR LAKE				Branch:	Division/Group:
2. Operational Period:	DAY				
Date/Time From:		Date/Time To:			STRUCTURE GROUP / IA
09/14/2025 0600 SUN		09/14/2025 2200	SUN		
4.		Opera	itions Personr	nel	
OPERATIONS CHIEF	GRIF C	COCHRAN		BRANCH DIRECTOR	
DIVISION/GROUP SUPERVISOR			Al	R OPERATIONS BRANCH	
	PATRIC	CK MCGUNAGLE (T)		DIRECTOR	
7. Special Instructions:				·	·

- ** Qualified medical personnel.
 Consult Sublette County Structure Protection Plan.
 E-151 located in Ground Support (contact Planning Ops if needed)

8. Division/Group Communication Summary											
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	/ TX Tone/NAC	Mode					
TACTICAL	5	168.2000 N	146.2	146.2 168.2000 N		A					
COMMAND	7	169.7500 N	146.2	167.1000 N	146.2	A					
COMMAND	8	173.0375 N	146.2	167.3250 N	146.2	A					
AIR TO GROUND	13	167.9500 N	NONE	167.9500 N	NONE	A					
AIR GUARD	16	168.6250 N	68.6250 N NONE 168.6250 N			A					
9. Prepared By (Resource U	nit Leader)	Approved By	y (Planning Section C	hief)	Date	Time					
TRAVIS PARDUE	TRAVIS PA	ARDUE	09/13/2025	1742							


1. Incident Name:					3.					
DOLLAR LAKE						Brar	nch:		Division/Group	:
2. Operational Period:	DAY									
Date/Time From: 09/14/2025 0600 S	UN	Date/T 09/14/2	ime To: 025 220		UN				WILI	DERNESS
4.				Operations	Personn	el				
OPERATIONS CHI	EF GRIF CO	OCHRAN					ANCH DIRE	CTOR		
		OLDEDO					4.TIQNO DD			
DIVISION/GROUP SUPERVISO	JR GREG P	OLBERG			All	R OPER	ATIONS BR. DIRE	CTOR		
5.			Resou	ırces Assigr	l ned this	Period				
Strike Team / Task							Number			
Resource Designator					Leader		Persons		op Off PT./Time	Pick Up PT./Time
O-145 READ		C	9/17	KELLY OW	ENS		1	SPIKE	E/0600	SPIKE/2200
O-182 ID-CENTRAL SMOD		(9/15	MATT HINN	NERS		8	SPIKE	E/0600	SPIKE/2200
O-215 KINGS PEAK WFM1		C	9/20	GREG KOL	BERG		9	SPIKE	E/0600	SPIKE/2200
O-209 BOAT OP		C	9/18	DAVE COT	TLE		1	SPIKE	E/0600	SPIKE/2200
E-170 BTF BOAT A2423T								SPIKE	E/0600	SPIKE/2200
6. Control Operations/Work As	ssignments	_		1						
Task: Identify areas of hi					cs in ac	cordar	nce with wi	ldern	ess guidance gi	ven by the Bridger
Teton National Forest an Purpose : To stop progre					outh					
End State: Fire progress	ion has be					ere the	ere is little	chan	ce of the fire im	pacting the values
at risk identified by the in 7. Special Instructions:	cident.									
7. opecial ilian delicits.										
8.										
				/Group Com					T	
Function	Channe		equency		RX Tone	/NAC	TX Frequei	-		Mode
TACTICAL	1		3.2500 N		146.		168.250		146.2	A
COMMAND 7 169.7500 N				146.				A		
				146.		167.3250 N 146.2		A		
AIR TO GROUND	13		7.9500 N		NON		167.950		NONE	A
AIR GUARD	16	168	3.6250 N	ved By (Plar	NON		168.625		110.9 Date	Time
					_	CHOII C	iliei)			
TRAVIS PARDUE	TRA	TRAVIS PARDUE					09/13/2025	1742		

Health and Safety Message

Cows in Camp

INCIDENT: Dollar Lake Date: 9/14/2025 Shift: Day

Cattle Behavior and Consequences



- Cows work off a fight or flight situation, they would much rather avoid you than have a confrontation.
- Panicked cattle can cause damage to vehicles, bodily harm to people sleeping in tents, damage to tents, harm to the cow itself, jump fences, get stuck in fences and cattle guards, gore you with horns, etc.
- Cattle will kick or charge if startled or spooked in close contact or proximity with no escape route.

Reduce your risk!

- IF you need to move cattle from your path or destination, or have a close encounter use the following tactics;
 - o Do **NOT** approach from directly behind
 - o Do **NOT** act with fast, quick and aggressive movements
 - Do <u>NOT</u> walk around in the dark without some sort of lighting device on while cows are present in camp.
 - DO BE PATIENT and give extra time and space for the cow to make a decision and choose their escape route.
 - DO Use <u>small</u> arm waving and make annoying noises, the more annoying the better.
 - DO stop movement if a cow turns around and confronts you head on- back up, find escape route.



Camp Items to Consider

Do Not walk in the cow pies, **Clean** off boots before entering tents, **fold** in mirrors, get tents close together to prevent cattle in your area, <u>keep hay/grain/salt licks out of your tent</u>, <u>do not try to be a bull rider in camp</u>, <u>no milking the cows</u>.

BONUS Safety Riddle of the Day: There is one of me in every corner, and two of me in every room. What am I?.... See Safety Trainee for answer.

BE SAFE, BE PRODUCTIVE, and BE ACCOUNTABLE!

MEDICAL PLAN (ICS 206)

1. Incident Name:	· • • • • • • • • • • • • • • • • • • •			2. Opera	itional	Period:	Date From: 9)/14/2025	Date	To: 9/14/202	<u></u> 25
Dollar Lake Fire (V	VY-BTF-0	02533)					Time From: 0			To: 2200	
3. Medical Aid Sta	ations:										
Name		Location	n				Numbers			Paramedics	on Site?
Medical Ter	nt	ICP				307-399	9-7316			Yes	
4. Transportation											
Ambulance Service	е			Response				Contact No	umber	Level of	Service
Pinedale Me	dical Cen	ter	625 E. He	ennick St, F	Pineda	le, WY 82	2941	307-367-0	152	ALS	
Wyoming Na VFR/IFR/N			Ralph We 9357 US-	nz Field 191, Pined	ale, W	Y 82941		307-703-0	010	ALS	
Air Idaho VFR/IFR/N			1940 Inter	rnational W	∕ay, Id	aho Falls	, ID 83402	877-818-5	553	ALS	
Tip Top Searcl VFR/IFR/S			138 North	Bridger A	ve., Pi	nedale, V	/Υ	307-367-28	849		
Teton Cou VFR/IFI	-		300 Resc	ue Way Ja	ckson	, WY 830	01	307732-83	37	BLS	
5. Hospitals:			L							l	
Hospital Name		Address			Lat/l	Long	Distance From Ground Transp		Cont	act Number	Trauma Level
Pinedale Medical	Clinic	625 Her WY 829	nick St, Pin 41	iedale		.87062 9.85234	35 miles	/47m	307	7-367-4133	NA
St. John's Hea	alth		Broadway Ave., on, Wy. 83001			.48069).74959	85 miles /1	85 miles /1h39m		7-733-3636	II
Eastern Idaho Re Medical Cent		Idaho Fa	Channing Way Falls, ID 83404			.47016 1.99145	165 miles/3h3m		208	3-529-6111	II
University of Utal Center	n Burn		cal Drive e City, UT 8	34132	40.77168 259 miles/4h2m 4132 -111.83694			801	1-581-2121	I	
6. Divisions/Bran	ches/Gro	up:									
Divisions	EMS Re	sponders	3							Equipm	ent
ICP		•	s (O-30) an B Richard B	•		` ,	en Shear (EMT)			Trauma ALS An	Kits nbulance
Alpha/Charlie			Iragon (O-2 Biederman		ett Go	ldman (C	-235.24)			Trauma	Kits
	Med Mo	d E-26								UTVs,	Γrauma Kit
Oscar/Mike	Parame REMs T Med Mo	eam O-3	3							UTVs, S Side, T	Side by rauma Kit
Helo Base	Parame	dic Curt C	Orde (O-235	5.5)						Trauma	Kit
7. Special Medical For Medical Eme	ergencies	s, follow	the Medica								ey (an
8. Prepared by (N			,		. ,	Signa	ature: <u>Yvette (</u>				
9. Approved by (S	Safety Off			Signa		NDREW W	/ILLIAMS WILLIAMS	,, , , , , , , , , , , , , , , , , , ,	te/Time	e: <u>9/13//2025</u>	i
100 200		IAP Pag	le				Date: 2025.09.13	14:05:14 -06'00'			

	A 11	R OPERAT	CIONE CI		OV ICC	220		Time P	repared:	Dat	e Prepare	d:		Prepared	Ву:
	All	K OPEKAI	IIONS SC	JIVIIVIAT	KI ICS	-220		16	6:00	Saturday, S	September	13, 2025	JAME	S PADDEN	I HEBM(T)
	Incident	Name / Nun	nber		Sunrise	Sunset	Pumpkin	Helibase B	riefing Time:	Operation	nal Period	l - Date	Opera	ational Per	iod - Time
	Dollar Lak	ke WY BTF-00	2533		6:58	19:30	20:00	9	:00	Sunday, S	eptember	14, 2025	07:30-20:00		:00
Gene	eral Remarks,	Safety Notes	s, Hazards, <i>i</i>	Air Opera	ations Spe	cial Equipr	nent, etc.	Helibase	Information	TFR	Informati	on	Medevac Aircraft Information		
HEL		THE GROUND E					n to that.	Name:	Pinedale	Fire:	Dolla	ar Lake	Wyoming National Guard hoist -		
*T== a/r a		harge flight time						Latitude: N43 57.7733 TFR Notam # : 5/8626			8626	Teton Cou	nty SAR ha	ıs shorthaul.	
"Таск а		ns, # of dips & ga. d helicopters wi					DD* IMIM.IMIMI**	Longitude: W 107 57.0316 Altitude: 15000' MSL				Air Ambula	ance: Air Id	aho Rescue	
*Ensure all l			iefed to includ	le frequen			other aircraft on	Name: Frequency: 132.075							
	*^	rder all aircraft th	order Prough Air Attac	-	ese if no Air	Λ#ack		Latitude:					Paguast Dr	ocedure for I	Medevac Aircraft
Email dai		25.dollarlake.fi					e@amail.com	Longitude:				0-2100	•		opter will be
		Naming Conve						Longitudo.			FFR 5/8626		ordered	through cor	nmunications
Incident F	requencies	RX	RX Tone		ГХ	TX Tone	AM/FM	Position	Na	ame	Pł	none	Equ	uipment / S	Supplies
	· (TFR)	132.0750			.0750		AM	Air Ops					Tetor	n Interagenc	
	(Rotor)	118.9000		118	.9000		AM	Air Ops T						307-739-3	630
	Briefing) mand 7	169.7500	146.2	167	.1000	146.2	FM	HEBM	Kate	Milich	775 /	01-1198			
	mand 8	173.0375	146.2		.3250	146.2	FM	HEBM (T)		s Padden 435-705-3120			SEATs avaible at World		land Seat Base
A/G Pri	HLCO/DIVS	167.9500		167	.9500		FM							tact Teton to	
A/G Sec	Ops/drops	164.6250		164	.6250		FM								
DE	ECK	163.1000	162.2	163	.1000	162.2							-		
TO	DLC	10011000													
	NAL FF	168.6500			.6500	110.9									
	UARD	168.6250		168	.6250	110.9				Dispatch		9-3630			
VN	IED-	1151	ICOPTERS	ACCION	IED				leton	Aircraft		in number			
												ASSIGNED			
FAA#	Туре	Make/Model		Start	Available		emarks BUCKET	FAA#	Туре	Make/Model	Helibase	Start	Available	Re	emarks
3FS 79H	T1 - Bucket T2 - Bucket	UH-60 205A1	PINEDALE PINEDALE	7:30 7:30	20:00	- ,	ARD CAT., BUCKET								
7BS	T3 - Bucket	AS350 B3E	PINEDALE	7:30	20:00	· ·	ITTER, STEP, BUCKET								
GRIT-84		UH-60	PINEDALE	7:30	15:00	WY NATION	AL GUARD HOIST		•	HELIC	OPTERS -	GACC Prep	0		
								FAA#	Type	Make/Model	Helibase	Start	Available	Re	emarks
														-	
	-														
	-														
		Al	ERIAL SUPI	ERVISIO	V						UAS				
Call Sign	Туре	Make/Model	Base	Start	Available	R	emarks	Call Sign	Туре	Make/Model	Fire	Start	Available	Re	emarks
						Contact	Teton to Order	UR-31	3		N/A	UPON R	EQUST		
												•			-

Controlled Unclassified Information//Basic

INCIDENT RADIO COMMUNICATIONS PLAN ICS-205

INCIDENT NAME

OPERATIONAL PERIOD DATE/TIME

Dollar Lake Fire

9/14/25 0600 to 2200



All frequencies are Narrowband *All Fire COMMAND Repeaters are linked*

/ 111	irequenties are in	anowbana Animo	OCIMINAND Repeater	3 are minea				
Ch#	Channel Name	Assignment	RX Frequency	RX Tone / NAC	TX Frequency	TX Tone / NAC	Mode Digital (D) Analog (A) Mixed (M)	Remarks
1	TAC 1	WILDERNESS GROUP	168.2500	146.2	168.2500	146.2	Α	FRIELINE TACTICAL
2	TAC 2	DIV A/C	166.7750	146.2	166.7750	146.2	Α	FRIELINE TACTICAL
3	TAC 3	DIV O/M	166.7250	146.2	166.7250	146.2	Α	FRIELINE TACTICAL
4	TAC 4	UNASSIGNED	168.6000	146.2	168.6000	146.2	Α	FRIELINE TACTICAL
5	TAC 5	STRUCTURE GROUP / IA	168.2000	146.2	168.2000	146.2	А	FRIELINE TACTICAL
6	TAC 6	FIRING OPS	168.0500	146.2	168.0500	146.2	Α	FRIELINE TACTICAL
7	CMD 7	COMMAND	169.7500	146.2	167.1000	146.2	Α	EAST/NORTH/SOUTH OF THE FIRE
8	CMD 8	COMMAND	173.0375	146.2	167.3250	146.2	Α	WEST/NORTH/SOUTH OF THE FIRE
9	RESERVED						Α	RESERVED
10	PINYON	FOREST COMMAND	169.9000	NONE	165.0125	123.0	А	TETON DISPATCH CMD REPEATER
11	KISMET	DISPATCH	154.2575	100.0	159.0675	100.0	Α	SUBLETTE COUNTY REPEATER
12	VFIRE21	FIRE MUTUAL AID	154.2800	156.7	154.2800	156.7	Α	MUTUAL AID/FERN
13	A/G PRI	AIR TO GROUND PRIMARY	167.9500	NONE	167.9500	NONE	Α	AIR TO GROUND PRIMARY
14	A/G SEC	AIR TO GROUND SECONDARY	164.6250	NONE	164.6250	NONE	Α	AIR TO GROUND SECONDARY
15	VMED28	MEDIVAC	155.3400	NONE	155.3400	156.7	Α	MEDIVAC / AIR MEDICAL
16	AIRGUARD	AIR EMERGENCY	168.6250	NONE	168.6250	110.9	А	EMERGENCY USE ONLY
		Cameron Olsen, CC	ML(t) 307-399-9994	CLONE VER	SION: DL 0902 - To	view on rad	io:	

Cameron Olsen, COML(t) 307-399-9994

Cameron Olsen

ICS-205 Prepared By

CLONE VERSION: DL0902 - To view on radio:

DPH'S - press and hold the # key

KNG/BKR - look at display or press zone key

SCAN FOR RADIO HELP AND TUTORIALS



COMMUNICATIONS SAFETY MESSAGE: PLEASE POST LOOKOUTS TO RELAY MESSAGES IN AND OUT OF POOR COVERAGE AREAS.

Controlled Unclassified Information//Basic

INCIDENT RADIO COMMUNICATIONS PLAN ICS-205

INCIDENT NAME

OPERATIONAL PERIOD DATE/TIME

Dollar Lake IA

9/14/25 0600 to 2200



All frequencies are Narrowband *All Fire COMMAND Repeaters are linked*

All	rrequencies are Na	nowband An Fire	COMMAND Repeater	s are illiked					15 WILE
Ch#	Channel Name	Assignment	RX Frequency	RX Tone / NAC	TX Frequency	TX Tone / NAC	Mode Digital (D) Analog (A) Mixed (M)		Remarks
1	IA TAC	TACTICAL	166.8125	NONE	166.8125	NONE	Α		INITIAL ATTACK TAC
2	PINYON	FOREST COMMAND	169.9000	NONE	165.0125	123.0	A	TETO	N DISPATCH CMD REPEATER
3	ELKHART	FOREST COMMAND	169.9000	NONE	165.0125	131.8	А	TETO	N DISPATCH CMD REPEATER
4	FIRE WHITE PINE	DISPATCH	155.8725	100.0	159.4500	100.0	А	SUE	BLETTE COUNTY DISPATCH
5	FIRE KISMET	DISPATCH	154.2575	100.0	159.0675	100.0	А	SUE	BLETTE COUNTY DISPATCH
6	CMD 7	COMMAND	169.7500	146.2	167.1000	146.2	А	С	OLLAR LAKE COMMAND
7	CMD 8	COMMAND	173.0375	146.2	167.3250	146.2	А		OLLAR LAKE COMMAND
8	RESERVED						А		RESERVED
9	RESERVED						А		RESERVED
10	RESERVED		-		-		А		RESERVED
11	RESERVED	_				-	А		RESERVED
12	A/G 19	AIR TO GROUND MUTUAL AID	168.1250	NONE	168.1250	NONE	А		STATE AIR TO GROUND
13	A/G PRI	AIR TO GROUND PRIMARY	167.9500	NONE	167.9500	NONE	А	А	IR TO GROUND PRIMARY
14	A/G SEC	AIR TO GROUND SECONDARY	164.6250	NONE	164.6250	NONE	А	AIR	TO GROUND SECONDARY
15	VFIRE21	FIRE MUTUAL AID	154.2800	156.7	154.2800	156.7	А		MUTUAL AID/FERN
16	AIRGUARD	AIR EMERGENCY	168.6250	NONE	168.6250	110.9	A		EMERGENCY USE ONLY
ICS-	205 Prepared By	Cameron Olsen, CO		DPH'S - press a	SION: DL0825IA - 1 nd hold the # key at display or press zone		ndio:	\$	CAN FOR RADIO HELP AND TUTORIALS

COMMUNICATIONS SAFETY MESSAGE:

PLEASE POST LOOKOUTS TO RELAY MESSAGES IN AND OUT OF POOR COVERAGE AREAS.



Logistics Message: Dollar Lake Fire

Kitchen Hours: 0600-0900 Breakfast /1800-2100 Dinner

Reefer Truck Hours: 0600 to 2200

Supply Hours: 0630 to 2130

Shower Hours: 0630 to 1200 and 1400 to 2200

Fueling Hours: 0600-1000: 1100-1730 and 1900-2200

Please fill out an ICS 213 or email 2025.dollarlake.ordering@firenet.gov

Include: Name with contact number, delivery location, and time/date needed.

Note: Line orders submitted before 10:30 AM will be processed within 24 hours.

Orders submitted after 10:30 AM will be processed within 48 hours.

Ground Support: Dave Fritzsche (GSUL) 928-527-8251

- Ensure you are utilizing the facilities to go to the restroom, <u>NOT</u> bottles that are being left by your tent and sleeping area or you will be DEMOB.
- No Smoking in or around the ICP, ensure you field strip your cigarette butts
- Sleeping area and tents need to be moved to the new area within the cow fence NLT 9/14/2025. Dispersed camping is discouraged due to increased bears and livestock moving through the area.
- Note: Please clean up after yourself Bears are VERY active in the area.



GREAT BASIN CONSUMABLE SAW PARTS ORDER FORM



CREW/RESOURCE NAME:		RESOURCE	NUMBER:	
POINT OF CONTACT:		INCIDENT	NUMBER:	
CONTACT INFO (Phone & E-mail):		DATE REQ	UESTED:	
MAKE: STIHL HUSQVARNA OTHER			044 440 441 04 95 500i 572 O	
BAR LENGTH: 22" 24" 25" 28" 30" 32" 36" OTHER:		5: 72 84	91 105 114	
TOOTH COMPLIMENT: SEMI-SKIP FULL-SKIP FULL-COMP OTHER	CHAIN G OTHER:_		13 .050 .058 -	.063
CUTTER STYLE: CHISEL SEMI-CHISEL CHIPPER OTHER:		ITCH: ¼"	3/8" .325" .4 -	04" ¾"
PARTS I	NEEDED			
DESCRIPTION (Include model # if ordering for multiple models of saws	s.) M	ODEL	PART NUMBER	QTY
	10710		ı=o	
SPECIAL DELIVERY INTRU (i.e., FILL AT HOME UNIT, Deliver to DP ## by 1200hrs on mo			VIS	
· · · · · · · · · · · · · · · · · · ·		-		
ICS SUPERVISOR / APPROVER PRINT & SIGN:		POSITION C	ON INCIDENT:	DATE:
Administrative Use: Supply Unit has filled and marked off a remainder of items should be sent to Ordering for S# assign				• •
SUPPLY UNIT LEADER / CACHE MANAGER PRINT & SIGN:			DATE:	

GREAT BASIN CONSUMABLE CHAINSAW PARTS LIST

PART	034/341	360/MS360	MS361	MS362	038/381	044/MS440	MS441	460/MS461	MS462	MS500i	0640/650	MS660	MS880			
	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F			Bosch WSR6F	Bosch WSR6F	Bosch WSR6F			
Spark Plug (NFES# 000344)	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	Bosch USR7AC	Bosch USR7AC	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A			
,	Champion RCJ6Y	Champion RCJ6Y	Champion RCJ6Y	Champion RCJ6Y	Champion RCJ6Y	Champion RCJ6Y	Champion RCJ6Y	Champion RCJ6Y	NGK CMR6H	NGK CMR6H	Champion RCJ6Y	Champion RCJ6Y	Champion RCJ6Y			
Needle Cage Bearing (NFES# 066565)	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-3150	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2380	9512-003-3146	9512-933-2382	9512-933-2382	9512-933-3170			
E Clip (NFES# 066517)	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-1001	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-1001			
Retaining Washer for Rim Sprocket Rim Sprocket Kit 3/8 - 7T	0000-958-1022 1125-007-1040	0000-958-1022 1125-007-1223	0000-958-1032 1128-007-1000	0000-958-1032	0000-958-1231 1119-007-1003	0000-958-1032 1128-007-1000	0000-958-1032 1128-007-1000	0000-958-1032 1128-007-1017	0000-958-1032 1128-007-1000	0000-958-1032 1128-007-1017	0000-958-1032 1122-007-1000	0000-958-1032 1122-007-1000	0000-958-1236 N/A			
	1125-007-1040	1125-007-1223	1128-007-1000	1135-007-1002	1119-007-1003	1128-007-1000		1128-007-1017	1128-007-1000	1128-007-1017	1122-007-1000	1122-007-1000	N/A			
Clutch Drum			2222 512 1222	2222 212 1222			Order Sprocket Kit									
Rim Sprocket 3/8 7T (NFES# 06665		0000-642-1023	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	N/A			
Rim sprocket KIT 3/8 - 8T	N/A	N/A	1128-007-1001	1128-007-1001	N/A	1128-007-1001	1128-007-1001	1128-007-1001	1128-007-1001	1128-007-1001	1122-007-1001	1122-007-1001	1124-007-1025			
Clutch Drum							Order Sprocket Kit	1								
Rim Sprocket 3/8 - 8T	N/A	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216			
Clutch	1127-160-2050	1125-160-2005	1128-160-2004	1138-160-2010	1119-160-2000	1128-160-2001	1138-160-2010	1128-160-2004	1142-160-2000	1128-160-2004	1122-160-2005	1122-160-2002	1124-160-2005			
Chain Adjuster Kit / Spur Gear	1125-007-1036	1125-007-1021	1125-007-1021	1125-007-1021	1118-664-1600	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1124-007-1008			
					1120-664-1500											
Bump Strip	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610			
Starter Rope w/handle	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400			
Worm Gear (Oiler)	1125-640-7110	1125-640-7110	1128-640-7112	1128-640-7112	1119-642-1501	1128 640 7112	1128 640 7112	1128 640 7112	1128-640-7112	1147-640-7110	1122-640-7105	1122-640-7105	1124-640-7512			
Manifold Boot	1125 141 2200	1125 141 2200	1135 141 2200	1140 140 2503	1119 140 2500	1128 141 2204	1138 140 2508	1128 141 2204	1142 141 2200	1147-141-2200	1122 141 2200	1122 141 2201	1124 141 2202			
Fuel Filter / Pickup Body	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3518	0000-350-3518	0000-350-3504	0000-350-3500	0000-350-3504			
Tank Vent						0000-350-5800	0000-350-5800	0000-350-5800	0000-350-5800	0000-350-5800						
Cap (for Fuel Injection Pump)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0000-121-2702	N/A	N/A	N/A			
Inner Side Plate	1122-664-1000	1122-664-1000	1122-664-1000	1122-664-1000	1119-664-1000	1128-664-1001	1138-664-1000	1128-664-1001	1128-664-1001	1128-664-1000	1128-664-1001	1128-664-1001	1124-664-1001			
Bar Nut / Collar Nut (NFES# 06661)	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-995-0803	0000-995-0803	0000-955-0801	0000-955-0801	0000-955-0903			
Air Filter - HD (NFES# 066756)	1125-120-1626	1125-120-1612	1135-120-1600	1140-140-4401	1119-120-1611	0000-140-4402	0000-120-1654	0000-120-1654	1142-140-4402	1144-140-4402	0000-140-4402	0000-140-4402	0000-140-4402			
		1125-120-1626		1140-140-4402												
		N/A	N/A	N/A	1119-120-1500	0000-141-0300	0000-141-0300	0000-141-0300	N/A	N/A	0000-141-0300	0000-141-0300	0000-141-0300			
Pre Filter - OEM	N/A	10/A 10/A 10/A 113-120-1300 0000-141-0300 1000-141-0300-141-0300 1000-141-0300 1000-141-0300 1000-141-0300 1000-141-0300 1000-141-0300 1000-141-0300 1000-141-0300 1000-141-0300														
	N/A						Fill locally		,							
Pre Filter - OEM MaxFlow Air Filter Filter Oil	N/A	,					Fill locally Fill locally									
MaxFlow Air Filter	N/A	,					,									
MaxFlow Air Filter Filter Oil Filter Cleaner	N/A	,					Fill locally									
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube	N/A	,					Fill locally									
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880)	N/A	· · · · · ·					Fill locally									
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869)	N/A						Fill locally									
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341)			ne fireline should he	fueled with Non-Fth	anol Fuel mixed wit	h Hiah Definition (H	Fill locally Fill locally	ler for the saw to ru	n more efficiently in	the extremely harsh	environments that	they are performina	in.			
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD	All	saws being ran on th					Fill locally Fill locally Output Fill locally Fill locally									
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel	All						Fill locally Fill locally Output Fill locally Fill locally									
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges	All	saws being ran on th					Fill locally Fill locally Output Fill locally Fill locally									
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515)	All	saws being ran on th					Fill locally Fill locally Output Fill locally Fill locally									
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884)	All	saws being ran on th					Fill locally Fill locally Output Fill locally Fill locally									
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6' Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516)	All	saws being ran on th					Fill locally Fill locally Output Fill locally Fill locally									
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 02725)	All	saws being ran on th					Fill locally Fill locally Output Fill locally Fill locally									
MaxFlow Air Filter Filter Oil Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1889) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64"	All	saws being ran on th					Fill locally Fill locally Output Fill locally Fill locally									
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File	All	saws being ran on th					Fill locally Fill locally Output Fill locally Fill locally									
MaxFlow Air Filter Filter Oil Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1889) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64"	All	saws being ran on th					Fill locally Fill locally Output Fill locally Fill locally									
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1880) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875)	All:	saws being ran on th					Fill locally Fill locally Output Fill locally Fill locally									
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1880) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) DNOn-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0515) 8" Smooth - (NFES# 0516) 12" - (NFES# 0575) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH -	All : All :	saws being ran on th	ne fireline should be	fueled with Non-Eth	anol Fuel mixed wit	h High Definition (H	Fill locally Fill locally Fill locally D) 2-cycle mix in ora D) 2-cycle mix in ora	ler for the saw to rui	n more efficiently in	the extremely harsh	environments that	they are performing	in.			
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1880) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR	All : All :050" GUAGE 3623-005-0072	saws being ran on th	se fireline should be	fueled with Non-Eth	anol Fuel mixed wit.	h High Definition (H	Fill locally Fill locally D) 2-cycle mix in ora D) 2-cycle mix in ora D) 2-cycle mix in ora	der for the saw to rul	n more efficiently in	the extremely harsh	environments that : 3623-005-0072	3623-005-0072	in. 3623-005-0072			
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0584) 8" Rifled - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500)	050" GUAGE 3623-005-0072 3623-005-0084	saws being ran on the saws being ran on the 3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	Fill locally Fill locally Fill locally D) 2-cycle mix in ora D) 2-cycle mix in ora D) 2-cycle mix in ora 3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	and a service of the	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084			
MaxFlow Air Filter Filter Oil Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1889) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 0516) 12" - (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR	050" GUAGE 3623-005-0084 3623-005-0091	saws being ran on th saws being ran on th 3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	Fill locally Fill locally Fill locally D) 2-cycle mix in ora D) 2-cycle mix in ora 3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	environments that 3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091			
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1880) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR	.050" GUAGE 3623-005-0072 3623-005-0084 3623-005-0091 N/A	saws being ran on th saws being ran on th 3623-005-0072 3623-005-0081 N/A	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	Fill locally Fill locally Fill locally D) 2-cycle mix in ora D) 2-cycle mix in ora D) 2-cycle mix in ora 3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	and a service of the	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084			
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8"	050" GUAGE 3623-005-0084 3623-005-0084 3623-005-0091 N/A	3623-005-0072 3623-005-0072 3623-005-0091 N/A	3623-005-0072 3623-005-0084 3623-005-0091 N/A	3623-005-0072 3623-005-0084 3623-005-0091 N/A	3623-005-0072 3623-005-0084 3623-005-0091 N/A	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105	Fill locally Fill locally Fill locally Fill locally D) 2-cycle mix in ora D) 2-cycle mix in ora C) 2-cycle mix in ora C) 3623-005-0072 C) 3623-005-0084 C) 3623-005-0091 C) 3623-005-0105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105			
MaxFlow Air Filter Filter Oil Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1880) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8" 20" - 72 DR	050" GUAGE050" GUAGE 3623-005-0072 3623-005-0091 N/A 8" PITCH050" GU	3623-005-0072 3623-005-0091 N/A JAGE 3676-005-0072	3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072	Fill locally Fill locally Fill locally Fill locally D) 2-cycle mix in ora D) 2-cycle mix in ora D) 2-cycle mix in ora S23-005-0072 3623-005-0091 3623-005-0105 3676-005-0772	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072			
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1880) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0515) 8" Smooth - (NFES# 0516) 12" - (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/3" 20" - 72 DR	050" GUAGE 3623-005-0072 3623-005-0091 N/A 8" PITCH050" GL N/A 3676-005-0084	3623-005-0072 3623-005-0072 3626-005-0091 N/A	3623-005-0072 3623-005-0091 N/A 3676-005-0092 3676-005-0084	3623-005-0072 3623-005-0091 N/A 3676-005-0092 3676-005-0084	3623-005-0072 3623-005-0091 N/A 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0092 3676-005-0072	Fill locally Fill locally Fill locally Fill locally D) 2-cycle mix in ora D) 2-cycle mix in ora C) 2-cycle mix in ora 3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0095 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0084			
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1880) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rified - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/2" 20" - 72 DR 25" - 84 DR 28" - 91 DR	All: All: All: All: All: All: All: All:	3623-005-0072 3623-005-0084 3623-005-0091 3666-005-0072 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0091 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0084 3676-005-0072 3676-005-0084 3676-005-0084	3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0084 3676-005-0091	Fill locally Fill locally Fill locally Fill locally D) 2-cycle mix in ora D) 2-cycle mix in ora D) 2-cycle mix in ora C) 3623-005-0072 3623-005-0091 3623-005-0091 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-00105 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0072 3623-005-0091 3623-005-0010 3676-005-0072 3676-005-0084 3676-005-0091			
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1880) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0885) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/20" - 72 DR 25" - 84 DR 25" - 84 DR	050" GUAGE 3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-00891 N/A	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 N/A JAGE 3676-005-0072 3676-005-0084 N/A	3623-005-0072 3623-005-0091 N/A 3676-005-0092 3676-005-0084	3623-005-0072 3623-005-0091 N/A 3676-005-0092 3676-005-0084	3623-005-0072 3623-005-0091 N/A 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0092 3676-005-0072	Fill locally Fill locally Fill locally Fill locally D) 2-cycle mix in ora D) 2-cycle mix in ora C) 2-cycle mix in ora 3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0095 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0084			
MaxFlow Air Filter Filter Oil Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1880) Bar oil - Quart (NFES# 1880) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 0516) 12" - (NFES# 05275) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/12 20" - 72 DR 25" - 84 DR 28" - 91 DR 32" - 105 DR Guide Bars (STIHL ROLLOMATIC - ES) - 3/8" Guide Bars (STIHL ROLLOMATIC - ES) - 3/8"	050" GUAGE 3623-005-0091 3623-005-0091 N/A 3676-005-0084 3676-005-0091 N/A PITCH050" GUAGE	3623-005-0072 3623-005-0091 N/A JAGE 3676-005-0091 N/A	3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0084 3676-005-0091 N/A	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072 3676-005-0091 N/A	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072 3676-005-0084 3676-005-0091 N/A	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0072 3676-005-0084 3676-005-0091 3676-005-0105	Fill locally Fill locally Fill locally Fill locally Fill locally D) 2-cycle mix in ora D) 2-cycle mix in ora D) 2-cycle mix in ora S623-005-0072 S623-005-0091 S623-005-0105 S676-005-0072 S676-005-0091 S676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0091 3676-005-0084 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0091 3676-005-0105			
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1880) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0515) 8" Smooth - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/3" 20" - 72 DR 25" - 84 DR 28" - 91 DR 32" - 105 DR Guide Bars (STIHL ROLLOMATIC - ES) - 3/8"	All: All: All: All: All: All: All: All:	3623-005-0072 3623-005-0072 3623-005-0091 N/A JAGE 3676-005-0091 N/A 18 8 3003-000-8822	3623-005-0072 3623-005-0091 3623-005-0091 N/A 3676-005-0091 N/A 3003-000-8822	3623-005-0072 3623-005-0091 3623-005-0091 N/A 3676-005-0091 N/A 3676-005-0091 N/A 3003-000-8822	3623-005-0072 3623-005-0091 3623-005-0091 N/A 3676-005-0091 N/A 3003-000-8822	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0091 3676-005-0105 3003-000-8822	Fill locally Fill locally Fill locally Fill locally D) 2-cycle mix in ora D) 2-cycle mix in ora C) 2-cycle mix in ora 3623-005-0072 3623-005-0091 3623-005-0091 3676-005-0091 3676-005-0105 3003-000-8822	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0091 3676-005-0105 3003-000-8822	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0084 3676-005-0091 3676-005-0105	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0015 3676-005-0072 3676-005-0091 3676-005-0105 3003-000-8822	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0091 3676-005-0105	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0084 3676-005-0091 3676-005-0105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0091 3676-005-0091 3676-005-0105			
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1880) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 0375) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8" 20" - 72 DR 25" - 84 DR 28" - 91 DR 32" - 105 DR Guide Bars (STIHL ROLLOMATIC - ES) - 3/8" 20" 25" (NFES# 066584)	All :	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0084 3676-005-0072 3676-005-0091 N/A	3623-005-0072 3623-005-0084 3623-005-0084 3623-005-0091 N/A 3676-005-0091 N/A 3003-000-8822 3003-000-8830	3623-005-0072 3623-005-0084 3623-005-0084 3623-005-0091 N/A 3676-005-0072 3676-005-0091 N/A 3003-000-8822 3003-000-8830	3623-005-0072 3623-005-0084 3623-005-0084 3676-005-0072 3676-005-0091 N/A 3003-000-8822 3003-000-8822	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0072 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0091 3623-005-0015 3676-005-0091 3676-005-0015 3003-000-8822 3003-000-8830	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3676-005-0091 3676-005-0091 3676-005-0105	3623-005-0072 3623-005-0084 3623-005-0084 3623-005-00105 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0084 3623-005-00105 3676-005-0072 3676-005-0091 3676-005-0091 3676-005-00105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-00105 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3030-000-8822 3003-000-8822	3623-005-0072 3623-005-0072 3623-005-0091 3623-005-00105 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3003-000-8822 3003-000-8822	3623-005-0072 3623-005-0072 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0091 3676-005-0105 3003-000-8822 3003-000-8830			
MaxFlow Air Filter Filter Oil Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1880) Bar oil - Quart (NFES# 1880) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0515) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8" 20" - 72 DR 25" - 84 DR 28" - 91 DR 32" - 105 DR Guide Bars (STIHL ROLLOMATIC - ES) - 3/8" 20" 25" (NFES# 066584) 28"	050" GUAGE050" GUAGE 3623-005-0072 3623-005-0084 3623-005-0091 N/A 8" PITCH050" GU N/A 3676-005-0084 3676-005-0084 3003-000-8822 N/A N/A	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0084 3676-005-0072 3676-005-0084 3676-005-0084 3676-005-0084 3676-005-0084	3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0091 3676-005-0091 N/A 3003-000-8822 3003-000-8830 N/A	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072 3676-005-0091 N/A 3003-000-8823 N/A	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072 3676-005-0091 N/A 3003-000-8822 3003-000-8830 N/A	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3626-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0093 3003-000-8823 3003-000-8833	3623-005-0072 3623-005-0072 3623-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0091 3676-005-0091 3676-005-0091 3676-005-0105	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3003-000-8823 3003-000-8833	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0091 3676-005-0091 3676-005-0105 3003-000-8833 3003-000-8833	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0091 3676-005-0091 3676-005-0105 3003-000-8830 3003-000-8830 3003-000-8838	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3003-000-8822 3003-000-8830 3003-000-8838			
MaxFlow Air Filter Filter Oil Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1880) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 0375) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8" 20" - 72 DR 25" - 84 DR 28" - 91 DR 32" - 105 DR Guide Bars (STIHL ROLLOMATIC - ES) - 3/8" 20" 25" (NFES# 066584)	All :	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0084 3676-005-0072 3676-005-0091 N/A	3623-005-0072 3623-005-0084 3623-005-0084 3623-005-0091 N/A 3676-005-0091 N/A 3003-000-8822 3003-000-8830	3623-005-0072 3623-005-0084 3623-005-0084 3623-005-0091 N/A 3676-005-0072 3676-005-0091 N/A 3003-000-8822 3003-000-8830	3623-005-0072 3623-005-0084 3623-005-0084 3676-005-0072 3676-005-0091 N/A 3003-000-8822 3003-000-8822	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0072 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0091 3623-005-0015 3676-005-0091 3676-005-0015 3003-000-8822 3003-000-8830	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3676-005-0091 3676-005-0091 3676-005-0105	3623-005-0072 3623-005-0084 3623-005-0084 3623-005-00105 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0084 3623-005-00105 3676-005-0072 3676-005-0091 3676-005-0091 3676-005-00105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-00105 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3030-000-8822 3003-000-8822	3623-005-0072 3623-005-0072 3623-005-0091 3623-005-00105 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3003-000-8822 3003-000-8822	3623-005-0072 3623-005-0072 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0091 3676-005-0105			

The items listed here are considered consumable. Replacement requests for these parts should be filled at the Incident Supply Unit or Local Cache and marked off. If the order is unable to be filled it should be sent to Ordering for S# assignment and sent to a Buying Team or purchasing support for the incident acquisition, or provided to the requesting resource for fill at the home unit.

Items highlighted in gray should be fillable at most cache locations.

Dollar Lake Finance

WY-BTF-002533 P4S8AE25 (0403)

Email all time documents as PDFs with your RO# in the subject line to:

2025.dollarlake.finance@firenet.gov




REMINDERS

- *Ensure your CTRs and STs are filled out completely and signed by your incident supervisor.
- *Please make sure your RO# is on your CTR or ST.
- *If claiming hazard pay, please be specific on the suppression action being performed.
- *Be sure to note your meal break.

From All of Us in the Finance Tent Thank You for Your Time on Incident

PIO



YOU MUST SCREENSHOT AND SEND THE PICKUP CODE TO 605-223-4999, PACKAGES WILL BE AVAILABLE FOR P/U IN PIO TENT

Lost and found is in the pio tent

PIO MESSAGE

If the public has questions, please direct them to: Information Phone Line: 307-395-2365

E-mail: 2025.dollarlake@firenet.gov

Facebook: https://facebook.com/BridgerTetonNF InciWeb:

https://inciweb.wildfire.gov/incident-information/wybtf-dollar-lake-fire

Demob & Last Work Day Report Dollar Lake WY-BTF-002533 2025.dollarlake.demob@firenet.gov

Demob on 09/14/2025

CREWS	CR2I	C-23	PATRICK ENVIRONMENTAL, INC. NCC 3A
EQUIPMENT		E-9	UNIFIED FIRE AUTHORITY E302
	ENG3 GRD1	E-141	BRETT PRICE EXCAVATING, INC - 712816
	ENG4	E-49	PALLAS FIRE SUPPRESSION INC
	ENG4 ENG3	E-46 E-143	BLAZE RUNNERS INC UTWDD E2314
OVERHEAD	GISS SMOD	O-161 O-165	KIRSCH, ANDY SMOD - SIIDC SUPPRESSION MODULE
		Last	Work Day 09/14/2025
CREWS	CRW2	C-25	WEST COAST REFORESTATION, INC.
EQUIPMENT	ENG4	E-47	GRIZ ONE FIREFIGHTING
	ENG4	E-153	ICE FIRE SUPPRESSION INC - 553280
	ENG4	E-145	UTWDD ENGINE 2435
OVERHEAD	SPUL	O-158	COPPLE, JAMES D
01222	TIME	O-184	MCWILLIAMS, DARBY D
	LOFR	O-171	WELKER, MICHAEL TODD
	DIVS	O-253	MILLIGAN, JOE A
	EQPM	O-104	HARRINGTON, RANDY S
	EQPM	O-106	SOLTIS, SINEAD CLAIRE
	FSC3	O-240	WIMBERLY, TRACY ANN
	FMOD	O-48	SWEDBERG CONTRACTING CORP DC
	SOF3	O-150	ALLEN, MATTHEW ANTHONY
	REAF REAF	O-147 O-146	GEORGE, CALEB M
	REAF	O-146 O-145	HARMS, BENJAMIN R OWENS, KELLY
	EMTF	0-143	MONDRAGON, JUAN
		Last	Work Day 09/15/2025
CREWS	CRW2	C-26	RT FORESTRY INC
EQUIPMENT	STMH	E-20	TREASURE VALLEY FIRE LLC
	WTS2	E-151	WELBORN AQUA HAUL & FIRE SERVICES INC - 020485
	ENG4	E-157	RED TRUCK WILDFIRE LLC - JL4635
	SKD2	E-119	ROGUE HARBOR LLC
OVERHEAD	DIVS	O-242	MAGARGEE, DAVID SCOTT
	SMOD	O-182	SUPPRESSION FS - ID - CENTRAL I
		Last	Work Day 09/16/2025
EQUIPMENT	CHP1	E-150	COLOR COUNTRY TREE SERVICE, LLC - 002755
	CHP2	E-147	FLYING V TREE INC - 052508
	ENG4	E-158	GRIZ ONE FIREFIGHTING LLC - 135230
	1.000	0.400	MITCHELL WAYNE DAYNON'S
	LSC3 UASD	O-190 O-188	MITCHELL, WAYNE RAYMOND MURGOITIO, JAYSON JAMES
	UASD	O-188 O-189	OSTERKAMP, DANIEL
	FMOD	O-183	ARTEMIS NORTHWEST LLC
		3 100	Limo Holdinizot LLO

DOLLAR LAKE PLANS PROCEDURES



Resource Extensions & Crew Swaps

Forms can be obtained in the Plans or Ops Yurts. Please complete the forms with all relevant information and return to the Demob desk in the Plans Yurt or email to **2025.dollarlake.demob@firenet.gov.** Electronic forms can also be requested by emailing Demob.

Demob Instructions

To begin your demob, visit the Plans Yurt in ICP to obtain your demob checklist.

- Checklist items to be completed at ICP, in order:
 - Communications
 - Finance

Once items are completed at ICP, proceed to Staging as you leave the incident.

- Checklist items to be completed at Staging, in order:
 - Supply
 - Ground Support
 - Weed Wash

Once you have gotten all the signatures and are ready to leave, take a picture of the form and email it to: **2025.dollarlake.demob@firenet.gov**

The form must be received by the demob unit when you leave.

You will not be released through dispatch or made available for other incidents unless you follow this process.

Thank You!

ACTIVITY LOG (ICS 214)

1. Incident Name:		2. Operational Period:	Date From:	Date To:
			Time From:	Time To:
7. Activity Log (cor	ntinuation):			
Date/Time	Notable Activities			
8 Prepared by: No	l ame:	Position/Title:	Sign	aturo:
			signa	ature:
ICS 214, Page 2		Date/Time:		

MEDICAL PLAN (ICS 206 WF)

Controlled Unclassified Information//Basic

Medical Incident Report

FOR A NON-EMERGENCY INCIDENT, WORK THROUGH CHAIN OF COMMAND TO REPORT AND TRANSPORT INJURED PERSONNEL AS NECESSARY.

FOR A MEDICAL EMERGENCY: IDENTIFY ON-SCENE INCIDENT COMMANDER BY NAME AND POSITION AND ANNOUNCE "MEDICAL EMERGENCY" TO INITIATE RESPONSE FROM IMT COMMUNICATIONS/DISPATCH.

Use the following items to communicate situation to communications/dispatch.

. CONTACT COMMUNICATIONS	/ DISPATCH (Verify correct	t frequency prior to starting report)
--------------------------	----------------------------	---------------------------------------

Ex: "Communications, Div. Alpha. Stand-by for Emergency Traffic."

2. INCIDENT STATUS: Provide incident summary (including number of patients) and command structure.

Ex: "Communications, I have a R Meadow Medical, IC is TFLD Jones. E			k by a falling tree. Requ	uesting air ambulance to F	Forest Road 1 at (Lat./Long.) This will be the Trout
Severity of Emergency / Transpo Priority	ort	: Unconscious, difficulty br	reathing, bleeding sevel erious Injury or illn e to walk, 2° – 3° burns nor Injury or illness	rely, 2° – 3° burns more the ess. Evacuation may not more than 1-3 palm s	
Nature of Injury or Illness					Drief Comments of International Water
& Mechanism of Injury					Brief Summary of Injury or Illness (Ex: Unconscious, Struck by Falling Tree)
Evacuation Request					Air Ambulance / Short Haul/Hoist Ground Ambulance / Other
Patient Location					Descriptive Location & Lat. / Long. (WGS84)
Incident Name					Geographic Name + Medical (Ex: Trout Meadow Medical)
On-Scene Incident Commande	r				Name of on-scene IC of Incident within an Incident (Ex: TFLD Jones)
Patient Care					Name of Care Provider (Ex: EMT Smith)
3. INITIAL PATIENT ASSESSME	ENT: Compl	ete this section for each pati	ient as applicable (start w	rith the most severe patient)	
Treatment: 4. EVACUATION PLAN: Evacuation Location (if different): Helispot / Extraction Site Size and 5. ADDITIONAL RESOURCES / I Example: Paramedic/EMT, crews, imit	d Hazards:	NT NEEDS:			
6. COMMUNICATIONS: Identify					
Function Channel Name/ COMMAND	Number	Receive (RX)	Tone/NAC *	Transmit (TX)	Tone/NAC *
AIR-TO-GRND	-				-
TACTICAL TACTICAL	+				
	ns: If prima	ry options fail, what action	ons can be implement	led in conjunction with p	orimary evacuation method? Be thinking ahead
8. ADDITIONAL INFORMATION:	Updates/C	hanges, etc.			
REMEMBER: Confirm ETAs of	f resource	es ordered. Act accor	ding to your level o	of training Re Alert	Keen Calm Think Clearly Act Decisively