

Incident Action Plan

France Canyon Fire

UT-DIF-000223 P4 S2QS (0407)

HEALTH & SAFETY MESSAGE:

- **Identify Chimneys, Gullies and Steep Slopes...As we continue to work in rough/rugged terrain, remember to pay attention to the little things such as footing, spacing, and communicating common hazards within your crew.**

Stay alert as you work around snags

- **Helicopters may cause snags to fall**
- **Wind may cause snags to fall**
- **Fate may cause snags to fall**

SAFETY OFFICERS: Randy Turrill, Brian Burbridge, Brian Frisby

Color Country Incident Management Team 1

Dameon Julander, Incident Commander

Dave Harmon, Incident Commander (T)



Sunday, June 15, 2025
Day Operations 0600-2100



INCIDENT OBJECTIVES (ICS 202)

1. Incident Name:		2. Operational Period: DAY	
FRANCE CANYON		Date/Time From: 06/15/2025 0600 SUN	Date/Time To: 06/15/2025 2100 SUN
3. Objective(s):			
• PUBLIC AND FIREFIGHTER SAFETY • UTILIZE FULL SUPPRESSION TACTICS TO MINIMIZE FIRE IMPACTS • KEEP FIRE NORTH AND OUT OF THE BRYCE WOODLANDS COMMUNITY • UTILIZE FUNDAMENTAL FIRE SUPPRESSION TACTICS • ADHERE TO LCES AT ALL TIMES			
4. Operational Period Command Emphasis:			
• USE CLEAR INTENT AND MAINTAIN CONCISE COMMUNICATION WITH AIRCRAFT • UTILIZE CHAIN OF COMMAND • MONITOR LCES AND ADJUST ACCORDINGLY • LOOK FOR OPPORTUNITIES TO INCREASE ODDS OF SUCCESS • IDENTIFY HELISPOTS AND DROP POINTS • EXPLORE OPTIONS FOR LINE SPIKE			
General Situational Awareness:			
• HOT, DRY AND BREEZY WITH TEMPS 10-15 DEGREES ABOVE NORMAL • RED FLAG CONDITIONS MAY PRESENT THROUGH THE WEEKEND • 1000 HOUR AND LIVE FUELS ARE TRENDING LOWER THAN NORMAL			
5. Site Safety Plan Required? Yes ☐ No ☒			
Approved Site Safety Plan(s) Located at:			
6. Incident Action Plan (the items checked below are included in this Incident Action Plan):			
☒ ICS 202	☐ ICS 207	Other Attachments:	
☒ ICS 203	☐ ICS 208	☐ _____	
☐ ICS 204	☒ ICS 220	☐ _____	
☒ ICS 205	☒ Map/Chart	☐ _____	
☐ ICS 205A	☒ Weather Forecast/Tides/Currents	☐ _____	
☒ ICS 206			
7. Prepared by: RICH JAROS		Position/Title: PSC3	Signature: 
8. Approved by Incident Commander:		Name: DAMEON JULANDER	Signature: 
ICS 202		IAP Page	Date/Time: 06/14/2025 2100

ORGANIZATION ASSIGNMENT LIST (ICS 203)

1. Incident Name:		2. Operational Period: DAY	
FRANCE CANYON		Date/Time From: 06/15/2025 0600 SUN	Date/Time To: 06/15/2025 2100 SUN
3. Incident Commander(s) and Command Staff:		CHIEF	CONNIE MURDOCK 435-590-5252
IC/UC	DAMEON JULANDER 435-590-4823 DAVE HARMON 385-370-0023 (T)	DEPUTY	CARRIE BECK 701-541-7527
SAFETY OFFICER	RANDY TURRILL 435-590-1742		
INFORMATION OFFICER	JENNIFER PLECKI 442-235-6732 SARAH JORGENSON		
4. Agency/Organization Representative(s):			
Agency/Organization	Name		
USFS AGENCY ADMINISTRATOR	CHRIS WEHRLI 435-287-7910 BROOKE SHAKESPEARE 435-690-9277 (T)		
USFS DIXIE NF FOREST SUPERVISOR	KEVIN WRIGHT 435-691-3741		
UFFSL AREA	DANON HULET 435-592-0099		
GARFIELD COUNTY FIRE WARDEN	JOSH SOPER 435-590-4718		
KANE COUNTY FIRE WARDEN	ALEXANDER LARSEN 435-819-0671		
RESOURCE ADVISOR (READ)	ROY PLANK 307-620-9950		
5. Planning Section:			
CHIEF	RICH JAROS 435-691-1419		
GIS SPECIALIST	JASON STEWART 435-899-9345		
6. Logistics Section:			
CHIEF	EARL SLACK 435-616-4580		
COMMUNICATIONS UNIT	MARCUS BRINKERHOFF 435-990-1182		
MEDICAL UNIT	JEFF HUNT 435-229-5728		
SECURITY UNIT	ERICA WIGHTMAN 435-618-0337		
BASE CAMP MANAGER	JAKE DODDS 435-327-1962 ANDREW FARRELL 618-788-7318 (T)		
7. Operations Section:			
OPS SECTION CHIEF	DEREK BARTON 435-896-3390 BRIAN BIRD 435-990-1186 (T)		
7b. Air Operations Branch:			
AIR OPS BRANCH DIRECTOR	ALAN SYPHUS 435-632-3395		
8. Finance/Administration Section:			
9. Prepared By:		Position/Title: PSC3	Signature: 
ICS 203	IAP Page	Date/Time: 06/14/2025 2100	

Division/Group Assignment List (ICS 204 WF)

Controlled Unclassified Information//Basic

1. Incident Name:				3.			
FRANCE CANYON				Branch:		Division/Group: A	
2. Operational Period: DAY							
Date/Time From: 06/15/2025 0600		SUN		Date/Time To: 06/15/2025 2100		SUN	
4. Operations Personnel							
OPERATIONS CHIEF		DEREK BARTON BRIAN BIRD (T)		DIVISION/GROUP SUPERVISOR		TOMMY BRAUN JEREMY GERBER (T)	
5. Resources Assigned this Period							
Strike Team / Task Force / Resource Designator		LWD	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time	
CRW1 GLOBE IHC C-3		06/27	DREW MAXWELL	20	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
CRW1 BOISE IHC C-4		06/28	DAVID ROGAN	21	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
6. Control Operations/Work Assignments:							
TASK LOOK FOR OPPORTUNITIES TO CONSTRUCT INDIRECT LINE ON WEST SIDE OF THE DIVISON.							
PURPOSE PUT FIREFIGHTERS IN A MORE IDEAL POSITION FOR BURNOUT OPERATIONS.							
END STATE CONTAIN WESTERN FLANK OF FIRE PERMITER.							
7. Special Instructions:							
8. Division/Group Communication Summary							
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode	
COMMAND	SEE						
TACTICAL	COMMUNICATION						
AIR TO GROUND	PLAN						
9. Prepared By (Resource Unit Leader)		Approved By (Planning Section Chief)			Date	Time	
RICH JAROS		BRIAN BIRD (T)			06/14/2025	2100	

Division/Group Assignment List (ICS 204 WF)

Controlled Unclassified Information//Basic

1. Incident Name:				3.			
FRANCE CANYON				Branch:		Division/Group: R	
2. Operational Period: DAY							
Date/Time From: 06/15/2025 0600 SUN		Date/Time To: 06/15/2025 2100 SUN					
4. Operations Personnel							
OPERATIONS CHIEF		DEREK BARTON BRIAN BIRD (T)		DIVISION/GROUP SUPERVISOR		RANDY DICKINSON WESTON GALETKA (T)	
5. Resources Assigned this Period							
Strike Team / Task Force / Resource Designator		LWD	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time	
CR2I COLOR COUNTRY 1 C-6		06/27	NATE WADE (T)	20	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
ENG3 NV-HTF E391 (ESCALANTE RD) E-11		06/25	BRYCE JOHN GRIFFITHS	3	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
ENG3 UT-DIF E322 E-12		06/25	MARVIN ARNOLD	5	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
ENG6 UTFIF ENGINE 621 E-16		06/28	JACE CHRISTENSEN	7	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
ENG6 UT-DIF E631			WAYLON CHAPPELL	2	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
6. Control Operations/Work Assignments:							
<u>TASK</u> UTILIZE CREWS, HEAVY EQUIPMENT AND AVAITION RESOURCES TO CONSTRUCT DIRECT AND INDIRECT LINE.							
<u>PURPOSE</u> TO MINIMIZE THE SPREAD TO THE EAST AND NORTH.							
<u>END STATE</u> KEEP FIRE CONTAINED TO UPPER BLUBBER CREEK AND BLACK BUTTE.							
7. Special Instructions:							
8. Division/Group Communication Summary							
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode	
COMMAND	SEE						
TACTICAL	COMMUNICATION						
AIR TO GROUND	PLAN						
9. Prepared By (Resource Unit Leader)		Approved By (Planning Section Chief)			Date	Time	
RICH JAROS		BRIAN BIRD (T)			06/14/2025	2100	


Division/Group Assignment List (ICS 204 WF)

Controlled Unclassified Information//Basic

1. Incident Name:				3.			
FRANCE CANYON				Branch:		Division/Group: Z	
2. Operational Period: DAY							
Date/Time From: 06/15/2025 0600		SUN		Date/Time To: 06/15/2025 2100		SUN	
4. Operations Personnel							
OPERATIONS CHIEF		DEREK BARTON BRIAN BIRD (T)		DIVISION/GROUP SUPERVISOR		COLT COATES	
5. Resources Assigned this Period							
Strike Team / Task Force / Resource Designator		LWD	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time	
CRW1 ALTA IHC C-1		06/22	TYLER CARRUTH	23	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
CRW1 SMOKEY BEAR IHC C-2		06/25	JESUS RUE	24	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
CRW1 UNION IHC C-5		06/28	ERIC JORGENSEN	23	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
TWIN FALLS & PRICE VALLEY HELITACK			TRISTEN KULHANEK	21	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
DZR1 UT-CPD D4815 E-23		06/28	ZACHARY KUNZ	2	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
HEQB (T) A-7.5			JORDAN D HALL	1	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
READ O-16		06/28	ROY PLANK	1	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
6. Control Operations/Work Assignments:							
TASK UTILIZE DIRECT AND INDIRECT ATTACK FROM DP50 TO MOUTH OF FRANCE CANYON AND KEEP FIRE NORTH OF SPRING BRANCH CANYON. PURPOSE PROTECT BRYCE WOODLANDS SUBDIVISION FROM FIRE THREAT. END STATE FIRE PROGRESSION IS STOPPED FROM MOVING SOUTH.							
7. Special Instructions:							
8. Division/Group Communication Summary							
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode	
COMMAND	SEE						
TACTICAL	COMMUNICATION						
AIR TO GROUND	PLAN						
9. Prepared By (Resource Unit Leader)			Approved By (Planning Section Chief)		Date	Time	
RICH JAROS			BRIAN BIRD (T)		06/14/2025	2100	

INCIDENT RADIO COMMUNICATIONS PLAN (ICS 205)

Controlled Unclassified Information//Basic

1. Incident Name:			2. Date/Time Prepared:			3. Operational Period: DAY				
FRANCE CANYON			Date: 06/14/2025 Time: 2100			Date/Time From: 06/15/2025 0600 SUN			Date/Time To: 06/15/2025 2100 SUN	
4. Basic Radio Channel Use:										
Zone Group	Ch #	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq	RX Tone/NAC	TX Freq	TX Tone/NAC	Mode (A,D, or M)	Remarks
	1	COMMAND	1 SOA 1	PRIMARY COMMAND	168.7750		164.9125	151.4	A	WILSON PEAK
	2	COMMAND	CHAN 2		173.0625		163.1625	151.4	A	
	3	COMMAND	3 WILSON		172.3500		164.8500	123.0	A	COLOR COUNTRY DISPATCH
	4	TACTICAL	4 TAC 4	DIV A	156.0675		156.0675		A	LOCAL TAC 4
	5	TACTICAL	5 TAC 5	DIV R	169.1750		169.1750		A	LOCAL TAC 5
	6	TACTICAL	6 TAC 6	DIV Z	169.0750		169.0750		A	LOCAL TAC 6
	7	TACTICAL	7 TAC 7		169.1875		169.1875		A	LOCAL TAC 7
	8	TACTICAL	8 TAC 8		156.1275		156.1275		A	LOCAL TAC 8
	9	AIR TO GROUND	9 A/G PRI		166.6125		166.6125		A	INCIDENT A/G
	10	AIR TO GROUND	10 A/G SEC		167.9500		167.9500		A	INCIDENT A/G
	14	AIR TO GROUND	14 VMED 28		155.3400		155.3400	156.7	A	LIFE FLIGHT
	15	AIR TO GROUND	15 VMED 29		155.3475		155.3475	156.7	A	LIFE FLIGHT
	16	AIR GUARD	16 AIR GUARD		168.6250		168.6250	110.9	A	EMERGENCY
5. Special Instructions:										
6. Prepared By (Communications Unit Leader)				Name: MARCUS BRINKERHOFF			Signature: 			
ICS 205				IAP Page			Date/Time: 06/14/2025 2100			

MEDICAL PLAN (ICS 206 WF)											
1. Incident/Project Name					2. Operational Period						
France Canyon Fire					Date/Time 06/15/2025 06:00 – 22:00						
3. Ambulance Services											
Name		Complete Address		Phone & EMS Frequency		Level of Care					
						ALS		BLS			
Garfield County Ambulance Service		48 N 100 E Panguitch, UT		(435) 676-2662				X			
Cedar Mountain Fire Protection District		3620 Mammoth Creek Rd, Duck Creek UT		(435) 682-3225		X					
4. Air Ambulance Services											
Name		Phone		Type of Aircraft & Capability							
Classic Air Med (Page, AZ)		(800) 444-9223		Rotor/Fixed Wing (Paramedic and Flight Nurse Onboard)							
Life Flight (St. George, UT Dixie Regional)		(800) 321-1911		Rotor/Fixed Wing (Paramedic and Flight Nurse Onboard)							
Mercy Air (Mesquite, NV)		(800) 222-3456		Rotor Wing (Paramedic and Fight Nurse Onboard)							
Grand Canyon NP		(928) 635-8356		Short Haul Capable (min. EMT & Helitack support personnel)							
5. Hospitals											
Name Complete Address		GPS Datum – WGS 84 Coordinate Standard Degrees Decimal Minutes DD° MM.MMM' N - Lat DD° MM.MMM' W - Long		Travel Time (To/from Incident) Air Gnd		Phone		Helipad Yes No		Level of Care Facility	
Dixie Regional Medical Center 1380 E. Medical Center Drive St. George, UT 84790		Lat:	37° 5.935	30 min	1.5 hr	(435) 251-1002 ED	Yes			Level 2 Trauma	
		Long:	113° 33.160								
		VHF:									
University Medical Center 1800 W. Charleston Blvd. Las Vegas, NV 89102		Lat:	36° 09.538	1.5 Hrs	3-4 Hrs	(702) 383-2201 ED (702) 383-3969 Trauma	Yes			Level 1 Trauma and Burn Center	
		Long:	115° 09.926								
		VHF:									
University Hospital 50 N. Medical Dr. Salt Lake City, UT 84132		Lat:	40° 46.340	1.5 Hrs	4-5 Hrs	(801) 581-2291 ED	Yes			Level 1 Trauma and Burn Center	
		Long:	111° 50.240								
		VHF:									
Garfield Memorial Hospital		Lat:		15 min	1.5 hr	(435) 688-6300	Yes			Level 5,	
		Long:									
		VHF:									
6. Division Branch Group		Area Location Capability									
DIV A		Point of Contact:			Unstaffed						
		EMS Responders & Capability:									
		Equipment Available on Scene:			BLS/ALS						
		Medical Emergency Channels:									
		ETA for Ambulance to Scene:			30 min						
		Air:			15 minutes from launch						
		Ground:									
		Proposed Helispot:									
		Lat:									
		Long:									
DIV Z		Point of contact:			Shared						
		EMS responders and Capability:			2 Paramedics / 2 EMT's						
		Equipment available on scene:			BLS /ALS						
		Medical Emergency Channels:									
		Proposed Helispot:									
		Lat:									
		Long:									

DIV R	Point of Contact:		Dammeron Valley REMS	
	EMS Responders & Capability:		ALS/BLS	
	Equipment Available on Scene:		BLS/ALS	
	Medical Emergency Channels:			
	ETA for Ambulance to Scene:		5-15 min	
	Air:			
	Ground:			
	Approved Helispot:			
	Lat:			
	Long:			
DIV	Point of Contact:			
	EMS Responders & Capability:			
	Equipment Available on Scene:			
	Medical Emergency Channels:			
	ETA for Ambulance to Scene:			
	Air:			
	Ground:			
	Approved Helispot:			
	Lat:			
	Long:			
7. Name & Location		Helispots		
HELISPOTS				
Base Camp	Point of Contact:		Medical Unit	
	EMS Responder & Capability:		BLS	
	Equipment on Scene:		BLS	
	Medical Emergency Channels:			
	ETA for Ambulance to Scene:		15 to 35 Min	
	Air:			
	Ground:		10 min	
	Approved Helispot:		N/A	
	Lat:			
Long:				
8. Prepared By (Medical Unit Leader)		9. Date/Time	10. Reviewed By	11. Date/Time
Jeff Hunt MEDL,		06/14/2025 13:30	Randy Turrill SOF3	06/14/2025 13:30

Spot Forecast for FRANCE CANYON FIRE...FOREST SERVICE
National Weather Service Salt Lake City UT
821 PM MDT Sat Jun 14 2025

...FIRE WEATHER WATCH IN EFFECT FOR MONDAY AFTERNOON AND EVENING FOR GUSTY SOUTHWEST WINDS AND LOW RH...

.DISCUSSION...Warm, dry and unstable southwesterly flow will reside across the area today. The overnight inversion will lift between 0900 and 1000, allowing RH values to quickly fall into the teens, before falling to near 10 percent after 1500. This southwesterly flow will mix to the surface through the afternoon resulting in gusty winds. Additionally, deep mixing (80th-90th percentile) will result in unstable conditions throughout the afternoon. With this very dry airmass in place, poor to non-existent RH recovery is expected tonight. Southwesterly flow will strengthen Monday resulting in critical fire weather conditions, as warm, very dry, and windy conditions develop Monday afternoon.

.SUNDAY...

Sky/weather.....Mostly sunny (10-20 percent cloud cover).
CWR.....0 percent.
Chance of pcpn.....0 percent.
Chance of lightning.0 percent.
Max temperature.....79-82.
Min humidity.....9-12 percent.
Wind (20 ft).....Southwest 3-7 mph increasing to 6-10 mph with gusts 18-23 mph after 1300.
Max Mixing Height...10700 ft AGL. MH Climatology...80-90th Percentile.
Transport winds.....Southwest 15 to 20 mph.

.SUNDAY NIGHT...

Sky/weather.....Mostly clear (5-15 percent cloud cover).
CWR.....0 percent.
Chance of pcpn.....0 percent.
Chance of lightning.0 percent.
Min temperature.....56-59.
Max humidity.....17-20 percent.
Wind (20 ft).....Southwest 4-9 mph with gusts around 15 mph early, then downslope/down-drainage 3-7 mph after 2000.
Mixing height.....100 ft AGL.
Transport winds.....Southwest 15 early, then down-drainage 5 mph after 2000.

.MONDAY...

Sky/weather.....Sunny (0-10 percent cloud cover).
CWR.....0 percent.
Chance of pcpn.....0 percent.
Chance of lightning.0 percent.
Max temperature.....79-82.
Min humidity.....9-12 percent.
Wind (20 ft).....Southwest 3-7 mph increasing to 12-18 mph with gusts 28-35 mph after 1300.
Max Mixing height...13700 ft AGL. MH Climatology...97-99th Percentile.
Transport winds.....Southwest around 20 mph increasing to 35 mph in the afternoon.



GREAT BASIN CONSUMABLE SAW PARTS ORDER FORM

Send form to Supply at 2024.wapiti.ordering@firenet.gov



CREW/RESOURCE NAME:		RESOURCE NUMBER:	
POINT OF CONTACT:		INCIDENT NUMBER:	
CONTACT INFO (Phone & E-mail):		DATE REQUESTED:	
MAKE: STIHL HUSQVARNA OTHER _____		MODEL: 036 361 044 440 441 046 460 461 462 371 372 390 395 500i 572 OTHER _____	
BAR LENGTH: 22" 24" 25" 28" 30" 32" 36" OTHER: _____		DRIVERS: 72 84 91 105 114 OTHER: _____	
TOOTH COMPLIMENT: SEMI-SKIP FULL-SKIP FULL-COMP OTHER _____		CHAIN GUAGE: .043 .050 .058 .063 OTHER: _____	
CUTTER STYLE: CHISEL SEMI-CHISEL CHIPPER OTHER: _____		CHAIN PITCH: ¼" 3/8" .325" .404" ¾" OTHER: _____	
PARTS NEEDED			
DESCRIPTION <i>(Include model # if ordering for multiple models of saws.)</i>	MODEL	PART NUMBER	QTY
SPECIAL DELIVERY INTRUCTIONS OR COMMENTS			
<i>(i.e., FILL AT HOME UNIT, Deliver to DP ## by 1200hrs on mo/da/yr, etc.)</i>			
ICS SUPERVISOR / APPROVER PRINT & SIGN:		POSITION ON INCIDENT:	DATE:
Administrative Use: Supply Unit has filled and marked off all items that were able to be filled by Supply or locally. The remainder of items should be sent to Ordering for S# assignment. Any comments should be written above.			
SUPPLY UNIT LEADER / CACHE MANAGER PRINT & SIGN:			DATE:

GREAT BASIN CONSUMABLE CHAINSAW PARTS LIST

PART	034/341	360/MS360	MS361	MS362	038/381	044/MS440	MS441	460/MS461	MS462	MS500i	0640/650	MS660	MS880													
Spark Plug (NFES# 000344)	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch USR7AC NGK CMR6H	Bosch USR7AC NGK CMR6H	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y													
Needle Cage Bearing (NFES# 066565)	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-3150	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2380	9512-003-3146	9512-933-2382	9512-933-2382	9512-933-3170													
E Clip (NFES# 066517)	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-1001	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-1001													
Retaining Washer for Rim Sprocket	0000-958-1022	0000-958-1022	0000-958-1022	0000-958-1032	0000-958-1231	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1236													
Rim Sprocket Kit 3/8 - 7T	1125-007-1040	1125-007-1223	1128-007-1000	1135-007-1002	1119-007-1003	1128-007-1000	1128-007-1000	1128-007-1017	1128-007-1000	1128-007-1017	1122-007-1000	1122-007-1000	N/A													
Clutch Drum	Order Sprocket Kit																									
Rim Sprocket 3/8 7T (NFES# 06665)	0000-642-1231	0000-642-1023	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	N/A													
Rim sprocket KIT 3/8 - 8T	N/A	N/A	1128-007-1001	1128-007-1001	N/A	1128-007-1001	1128-007-1001	1128-007-1001	1128-007-1001	1128-007-1001	1122-007-1001	1122-007-1001	1124-007-1025													
Clutch Drum	Order Sprocket Kit																									
Rim Sprocket 3/8 - 8T	N/A	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216													
Clutch	1127-160-2050	1125-160-2005	1128-160-2004	1138-160-2010	1119-160-2000	1128-160-2001	1138-160-2010	1128-160-2004	1142-160-2000	1128-160-2004	1122-160-2005	1122-160-2002	1124-160-2005													
Chain Adjuster Kit / Spur Gear	1125-007-1036	1125-007-1021	1125-007-1021	1125-007-1021	1118-664-1600	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1124-007-1008													
					1120-664-1500																					
Bump Strip	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610													
Starter Rope w/handle	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400													
Worm Gear (Oilier)	1125-640-7110	1125-640-7110	1128-640-7112	1128-640-7112	1119-642-1501	1128 640 7112	1128 640 7112	1128 640 7112	1128-640-7112	1147-640-7110	1122-640-7105	1122-640-7105	1124-640-7512													
Manifold Boot	1125 141 2200	1125 141 2200	1135 141 2200	1140 140 2503	1119 140 2500	1128 141 2204	1138 140 2508	1128 141 2204	1142 141 2200	1147-141-2200	1122 141 2200	1122 141 2201	1124 141 2202													
Fuel Filter / Pickup Body	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3518	0000-350-3518	0000-350-3504	0000-350-3500	0000-350-3504													
Tank Vent						0000-350-5800	0000-350-5800	0000-350-5800	0000-350-5800	0000-350-5800																
Cap (for Fuel Injection Pump)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0000-121-2702	N/A	N/A	N/A													
Inner Side Plate	1122-664-1000	1122-664-1000	1122-664-1000	1122-664-1000	1119-664-1000	1128-664-1001	1138-664-1000	1128-664-1001	1128-664-1001	1128-664-1001	1128-664-1001	1128-664-1001	1124-664-1001													
Bar Nut / Collar Nut (NFES# 06661)	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0803	0000-995-0803	0000-955-0801	0000-955-0801	0000-955-0903													
Air Filter - HD (NFES# 066756)	1125-120-1626	1125-120-1612	1135-120-1600	1140-140-4401	1119-120-1611	0000-140-4402	0000-120-1654	0000-120-1654	1142-140-4402	1144-140-4402	0000-140-4402	0000-140-4402	0000-140-4402													
		1125-120-1626		1140-140-4402																						
Pre Filter - OEM	N/A	N/A	N/A	N/A	1119-120-1500	0000-141-0300	0000-141-0300	0000-141-0300	N/A	N/A	0000-141-0300	0000-141-0300	0000-141-0300													
MaxFlow Air Filter	Fill locally																									
Filter Oil	Fill locally																									
Filter Cleaner	Fill locally																									
Bearing Grease - Tube																										
Bar oil - Gallon (NFES# 1880)																										
Bar oil - Quart (NFES# 1869)																										
2 Cycle Oil - Quart (NFES# 0341)																										
2 Cycle Oil: STIHL HD	All saws being ran on the fireline should be fueled with Non-Ethanol Fuel mixed with High Definition (HD) 2-cycle mix in order for the saw to run more efficiently in the extremely harsh environments that they are performing in.																									
Non-Ethanol Fuel	All saws being ran on the fireline should be fueled with Non-Ethanol Fuel mixed with High Definition (HD) 2-cycle mix in order for the saw to run more efficiently in the extremely harsh environments that they are performing in.																									
Felling Wedges																										
6" Pocket - (NFES# 0515)																										
8" Smooth - (NFES# 0884)																										
8" Rifled - (NFES# 0516)																										
12" - (NFES# 02725)																										
Round File - 7/32" (NFES# 0345) or 13/64"																										
Raker File - 8" Flat File																										
Scrench - Combo Wrench (NFES# 0875)																										
Chain STIHL Rapid-Super (RS) - 3/8" PITCH - .050" GUAGE																										
20" - 72 DR	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072													
25" - 84 DR (NFES# 006500)	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084													
28" - 91 DR	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091													
32" - 105 DR	N/A	N/A	N/A	N/A	N/A	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105													
Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8" PITCH - .050" GUAGE																										
20" - 72 DR	N/A	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072													
25" - 84 DR	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084													
28" - 91 DR	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091													
32" - 105 DR	N/A	N/A	N/A	N/A	N/A	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105													
Guide Bars (STIHL ROLLOMATIC - ES) - 3/8" PITCH - .050" GUAGE																										
20"	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822													
25" (NFES# 066584)	N/A	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830													
28"	N/A	N/A	N/A	N/A	N/A	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838													
32"	N/A	N/A	N/A	N/A	N/A	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846													

The items listed here are considered consumable. Replacement requests for these parts should be filled at the Incident Supply Unit or Local Cache and marked off. If the order is unable to be filled it should be sent to Ordering for S# assignment and sent to a Buying Team or purchasing support for the incident acquisition, or provided to the requesting resource for fill at the home unit.

Items highlighted in gray should be fillable at most cache locations.

REQUESTING PARTY: If the items you are ordering are not listed above, an OF-296 (Property Loss/Damage Form) *MAY* be required.
Be descriptive on your orders and fill the order form out completely!

1. Incident Name:		2. Operational Period: Date From: _____ Date To: _____ Time From: _____ Time To: _____	
3. Name:	4. ICS Position:	5. Home Agency (and Unit):	
6. Resources Assigned:			
Name	ICS Position	Home Agency (and Unit)	
7. Activity Log:			
Date/Time	Notable Activities		
8. Prepared by: Name: _____ Position/Title: _____ Signature: _____			
ICS 214, Page 1		Date/Time: _____	

MEDICAL PLAN (ICS 206 WF)

Controlled Unclassified Information//Basic

Medical Incident Report

FOR A NON-EMERGENCY INCIDENT, WORK THROUGH CHAIN OF COMMAND TO REPORT AND TRANSPORT INJURED PERSONNEL AS NECESSARY.

FOR A MEDICAL EMERGENCY: IDENTIFY ON SCENE INCIDENT COMMANDER BY NAME AND POSITION AND ANNOUNCE "MEDICAL EMERGENCY" TO INITIATE RESPONSE FROM IMT COMMUNICATIONS/DISPATCH.

Use the following items to communicate situation to communications/dispatch.

1. CONTACT COMMUNICATIONS / DISPATCH (Verify correct frequency prior to starting report)

Ex: "Communications, Div. Alpha. Stand-by for Emergency Traffic."

2. INCIDENT STATUS: Provide incident summary (including number of patients) and command structure.

Ex: "Communications, I have a Red priority patient, unconscious, struck by a falling tree. Requesting air ambulance to Forest Road 1 at (Lat./Long.) This will be the Trout Meadow Medical, IC is TFLD Jones. EMT Smith is providing medical care."

Severity of Emergency / Transport Priority	☐ RED / PRIORITY 1 Life or limb threatening injury or illness. Evacuation need is IMMEDIATE <i>Ex: Unconscious, difficulty breathing, bleeding severely, 2° – 3° burns more than 4 palm sizes, heat stroke, disoriented.</i> ☐ YELLOW / PRIORITY 2 Serious Injury or illness. Evacuation may be DELAYED if necessary. <i>Ex: Significant trauma, unable to walk, 2° – 3° burns not more than 1-3 palm sizes.</i> ☐ GREEN / PRIORITY 3 Minor Injury or illness. Non-Emergency transport <i>Ex: Sprains, strains, minor heat-related illness.</i>	
Nature of Injury or Illness & Mechanism of Injury		Brief Summary of Injury or Illness (<i>Ex: Unconscious, Struck by Falling Tree</i>)
Transport Request		Air Ambulance / Short Haul/Hoist Ground Ambulance / Other
Patient Location		Descriptive Location & Lat. / Long. (WGS84)
Incident Name		Geographic Name + "Medical" (<i>Ex: Trout Meadow Medical</i>)
On-Scene Incident Commander		Name of on-scene IC of Incident within an Incident (<i>Ex: TFLD Jones</i>)
Patient Care		Name of Care Provider (<i>Ex: EMT Smith</i>)

3. INITIAL PATIENT ASSESSMENT: Complete this section for each patient as applicable (start with the most severe patient)

Patient Assessment: See IRPG page 106

Treatment:

4. TRANSPORT PLAN:

Evacuation Location (*if different*): (*Descriptive Location (drop point, intersection, etc.) or Lat. / Long.*) Patient's ETA to Evacuation Location:

Helispot / Extraction Site Size and Hazards:

5. ADDITIONAL RESOURCES / EQUIPMENT NEEDS:

Example: Paramedic/EMT, Crews, Immobilization Devices, AED, Oxygen, Trauma Bag, IV/Fluid(s), Splints, Rope rescue, Wheeled litter, HAZMAT, Extrication

6. COMMUNICATIONS: Identify State Air/Ground EMS Frequencies and Hospital Contacts as applicable

Function	Channel Name/Number	Receive (RX)	Tone/NAC *	Transmit (TX)	Tone/NAC *
COMMAND					
AIR-TO-GRND					
TACTICAL					

7. CONTINGENCY: Considerations: If primary options fail, what actions can be implemented in conjunction with primary evacuation method? Be thinking ahead.

8. ADDITIONAL INFORMATION: Updates/Changes, etc.

REMEMBER: Confirm ETA's of resources ordered. Act according to your level of training. Be Alert. Keep Calm. Think Clearly. Act Decisively.