

# **Incident Action Plan**

## **France Canyon Fire**

**UT-DIF-000223 P4 S2QS (0407)**

### **HEALTH & SAFETY MESSAGE:**

#### **FIRING OPERATIONS**

- **What are the objectives?**
- **What is the expected fire behavior?**
- **Are resource assignments identified?**
  - **firing, holding, lookouts**
- **What is the ignition plan/sequence?**
- **What is the communication plan?**
- **Do you have a contingency plan?**
- **Are there any safety issues, and are they addressed?**
- **Ensure that all are wearing proper PPE!!!**

**Safety Officers: Randy Turrill, Brian Burbridge, Brian Frisby**

### **Color Country Incident Management Team 1**

**Dameon Julander, Incident Commander**

**Dave Harmon, Incident Commander (T)**



**Wednesday, June 18, 2025**

**Day Operations 0600-2100**



## INCIDENT OBJECTIVES (ICS 202)

<b>1. Incident Name:</b>		<b>2. Operational Period:</b> DAY	
FRANCE CANYON		Date/Time From: 06/18/2025 0600      WED	Date/Time To: 06/18/2025 2100      WED
<b>3. Objective(s):</b> <ul style="list-style-type: none"> <li>PUBLIC AND FIREFIGHTER SAFETY</li> <li>UTILIZE FULL SUPPRESSION TACTICS TO MINIMIZE FIRE IMPACTS</li> <li>KEEP FIRE NORTH AND OUT OF THE BRYCE WOODLANDS COMMUNITY</li> <li>UTILIZE FUNDAMENTAL FIRE SUPPRESSION TACTICS</li> <li>ADHERE TO LCES AT ALL TIMES</li> </ul>			
<b>4. Operational Period Command Emphasis:</b> <ul style="list-style-type: none"> <li>USE CLEAR INTENT AND MAINTAIN CONCISE COMMUNICATION WITH AIRCRAFT</li> <li>UTILIZE CHAIN OF COMMAND</li> <li>MONITOR LCES AND ADJUST ACCORDINGLY</li> <li>LOOK FOR OPPORTUNITIES TO INCREASE ODDS OF SUCCESS</li> <li>IDENTIFY HELISPOTS AND DROP POINTS</li> </ul>			
<b>General Situational Awareness:</b> <ul style="list-style-type: none"> <li>HOT, DRY AND BREEZY WITH TEMPS 10-15 DEGREES ABOVE NORMAL</li> <li>FRONTAL PASSAGE SHIFTING WINDS OUT OF THE NORTHWEST</li> <li>1000 HOUR AND LIVE FUELS ARE TRENDING LOWER THAN NORMAL</li> </ul>			
<b>5. Site Safety Plan Required?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
<b>Approved Site Safety Plan(s) Located at:</b>			
<b>6. Incident Action Plan</b> (the items checked below are included in this Incident Action Plan): <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 45%;"> <div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <input checked="" type="checkbox"/> ICS 202  <input checked="" type="checkbox"/> ICS 203  <input type="checkbox"/> ICS 204  <input checked="" type="checkbox"/> ICS 205  <input type="checkbox"/> ICS 205A  <input checked="" type="checkbox"/> ICS 206 </div> <div style="width: 48%;"> <input type="checkbox"/> ICS 207  <input type="checkbox"/> ICS 208  <input checked="" type="checkbox"/> ICS 220  <input checked="" type="checkbox"/> Map/Chart  <input checked="" type="checkbox"/> Weather Forecast/Tides/Currents </div> </div> <div style="width: 45%;"> <b>Other Attachments:</b>  <input type="checkbox"/> _____  <input type="checkbox"/> _____  <input type="checkbox"/> _____  <input type="checkbox"/> _____ </div> </div> </div>			
<b>7. Prepared by:</b> RICH JAROS		<b>Position/Title:</b> PSC3	
<b>8. Approved by Incident Commander:</b>		<b>Name:</b> DAMEON JULANDER <b>Signature:</b>	
<b>ICS 202</b>		<b>IAP Page</b> <b>Date/Time:</b> 06/17/2025 2100	

## ORGANIZATION ASSIGNMENT LIST (ICS 203)

[illegible]

# Division/Group Assignment List (ICS 204 WF)

Controlled Unclassified Information//Basic

<b>1. Incident Name:</b>				<b>3.</b>			
FRANCE CANYON				<b>Branch:</b>		<b>Division/Group:</b>  A	
<b>2. Operational Period:</b> DAY							
Date/Time From: 06/18/2025 0600 WED		Date/Time To: 06/18/2025 2100 WED					
<b>4. Operations Personnel</b>							
<b>FIELD OPS SECTION CHIEF</b>		KORBY FRAUGHTON BRIAN BIRD (T)		<b>DIVISION/GROUP SUPERVISOR</b>		TOMMY BRAUN JEREMY GERBER (T)	
<b>PLANNING OPS SECTION CHIEF</b>		DEREK BARTON					
<b>5. Resources Assigned this Period</b>							
Strike Team / Task Force / Resource Designator		LWD	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time	
CRW1 AMERICAN RIVER IHC C-9		06/30	MATTHEW RADTKE	22	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
CRW1 LAKEVIEW IHC C-10		06/30	ALLAN BLOFSKY	20	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
CRW1 PRINEVILLE IHC C-11		06/25	JESSE AYRES	22	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
DZR1 UT-CPD D4815 E-23		06/28	ZACHARY KUNZ	2	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
REMS (RENO FD) O-33		06/30	JEFFREY CATES	1	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
<b>6. Control Operations/Work Assignments:</b>							
<b>TASK</b> LOOK FOR OPPORTUNITIES TO CONSTRUCT INDIRECT LINE ON WEST SIDE OF THE DIVISON.							
<b>PURPOSE</b> PUT FIREFIGHTERS IN A MORE IDEAL POSITION FOR BURNOUT OPERATIONS.							
<b>END STATE</b> CONTAIN WESTERN FLANK OF FIRE PERMITER.							
<b>7. Special Instructions:</b>							
REMS (RENO FD) JEFFREY CATES LEAD WILL BE SHARED BETWEEN DIVISION A AND Z.							
<b>8. Division/Group Communication Summary</b>							
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode	
COMMAND	SEE						
TACTICAL	COMMUNICATION						
AIR TO GROUND	PLAN						
<b>9. Prepared By (Resource Unit Leader)</b>			<b>Approved By (Planning Section Chief)</b>		<b>Date</b>	<b>Time</b>	
JENNA MOORE (T)			RICH JAROS		06/17/2025	2100	

# Division/Group Assignment List (ICS 204 WF)

Controlled Unclassified Information//Basic

<b>1. Incident Name:</b>				<b>3.</b>			
FRANCE CANYON				<b>Branch:</b>		<b>Division/Group:</b>	
<b>2. Operational Period:</b> <b>DAY</b>							
Date/Time From: 06/18/2025 0600                      WED		Date/Time To: 06/18/2025 2100                      WED				<b>M</b>	
<b>4. Operations Personnel</b>							
<b>FIELD OPS SECTION CHIEF</b>		KORBY FRAUGHTON BRIAN BIRD (T)		<b>DIVISION/GROUP SUPERVISOR</b>		BODE MECHAM	
<b>PLANNING OPS SECTION CHIEF</b>		DEREK BARTON					
<b>5. Resources Assigned this Period</b>							
Strike Team / Task Force / Resource Designator		LWD	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time	
CRW1 KLAMATH IHC C-12		06/30	KYLE OWNSBEY	23	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
CR2I WEBER BASIN C-13		06/25	GREG GAMERTSFELDER	23	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
CR2I FISHLAKE INTERAGENCY REGULARS C-14		06/26	NICK SCHENCK	20	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
ENG3 NV-NSS 331 E-46		07/01	ANTHONY DELGADO	5	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
ENG6 ID-CTF E661 E-42		06/30	BEAU REYER	6	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
DZR2 CUTTING EDGE E-40		06/30		1	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
HEQB O-53		06/30	CHRIS PETERSEN	1	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
TFLD O-63		07/01	NATE HERSHEY	1	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
<b>6. Control Operations/Work Assignments:</b>							
<p><b><u>TASK</u></b> CONSTRUCT DIRECT AND INDIRECT LINE.</p> <p><b><u>PURPOSE</u></b> TO MINIMIZE THE FIRE SPREAD TO VALUES AT RISK.</p> <p><b><u>END STATE</u></b> KEEP FIRE CONTAINED TO THE WEST OF THE EAST FORK ROAD.</p>							
<b>7. Special Instructions:</b>							
<b>8. Division/Group Communication Summary</b>							
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode	
COMMAND	SEE						
TACTICAL	COMMUNICATION						
AIR TO GROUND	PLAN						
<b>9. Prepared By (Resource Unit Leader)</b>			<b>Approved By (Planning Section Chief)</b>			<b>Date</b>	
JENNA MOORE (T)			RICH JAROS			06/17/2025	
						<b>Time</b>	
						2100	

# Division/Group Assignment List (ICS 204 WF)

Controlled Unclassified Information//Basic

<b>1. Incident Name:</b>				<b>3.</b>			
FRANCE CANYON				<b>Branch:</b>		<b>Division/Group:</b>  R	
<b>2. Operational Period:</b> DAY							
Date/Time From: 06/18/2025 0600 WED		Date/Time To: 06/18/2025 2100 WED					
<b>4. Operations Personnel</b>							
<b>FIELD OPS SECTION CHIEF</b>		KORBY FRAUGHTON BRIAN BIRD (T)		<b>DIVISION/GROUP SUPERVISOR</b>		RANDY DICKINSON WESTON GALETKA (T)	
<b>PLANNING OPS SECTION CHIEF</b>		DEREK BARTON					
<b>5. Resources Assigned this Period</b>							
Strike Team / Task Force / Resource Designator		LWD	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time	
CRW1 GLOBE IHC C-3		06/27	DREW MAXWELL	20	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
CRW1 BOISE IHC C-4		06/28	DAVID ROGAN	21	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
CR2I COLOR COUNTRY 1 C-6		06/27	NATE WADE (T)	20	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
CR2I DROMEDARY PEAK C-17		07/01	CALEB BLEDSOE	20	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
ENG3 NV-HTF E391 (ESCALANTE RD) E-11		06/25	BRYCE JOHN GRIFFITHS	3	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
ENG3 UT-DIF E322 E-12		06/25	MARVIN ARNOLD	4	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
ENG6 UTFIF ENGINE 621 E-16		06/28	JACE CHRISTENSEN	7	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
ENG6 UT-DIF E631			WAYLON CHAPPELL	4	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
ENG6 STOREY COUNTY FD 172 E-41		07/01	JOHN FUNKE	4	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
ENG6 NVEFKX EAST FORK FPD B-115 E-48		07/01	ZACK SCHULTZ	5	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
SOF3 O-18		06/28	BRIAN BURBRIDGE	1	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
REMS (DAMMERON FD) O-17		06/28	JOYCE MANSON	4	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
EMPF O-8		06/27	LEV BABICH	1	KANAB CREEK SPIKE/0600	KANAB CREEK SPIKE/2100	
<b>6. Control Operations/Work Assignments:</b>							
<p><b>TASK</b> CONSTRUCT DIRECT AND INDIRECT LINE.</p> <p><b>PURPOSE</b> TO MINIMIZE THE FIRE SPREAD TO VALUES AT RISK.</p> <p><b>END STATE</b> KEEP FIRE CONTAINED TO THE WEST OF THE EAST FORK ROAD.</p>							
<b>7. Special Instructions:</b>							
<b>8. Division/Group Communication Summary</b>							
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode	
COMMAND	SEE						
TACTICAL	COMMUNICATION						
AIR TO GROUND	PLAN						
<b>9. Prepared By (Resource Unit Leader)</b>			<b>Approved By (Planning Section Chief)</b>		<b>Date</b>		<b>Time</b>
JENNA MOORE (T)			RICH JAROS		06/17/2025		2100

**Division/Group Assignment List (ICS 204 WF)**  
**Controlled Unclassified Information//Basic**

<b>1. Incident Name:</b>				<b>3.</b>			
FRANCE CANYON				<b>Branch:</b>		<b>Division/Group:</b>  <div style="text-align: center; font-weight: bold; font-size: 1.2em;">Z</div>	
<b>2. Operational Period:</b> <b>DAY</b>							
Date/Time From: 06/18/2025 0600                      WED		Date/Time To: 06/18/2025 2100                      WED					
<b>4. Operations Personnel</b>							
<b>FIELD OPS SECTION CHIEF</b>		KORBY FRAUGHTON BRIAN BIRD (T)		<b>DIVISION/GROUP SUPERVISOR</b>		COLT COATES	
<b>PLANNING OPS SECTION CHIEF</b>		DEREK BARTON					
<b>5. Resources Assigned this Period</b>							
Strike Team / Task Force / Resource Designator		LWD	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time	
CRW1 ALTA IHC C-1		06/21	TYLER CARRUTH	23	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
CRW1 SMOKEY BEAR IHC C-2		06/25	JESUS RUE	24	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
CRW1 UNION IHC C-5		06/23	ERIC JORGENSEN	23	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
TWIN FALLS & PRICE VALLEY HELITACK			TRISTEN KULHANEK / JORDAN HALL (T)	21	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
SOFF O-12		06/28	BRIAN FRISBY	1	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
EMTF O-10		06/28	MICHAEL LORTA	1	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
EMTF O-11		06/28	DYLAN VON KANEL	1	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
REMS (RENO FD) O-33		06/30	JEFFREY CATES	1	POLE CANYON SPIKE/0600	POLE CANYON SPIKE/2100	
<b>6. Control Operations/Work Assignments:</b>							
<b><u>TASK</u></b> UTILIZE DIRECT AND INDIRECT ATTACK FROM DP50 TO MOUTH OF FRANCE CANYON AND KEEP FIRE NORTH OF SPRING BRANCH CANYON.							
<b><u>PURPOSE</u></b> PROTECT BRYCE WOODLANDS SUBDIVISION FROM FIRE THREAT.							
<b><u>END STATE</u></b> FIRE PROGRESSION IS STOPPED FROM MOVING SOUTH.							
<b>7. Special Instructions:</b>  REMS (RENO FD) JEFFREY CATES LEAD WILL BE SHARED BETWEEN DIVISION A AND Z.							
<b>8. Division/Group Communication Summary</b>							
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode	
COMMAND	SEE						
TACTICAL	COMMUNICATION						
AIR TO GROUND	PLAN						
<b>9. Prepared By (Resource Unit Leader)</b>			<b>Approved By (Planning Section Chief)</b>		<b>Date</b>	<b>Time</b>	
JENNA MOORE (T)			RICH JAROS		06/17/2025	2100	


**Division/Group Assignment List (ICS 204 WF)**  
Controlled Unclassified Information//Basic

<b>1. Incident Name:</b>				<b>3.</b>			
FRANCE CANYON				<b>Branch:</b>		<b>Division/Group:</b>  <b>STRUCTURE</b>	
<b>2. Operational Period:</b> <b>DAY</b>							
Date/Time From: 06/18/2025 0600                      WED		Date/Time To: 06/18/2025 2100                      WED					
<b>4. Operations Personnel</b>							
<b>FIELD OPERATIONS CHIEF</b>		KORBY FRAUGHTON BRIAN BIRD (T)		<b>DIVISION/GROUP SUPERVISOR</b>		DANIEL PROBERT	
<b>PLANNING OPS SECTION CHIEF</b>		DEREK BARTON					
<b>5. Resources Assigned this Period</b>							
Strike Team / Task Force / Resource Designator		LWD	Leader	Number Persons	Drop Off PT./Time		Pick Up PT./Time
ENG3 CEDAR MOUNTAIN FD E75 E-43		06/30	MARK JOSEPH	4	BRYCE WOODLANDS/0600		BRYCE WOODLANDS/2100
ENG3 UTAH COUNTY FD E13 E-45		06/30	JORGEN OLSEN	4	BRYCE WOODLANDS/0600		BRYCE WOODLANDS/2100
WTT2 UT-CPD WT4916 E-44		06/30	GENARD THORPE	2	BRYCE WOODLANDS/0600		BRYCE WOODLANDS/2100
WTT1 BEAVER DAM FD E-36		06/30	LARRY LYDON	2	BRYCE WOODLANDS/0600		BRYCE WOODLANDS/2100
TFLD O-62		07/01	JAKE CLASS	1	BRYCE WOODLANDS/0600		BRYCE WOODLANDS/2100
TFLD			ALEXANDER LARSEN (T)	1	BRYCE WOODLANDS/0600		BRYCE WOODLANDS/2100
<b>6. Control Operations/Work Assignments:</b>							
<b><u>TASK</u></b> PATROL AND MAINTAIN PRESENCE IN BRYCE WOODLANDS SUBDIVISION.							
<b><u>PURPOSE</u></b> MONITOR FIRE SPREAD AND PREPARE AID IN EMERGENCY ACTIONS.							
<b><u>END STATE</u></b> BRYCE WOODLANDS RESIDENTS WILL HAVE TIMELY AND ACCURATE INFORMATION.							
<b>7. Special Instructions:</b>							
<b>8. Division/Group Communication Summary</b>							
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode	
COMMAND							
TACTICAL							
LOGISTICS							
AIR TO GROUND							
<b>9. Prepared By (Resource Unit Leader)</b>			<b>Approved By (Planning Section Chief)</b>			<b>Date</b>	<b>Time</b>



# INCIDENT RADIO COMMUNICATIONS PLAN (ICS 205)

Controlled Unclassified Information//Basic

<b>1. Incident Name:</b>			<b>2. Date/Time Prepared:</b>			<b>3. Operational Period: DAY</b>				
FRANCE CANYON			Date: 06/17/2025 Time: 2100			Date/Time From: 06/18/2025 0600 WED			Date/Time To: 06/18/2025 2100 WED	
<b>4. Basic Radio Channel Use:</b>										
Zone Group	Ch #	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq	RX Tone/NAC	TX Freq	TX Tone/NAC	Mode (A,D, or M)	Remarks
	1	COMMAND	1 CMD 1		168.7750		164.9125	151.4	A	WILSON PEAK
	2	COMMAND	2 CMD 2		173.0625		163.1625	151.4	A	HATCH MTN
	3	COMMAND	3 WILSON		172.3500		164.8500	123.0	A	COLOR COUNTRY DISPATCH
	4	TACTICAL	4 TAC 4	DIV A	156.0675		156.0675		A	LOCAL TAC 4
	5	TACTICAL	5 TAC 5	DIV R	169.1750		169.1750		A	LOCAL TAC 5
	6	TACTICAL	6 TAC 6	DIV Z	169.0750		169.0750		A	LOCAL TAC 6
	7	TACTICAL	7 TAC 7	DIV M	169.1875		169.1875		A	LOCAL TAC 7
	8	TACTICAL	8 TAC 8	STRUCTURE	156.1275		156.1275		A	LOCAL TAC 8
	9	AIR TO GROUND	9 A/G PRI		166.6125		166.6125		A	INCIDENT A/G
	10	AIR TO GROUND	10 A/G SEC		167.9500		167.9500		A	INCIDENT A/G
	14	AIR TO GROUND	14 VMED 28		155.3400		155.3400	156.7	A	LIFE FLIGHT
	15	AIR TO GROUND	15 VMED 29		155.3475		155.3475	156.7	A	LIFE FLIGHT
	16	AIR GUARD	16 AIR GUARD		168.6250		168.6250	110.9	A	EMERGENCY
<b>5. Special Instructions:</b>										
<b>6. Prepared By</b> (Communications Unit Leader)				Name: MARCUS BRINKERHOFF			Signature: 			
ICS 205				IAP Page			Date/Time: 06/17/2025 2100			

MEDICAL PLAN (ICS 206 WF)											
1. Incident/Project Name					2. Operational Period						
France Canyon Fire					Date/Time 06/18/2025 06:00 – 22:00						
3. Ambulance Services											
Name		Complete Address		Phone & EMS Frequency		Level of Care ALS                      BLS					
Garfield County Ambulance Service		48 N 100 E Panguitch, UT		(435) 676-2662		X					
Cedar Mountain Fire Protection District		3620 Mammoth Creek Rd, Duck Creek UT		(435) 682-3225		X					
4. Air Ambulance Services											
Name		Phone		Type of Aircraft & Capability							
Classic Air Med (Page, AZ)		(800) 444-9223		Rotor/Fixed Wing (Paramedic and Flight Nurse Onboard)							
Life Flight (St. George, UT Dixie Regional)		(800) 321-1911		Rotor/Fixed Wing (Paramedic and Flight Nurse Onboard)							
Mercy Air (Mesquite, NV)		(800) 222-3456		Rotor Wing (Paramedic and Fight Nurse Onboard)							
Grand Canyon NP		(928) 635-8356		Short Haul Capable (min. EMT & Helitack support personnel)							
5. Hospitals											
Name Complete Address		GPS Datum – WGS 84 Coordinate Standard Degrees Decimal Minutes DD° MM.MMM' N - Lat DD° MM.MMM' W - Long		Travel Time (To/from Incident) Air                      Gnd		Phone		Helipad Yes   No		Level of Care Facility	
Dixie Regional Medical Center 1380 E. Medical Center Drive St. George, UT 84790		Lat:	37° 5.935	30 min	1.5 hr	(435) 251-1002 <i>ED</i>	Yes		Level 2 Trauma		
		Long:	113° 33.160								
		VHF:									
University Medical Center 1800 W. Charleston Blvd. Las Vegas, NV 89102		Lat:	36° 09.538	1.5 Hrs	3-4 Hrs	(702) 383-2201 <i>ED</i> (702) 383-3969 <i>Trauma</i>	Yes		Level 1 Trauma and Burn Center		
		Long:	115° 09.926								
		VHF:									
University Hospital 50 N. Medical Dr. Salt Lake City, UT 84132		Lat:	40° 46.340	1.5 Hrs	4-5 Hrs	(801) 581-2291 <i>ED</i>	Yes		Level 1 Trauma and Burn Center		
		Long:	111° 50.240								
		VHF:									
Garfield Memorial Hospital		Lat:		15 min	1.5 hr	(435) 688-6300	Yes		Level 5,		
		Long:									
		VHF:									
6. Division   Branch   Group		Area Location Capability									
DIV A		Point of Contact:			Reno REMS						
		EMS Responders & Capability:			BLS/ALS						
		Equipment Available on Scene:			BLS/ALS						
		Medical Emergency Channels:									
		ETA for Ambulance to Scene:			30 min						
		Air:			15 minutes from launch						
		Ground:									
		Proposed Helispot:									
		Lat:									
		Long:									
DIV Z		Point of contact:			Reno REMS						
		EMS responders and Capability:			BLS/ALS						
		Equipment available on scene:			BLS /ALS						
		Medical Emergency Channels:									
		Proposed Helispot:									
		Lat:									
		Long:									
DIV R		Point of Contact:			Dammeron Valley REMS / EMPF Babich						
		EMS Responders & Capability:			ALS/BLS						
		Equipment Available on Scene:			BLS/ALS						

	Medical Emergency Channels:			
	ETA for Ambulance to Scene:	5-15 min		
	Air:			
	Ground:			
	Approved Helispot:			
	Lat:			
	Long:			
DIV M	Point of Contact:			
	EMS Responders & Capability:			
	Equipment Available on Scene:			
	Medical Emergency Channels:			
	ETA for Ambulance to Scene:			
	Air:			
	Ground:			
	Approved Helispot:			
	Lat:			
Long:				
DIV K	Point of Contact:			
	EMS Responders & Capability:			
	Equipment Available on Scene:			
	Medical Emergency Channels:			
	ETA for Ambulance to Scene:			
	Air:			
	Ground:			
	Approved Helispot:			
	Lat:			
Long:				
DIV C	Point of Contact:			
	EMS Responders & Capability:			
	Equipment Available on Scene:			
	Medical Emergency Channels:			
	ETA for Ambulance to Scene:			
	Air:			
	Ground:			
	Approved Helispot:			
	Lat:			
Long:				
7. Name & Location	Helispots			
HELIBASE	Point of contact	EMPF Alfred		
	EMS capabilities	ALS		
	Equipment	ALS		
Base Camp	Point of Contact:	Medical Unit		
	EMS Responder & Capability:	BLS		
	Equipment on Scene:	BLS		
	Medical Emergency Channels:			
	ETA for Ambulance to Scene:	15 to 35 Min		
	Air:			
	Ground:	10 min		
	Approved Helispot:	N/A		
	Lat:			
Long:				
8. Prepared By (Medical Unit Leader)		9. Date/Time	10. Reviewed By	11. Date/Time
Jeff Hunt MEDL,		06/17/2025 13:30	Randy Turrill SOF3	06/17/2025 13:30

[illegible]



## Incident Weather Forecast



**FORECAST NO:** 1  
**PREDICTION FOR SHIFT DATE:** 6/18/2025  
**FORECAST ISSUED:** 1800 6/17/2025

**NAME OF FIRE:** France Canyon  
**UNIT:** UT-DIF-000223  
**SIGNED:** *Andrew Gorelow*  
**Incident Meteorologist:** Andrew Gorelow  
**Contact:** (240)778-5302 [andy.gorelow@noaa.gov](mailto:andy.gorelow@noaa.gov)

---

### **WEATHER DISCUSSION:**

High pressure over the region will lead to continued hot and dry conditions through today. A southwest flow will reestablish over the area today with afternoon gusts to around 20 mph; however, some of the more sheltered canyons will remain mostly terrain driven. Afternoon RH readings will drop to around 10 percent skies will remain sunny. Overnight RH recoveries will remain poor with readings only rising into the upper teens to mid-20s along with light drainage winds. Bigger changes will occur later in the week as a weather system moves into the Pacific Northwest. This will bring much windier conditions along with a continuation of very dry conditions starting Thursday. A Red Flag Warning has been issued starting noon Thursday and continuing until 10 PM Saturday for strong southwest winds and low RH. No precipitation is expected through the weekend.

---

### **WEATHER FORECAST FOR TODAY (WEDNESDAY):**

**WEATHER:** Sunny.  
**CHANCE OF WETTING RAIN:** 0%     **CHANCE OF LIGHTNING:** 0%  
**20 FT WINDS:** Drainage winds 3-5 mph in the morning becoming southwest 5-10 mph after 1200 with occasional gusts between 15-20 mph, especially in the more exposed areas.  
**MAX TEMPERATURE (8500 FT):** 82-87 degrees  
**MIN HUMIDITY (8500 FT):** 8-13%  
**MIXING HEIGHT:** 11,000 feet.  
**TRANSPORT WINDS:** Afternoon southwest 8-12 mph.

---

### **WEDNESDAY NIGHT:**

**WEATHER:** Mostly sunny with haze/smoke.  
**CHANCE OF WETTING RAIN:** 0%     **CHANCE OF LIGHTNING:** 0%  
**20 FT WINDS:** Evening southwest winds 5-10 mph decreasing and becoming drainage/downvalley 2-4 mph after 2300.  
**MIN TEMPERATURE:** 51-56 degrees  
**MAX HUMIDITY:** 20-25%

---

### **THURSDAY: RED FLAG WARNING STARTING AT NOON FOR LOW RH AND STRONG SW WIND**

**WEATHER:** Sunny. Increasing southwest winds in the afternoon.  
**CHANCE OF WETTING RAIN:** 0%     **CHANCE OF LIGHTNING:** 0%  
**20 FT WINDS:** South 5-10 mph through 1200, then becoming southwest 10-20 mph with occasional gusts to around 35 mph.  
**MAX TEMPERATURE (8500 FT):** 82-88 degrees  
**MIN HUMIDITY (8500 FT):** 8-12%  
**MIXING HEIGHT:** 11,000 feet.  
**TRANSPORT WINDS:** South 8-14 mph, increasing to southwest 25-35 mph after 1200.

---

**...RED FLAG WARNING FROM NOON THURSDAY THROUGH 2200 SATURDAY FOR STRONG SOUTHWEST WINDS AND LOW RH...**

## FIRE BEHAVIOR FORECAST

FORECAST NUMBER:02

TYPE OF FIRE: Wildland

FIRE NAME: ~~France Canyon~~

OPERATIONAL PERIOD: 06/18/2025, Day Shift

DATE ISSUED: 06/17/2025

TIME ISSUED: 1800

UNIT: Dixie National Forest / Powell RD

SIGNED: /s/ Kim Soper

### INPUTS

**FUEL ASSUMPTIONS:** The major fuel types found in and around the fire area are very high load timber/ shrub fuels. The primary carrier of the fire will be heavy forest litter with a shrub (manzanita) and moderate to high jackpot fuels. Observed spread rates and flame lengths are high to extreme in most fuel types in the fire area. The large-scale fuel drying trend will continue throughout the month of June as it is the driest month for moisture for the fire area.

**Fuel Receptiveness:** The area ERC level is above normal for this time of year. Forecasted levels will hit the 80<sup>th</sup> percentile within the next few days and the ERC level is forecasted to continue to rise well above the 90<sup>th</sup> percentile with forecasted hot dry weather conditions by the end of the month. The probability of ignition is very high.

**Dryness** - Fuel moistures (Fuel samples collected around the fire area on 6/01) :10 hour – 4%,100 hour -7 ,1000 hour– 8%, Duff – 6%, Ponderosa Pine – 85%, Manzanita shrub – 81%, Bitter Brush – 95%, and Juniper – 66%

*Fuel moisture will continue to decrease each day due to the hot dry weather forecast for the next ten days.*

### WEATHER SUMMARY (For Specifics, please see the attached Incident Weather Forecast).

**DISCUSSION:** High pressure over the region will lead to continue hot and dry conditions. A southwest flow will reestablish over the area today with afternoon gusts to 20 mph.

**WEATHER:** Sunny

**MAX TEMP:** 82 to 87° **MIN RH:** 8-13%

**20 FOOT WINDS:** southwest 75 - 10 mph, gusts 15 to 20 mph

**CHANCE OF WETTING RAIN ( $\geq 0.10''$ ):** 0%, **Chance of Precipitation:** 0%, **MIXING HEIGHT:** 11,000

### OUTPUT

#### FIRE BEHAVIOR

Expect active surface spread with tree torching and a high potential for short-range crown runs with medium range spotting. The Fire activity continues to be high with measurable perimeter advancement and very high heat intensity development mainly due to continued hot dry forecasted weather for today. Watch for crown runs where fuels, slope and wind are aligned later in the burning period.

#### General

Each day with no precipitation and low relative humidities, results in continued drying of fuels! Live conifer foliar moistures are reaching critical levels and continue to be available to burn!

**Division A, R and Z:** Fire behavior will continue to be very active within your divisions. Expect fire activity to range from an active surface backing fire with 4–6-foot flame lengths and isolated tree torching along with some upslope short range crown runs when the wind and/or slope come into alignment. Today will be favorable for any burnout operations with favorable winds.

**Division M:** Spots from Mondays crown run could be a challenge within the division as they could become much more active today. The southwest winds will produce strong surface burning, group tree torching and some short-range crown activity during the peak burning period that could move the fire further to the north.

**All readings are using the daily worst-case scenario.**

#### Timber Litter

Maximum Rate of Spread: **500 - 600 ft / hr**

Maximum surface spread flame length: **4 - 6 feet**

Maximum Spotting Distance: **0.2 Miles, 1000 to 1500 feet**

Probability of Ignition: **70 - 80%**

### SAFETY

If it's predictable, it's preventable. Recognize potential hazards ahead of time. **Always establish your LCES.**

**A MOMENT FOR SAFETY CAN LAST A LIFETIME.**



# GREAT BASIN CONSUMABLE SAW PARTS ORDER FORM

Send form to Supply at 2024.wapiti.ordering@firenet.gov



<b>CREW/RESOURCE NAME:</b>		<b>RESOURCE NUMBER:</b>	
<b>POINT OF CONTACT:</b>		<b>INCIDENT NUMBER:</b>	
<b>CONTACT INFO (Phone &amp; E-mail):</b>		<b>DATE REQUESTED:</b>	
<b>MAKE:</b> STIHL HUSQVARNA OTHER _____		<b>MODEL:</b> 036 361 044 440 441 046 460 461 462 371 372 390 395 500i 572 OTHER _____	
<b>BAR LENGTH:</b> 22" 24" 25" 28" 30" 32" 36" OTHER: _____		<b>DRIVERS:</b> 72 84 91 105 114 OTHER: _____	
<b>TOOTH COMPLIMENT:</b> SEMI-SKIP FULL-SKIP FULL-COMP OTHER _____		<b>CHAIN GUAGE:</b> .043 .050 .058 .063 OTHER: _____	
<b>CUTTER STYLE:</b> CHISEL SEMI-CHISEL CHIPPER OTHER: _____		<b>CHAIN PITCH:</b> ¼" 3/8" .325" .404" ¾" OTHER: _____	
<b>PARTS NEEDED</b>			
<b>DESCRIPTION</b> <i>(Include model # if ordering for multiple models of saws.)</i>	<b>MODEL</b>	<b>PART NUMBER</b>	<b>QTY</b>
<b>SPECIAL DELIVERY INTRUCTIONS OR COMMENTS</b>			
<i>(i.e., FILL AT HOME UNIT, Deliver to DP ## by 1200hrs on mo/da/yr, etc.)</i>			
<b>ICS SUPERVISOR / APPROVER PRINT &amp; SIGN:</b>		<b>POSITION ON INCIDENT:</b>	<b>DATE:</b>
<b>Administrative Use:</b> Supply Unit has filled and marked off all items that were able to be filled by Supply or locally. The remainder of items should be sent to Ordering for S# assignment. Any comments should be written above.			
<b>SUPPLY UNIT LEADER / CACHE MANAGER PRINT &amp; SIGN:</b>			<b>DATE:</b>

# **GREAT BASIN CONSUMABLE CHAINSAW PARTS LIST**

PART	034/341	360/MS360	MS361	MS362	038/381	044/MS440	MS441	460/MS461	MS462	MS500i	0640/650	MS660	MS880
Spark Plug (NFES# 000344)	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch USR7AC NGK CMR6H	Bosch USR7AC NGK CMR6H	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y
Needle Cage Bearing (NFES# 066565)	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-3150	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2380	9512-003-3146	9512-933-2382	9512-933-2382	9512-933-3170
E Clip (NFES# 066517)	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-1001	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-1001
Retaining Washer for Rim Sprocket	0000-958-1022	0000-958-1022	0000-958-1032	0000-958-1032	0000-958-1231	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1236
Rim Sprocket Kit 3/8 - 7T	1125-007-1040	1125-007-1223	1128-007-1000	1135-007-1002	1119-007-1003	1128-007-1000	1128-007-1000	1128-007-1017	1128-007-1000	1128-007-1017	1122-007-1000	1122-007-1000	N/A
Clutch Drum	Order Sprocket Kit												
Rim Sprocket 3/8 7T (NFES# 06665)	0000-642-1231	0000-642-1023	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	N/A
Rim sprocket KIT 3/8 - 8T	N/A	N/A	1128-007-1001	1128-007-1001	N/A	1128-007-1001	1128-007-1001	1128-007-1001	1128-007-1001	1128-007-1001	1122-007-1001	1122-007-1001	1124-007-1025
Clutch Drum	Order Sprocket Kit												
Rim Sprocket 3/8 - 8T	N/A	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216
Clutch	1127-160-2050	1125-160-2005	1128-160-2004	1138-160-2010	1119-160-2000	1128-160-2001	1138-160-2010	1128-160-2004	1142-160-2000	1128-160-2004	1122-160-2005	1122-160-2002	1124-160-2005
Chain Adjuster Kit / Spur Gear	1125-007-1036	1125-007-1021	1125-007-1021	1125-007-1021	1118-664-1600	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1124-007-1008
					1120-664-1500								
Bump Strip	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610
Starter Rope w/handle	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400
Worm Gear (Oilier)	1125-640-7110	1125-640-7110	1128-640-7112	1128-640-7112	1119-642-1501	1128 640 7112	1128 640 7112	1128 640 7112	1128-640-7112	1147-640-7110	1122-640-7105	1122-640-7105	1124-640-7512
Manifold Boot	1125 141 2200	1125 141 2200	1135 141 2200	1140 140 2503	1119 140 2500	1128 141 2204	1138 140 2508	1128 141 2204	1142 141 2200	1147-141-2200	1122 141 2200	1122 141 2201	1124 141 2202
Fuel Filter / Pickup Body	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3518	0000-350-3518	0000-350-3504	0000-350-3500	0000-350-3504
Tank Vent						0000-350-5800	0000-350-5800	0000-350-5800	0000-350-5800	0000-350-5800			
Cap (for Fuel Injection Pump)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0000-121-2702	N/A	N/A	N/A
Inner Side Plate	1122-664-1000	1122-664-1000	1122-664-1000	1122-664-1000	1119-664-1000	1128-664-1001	1138-664-1000	1128-664-1001	1128-664-1001	1128-664-1000	1128-664-1001	1128-664-1001	1124-664-1001
Bar Nut / Collar Nut (NFES# 06661)	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0803	0000-955-0803	0000-955-0801	0000-955-0903
Air Filter - HD (NFES# 066756)	1125-120-1626	1125-120-1612	1135-120-1600	1140-140-4401	1119-120-1611	0000-140-4402	0000-120-1654	0000-120-1654	1142-140-4402	1144-140-4402	0000-140-4402	0000-140-4402	0000-140-4402
		1125-120-1626		1140-140-4402									
Pre Filter - OEM	N/A	N/A	N/A	N/A	1119-120-1500	0000-141-0300	0000-141-0300	0000-141-0300	N/A	N/A	0000-141-0300	0000-141-0300	0000-141-0300
MaxFlow Air Filter	Fill locally												
Filter Oil	Fill locally												
Filter Cleaner	Fill locally												
Bearing Grease - Tube													
Bar oil - Gallon (NFES# 1880)													
Bar oil - Quart (NFES# 1869)													
2 Cycle Oil - Quart (NFES# 0341)													
2 Cycle Oil: STIHL HD	All saws being ran on the fireline should be fueled with Non-Ethanol Fuel mixed with High Definition (HD) 2-cycle mix in order for the saw to run more efficiently in the extremely harsh environments that they are performing in.												
Non-Ethanol Fuel	All saws being ran on the fireline should be fueled with Non-Ethanol Fuel mixed with High Definition (HD) 2-cycle mix in order for the saw to run more efficiently in the extremely harsh environments that they are performing in.												
Felling Wedges													
6" Pocket - (NFES# 0515)													
8" Smooth - (NFES# 0884)													
8" Rifled - (NFES# 0516)													
12" - (NFES# 02725)													
Round File - 7/32" (NFES# 0345) or 13/64"													
Raker File - 8" Flat File													
Scrench - Combo Wrench (NFES# 0875)													
Chain STIHL Rapid-Super (RS) - 3/8" PITCH - .050" GUAGE													
20" - 72 DR	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072
25" - 84 DR (NFES# 006500)	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084
28" - 91 DR	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091
32" - 105 DR	N/A	N/A	N/A	N/A	N/A	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105
Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8" PITCH - .050" GUAGE													
20" - 72 DR	N/A	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072
25" - 84 DR	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084
28" - 91 DR	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091
32" - 105 DR	N/A	N/A	N/A	N/A	N/A	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105
Guide Bars (STIHL ROLLOMATIC - ES) - 3/8" PITCH - .050" GUAGE													
20"	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822
25" (NFES# 066584)	N/A	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830
28"	N/A	N/A	N/A	N/A	N/A	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838
32"	N/A	N/A	N/A	N/A	N/A	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846

The items listed here are considered consumable. Replacement requests for these parts should be filled at the Incident Supply Unit or Local Cache and marked off. If the order is unable to be filled it should be sent to Ordering for S# assignment and sent to a Buying Team or purchasing support for the incident acquisition, or provided to the requesting resource for fill at the home unit.

Items highlighted in gray should be fillable at most cache locations.

**REQUESTING PARTY:** If the items you are ordering are not listed above, an OF-296 (Property Loss/Damage Form) *MAY* be required.  
Be descriptive on your orders and fill the order form out completely!



**\$ \$ \$ \$ \$ \$ \$ \$**

**Who wants to get  
paid?**

**Me! I do! I do!**

**Please turn in your CTRs and  
shift tickets to make that  
happen!**

**Submit in person at ICP,  
to Jake Dodds at Kanab Creek,  
at [connie\\_murdock@firenet.gov](mailto:connie_murdock@firenet.gov)**

**or this QR code:**



1. Incident Name:		2. Operational Period: Date From: Time From:		Date To: Time To:
3. Name:		4. ICS Position:		5. Home Agency (and Unit):
6. Resources Assigned:				
Name	ICS Position		Home Agency (and Unit)	
7. Activity Log:				
Date/Time	Notable Activities			
8. Prepared by: Name: _____ Position/Title: _____ Signature: _____				
ICS 214, Page 1		Date/Time: _____		



# MEDICAL PLAN (ICS 206 WF)

Controlled Unclassified Information//Basic

## Medical Incident Report

**FOR A NON-EMERGENCY INCIDENT, WORK THROUGH CHAIN OF COMMAND TO REPORT AND TRANSPORT INJURED PERSONNEL AS NECESSARY.**

**FOR A MEDICAL EMERGENCY: IDENTIFY ON SCENE INCIDENT COMMANDER BY NAME AND POSITION AND ANNOUNCE "MEDICAL EMERGENCY" TO INITIATE RESPONSE FROM IMT COMMUNICATIONS/DISPATCH.**

Use the following items to communicate situation to communications/dispatch.

1. CONTACT COMMUNICATIONS / DISPATCH (Verify correct frequency prior to starting report)

Ex: "Communications, Div. Alpha. Stand-by for Emergency Traffic."

2. INCIDENT STATUS: Provide incident summary (including number of patients) and command structure.

Ex: "Communications, I have a Red priority patient, unconscious, struck by a falling tree. Requesting air ambulance to Forest Road 1 at (Lat./Long.) This will be the Trout Meadow Medical, IC is TFLD Jones. EMT Smith is providing medical care."

Severity of Emergency / Transport Priority	<input type="checkbox"/> RED / PRIORITY 1 Life or limb threatening injury or illness. Evacuation need is IMMEDIATE Ex: Unconscious, difficulty breathing, bleeding severely, 2° – 3° burns more than 4 palm sizes, heat stroke, disoriented. <input type="checkbox"/> YELLOW / PRIORITY 2 Serious Injury or illness. Evacuation may be DELAYED if necessary. Ex: Significant trauma, unable to walk, 2° – 3° burns not more than 1-3 palm sizes. <input type="checkbox"/> GREEN / PRIORITY 3 Minor Injury or illness. Non-Emergency transport Ex: Sprains, strains, minor heat-related illness.	
Nature of Injury or Illness & Mechanism of Injury		Brief Summary of Injury or Illness (Ex: Unconscious, Struck by Falling Tree)
Transport Request		Air Ambulance / Short Haul/Hoist Ground Ambulance / Other
Patient Location		Descriptive Location & Lat. / Long. (WGS84)
Incident Name		Geographic Name + "Medical" (Ex: Trout Meadow Medical)
On-Scene Incident Commander		Name of on-scene IC of Incident within an Incident (Ex: TFLD Jones)
Patient Care		Name of Care Provider (Ex: EMT Smith)

3. INITIAL PATIENT ASSESSMENT: Complete this section for each patient as applicable (start with the most severe patient)

Patient Assessment: See IRPG page 106

Treatment:

4. TRANSPORT PLAN:

Evacuation Location (if different): (Descriptive Location (drop point, intersection, etc.) or Lat. / Long.) Patient's ETA to Evacuation Location:

Helispot / Extraction Site Size and Hazards:

5. ADDITIONAL RESOURCES / EQUIPMENT NEEDS:

Example: Paramedic/EMT, Crews, Immobilization Devices, AED, Oxygen, Trauma Bag, IV/Fluid(s), Splints, Rope rescue, Wheeled litter, HAZMAT, Extrication

6. COMMUNICATIONS: Identify State Air/Ground EMS Frequencies and Hospital Contacts as applicable

Function	Channel Name/Number	Receive (RX)	Tone/NAC *	Transmit (TX)	Tone/NAC *
COMMAND					
AIR-TO-GRND					
TACTICAL					

7. CONTINGENCY: Considerations: If primary options fail, what actions can be implemented in conjunction with primary evacuation method? Be thinking ahead.

8. ADDITIONAL INFORMATION: Updates/Changes, etc.

**REMEMBER:** Confirm ETA's of resources ordered. Act according to your level of training. Be Alert. Keep Calm. Think Clearly. Act Decisively.