Incident Action Plan France Canyon Fire

UT-DIF-000223 P4 S2QS (0407)

HEALTH & SAFETY MESSAGE:

In a fire situation there are subjective hazards that we as firefighters create. There are objective hazards such as fire behavior, snags, rolling debris, and terrain that are inherent to firefighting.

The subjective hazards we have control over just by using our attitudes and abilities. The objective hazards we cannot eliminate.

The possibility of injury or entrapment is always there.

The probability may be large or small.

By using a set procedure each operational period we can minimize exposure to hazards, and better ensure our safety, by taking the following steps:

- Determine the assignment.
- Identify the hazards.
- Analyze the risk (probability vs. severity).
- Implement steps to ensure safety. Are controls in place for identified hazards?
- Re-analyze the situation as it changes.

SAFETY OFFICERS: Randy Turrill, Brian Burbridge, Brian Frisby, Dave Hade

Color Country Incident Management Team 1 Dameon Julander, Incident Commander Dave Harmon, Incident Commander (T)



Friday, June 20, 2025
Day Operations 0600-2100



INCIDENT OBJECTIVES (ICS 202)

	ACIDENT OBJECT	1VL3 (1C3 202)		
1. Incident Name:	2. Operational Period:	DAY		
FRANCE CANYON	Date/Time From:		Date/Time To:	
	06/20/2025 0600	FRI	06/20/2025 2100	FRI
PUBLIC AND FIREFIGHTER SAFETY UTILIZE FULL SUPPRESSION TACTION KEEP FIRE NORTH AND OUT OF THE UTILIZE FUNDAMENTAL FIRE SUPPRIOR SCOUT OPPORTUNITIES FOR INDIRENT ADHERE TO LCES AT ALL TIMES ASSES AND DEVELOP STRUCTURE 4. Operational Period Command Emphasis: SCOUT FOR POTENTIAL INDIRECT LOUISE CLEAR INTENT AND MAINTAIN OF UTILIZE CHAIN OF COMMAND	E BRYCE WOODLANDS RESSION TACTICS ECT LINE LOCATIONS PLAN INE LOCATIONS ON T	S COMMUNITY THE NORTH AND V		
MONITOR LCES AND ADJUST ACCOUNT	RDINGI Y			
LOOK FOR OPPORTUNITIES TO INCI		CESS		
 IDENTIFY HELISPOTS AND DROP PC 	INTS			
RED FLAG CONDITIONS FOR AT LEA 1000 HOUR AND LIVE FUELS ARE THE FIRE HAS SEEN SUBSTANTIAL RUNS	RENDING LOWER THA S IN THE LAST OPERA	N NORMAL	RIODS	
5. Site Safety Plan Required? Yes No	X			
Approved Site Safety Plan(s) Located at:				
6. Incident Action Plan		r Attachments:		
7. Prepared by: RICH JAROS Po	osition/Title: PSC3	[4	Signature:	lane.
	ame: DAMEON JULANDER		Signature:	ALL
	AP Page		Date/Time:	To the state of th

ORGANIZATION ASSIGNMENT LIST (ICS 203)

1. Incident Name:			2. Operational	l Period: D	DAY			
FRANCE CAN	YON		Date/Tim 06/20/202		FRI		ate/Time To: /20/2025 210	
3. Incident Comma	ander((s) and Command Staff:			7. Operations Section:			
10	C/UC	DAMEON JULAND DAVE HARMON 38			FIELD OPS SECTION CHIEF	110110		FON 435-592-4859 5-990-1186 (T)
SAFETY OFFI	ICER	RANDY TURRILL 4	135-590-174	2	PLANNING OPS	DERE	BARTON	N 435-896-3390
INFORMA [*] OFFI		JENNIFER PLECK SARAH JORGENS		79	SECTION CHIEF			
INFORMA [*] OFFI		SIERRA HELLSTR		-4935	DIVISION/GROUP	Α		TOMMY BRAUN 435- 592-3009
4. Agency/Organiz	zation	Representative(s):					,	JEREMY GERBER 435-
Agency/Organizati	ion	Name						690-9945 (T)
USFS AGE	NCY	CHRIS WEHRLI 43	35-287-7910)	DIVISION/GROUP	С		RANDY DICKINSON
ADMINISTRA	ATOR	BROOKE SHAKES (T)	PEARE 435	-690-9277	DIVISION/GROUP	K		ERIC MESSENGER 208- 315-5928
FOREST SUPERVI	ISOR	KEVIN WRIGHT 43			DIVISION/GROUP	М		BODE MECHAM 435- 691-3924
		DANON HULET 43			DIVISION/GROUP	R	1	RANDY DICKINSON 435-
FIRE WAR	RDEN	JOSH SOPER 435-						676-3024 WESTON GALETKA (T)
WAR	RDEN	ALEXANDER LARS		9-0671	DIVISION/GROUP	Z	(COLT COATES 435-559- 4613
(RI	EAD)	ROT PLAINK 307-0	20-9930	-	DIVISION/GROUP	STRUC	TURE [DANIEL PROBERT 435- 864-8091
		RICH JAROS 435-6	591-1419		7b. Air Operations Bran	ch:	1	
		JENNA MOORE 36	0-477-5508		AIR OPS BRANCH		EL BYER	S 801-821-7287
		JASON STEWART			DIRECTOR			
FIRE BEHA	VIOR LYST	KIM SOPER 435-5	58-0935		8. Finance/Administration			201/ 405 500 5050
INCIE	DENT	ANDY GORELOW	240-778-530)2				OCK 435-590-5252
METEOROLO	GIST							1-541-7527 -
6. Logistics Section		EADL 01 401/ 40E	0.4.0.4.000		TIME UNIT	COLLE	EN GOFF	•
		EARL SLACK 435-		222 1122				
	UNII	MARCUS BRINKER		990-1182				
		JEFF HUNT 435-22						
		ERICA WIGHTMAN		337				
		NAN COATES 435						
FOOD	UNIT	MORGAN FABER	307-231-623	6				
9. Prepared By:	Name:	: RICH JAROS		Position/Title	: PSC3	s	ignature:	Λ , Λ
ICS 203	IAP Pa	age		Date/Time:	06/19/2025 0919		/	Jat Jan

		Controlle	a Unclassiii	ea iiiioi	IIIauoii//I	Dasic				
1. Incident Name:					3.					
FRANCE CANYON					Branch	n:		Division/Grou	p:	
2. Operational Period:	DAY									
Date/Time From:	T	Date/Time T	- O:						Α	
06/20/2025 0600 F	FRI	06/20/2025 2	100 F	RI						
4.			Operations	Personn	el					
FIELD OPS SECTION CH				DIVISIO	ON/GROUP	SUPERV	/ISOR	TOMMY BRAUN	. (T)	
PLANNING OPS SECTION CH	BRIAN BIRD (JEREMY GERBE	R (I)	
LANNING OF S SECTION OF	ILI DEKEK BAKI	ON								
5.		Res	ources Assigr	ned this	Period					
Strike Team / Tasl						Number			Ī	
Resource Desig	gnator	LWD		Leader		Persons		op Off PT./Time		k Up PT./Time
CRW1 LAKEVIEW IHC C-10		06/30	ALLAN BLC	DFSKY		20	ICP/0	600	ICP/21	00
CRW1 PRINEVILLE IHC C-11		06/25	JESSE AYF	RES		22	ICP/0	600	ICP/21	00
CRW1 AMERICAN RIVER IHC	C-16	06/29	MATTHEW	RADTKI	≣	23	ICP/0	600	ICP/21	00
ENG6 UTFIF ENGINE 621 E-	16	06/28	JACE CHR	ISTENSE	EN	7	ICP/0	600	ICP/21	00
ENG3 NV-HTF E391 (ESCALA	ANTE RD) E-11	06/25	BRYCE JO	HN GRIF	FITHS	5	ICP/0	600	ICP/21	00
DZR1 UT-CPD D4815 E-23		06/28	ZACHARY	KUNZ		2	ICP/0	600	ICP/21	00
REMS (RENO FD) O-33		06/30	JEFFREY (CATES		1	ICP/0	600	ICP/21	00
SOFF O-12		06/28	BRIAN FRI	SBY		1	ICP/0	600	ICP/21	00
TASK LOOK FOR OPPORTUN PURPOSE CREATE CONTAINMEN END STATE PERIMETER CONTROL 7. Special Instructions: REMS (RENO FD) JEFF	IT LINES ON T	HE WEST F	FLANK. FECTION.							
8.		Divisio	on/Group Com	municat	ion Summ	nary				
Function	Channel	RX Frequen		RX Tone		ΓX Freque	ncy N/	W TX Tone/NA	c	Mode
COMMAND	SEE								\top	
TACTICAL	COMMUNICATION	J							\neg	
AIR TO GROUND	PLAN								\top	
9. Prepared By (Resource Un	it Leader)	Аррі	roved By (Plar	nning Se	ction Chie	ef)		Date	Tir	ne
JENNA MOORE (T)		RI	CH JAROS					06/19/2025	0919)

1. Incident Name:		Contro	nieu Oficias	Silied IIIIOI	3.	Dasic				
FRANCE CANYON					Branc	:h:	Т	Division/Group):	
2. Operational Period:	DAY								С	
Date/Time From: 06/20/2025 0600	FRI	Date/Time 06/20/2025		FRI					C	
4.	FRI	00/20/2025								
	HEE KORRY EDALI	CLITON	Operatio	ons Personn		ID CUDEDV	icopli	DANDY DICKING	<u> </u>	
FIELD OPERATIONS CH	BRIAN BIRD (1			DIVISIO	JN/GROU	JP SUPERV	ISOK	RANDY DICKINSO	JIN	
PLANNING OPERATIONS CH	· ·									
5.	·	R	esources As	signed this	Period		·			
Strike Team / Tas		1.30/	_	Laadan		Number	Des	O# DT /Time	Dial	· Un DT /Time
Resource Design	gnator	LW	<u> </u>	Leader		Persons	Dro	o Off PT./Time	PICK	Up PT./Time
6. Control Operations/Work A	Assignments:									
TASK		ALE 0 A B	JVON							
ASSESS STRUCTURES	S IN THE HILSD	ALE CAN	NYON							
PURPOSE										
GAIN SITUATIONAL AV	VARENESS									
END STATE										
STRATEGY ASSESSMI	ENT COMPLETI	ED								
7. Special Instructions:										
8.		Divi	ision/Group (Communicat	ion Sum	mary				
Function	Channel	RX Frequ	iency N/W	RX Tone	e/NAC	TX Frequer	ncy N/W	/ TX Tone/NAC	C	Mode
COMMAND	SEE									
TACTICAL	COMMUNICATION									
AIR TO GROUND	PLAN									
9. Prepared By (Resource Un	it Leader)	Aı	pproved By (Planning Se	ction Chi	ef)	[Date	Tin	ne
JEENA MOORE (T)			RICH JAROS	;			C	06/19/2025	2100	

1. Incident Name:		Contro	lled Unclass	itiea intoi	mation//i	Basic				
FRANCE CANYON					Branch	·	ı	Division/Grou	n·	
					Branor			Division, Group	۶.	
2. Operational Period:	DAY								K	
Date/Time From: 06/20/2025 0600 FR	ı	Date/Time 06/20/2025		FRI					ĸ	
4.			Operation	s Personn	el					
FIELD OPERATIONS CHIE	F KORBY FRAU	GTON				SUPER	/ISOR	ERIC MESSENGE	R	
	BRIAN BIRD (T									
PLANNING OPERATIONS CHIE	F DEREK BARTO	NC								
5.		D	esources Assi	aned this	Pariod					
Strike Team / Task F	Force /		esources Assi	gned tills	renou	Number	I		l	
Resource Designation		LWI	D	Leader		Persons	Dro	p Off PT./Time	Picl	k Up PT./Time
CRW1 BOISE IHC C-4		06/2	7 DAVID R	OGAN		21	ICP/06	600	ICP/21	00
CRW1 GLOBE IHC C-3		06/2	7 DREW M	AXWELL		20	ICP/06	600	ICP/21	00
WTS3 RESILIENT MADE LANDS	SCAPES LLC E-6	65 07/0	3 BRYAN (SAINES		2	ICP/06	600	ICP/21	00
WTS3 DESERT MESA RESPON	ISE LLC E-64	07/0	3 CACHE F	PHILLIPS		1	ICP/06	600	ICP/21	00
6. Control Operations/Work Ass	signments:						<u> </u>		<u> </u>	
PURPOSE PROTECT CRITICAL INF END STATE STAND ALONE DEFENS 7. Special Instructions:		RE								
8.		Divi	sion/Group Co	mmunica	tion Summ	arv				
Function	Channel	RX Frequ		RX Tone		X Freque	ncv N/V	V TX Tone/NA	С	Mode
COMMAND	SEE						, 14, 4		+	
	OMMUNICATION								-+	
AIR TO GROUND	PLAN								_	
9. Prepared By (Resource Unit		Ar	pproved By (Pl	anning Se	ction Chie	f)	10	l Date	Tir	ne
JENNA MOORE (T)	-		RICH JAROS	-				06/19/2025	2200)

1. Incident Name:		COII	uonea	Unicias	Silleu IIII	_	11// 6	Dasic				
i. incident Name:						3.						
FRANCE CANYON						Bra	nch	1:		Division/Gr	oup:	
2. Operational Period:	DAY											
Date/Time From:		Date/T	ime To	:		7						М
06/20/2025 0600 F	RI	06/20/2	025 210	00	FRI							
4.				Operation	ons Persoi	nel						
FIELD OPS SECTION CHI					DIVIS	ION/GR	OUP	SUPER	/ISOR	BODE MECHA	M	
PLANNING OPS SECTION CHI	BRIAN BIRD (1	•										
PLANNING OPS SECTION CHI	EF DEREK BART	JIN										
5.			Reso	urces As	ssigned thi	s Period						
Strike Team / Task	Force /	Т		1	J			Number	Ī		Т	
Resource Desig	nator	I	LWD		Leade	r		Persons	Dro	p Off PT./Time		Pick Up PT./Time
CRW1 KLAMATH IHC C-12		(06/30	KYLE (OWNSBEY			23	KANA SPIKE	B CREEK		ANAB CREEK PIKE/2100
CRW1 IDAHO CITY IHC C-18		(07/01	BRIAN	GILBERT	CARDOZ	'Α	22	KANA	B CREEK	K	ANAB CREEK
CR2I WEBER BASIN C-13			06/25	GREG	GAMERTS	FELDER	2	23	SPIKE KANA	:/0600 .B CREEK	_	PIKE/2100 ANAB CREEK
CR2I FISHLAKE INTERAGENO	CV DECLILADS C	14 (26/26	NICK	SCHENCK			20	SPIKE	E/0600 B CREEK		PIKE/2100 ANAB CREEK
	T REGULARS C-)6/26					20	SPIKE	E/0600	SI	PIKE/2100
ENG3 NV-NSS 331 E-46		(07/01	ANTHO	DNY DELG	ADO		5	KANA SPIKE	B CREEK 5/0600		ANAB CREEK PIKE/2100
ENG6 ID-CTF E661 E-42		(06/30	BEAU	REYER			6		B CREEK	K	ANAB CREEK PIKE/2100
ENG6 ENG6 - SMITHFIELD FD) E642 E-58	(07/01	DUSTI	и ноотог	1		3	KANA	B CREEK	K	ANAB CREEK
DZR2 CUTTING EDGE E-40			06/30					1	SPIKE	E/0600 B CREEK		PIKE/2100 ANAB CREEK
				0.1510				·	SPIKE	/0600	SI	PIKE/2100
HEQB O-53		(06/30	CHRIS	PETERSE	N		1	SPIKE	B CREEK E/0600		ANAB CREEK PIKE/2100
WTT1 BEAVER DAM FD E-36			06/30	LARRY	LYDON			2	KANA SPIKE	B CREEK		ANAB CREEK PIKE/2100
TFLD O-63		(07/01	NATE	HERSLEY			1	KANA	B CREEK	K	ANAB CREEK
REM1 WEST METRO FD 0-76			07/02	DEAN	KARAMIGI	os Os		4	SPIKE KANA	:/0600 .B CREEK		PIKE/2100 ANAB CREEK
AMB1 CEDAR MOUNTAIN FD I	E 63		7/02	ERIN E	VDEE			2	SPIKE	E/0600 B CREEK	1	PIKE/2100
			07/02					2	SPIKE	E/0600	SI	ANAB CREEK PIKE/2100
SOF3 O-18		(06/28	BRIAN	BURBRID	3E		1		B CREEK 5/0600		ANAB CREEK PIKE/2100
6. Control Operations/Work As	ssignments:											
<u>TASK</u>												
CONSTRUCT DIRECT A	ND INDIRECT	LINE.										
TO MINIMIZE THE FIRE	SPREAD TO V	ALUE	S AT I	RISK.								
END STATE						_						
KEEP FIRE CONTAINED 7. Special Instructions:	O TO THE WES	I OF	THE E	ASTE	ORK ROA	AD.						
8.		[Divisior	n/Group	Communio		ımm	ary				T
Function	Channel	RX Fre	equency	y N/W	RX To	ne/NAC		X Freque	ncy N/\	N TX Tone/	/NAC	Mode
COMMAND	SEE						\perp					
TACTICAL	COMMUNICATION						\perp					
AIR TO GROUND	PLAN											
9. Prepared By (Resource Unit	t Leader)		Appro	ved By	(Planning S	Section C	Chie	f)		Date		Time
JENNA MOORE (T)			RIC	H JAROS	3					06/19/2025		0919

		Controll	led Unclassi	fied Info	r .	Basic			
1. Incident Name:					3.				
FRANCE CANYON					Branci	n:		Division/Grou	ip:
2. Operational Period:	DAY								
Date/Time From:	T	Date/Time	To:						R
06/20/2025 0600 F	RI	06/20/2025	2100	FRI					
4.			Operations	s Personn	el				
FIELD OPS SECTION CH				DIVISIO	ON/GROU	P SUPER\		RANDY DICKINS	-
PLANNING OPS SECTION CH	BRIAN BIRD (·						WESTON GALET	KA (1)
LANGING OF S SECTION OF	DENER BARN	J14							
5.	l	Re	sources Assi	gned this	Period		<u> </u>		
Strike Team / Task						Number	_		
Resource Desig	<u> </u>	LWD		Leader		Persons		p Off PT./Time	Pick Up PT./Time
CR2I COLOR COUNTRY 1 C-	-6	06/27	NATE WA	ADE (T)		20	SPIKE	B CREEK /0600	KANAB CREEK SPIKE/2100
CR2I DROMEDARY PEAK C-	17	07/01	CALEB B	LEDSOE		20	KANA SPIKE	B CREEK	KANAB CREEK SPIKE/2100
ENG3 UT-DIF E322 E-12		06/25	MARVIN A	ARNOLD		4	KANA	B CREEK	KANAB CREEK
ENG6 NVEFKX EAST FORK F	PD B-115 F-48	07/01	ZACK SC	HUI TZ		5	SPIKE	/0600 B CREEK	SPIKE/2100 KANAB CREEK
							SPIKE	/0600	SPIKE/2100
ENG6 UT-DIF E631			WAYLON	CHAPPE	LL	4	SPIKE	B CREEK /0600	KANAB CREEK SPIKE/2100
ENG6 STOREY COUNTY FD	172 E-41	07/01	JOHN FU	NKE		4	KANA SPIKE	B CREEK /0600	KANAB CREEK SPIKE/2100
ENG6 IDSCF CHALLIS E#621	E-47	07/01	LANCE L	AMB		4	KANA	B CREEK	KANAB CREEK
REMS (DAMMERON FD) O-17	7	06/28	JOYCE M	IANSON		4	SPIKE KANA	70600 B CREEK	SPIKE/2100 KANAB CREEK
EMPF O-8		06/27	LEV BAB	ICH		1	SPIKE	/0600 B CREEK	SPIKE/2100 KANAB CREEK
							SPIKE	/0600	SPIKE/2100
SOF2 O-68		07/02	DAVID HA	ADE		1	KANA SPIKE	B CREEK /0600	KANAB CREEK SPIKE/2100
TFLD O-85		07/02	CODY PO	DLLOCK		1	KANA SPIKE	B CREEK	KANAB CREEK SPIKE/2100
6. Control Operations/Work A	ssignments:						JOFINE	70000	
TASK CONSTRUCT DIRECT A PURPOSE TO MINIMIZE THE FIRE			T RISK.						
END STATE		T OF THE	^ CT _ CO		> 4 MID 14	III IIDIT C	יחחר		OUTU
KEEP FIRE CONTAINED 7. Special Instructions:	D TO THE WES	OF THE	EASTFUR	KK KUAL	J AND II	NUIDII S	PKE	AD TO THE ST	JUTH.
8.		Divis	ion/Group Co	mmunica	tion Sumn	nary			
Function	Channel	RX Freque	ncy N/W	RX Tone	e/NAC	ΓX Freque	ncy N/V	V TX Tone/NA	AC Mode
COMMAND	SEE								
TACTICAL	COMMUNICATION								
AIR TO GROUND	PLAN								
9. Prepared By (Resource Uni	it Leader)	Арі	proved By (Pla	anning Se	ction Chie	ef)	ļ	Date	Time
JENNA MOORE (T)		R	RICH JAROS					06/19/2025	0919

Division/Group Assignment List (ICS 204 WF) Controlled Unclassified Information//Basic

1. Incident Name:						3.					
FRANCE CANYON						Branc	:h:		Division/Gro	up:	
2. Operational Period:	DAY										
Date/Time From: 06/20/2025 0600 F	RI		ime To: 025 2100) F	RI						Z
4.			(Operations	Personn	el					
FIELD OPS SECTION CHI							JP SUPER	/ISOR	COLT COATES		
DI ANNINO ODO OFOTION OU	BRIAN BIRE	` '									
PLANNING OPS SECTION CHI	EF DEREK BAI	RION									
5.			Resou	rces Assigı	ned this	Period					
Strike Team / Task							Number	l _		Т	
Resource Desig	nator		_WD		Leader		Persons		op Off PT./Time		Pick Up PT./Time
CRW1 ALTA IHC C-1				TYLER CA			23	ICP/0			P/2100
CRW1 SMOKEY BEAR IHC C	-2	C	06/25	JESUS RU	E		24	ICP/0		IC	P/2100
CRW1 UNION IHC C-5		C)6/23	ERIC JORG	GENSEN		23	ICP/0	0600	IC	P/2100
TWIN FALLS & PRICE VALLEY	' HELITACK			TRISTEN K JORDAN H		EK /	21	ICP/0	0600	IC	P/2100
SOFF O-12		C	06/28	BRIAN FRI			1	ICP/0	0600	IC	P/2100
EMTF O-10		()6/28	MICHAEL	LORTA		1	ICP/0	0600	IC	P/2100
EMTF O-11		(06/28	DYLAN VO	N KANE	L	1	ICP/0	0600	IC	P/2100
REMS (RENO FD) O-33		(06/30	JEFFREY (CATES		1	ICP/0600			P/2100
6. Control Operations/Work A	ssignments:										
TASK UTILIZE DIRECT AND II SPRING BRANCH CAN' PURPOSE PROTECT BRYCE WOO END STATE FIRE PROGRESSION IS	YON. DDLANDS SU	BDIVISI	ON FRO	OM FIRE	THRE!		ANCE CA	NYO	N AND KEEF	FIR	E NORTH OF
7. Special Instructions:		-									
REMS (RENO FD) JEFF	REY CATES	LEAD W	ILL BE	SHARED) BETW	/EEN D	IVISION	A AN	D Z.		
8.			Division/	Group Com	nmunicat	ion Sum	mary				
Function	Channel	RX Fre	equency	N/W	RX Tone	e/NAC	TX Freque	ncy N/	W TX Tone/N	NAC	Mode
COMMAND	SEE										
TACTICAL	COMMUNICATION	ON									
AIR TO GROUND	PLAN										
9. Prepared By (Resource Uni	t Leader)		Approv	ed By (Plan	nning Se	ction Chi	ef)		Date	\top	Time
JENNA MOORE (T)			RICH	RICH JAROS 06/19/2025 0919						0919	

		Controlled	Unclassifi	ed Infor		Basic			
1. Incident Name:					3.				
FRANCE CANYON					Branch	າ:		Division/Group	o:
2. Operational Period:	DAY								
Date/Time From:		Date/Time To:	:					STRUC	TURE
06/20/2025 0600 FRI	06	6/20/2025 210	00 F	RI					
4.			Operations						
FIELD OPERATIONS CHIEF	KORBY FRAUGH BRIAN BIRD (T)	ITON		DIVISIO	ON/GROU	P SUPER\	/ISOR	DANIEL PROBER	Т
PLANNING OPS SECTION CHIEF		I							
5.		Reso	urces Assigr	ned this	Period				
Strike Team / Task Fo Resource Designate		LWD		Leader		Number Persons	Dro	op Off PT./Time	Pick Up PT./Time
ENG3 UTAH COUNTY FD E13 E-		06/30	JORGEN C			4	ICP/0	<u> </u>	ICP/2100
WTT2 UT-CPD WT4916 E-44		06/30	GENARD T			2	ICP/0		ICP/2100
6. Control Operations/Work Assign	nmonto:	00/30	GLIVARD I	IONFE			107/0		101 /2100
TASK PATROL AND MAINTAIN F PURPOSE MONITOR FIRE SPREAD A END STATE BRYCE WOODLANDS RES 7. Special Instructions:	AND PREPARE	E AID IN EI	MERGENO	СҮ АСТ	TIONS.		<u>10IT</u>	N.	
8.	Channel		n/Group Com			-	nov NA	N Ty Tong/NA	2 Mode
Function COMMAND	Channel R	RX Frequency	7 IN/VV	RX Tone	/INAC I	X Frequer	icy iN/V	N TX Tone/NA	C Mode
TACTICAL									
LOGISTICS									
AIR TO GROUND									
9. Prepared By (Resource Unit Le	ader)	Appro	ved By (Plar	nning Se	ction Chie	ef)		 Date	Time
JENNA MOORE (T)	,		H JAROS	5 - 0		,		06/19/2025	0919

INCIDENT RADIO COMMUNICATIONS PLAN (ICS 205)

						Inclassified I						
1. Incident	Name:			2. Date	e/Time Prepared:			3. Ope	rational Period:	DAY		
FRANCE	CANY	ON		Date: Time:	06/19/2025 0919				ate/Time From: 6/20/2025 0600	FRI	1	ate/Time To: 20/2025 2100 FRI
4. Basic Ra	dio Char	nnel Use:										
Zone Group	Ch #	Function	Channel Name/Trunked f System Talkgr		Assignment	RX Freq	R Tone	X /NAC	TX Freq	TX Tone/NAC	Mode (A,D, or M)	Remarks
	1	COMMAND	1 CMD 1			168.7750			164.9125	151.4	Α	WILSON PEAK
	2	COMMAND	2 CMD 2			173.0625			163.1625	151.4	А	HATCH MTN
	3	COMMAND	3 WILSON			172.3500			164.8500	123.0	А	COLOR COUNTRY DISPATCH
	4	TACTICAL	4 TAC 4		DIV A	156.0675			156.0675		А	LOCAL TAC 4
	5	TACTICAL	5 TAC 5		DIV R	169.1750			169.1750		А	LOCAL TAC 5
	6	TACTICAL	6 TAC 6		DIV Z	169.0750			169.0750		А	LOCAL TAC 6
	7	TACTICAL	7 TAC 7		DIV M	169.1875			169.1875		А	LOCAL TAC 7
	8	TACTICAL	8 TAC 8		DIV K / STRUCTURE	156.1275			156.1275		А	LOCAL TAC 8
	9	AIR TO GROUND	9 A/G PRI			166.6125			166.6125		А	INCIDENT A/G
	10	AIR TO GROUND	10 A/G SEC			167.9500			167.9500		А	INCIDENT A/G
	11	TACTICAL	11 TAC 9		DIV C	166.7750			166.7750		А	NIFC TAC
	13	COMMAND	13 SPIKE CMD			168.2500			168.2500		Α	KANAB CREEK SPIKE CMD
	14	AIR TO GROUND	14 VMED 28			155.3400			155.3400	156.7	А	LIFE FLIGHT
	15	AIR TO GROUND	15 VMED 29			155.3475			155.3475	156.7	Α	LIFE FLIGHT
	16	AIR GUARD	16 AIR GUARD			168.6250			168.6250	110.9	А	EMERGENCY
5. Special I	nstructio	ons:						•				/
6. Prepared	I Ву	(Communicat	ions Unit Leader)		Name: MARCUS BRI	NKERHOFF			S	signature:	MILLER	Security ()
ICS 205					IAP Page		_	_		ate/Time: 06/		

	Α	IR OPE	RATIONS	SUMMARY	ICS-22	0			Ti		repared :00		Dat	e Prepared 6/19/25			Prepare Michael	
	F	rance Ca	nyon Fire		Sunrise	•	Sunset							nal Period - D	ate	Op		eriod - Time
Remember: 1	Tree cand	ppy, veget	ation, and sm	s, Air Operations oke can limit pi one is clear pric	lots' ability	to lo	ocate firef				nformati Helibase		France Canyon ZLC 5/6350	06/20/25 TFR			-	er Information opters through Color
Always n	naintain s	situationa b	l awareness fo ecome displac	or snags, limbs, ed from the dro	and loose p.	rock	ks that mi	ght	Co	edar C	City KBCE		Polygon: 13,500 MSL Dailv 0700-2200				ort-Haul: Gr	
!! BE AWA	RE OF II	HUNDERS		OPMENT, HIGH TIONS !!	i WINDS, d	& DE I	IERIORA	IING			costs to: ck@Firen							
Incident	Frequen	cies	RX	Tone	TX		Tone	AM/FM	Position	A#	О#		Name	Pho	ne	E	QUIPMENT/	SUPPLIES
			FM-Air t	to Ground	-	-												
																1		
									AOBD		O-88	ľ	Mike Byers	801-82	1-7287	1		
	G Primary Secondar	· · · · · · · · · · · · · · · · · · ·	166.6125 167.9500		166.612 167.950			FM FM								Holiba	se Trailer	E-27
A/G	Secondar	у	167.9500		107.930			FIVI	HEBM		O-26	L	ee Stewart	775-220	0-6364		otsey	RIFC
																Dur	mpster	S-160
			1															
									UASP			В	en Pattyson	540-93	1-3761			
			AM -	Air-Air													Dispatch inf	l ormation
Franc	e TFR A/A	Α	133.8250	7 7	133.825)		AM										
	ndary A/A		126.4000		126.400			AM								UT-CD0	C Dispatch	435-865-4600
	,	-	12011000					7										100 000 1000
			1 1		1	I								1				
			HELICO	OPTERS							l	l	HE	LICOPTERS		<u> </u>		
FAA#	A#	TYPE	Make/Model	Location	Avail St	ор	Remar	ks	FAA#	A#		TYPE	Make/Model	Helibase	Avail	Stop	F	Remarks
N332N	A-3	1	Super Puma	Cedar City	0800 21	00 IA	A,Rapell,Bu		N351E	A-12		3	AS350B3	Bryce	0800	2100	STEP,Reco	n,LL,Shuttle,Buckets
N562MW	A-2	1	K-1200	Bryce C HB	0800 21		Bucket							IVED WILL				
N33KT	A-37	1	UH-60	Bryce C HB	0800 21		Bucket		FAA #	A #	1	0-11 0:		IXED WING	A *I	01) a ma a misa
N2773H N635CK	A-7	2	Bell 205A1++ S061	Bryce C HB Cedar City	0800 21 0800 21		Shuttle, Bud Order Daily,		FAA#	A#		Call Sign	Make/Model	Base	Avail	Stop		Remarks
NOSOCK	1	ı		IAS	0000 [21	00 (Order Dally,	bucket,									+	
		Type	Make/Model	Base	Avail St	op	Remar	ks						1				
UR31	A-49.1	3	M600	Lakeview IHC	0800 21		IR, Mapping											
	A-49.3	3	Alta X	Lakeview IHC			D, IR, Mapp	ing, Reco										
																1	1	



Incident Weather Forecast



FORECAST NO: 3 NAME OF FIRE: France Canyon

PREDICTION FOR SHIFT DATE: 6/20/2025 UNIT: UT-DIF-000223 FORECAST ISSUED: 1800 6/19/2025 SIGNED: Audrew Gorelow

Incident Meteorologist: Andrew Gorelow

Contact: (240)778-5302 andy.gorelow@noaa.gov

WEATHER DISCUSSION: ***RED FLAG WARNING FOR GUSTY SW WINDS AND LOW RH***

A deep area of low pressure will move through the northern Great Basin today and Saturday. As this occurs, strong southwest winds will develop each day. Winds 20-25 mph with gusts 40-45 mph will occur through much of the day with the strongest winds during the afternoon. It may take some of the more sheltered canyons more time for winds to increase, but most areas should see the gusty winds by afternoon. RH will tick slightly higher today, but minimums still dropping to around 10 percent. Winds will remain gusty through the overnight period and increase once again Saturday with this day seeing the strongest winds. The RED FLAG WARNING will continue through 2200 Saturday. No precipitation is expected into early next week.

WEATHER FORECAST FOR TODAY (FRIDAY):

WEATHER: Sunny and Very Windy. RED FLAG WARNING FOR SW STRONG WINDS AND LOW RH.

CHANCE OF WETTING RAIN: 0% CHANCE OF LIGHTNING: 0%

20 FT WINDS: Morning winds south to southwest 10-15 mph, up to 20 mph on the on the exposed ridges.

Winds increasing late morning and afternoon 20-25 mph with gusts 35-40 mph.

MAX TEMPERATURE (8500 FT): 75-80 degrees

MIN HUMIDITY (8500 FT): 9-14% MIXING HEIGHT: 8,000 feet.

TRANSPORT WINDS: Southwest 30-40 mph.

FRIDAY NIGHT:

WEATHER: Clear and remaining breezy

CHANCE OF WETTING RAIN: 0% CHANCE OF LIGHTNING: 0%

20 FT WINDS: Evening southwest winds 20-25 mph with gusts to around 35 mph, decreasing to 10-15

mph with gusts around 25 mph.

MIN TEMPERATURE: 50-55 degrees

MAX HUMIDITY: 23-28%

SATURDAY:

WEATHER: Sunny and Very Windy. RED FLAG WARNING THROUGH 2200.

CHANCE OF WETTING RAIN: 0% CHANCE OF LIGHTNING: 0%

20 FT WINDS: Southwest 20-25 mph with gusts 40-45. **MAX TEMPERATURE (8500 FT):** 68-73 degrees

MIN HUMIDITY (8500 FT): 10-15%

MIXING HEIGHT: 7500 feet.

TRANSPORT WINDS: Southwest 40-50 mph.

FIRE BEHAVIOR FORECAST

FORECAST NUMBER:04	TYPE OF FIRE: Wildland
FIRE NAME: France Canvon	OPERATIONAL PERIOD: 06/20/2025 Day Shift
DATE ISSUED: 06/19/2025	TIME ISSUED: 1800
UNIT: Dixie National Forest / Powell RD	SIGNED: /s/ Kim Soper

INPUTS

FUEL ASSUMPTIONS: The major fuel types found in and around the fire area are very high load timber/ shrub fuels. The primary carrier of the fire will be heavy forest litter with a shrub (manzanita) and moderate to high jackpot fuels. Observed spread rates and flame lengths are high to extreme in most fuel types in the fire area. The large-scale fuel drying trend will continue throughout the month of June as it is the dryest month for moisture for the fire area.

<u>Fuel Receptiveness</u>: The area ERC level is above normal for this time of year. Forecasted levels will hit the 80th percentile within the next few days and the ERC level is forecasted to continue to rise well above the 90th percentile with forecasted hot dry weather conditions by the end of the month. The probability of ignition is very high.

Dryness - Fuel moistures (Fuel samples collected around the fire area on 6/01):10 hour – 4%,100 hour -7,1000 hour – 8%, Duff – 6%, Ponderosa Pine – 85%, Manzanita shrub – 81%, Bitter Brush – 95%, and Juniper – 66%

Fuel moisture will continue to decrease each day due to the hot dry weather forecast for the next ten days.

WEATHER SUMMARY (For Specifics, please see the attached Incident Weather Forecast).

DISCUSSION: Red flag warning for gusty southwest winds and low Relative humidity.

WEATHER: Sunny and very windy **MAX TEMP:** 75 to 80° **MIN RH:** 9-14%

20 FOOT WINDS: southwest 20 - 25 mph, gusts 40 mph

CHANCE OF WETTING RAIN (≥ 0.10"): 0%, Chance of Precipitation: 0%, MIXING HEIGHT: 8000

OUTPUT

FIRE BEHAVIOR

Fire behavior will be extremely active today because of the red flag conditions. Expect very active surface spread with tree torching transiting to long range crown runs with long range spotting. Spots will transition quickly to very active surface burning. There will be very high heat intensity development and extremely rapid rates of spread in any uncontrolled fire areas.

General

RED FLAG WARNING FROM NOON THURSDAY THROUGH 2200 SATURDAY

The weather is only getting hotter, dryer and windier the next two days. Both rates of spread and fire intensities will increase and compromise control of the fire. Extreme caution will need to be taken to assure Firefighter safety.

Division A: Fire behavior will continue to be extremely active today. Expect fire activity to range from active surface burning, multiple tree torching, and long-range crown runs when the wind and/or slope come into aliment.

<u>Division R and Z</u>: The forecasted winds will be an asset in securing this portion of the fire perimeter. Expect creeping smoldering in areas that have been burned out along control lines. Unburned interior islands will continue to be active with surface burning and some single tree torching.

<u>Division M:</u> With control lines in place expect surface burning, creeping and smoldering conditions. If any uncontrolled spots become active you can expect to see strong surface burning, group tree torching and some short to long range crown activity.

Division C and K: There is a high probability that the head of the fire will push into these divisions today or tomorrow. Expect extreme fire behavior with rapid rates of spread, long-range spotting and long-range crown runs. **All readings are using the daily worst-case scenario.**

Timber Litter

Maximum Rate of Spread: surface spread 1500 - 2000 ft / hr - Crown runs 1 - 2 miles / hr
Maximum surface spread flame length: 7 - 10 feet
Maximum Spotting Distance: 0.5 Miles, 2700 to 3500 feet
Probability of Ignition: 80 - 90%

SAFETY

Red flag day for high winds, dry and hot weather. This is a heads-up day for extremely active fire behavior. Know you escape routes and safety zones at all times. **Always establish your LCES**

A MOMENT FOR SAFETY CAN LAST A LIFETIME.



GREAT BASIN CONSUMABLE SAW PARTS ORDER FORM

Send form to Supply at 2024.wapiti.ordering@firenet.gov



CREW/RESOURCE NAME:	RESOURCE NUMBER:				
POINT OF CONTACT:		INCIDENT	NUMBER:		
CONTACT INFO (Phone & E-mail):		DATE REC	QUESTED:		
MAKE: STIHL HUSQVARNA OTHER			044 440 441 04 395 500i 572 O	46 460 461 462 OTHER	
BAR LENGTH: 22" 24" 25" 28" 30" 32" 36" OTHER:		5: 72 84	91 105 114 -		
TOOTH COMPLIMENT: SEMI-SKIP FULL-SKIP FULL-COMP OTHER	OTHER:_		43 .050 .058 –		
CUTTER STYLE: CHISEL SEMI-CHISEL CHIPPER OTHER:		ITCH: ¼"	3/8" .325" . ⁴ –	104" ¾"	
PARTS I	NEEDED				
DESCRIPTION (Include model # if ordering for multiple models of saw.	s.) M	ODEL	PART NUMBER	QTY	
SPECIAL DELIVERY INTRU			NTS		
(i.e., FILL AT HOME UNIT, Deliver to DP ## by 1200hrs on mo	o/da/yr, e	tc.)			
ICS SUPERVISOR / APPROVER PRINT & SIGN:		POSITION (ON INCIDENT:	DATE:	
Administrative Use: Supply Unit has filled and marked off a remainder of items should be sent to Ordering for S# assign			· · · · · · · · · · · · · · · · · · ·	• • •	
SUPPLY UNIT LEADER / CACHE MANAGER PRINT & SIGN:			DATE:		

GREAT BASIN CONSUMABLE CHAINSAW PARTS LIST

							IIVJAVV FAIL							
PART	034/341	360/MS360	MS361	MS362	038/381	044/MS440	MS441	460/MS461	MS462	MS500i	0640/650	MS660	MS880	
	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F	Bosch USR7AC	Bosch USR7AC	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F	
Spark Plug (NFES# 000344)	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	NGK CMR6H	NGK CMR6H	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	
	Champion RCJ6Y	Champion RCJ6Y	Champion RCJ6Y	Champion RCJ6Y	Champion RCJ6Y	Champion RCJ6Y	Champion RCJ6Y	Champion RCJ6Y	NGK CIVIKOR	NGK CIVIKOR	Champion RCJ6Y	Champion RCJ6Y	Champion RCJ6Y	
Needle Cage Bearing (NFES# 066565)	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-3150	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2380	9512-003-3146	9512-933-2382	9512-933-2382	9512-933-3170	
E Clip (NFES# 066517)	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-1001	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-1001	
Retaining Washer for Rim Sprocket	0000-958-1022	0000-958-1022	0000-958-1032	0000-958-1032	0000-958-1231	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1236	
Rim Sprocket Kit 3/8 - 7T	1125-007-1040	1125-007-1223	1128-007-1000	1135-007-1002	1119-007-1003	1128-007-1000	1128-007-1000	1128-007-1017	1128-007-1000	1128-007-1017	1122-007-1000	1122-007-1000	N/A	
Clutch Drum							Order Sprocket Kit						•	
Rim Sprocket 3/8 7T (NFES# 06665	0000-642-1231	0000-642-1023	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	N/A	
Rim sprocket KIT 3/8 - 8T	N/A	N/A	1128-007-1001	1128-007-1001	N/A	1128-007-1001	1128-007-1001	1128-007-1001	1128-007-1001	1128-007-1001	1122-007-1001	1122-007-1001	1124-007-1025	
Clutch Drum							Order Sprocket Kit							
Rim Sprocket 3/8 - 8T	N/A	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	
Clutch	1127-160-2050	1125-160-2005	1128-160-2004	1138-160-2010	1119-160-2000	1128-160-2001	1138-160-2010	1128-160-2004	1142-160-2000	1128-160-2004	1122-160-2005	1122-160-2002	1124-160-2005	
Chain Adjuster Kit / Spur Gear	1125-007-1036	1125-007-1021	1125-007-1021	1125-007-1021	1118-664-1600	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1124-007-1008	
					1120-664-1500									
Bump Strip	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	
Starter Rope w/handle	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	
Worm Gear (Oiler)	1125-640-7110	1125-640-7110	1128-640-7112	1128-640-7112	1119-642-1501	1128 640 7112	1128 640 7112	1128 640 7112	1128-640-7112	1147-640-7110	1122-640-7105	1122-640-7105	1124-640-7512	
Manifold Boot	1125 141 2200	1125 141 2200	1135 141 2200	1140 140 2503	1119 140 2500	1128 141 2204	1138 140 2508	1128 141 2204	1142 141 2200	1147-141-2200	1122 141 2200	1122 141 2201	1124 141 2202	
Fuel Filter / Pickup Body	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3518	0000-350-3518	0000-350-3504	0000-350-3500	0000-350-3504	
Tank Vent						0000-350-5800	0000-350-5800	0000-350-5800	0000-350-5800	0000-350-5800				
Cap (for Fuel Injection Pump)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0000-121-2702	N/A	N/A	N/A	
Inner Side Plate	1122-664-1000	1122-664-1000	1122-664-1000	1122-664-1000	1119-664-1000	1128-664-1001	1138-664-1000	1128-664-1001	1128-664-1001	1128-664-1000	1128-664-1001	1128-664-1001	1124-664-1001	
Bar Nut / Collar Nut (NFES# 06661)	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-995-0803	0000-995-0803	0000-955-0801	0000-955-0801	0000-955-0903	
Air Filter - HD (NFES# 066756)	1125-120-1626	1125-120-1612	1135-120-1600	1140-140-4401	1119-120-1611	0000-140-4402	0000-120-1654	0000-120-1654	1142-140-4402	1144-140-4402	0000-140-4402	0000-140-4402	0000-140-4402	
		1125-120-1626		1140-140-4402										
Pre Filter - OEM	N/A	N/A	N/A	N/A	1119-120-1500	0000-141-0300	0000-141-0300	0000-141-0300	N/A	N/A	0000-141-0300	0000-141-0300	0000-141-0300	
MaxFlow Air Filter							Fill locally							
Filter Oil		Fill locally												
	l				Fill locally									
Filter Cleaner							,							
Filter Cleaner Bearing Grease - Tube							,							
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880)							,							
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869)							,							
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341)							Fill locally							
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD		saws being ran on th					Fill locally D) 2-cycle mix in ord							
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel		saws being ran on th saws being ran on th					Fill locally D) 2-cycle mix in ord							
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges							Fill locally D) 2-cycle mix in ord							
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6° Pocket - (NFES# 0515)							Fill locally D) 2-cycle mix in ord							
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884)							Fill locally D) 2-cycle mix in ord							
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516)							Fill locally D) 2-cycle mix in ord							
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 02725)							Fill locally D) 2-cycle mix in ord							
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64"							Fill locally D) 2-cycle mix in ord							
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0516) 8" Rifled - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File							Fill locally D) 2-cycle mix in ord							
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64"							Fill locally D) 2-cycle mix in ord							
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875)	All						Fill locally D) 2-cycle mix in ord							
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH -	All .	saws being ran on th	ne fireline should be	fueled with Non-Eth	anol Fuel mixed wit	h High Definition (H	Fill locally D) 2-cycle mix in ord D) 2-cycle mix in ord	er for the saw to rui	n more efficiently in	the extremely harsh	environments that	they are performing	in.	
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0516) 12" - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR	.050" GUAGE 3623-005-0072	saws being ran on th	the fireline should be	fueled with Non-Eth	anol Fuel mixed wit.	h High Definition (H	Fill locally D) 2-cycle mix in ord D) 2-cycle mix in ord 3623-005-0072	er for the saw to run	n more efficiently in	the extremely harsh	environments that	3623-005-0072	in. 3623-005-0072	
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Gart (NFES# 0515) 8" Smooth - (NFES# 0515) 8" Smooth - (NFES# 0516) 12" - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500)	.050" GUAGE 3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	Fill locally D) 2-cycle mix in ord D) 2-cycle mix in ord 3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	a623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0516) 12" - (NFES# 0516) 12" - (NFES# 072725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR	.050" GUAGE 3623-005-0072 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	Fill locally D) 2-cycle mix in ord D) 2-cycle mix in ord 3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	a623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	3623-005-0072 3623-005-0084 3623-005-0091	
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0884) 8" Rifled - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 42 DR 25" - 44 DR (NFES# 006500) 28" - 91 DR	.050" GUAGE 3623-005-0072 3623-005-0091 N/A	3623-005-0072 3623-005-0091 N/A	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	Fill locally D) 2-cycle mix in ord D) 2-cycle mix in ord 3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	a623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	3623-005-0072 3623-005-0084	
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0516) 12" - (NFES# 0516) 12" - (NFES# 0516) 12" - (NFES# 0345) or 13/64" Raker File - 7/32" (NFES# 0345) or 13/64" Raker File - 7/32" (NFES# 0345) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8"	.050" GUAGE 3623-005-0072 3623-005-0084 3623-005-0084 3623-005-0084 3623-005-0084 8" PITCH050" GU	3623-005-0072 3623-005-0084 3623-005-0091 N/A	3623-005-0072 3623-005-0072 3623-005-0091 N/A	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 N/A	3623-005-0072 3623-005-0084 3623-005-0091 N/A	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105	Fill locally D) 2-cycle mix in ord D) 2-cycle mix in ord 3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105	
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) 2 Cycle Oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Guart (NFES# 0341) 2 Cycle Oil - STHIL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0516) 12" - (NFES# 0526) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STHL Rapid - Super-Full Skip (RSF) - 3/8" Chain STHL Rapid - Super-Full Skip (RSF) - 3/8"	050" GUAGE 3623-005-0072 3623-005-0091 N/A 8" PITCH050" GU	3623-005-0072 3623-005-0084 3623-005-0091 N/A UAGE 3676-005-0072	3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072	3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072	3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072	Fill locally D) 2-cycle mix in ord D) 2-cycle mix in ord 3623-005-0072 3623-005-0091 3623-005-0105 3676-005-0072	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072	
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - STHIL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0516) 12" - (NFES# 0516) 12" - (NFES# 072725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8" Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8" - 72 DR	.050" GUAGE 3623-005-0072 3623-005-0091 N/A 8" PITCH050" GL N/A 3676-005-0084	3623-005-0072 3623-005-0091 N/A UAGE 3676-005-0072 3676-005-0094	3623-005-0072 3623-005-0091 3623-005-0091 N/A 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 N/A 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 N/A 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3623-005-0084 3623-005-0084	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0015 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 3623-005-0015 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0084	
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Gallon (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Gyer (NFES# 0361) 8" Smooth - (NFES# 0515) 8" Smooth - (NFES# 0516) 12" - (NFES# 0516) 12" - (NFES# 0516) 12" - (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/6 20" - 72 DR 25" - 84 DR 25" - 84 DR	.050" GUAGE 3623-005-0072 3623-005-0084 3623-005-0091 N/A 8" PITCH050" GU N/A 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0084 3676-005-0091 3676-005-0072 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0084 3676-005-0072 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0084 3676-005-0072 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 3627-005-0091 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0091 3676-005-0093	3623-005-0072 3623-005-0084 3623-005-0010 3676-005-0072 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0013 3623-005-0010 3676-005-0072 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0013 3623-005-0010 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0019 3623-005-0019 3676-005-0072 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0010 3676-005-0072 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0072 3676-005-0084 3676-005-0091	
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) 2 Cycle Oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Gallon (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 8 "Smooth - (NFES# 0515) 8 "Smooth - (NFES# 0515) 12" - (NFES# 0516) 12" - (NFES# 0525) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8 "Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/10" - 72 DR 25" - 84 DR 28" - 91 DR 32" - 105 DR	.050" GUAGE 3623-005-0072 3623-005-0091 N/A 3676-005-0091 N/A 3676-005-0091 N/A	3623-005-0072 3623-005-0084 3623-005-0081 N/A UAGE 3676-005-0072 3676-005-0081 N/A	3623-005-0072 3623-005-0091 3623-005-0091 N/A 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 N/A 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 N/A 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3623-005-0084 3623-005-0084	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0015 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 3623-005-0015 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0084	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0084	
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - STHIL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0516) 12" - (NFES# 0526) 12" - (NFES# 05275) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8" 21" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8" 21" - 105 DR Guide Bars (STIHL ROLLOMATIC - ES) - 3/8"	050" GUAGE 3623-005-0072 3623-005-0091 N/A 3676-005-0084 3676-005-0084 3676-005-0084 3707-005-0084	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 N/A UAGE 3676-005-0072 3676-005-0084 3676-005-0091 N/A	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072 3676-005-0091 N/A	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072 3676-005-0091 N/A	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072 3676-005-0084 3676-005-0091 N/A	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0072 3676-005-0084 3676-005-0091 3676-005-0105	3623-005-0072 3623-005-0091 3623-005-0091 3623-005-0091 3676-005-0091 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0084 3676-005-0091	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0072 3676-005-0084 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0091 3676-005-0072 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0091 3676-005-0091	
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - STHIL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0515) 8" Smooth - (NFES# 0516) 12" - (NFES# 072725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8" 25" - 84 DR 26" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8" 21" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8" 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8" 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/8" 105 DR	.050" GUAGE 3623-005-0072 3623-005-0091 N/A 3676-005-0084 3676-005-0091 N/A PITCH050" GUAGE 3003-000-8822	3623-005-0072 3623-005-0084 3623-005-0091 N/A JAGE 3676-005-0072 3676-005-0091 N/A SE 3003-000-8822	3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0091 N/A 3003-000-8822	3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072 3676-005-0091 N/A 3003-000-8822	3623-005-0072 3623-005-0072 3623-005-0091 N/A 3676-005-0072 3676-005-0091 N/A 3003-000-8822	3623-005-0072 3623-005-0072 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0091 3676-005-0105 3003-000-8822	3623-005-0072 3623-005-0091 3626-005-0091 3676-005-0105	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0091 3676-005-0105 3003-000-8822	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0091 3676-005-0105	3623-005-0072 3623-005-0072 3623-005-0091 3623-005-0091 3676-005-0091 3676-005-0105 3003-000-8822	3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0092 3676-005-0091 3676-005-0105	3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0092 3676-005-0091 3676-005-0105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0091 3676-005-0091 3676-005-0091 3003-000-8822	
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1880) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0584) 8" Rifled - (NFES# 0516) 1.2" - (NFES# 02725) Round File - 7/32" (NFES# 02725) Round File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/20" - 72 DR 25" - 84 DR 26" - 91 DR 32" - 105 DR Guide Bars (STIHL ROLLOMATIC - ES) - 3/8" 20" 25" (NFES# 066584)	.050" GUAGE 3623-005-0072 3623-005-0091 N/A 8" PITCH050" GU N/A 3676-005-0084 3676-005-0091 N/A PITCH050" GUAGE	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0084 3676-005-0091 N/A 3676-005-0091 N/A 363-005-0091 N/A 3003-000-8822 3003-000-8830	3623-005-0072 3623-005-0084 3623-005-0084 3676-005-0091 N/A 3676-005-0091 N/A 3003-000-8822 3003-000-8822	3623-005-0072 3623-005-0072 3623-005-0084 3676-005-0072 3676-005-0091 N/A 3003-000-8822 3003-000-8830	3623-005-0072 3623-005-0084 3623-005-0084 3676-005-0072 3676-005-0091 N/A 3003-000-8822 3003-000-8822	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0072 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0072 3623-005-0091 3676-005-0091 3676-005-0015 3003-000-8822 3003-000-8830	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-00105 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3003-000-8822 3003-000-8822	3623-005-0072 3623-005-0084 3623-005-0084 3623-005-0010 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0084 3623-005-00105 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-00105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-00105 3676-005-0072 3676-005-0091 3676-005-00105	3623-005-0072 3623-005-0084 3623-005-0019 3623-005-0019 3676-005-0091 3676-005-0091 3676-005-00105	3623-005-0072 3623-005-0072 3623-005-0091 3623-005-00105 3676-005-0072 3676-005-0091 3676-005-0105	
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil: STIHL HD NOn-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/3" 20" - 72 DR 25" - 84 DR 32" - 105 DR Guide Bars (STIHL ROLLOMATIC - ES) - 3/8" 20" 25" (NFES# 066584) 28"	.050" GUAGE 3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0084 3676-005-0091 N/A 3676-005-0084 3676-005-0084 3767-005-0084 3767-005-0091 N/A N/A	3623-005-0072 3623-005-0084 3623-005-0084 3623-005-0091 N/A UAGE 3676-005-0072 3676-005-0084 3676-005-0084 3676-005-0084 3676-005-0084 3676-005-0084 3676-005-0084	3623-005-0072 3623-005-0084 3623-005-0084 3623-005-0091 N/A 3676-005-0072 3676-005-0084 3676-005-0091 N/A 3003-000-8823 N/A	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072 3676-005-0084 3676-005-0091 N/A 3003-000-8822 3003-000-8830 N/A	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 N/A 3676-005-0072 3676-005-0091 N/A 3003-000-8822 3003-000-8830 N/A	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3626-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3003-000-8823 3003-000-8833	3623-005-0072 3623-005-0072 3623-005-0091 3623-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3003-000-8833 3003-000-8833	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3003-000-8830 3003-000-8830 3003-000-8838	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0091 3676-005-0091 3676-005-0105 3003-000-8823 3003-000-8833	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3003-000-8822 3003-000-8833 3003-000-8838	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0105 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3003-000-8830 3003-000-8833	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3030-00-8823 3003-000-8830 3003-000-8838	
Filter Cleaner Bearing Grease - Tube Bar oil - Gallon (NFES# 1880) Bar oil - Gallon (NFES# 1880) 2 Cycle Oil - Quart (NFES# 1869) 2 Cycle Oil - Quart (NFES# 0341) 2 Cycle Oil - Gyer (NFES# 0341) 2 Cycle Oil - STIHL HD Non-Ethanol Fuel Felling Wedges 6" Pocket - (NFES# 0515) 8" Smooth - (NFES# 0516) 12" - (NFES# 0516) 12" - (NFES# 0516) 12" - (NFES# 02725) Round File - 7/32" (NFES# 0345) or 13/64" Raker File - 8" Flat File Scrench - Combo Wrench (NFES# 0875) Chain STIHL Rapid-Super (RS) - 3/8" PITCH - 20" - 72 DR 25" - 84 DR (NFES# 006500) 28" - 91 DR 32" - 105 DR Chain STIHL Rapid-Super-Full Skip (RSF) - 3/12" - 105 DR Guide Bars (STIHL ROLLOMATIC - ES) - 3/8" 20" - 22" 20" - 22"	.050" GUAGE 3623-005-0072 3623-005-0091 N/A 8" PITCH050" GU N/A 3676-005-0084 3676-005-0091 N/A PITCH050" GUAGE	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0084 3676-005-0091 N/A 3676-005-0091 N/A 363-005-0091 N/A 3003-000-8822 3003-000-8830	3623-005-0072 3623-005-0084 3623-005-0084 3676-005-0091 N/A 3676-005-0091 N/A 3003-000-8822 3003-000-8822	3623-005-0072 3623-005-0072 3623-005-0084 3676-005-0072 3676-005-0091 N/A 3003-000-8822 3003-000-8830	3623-005-0072 3623-005-0084 3623-005-0084 3676-005-0072 3676-005-0091 N/A 3003-000-8822 3003-000-8822	3623-005-0072 3623-005-0072 3623-005-0084 3623-005-0091 3676-005-0072 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0072 3623-005-0091 3676-005-0091 3676-005-0015 3003-000-8822 3003-000-8830	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-00105 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3003-000-8822 3003-000-8822	3623-005-0072 3623-005-0084 3623-005-0084 3623-005-0010 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-0091	3623-005-0072 3623-005-0084 3623-005-0084 3623-005-00105 3676-005-0091 3676-005-0091 3676-005-0091 3676-005-00105	3623-005-0072 3623-005-0084 3623-005-0091 3623-005-00105 3676-005-0072 3676-005-0091 3676-005-00105	3623-005-0072 3623-005-0084 3623-005-0019 3623-005-0019 3676-005-0091 3676-005-0091 3676-005-00105	3623-005-0072 3623-005-0072 3623-005-0091 3623-005-0105 3676-005-0072 3676-005-0091 3676-005-0105	

The items listed here are considered consumable. Replacement requests for these parts should be filled at the Incident Supply Unit or Local Cache and marked off. If the order is unable to be filled it should be sent to Ordering for S# assignment and sent to a Buying Team or purchasing support for the incident acquisition, or provided to the requesting resource for fill at the home unit.

Items highlighted in gray should be fillable at most cache locations.

Please use the <u>new and improved</u> email address to turn in CTRs and shift tickets to make that happen!

Submit in person at ICP, use this QR code, or email



2025.francecanyon.finance@firenet.gov



Fire Information

Please send photos!

(Include Division, approx. location, name)
2025.francecanyon@firenet.gov

or Text them to 435-258-9909



ICP ADDRESS (for Mailing):

France Canyon ICP C/O YOUR NAME & Division/Staff 120 W. 200 South St./Preschool Panguitch, UT 84759

inciweb.wildfire.gov/utdif-france-canyon

To follow on Social Media: #FranceCanyonFire

ACTIVITY LOG (ICS 214)

1. Incident Name: 2.			2. Operational Period: Date Fro	m: Date To:
			Time Fro	m: Time To:
3. Name:		4. IC	S Position:	5. Home Agency (and Unit):
0 B				
6. Resources Assig			ICS Position	Home Agency (and Hait)
Nan	ne		ICS Position	Home Agency (and Unit)
7. Activity Log:				
Date/Time	Notable Activities			
8. Prepared by: Na	ame:		Position/Title:	Signature:
ICS 214, Page 1			Date/Time:	

1. Incident/Project Name:				2. Ope	eration	al Perio	d: [DAY					
FRANCE CANYON					ne From 025 0600					/Time To /2025 21		FRI	
				3.	Ambul	ance Se	ervices						
Name		C	Complete	e Addres	S			Phone & EMS Frequency		A	dvanced Yes	d Life S	Support (ALS) No
GARFIELD COUNTY AMBULANGERVICE		8 N 100 E ANGUITCH, l	JT				(435) 676-2	(435) 676-2662			Х		
CEDAR MOUNTAIN FIRE PROTECTION DISTRICT		620 MAMMOT UCK CREEK,		EK RD			(435) 682-3	225			Х		
				4. Ai	r Amb	ulance	Services						
Name		PI	none			Type of	Aircraft				Capabili	ity	
CLASSIC AIR MED (PAGE, AZ)		(800) 444-9	223		ROTO	R/FIXEI	O WING	PAR	RAMEDIC	AND FLIG	HT NUF	RSE C	NBOARD
LIFE FLIGHT (ST. GEORGE, UT REGIONAL)	DIXIE	(800) 321-1	911		ROTO	R/FIXEI	O WING	PAR	AMEDIC	AND FLIG	HT NUF	RSE C	NBOARD
MERCY AIR (MESQUITE, NV)		(800) 222-3	456		ROTO	R WING	;	PAR	RAMEDIC	AND FLIG	HT NUF	RSE C	NBOARD
GRAND CANYON NATIONAL PA	ARK	(928) 635-8	356		SHOR	T HAUL	. CAPABLE	MIN	. EMT & F	IELITACK	SUPPC	RT PI	ERSONNEL
5. Hospitals													
Name Complete Address	Cod	Datum - WG ordinate Stand ees Decimal Mi	dard	Tra	Travel Time		Phone	Phone		ipad	Level of Care Facility		
Complete Address	l	MM.MMM' N - MM.MMM' W		Air	G	round	7 116116		Yes	No	1 delity		radiity
DIXIE REGIONAL MEDICAL	Lat:	37' 5.935°											
1380 E MEDICAL CENTER DR ST. GEORGE, UT 84790		113' 33.160°		30 MIN	1 1.	5 HR	(435) 251-1002	X		LEVEL 2 TRAUMA			
UNIVERSITY MEDICAL	VHF:	20' 00 520°			_								
1800 W CHARLESTON BLVD.		36' 09.538° 115' 09.926°		1.5 HR		4 HR	(702) 202 2	(=00) 000 000 1			LEVEL 1 TRAUMA AND BURN		
LAS VEGAS, NV 89102	VHF:	110 00.020		1.5 HK	3-	4 NK	(702) 383-2	201	X		CENTER		CENTER
UNIVERSITY HOSPITAL	Lat:	40' 46.340°											
50 N MEDICAL DR SALT LAKE CITY, UT 84132	Long:	111' 50.240°		1.5 HR	4-	5 HR	(801) 581-2	291	X		LEVE		AUMA AND BURN CENTER
ŕ	VHF:												
GARFIELD MEMORIAL	Lat:												
	Long:			15 MIN	1 1.	5 HR	(435) 688-6	300	X			L	EVEL 5
	VHF:				丄								
				6. Ar	ea Loc	ation C	apability						
8. Prepared By (Medical Unit Le	ader)		9. Da	te/Time		10. Re	viewed By (S	viewed By (Safety Officer)				11. [Date/Time
JEFF HUNT			06/19/2	2025 091	9								

1. Incident/Project Name:		2. Operatio	2. Operational Period: DAY							
FRANCE CANYON			Date/Time From: Date/Time To: 06/20/2025 0600 FRI 06/20/2025 2100 FRI							
6. Area Location Capability										
Branch Division/Group										
	EMS Responders & 0		RENO REMS / EMPF KYLE / E	MPF RICK / EMTF D	YLAN / EMTF MICHAEL					
	Equipment Available	on Scene:	BLS/ALS							
	Medical Emergency (COMMAND 1 / TAC 4							
	ETA for Ambulance to	o Scene:								
DIVISION A	Air:		15 MIN FROM LAUNCH							
^	Ground:		30 MIN							
	Approved Helispot:									
	Lat:									
	Long:									
	EMS Responders & 0	Capability:	UNSTAFFED							
	Equipment Available	on Scene:								
	Medical Emergency C	Channel:								
	ETA for Ambulance to	Scene:								
DIVISION	Air:									
С	Ground:									
	Approved Helispot:									
	Lat:									
	Long:									
	EMS Responders & 0	Capability:	UNSTAFFED							
	Equipment Available	on Scene:								
	Medical Emergency C	Channel:								
	ETA for Ambulance to	o Scene:								
DIVISION	Air:									
K	Ground:									
	Approved Helispot:									
	Lat:									
	Long:									
	L									
8. Prepared By (Medical Unit I	Leader)	9. Date/Time	10. Reviewed By (Safety Office	er)	11. Date/Time					
JEFF HUNT		06/19/2025 0919								

1. Incident/Project Name:		2. Operational Period: DAY							
FRANCE CANYON		1	Date/Time From: Date/Time To: 06/20/2025 0600 FRI 06/20/2025 2100 FRI						
		6. Area Lo	cation Capability						
Branch Division/Group									
	EMS Responders & Capabili	ty:	WEST METRO REMS / CEDAR MOUNTAIN FD						
	Equipment Available on Scer	ne:	ALS						
	Medical Emergency Channel	:	COMMAND 1 / TAC 7						
	ETA for Ambulance to Scene	:							
DIVISION	Air:		10 MIN						
M	Ground:		ON SCENE						
	Approved Helispot:								
	Lat:								
	Long:								
	EMS Responders & Capabili	ty:	DAMMERON VALLEY REMS / I	EMPF BABICH					
	Equipment Available on Scer	ne:	BLS/ALS						
	Medical Emergency Channel	:							
	ETA for Ambulance to Scene):							
DIVSION	Air:								
R	Ground:		5-15 MIN						
	Approved Helispot:								
	Lat:								
	Long:								
	EMS Responders & Capabili	tv:	RENO REMS / EMPF KYLE / E	MPF RICK / EMTF D	YLAN / EMTF MICHAEL				
	Equipment Available on Scer		BSL/ALS						
	Medical Emergency Channel		COMMAND 1 / TAC 4						
	ETA for Ambulance to Scene								
DIVISION	Air:	•	15 MIN FROM LAUNCH						
Z	Ground:		30 MIN						
	Approved Helispot:		1						
	Lat:								
	Long:								
		7 Damete (Samuel a sation (a)						
Nama	I	7. Remote (Camp Location(s)						
Name & Location									
8. Prepared By (Medical Unit I	Leader) 9. Da	te/Time	10. Reviewed By (Safety Office	r)	11. Date/Time				
JEFF HUNT	06/19/	2025 0919							

1. Incident/Project Name:	2. Operation	2. Operational Period: DAY								
FRANCE CANYON	l l	Date/Time From: Date/Time To: 06/20/2025 0600 FRI 06/20/2025 2100								
7. Remote Camp Location(s)										
Name & Location										
LIELIDA OE	Point Of Contact:		EMPF ALFRED							
HELIBASE	EMS Responders & Ca	apability	ALS							
	Equipment Available of		ALS							
BRYCE CANYON	Medical Emergency Ch	hannel:								
AIRPORT	ETA for Ambulance To	Scene:								
	Air:									
	Ground:									
	Approved Helispot:									
	Lat:									
	Long:									
	Point Of Contact:		MEDICAL UNIT							
BASE CAMP	EMS Responders & Ca	apability	BLS							
	Equipment Available of	n Scene:	BLS							
ICP	Medical Emergency Ch	hannel:								
	ETA for Ambulance To	Scene:								
	Air:									
	Ground:		10 MIN							
	Approved Helispot:									
	Lat:									
	Long:									
8. Prepared By (Medical Unit L	_eader)	9. Date/Time	10. Reviewed By ((Safety Office	r)	11. Date/Time				
JEFF HUNT	C	06/19/2025 0919								

MEDICAL PLAN (ICS 206 WF) Controlled Unclassified Information//Basic

Medical Incident Report

FOR A NON-EMERGENCY INCIDENT, WORK THROUGH CHAIN OF COMMAND TO REPORT AND TRANSPORT INJURED

FOR A	"MEDICAL EMERGEN		SPONSE FROM I	IMANDER BY NAME	AND POSITION AND ANNOUNCE DNS/DISPATCH.
		following items to com		on to communicatio	ns/dispatch.
1. CONTACT CO	OMMUNICATIONS / DISPA	TCH (Verify correct	frequency prior to sta	arting report)	
2. INCIDENT ST. Ex: "Commun.		le incident summary (including ratient, unconscious, struck by a	• •		Road 1 at (Lat/Long.) This will be the Trout
Severity of Tra	Emergency / R Ex CX CX PX	ED/PRIORITY 1 Life or lim	ng, bleeding severely, 2 bus Injury or illness valk, 2° - 3° burns not m	° - 3° burns more than 4 pa • Evacuation may be Dore than 1-3 palm sizes.	Im sizes, heat stroke, disoriented. DELAYED if necessary.
	njury or Illness &				Brief Summary of Injury or Illness (Ex: Unconscious, Struck by Falling Tree)
Mechanis	sm of Injury				(Ex. Onconcolous, Grack by Faming Free)
Transpo	rt Request				Air Ambulance / Short Haul/Hoist Ground Ambulance / Other
Patient	Location				Descriptive Location & Lat. / Long. (WGS84)
Incide	nt Name				Geographic Name + "Medical" (Ex: Trout Meadow Medical)
On-Scene Incid	dent Commander				Name of on-scene IC of Incident within an Incident (Ex: TFLD Jones)
Patie	nt Care				Name of Care Provider (Ex: EMT Smith)
3. INITIAL PATIE	INT ASSESSMENT: Com	plete this section for each patier	nt as applicable (start w	ith the most severe patient)	
Patient Assessi	ment: See IRPG Page 106				
Treatment:					
4. TRANSPORT	PLAN:				
Evacuation Locat	ion (if different): (Desciptive	Location (drop point, inters	ection, etc.) or Lat. /	Long.) Patient's ETA to	Evacuation Location:
Helispot / Extracti	on Site Size and Hazards:				
5. ADDITIONAL I	RESOURCES / EQUIPMEN	IT NEEDS:			
		Devices, AED, Oxygen, Trauma	Bag, IV/Fluid(s), Splint	s, Rope resuce, Wheeled lii	ter, HAZMAT, Extrication
6. COMMUNICAT	ΓΙΟΝS: Identify State Air/0	Ground EMS Frequencies	and Hospital Conta	cts as applicable	
Function	Channel Name/Number	Receive (Rx)	Tone/NAC *	Transmit (Tx)	Tone/NAC *
COMMAND					
AIR-TO-GRND					
TACTICAL					
7. CONTINGENC	Y: <u>Considerations:</u> If prim	ary options fail, what actions	can be implemented	in conjunction with prima	ry evacuation method? Be thinking ahead.
8. ADDITIONAL I	INFORMATION:	lpdates/Changes, etc.			
REMEMBER:	Confirm ETA's of resource	s ordered. Act according to y	your level of training.	Be Alert. Keep Calm. Th	ink Clearly. Act Decisively.