Incident: Character Complex

1. Incident Name:	waster Cample		2. Inc	cident N	Numbe		00045	•
Cna	racter Comple	<u> </u>				ID-IPF-	00045	08 
<ol> <li>Report Version (check one box):         <ul> <li>Initial</li> <li>Update</li> <li>Final</li> </ul> </li> </ol>	Organization: <b>Northern</b>	ommander(s) & Agend : Rockies Team 2, Do Turman ICT1		5. Inci Organi	izatior	Managemer n: <b>e 1 Team</b>		6. Incident Start Date/Time: Date: <b>07/10/2021</b> Time: <b>1624 PDT</b>
7. Current Incident Size or Area Involved (use unit label – e.g., "Acres", "Square Miles"): 7260 Acres	8a. Percent (%) Contained or Completed: 30 % b. Total Percentage (%) of Perimeter that will be Contained or Completed: 100 %	9. Incident Type: Complex B. Incident Description Lightning Fires C. Cause: D. Fire Suppression Setrategy Monitor Confine Point Zone Protection Full Suppression	Strateg	<b>iy:</b> nt (%)	Comp Level Si	ncident olexity : ingle omplex	From <b>08/0</b> : To Da	eport Time Period: Date/Time: 1/2021 1600 PDT te/Time: 2/2021 1600 PDT
12. Prepared By: Print Name: <b>Valentijn</b> I Date/Time Prepared: <b>08</b> <b>PDT</b>		13. Approved I Print Name: <b>D</b> Signature:	•	urmar	ı, ICT	1		
14. Date/Time Submitte <b>08/02/2021 1658 P</b>		15. Primary Location, NRCC	Orgar	nization	, or A	gency Sent	: To:	
16. State: <b>ID</b>	17. County / Pa <b>Shoshone</b>	rish / Borough:						18. City: <b>Kellogg</b>
19. Unit or Other: 20.	Incident Jurisdi	ction: 21. Incident ID-IPF	Locati	on Owr	nershi	p (if differe	nt thar	າ jurisdiction):
22. Latitude/Longitude: Latitude: <b>47º 38' 42'</b> Longitude: <b>116º 1' 7</b>	Grid	JS National Grid Referond J Zone: oordinate: oordinate:	ence:	_	2	24. Legal De Principal M Township: 1/4 Sec: (	1eridia: R	n: Range: Section:
25. Short Location or Ar 3 miles North of Kello					e poin	t):	Z	UTM Coordinates: one: Easting: orthing:
27. Note any geospatial ftp.wildfire.gov/incid								
28. Observed Fire Behave terminology. For non-fire Moderate Single Tree Torching Backing	e incidents, desc							
Dacking								

**Incident: Character Complex** 

#### **Smoldering**

Narrative:

Fire behavior moderated due to higher relative humidities. Dry and warm conditions over the next few days will allow for an increase in fire behavior.

29. Primary Fuel Model, Materials, or Hazards Involved (hazardous chemicals, fuel types, infectious agents, radiation, etc):

**Timber (Grass and Understory)** 

Brush (2 feet)

**Timber (Litter and Understory)** 

#### Narrative:

Fuel Models 2, 5, and 10: Fuel Model 10 is the dominant fuel type representing the majority of the fuel models occurring on both of the fires. Heavy dead and down material is the primary carrier of the fires. On south and southwest facing slopes brush and timber grass fuel models are the most common on the lower 1/3 of slopes.

30. Damage Assessment Information (summarize damage and/or restriction of use or availability to residential or commercial property, natural resources, critical infrastructure and key resources, etc):

Shoshone County Sheriff has authorized a Stage 2 (SET) warning for the Beaver Creek-Dobson Pass population zone. Shoshone County Sheriff authorized a road closure on both the Coeur d'Alene River Road and Old River Road from Steamboat to Babin's Junction effective July 26. The closure allows campers and residents in the Coeur d'Alene River and Beaver Creek zones egress out of the potential fire area. Shoshone County Sheriff authorized a Stage 2

Shoshone County Sheriff authorized a Stage 2 (SET) warning for residents and campers from Coal Creek to Prichard Creek effective July 19.

A. Structural Summary	B. # Threatened (up to 72 hrs)	C. # Damaged	D. # Destroyed
E. Single Residences	85	0	0
F. Multiple Residences	0	0	0
G. Mixed Commercial / Residential	0	0	0
H. Nonresidential Commercial Property	5	0	0
I. Other Minor Structures	75	0	0

31. Public Status Summary:	·	" > 5 /		32. Responder Status Summary:		- ·	
C. Indicate the Number of <u>Civil</u>	<u>ians</u> (Pub	olic) Below.	<i>:</i>	C. Indicate the Number of Res	<u>bonders</u> E	selow:	
	Previous Report Total	A. # this Reporting Period	B. Total # to- date		Previous Report Total	A. # this Reporting Period	B. Total # to- date
D. Fatalities	0		0	D. Fatalities	0		0
E. With Injuries/Illness	0		0	E. With Injuries/Illness	10	0	10
F. Trapped/In Need of Rescue	0		0	F. Trapped/In Need of Rescue	0		0
G. Missing	0		0	G. Missing	0		0
H. Evacuated	0		0	H. Evacuated	0		0
I. Sheltering in Place	0		0	I. Sheltering in Place	0		0
J. In Temporary Shelters	0		0	J. In Temporary Shelters	0		0
K. Have Received Mass Immunizations	0		0	K. Have Received Mass Immunizations	0		0
L. Require Immunizations	0		0	L. Require Immunizations	0		0

**Incident: Character Complex** 

	Previous Report Total	A. # this Reporting Period	B. Total # to- date		Previous Report Total	A. # this Reporting Period	B. Total # to- date
M. In Quarantine	0		0	M. In Quarantine	0		0
N. Total # Civilians (Public) Affected:	0		0	N. Total # Responders Affected:	10	0	10

22 Life Cofety and Hoolth Chatro/Threat Demontor	24 Life Cafety and Health Thus	
	34. Life, Safety, and Health Thre	eat
	Management:	
concern).		Active?
35. Weather Concerns (synopsis of current and predicted weather; discuss related factors that may cause concern):	A. No Likely Threat	
Expecting a warming and drying trend through mid week. Another	B. Potential Future Threat	
dramatic change in the weather is expected Thursday with a strong	C. Mass Notifications in Progress	
cold front bringing thunderstorms and much cooler temperatures to	D. Mass Notifications Completed	
the region.	E. No Evacuation(s) Imminent	
Observed Weather: Partly cloudy. Highs 80-84. Minimum relative humidity 37-42	F. Planning for Evacuation	
percent. Winds southwest to west 5-9 with gusts to 15 mph.	G. Planning for Shelter-in-Place	
Forecast for tonight:	H. Evacuation(s) in Progress	
Mostly clear. Lows 62-67. Relative humidity recovery 52-57 percent.	I. Shelter-in-Place in Progress	
Winds west 3-7 mph through 2000 then becoming downslope 2-5 mph.	J. Repopulation in Progress	
downslope 2-3 mpm.	K. Mass Immunization in Progress	
	L. Mass Immunization Complete	
	M. Quarantine in Progress	
	N. Area Restriction in Effect	
	O. Road Closure	х
	P. Trail Closure	х
	Q. Area Closure	х

36. Projected Incident Activity, Potential, Movement, Escalation, or Spread and influencing factors during the next operational period and in 12-, 24-, 48-, and 72-hour time frames:

Cooler temps and higher relative humidity will keep fire behavior reduced to primarily backing 12 hours: and flanking with isolated single and small group tree torching if precipitation does not occur over the incidents today.

A warming and drying trend is likely to increase daily fire behavior. Fire will back down to the right of way corridor between Graham and Cinnabar creeks. Fire will back toward the old river road in the basin above the river between Cinnabar and Cedar creeks. Fire on the southeast corner will continue to flank and back towards the 933 road system. Fire on the southwest will check against control lines. Prichard will reduce in fire activity as the last of the heavy dead and down fuels finishing burning out.

48 hours: A warming and drying trend is likely to increase daily fire behavior.

72 hours: A warming and drying trend is likely to increase daily fire behavior.

Anticipated after 72 hours: A cool and moist system has the potential to reduce fire behavior and

37. Strategic Objectives (define planned end-state for incident):

The Stateline Complex has a full suppression strategy that utilizes a mix of tactics (direct, indirect and point protection) when and where the probability of success is high and the risk is commensurate to the

**Incident: Character Complex** 

#### identified values.

- 38. Current Incident Threat Summary and Risk Information in 12-, 24-, 48-, and 72-hour timeframes and beyond. Summarize primary incident threats to life, property, communities and community stability, residences, health care facilities, other critical infrastructure and key resources, commercial facilities, natural and environmental resources, cultural resources, and continuity of operations and/or business. Identify corresponding incident-related potential economic or cascading impacts:
- 12 hours: Threatening Private inholding, BPA Powerline, Avista Powerline and other infrastructure.
- 24 hours: Threatening Private inholding, BPA Powerline, Avista Powerline and other infrastructure.
- 48 hours: Threatening Private inholding, BPA Powerline, Avista Powerline and other infrastructure.
- Threatening Private inholding, BPA Powerline, Avista Powerline, infrastructure, and corporate and state trust timber lands. Also the threat to numerous businesses and commercial buildings. The Deceitful Fire will threaten state, industry, and private timber on the west and south sides of the fire.

Anticipated after 72 hours: **Possible impact to the I-90 corridor.** 

- 39. Critical Resource Needs in 12-, 24-, 48-, and 72-hour timeframes and beyond to meet critical incident objectives. List resource category, kind, and/or type, and amount needed, in priority order:
- FDUL, COML, COST, ABRO, HEBM, HECM (trainee OK), ASGS to coordinate between both complexes managed by the IMT. 1 DIVS, 2 TFLD, 2, Falling Modules, 1 Type 4 Engine, 2 T2IA Crew, 2, T2 Crews, 1 T1 IHC, and a UAS with ignition capability in support of burnout operations.
- FDUL, COML, COST, ABRO, HEBM, HECM (trainee OK), ASGS to coordinate between both complexes managed by the IMT. 1 DIVS, 2 TFLD, 2, Falling Modules, 1 Type 4 Engine, 2 T2IA Crew, 2, T2 Crews, 1 T1 IHC, and a UAS with ignition capability in support of burnout operations.
- FDUL, COML, COST, ABRO, HEBM, HECM (trainee OK), ASGS to coordinate between both complexes managed by the IMT. 1 DIVS, 2 TFLD, 2, Falling Modules, 1 Type 4 Engine, 2 T2IA Crew, 2, T2 Crews, 1 T1 IHC, and a UAS with ignition capability in support of burnout operations.
- FDUL, COML, COST, ABRO, HEBM, HECM (trainee OK), ASGS to coordinate between both complexes managed by the IMT. 1 DIVS, 2 TFLD, 2, Falling Modules, 1 Type 4 Engine, 2 T2IA Crew, 2, T2 Crews, 1 T1 IHC, and a UAS with ignition capability in support of burnout operations.

FDUL, COML, COST, ABRO, HEBM, HECM (trainee OK), ASGS to coordinate between both complexes managed by the IMT. 1 DIVS, 2 TFLD, 2, Falling Modules, 1 Type 4 Engine, 2 T2IA Crew, 2, T2 Crews, 1 T1 IHC, and a UAS with ignition capability in support of burnout operations.

- 40. Strategic Discussion: Explain the relation of overall strategy, constraints, and current available information to:
- 1) critical resource needs identified above,
- 2) the Incident Action Plan and management objectives and targets,
- 3) anticipated results.

Explain major problems and concerns such as operational challenges, incident management problems, and social, political, economic, or environmental concerns or impacts.

Successful containment of both fires is highly dependent on having sufficient resources to complete fuel mitigation and contingency line preparation ahead of potential wind events or new starts that further extend available resources. TFLD, and HEQB resources are necessary to maintain span of control. If we are unable to replace the crews that are timing out, we will have to consider shifting our strategy from containment to point protection.

The current position of the Deceitful fire with the forecast indicates a high probability of continued fire movement to the north, east and south. Fire growth along the east and south flanks will continue due to

**Incident: Character Complex** 

indirect control lines and difficult terrain. Our ability to mitigate this threat is dependent on the availability of T1 crews for the terrain involved. Fire will continue backing down toward the North Fork of the Coeur d'Alene River to the north. The replacement of the T2 crews will assist in holding and securing the fuel break in División Alpha along the powerline access road.

41. Planned Actions for Next Operational Period:

Prichard Fire: Continue mop up, holding, and line improvement.

Deceitful Fire: Hold handline in the east fork of Graham Creek. Secure line from burnout progressing east/west of White Peak (between DP60 and DP70). Activate sprinklers as fire backs down towards Avista powerline.

- 42. Projected Final Incident Size/Area (use unit label e.g., "Acres", "Square Miles"):
- 43. Anticipated Incident Containment or Completion Date: 11/01/2021
- 44. Projected Significant Resource Demobilization Start Date: 10/01/2021
- 45. Estimated Incident Costs to Date: \$13,300,000.00
- 46. Projected Final Incident Cost Estimate:
- 47. Remarks (or continuation of any blocks above list block number in notation):

Incident Name	Suppression Strategy	Area	Area Measure	% Ctn/Comp	% Ctn/Comp Measure	Est. Cost to Date	Est. Comp Date	Perimeter
Deceitful	Full Suppression	5,918	Acres	0	Percent	13,300,000	10/30/2021	100
Prichard	Full Suppression	1,342	Acres	75	Percent	0	10/30/2021	100 100

49. Resources (summarize resources by category, kind, and/or type; show # of resources on top ½ of box, show # of personnel associated with resource on bottom ½ of box):

48. Agency or Org		CR1	CR2	CR2IA	HEL1	HEL3	ENG3	ENG4	ENG6	DOZR	WTDS	MAST	SKID	FELB	50. Ovhd	51. Tot Pers	
BIA	Rsrc	0	0	1	0	0	0	0	1	0	0	0	0	0			ĺ
ы	Pers	0	0	20	0	0	0	0	3	0	0	0	0	0	0	23	
DIM	Rsrc	0	0	0	0	0	0	0	1	0	0	0	0	0			l
BLM	Pers	0	0	0	0	0	0	0	6	0	0	0	0	0	5	11	
FC	Rsrc	1	0	0	0	0	0	0	1	0	0	0	0	0			
FS	Pers	20	0	0	0	0	0	0	6	0	0	0	0	0	47	73	ĺ
FWC	Rsrc	0	0	0	0	0	0	0	0	0	0	0	0	0			ĺ
FWS	Pers	0	0	0	0	0	0	0	0	0	0	0	0	0	5	5	ĺ
NDC	Rsrc	0	0	0	0	0	0	0	0	0	0	0	0	0			ĺ
NPS	Pers	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	ĺ
NIMO	Rsrc	0	0	0	0	0	0	0	0	0	0	0	0	0			
NWS	Pers	0	0	0	0	0	0	0	0	0	0	0	0	0	5	5	
DDI	Rsrc	0	3	0	1	1	0	3	8	6	10	2	3	1			
PRI	Pers	0	60	0	1	5	0	9	24	8	11	4	5	2	6	135	ĺ
CT.	Rsrc	0	0	0	0	0	1	0	5	0	0	0	0	0			l
ST	Pers	0	0	0	0	0	3	0	14	0	0	0	0	0	17	34	L

Incident: Character Complex

USGS	Rsrc	0	0	0	0	0	0	0	0	0	0	0	0	0		
0363	Pers	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3
52. Total Resources		1	3	1	1	1	1	3	16	6	10	2	3	1		291

53. Additional Cooperating and Assisting Organizations Not Listed Above:

Molpus Timberlands Group, Stimson Lumber Co., Idaho Forest Group, Shoshone County, Shoshone County Sheriff's Office, Bonneville Power Administration, Avista Utilities, Prichard Murray VFD.