Incident Action Plan

Trestle Creek Complex

ID-IPF-000452

P1N5GH (0104)



July 18, 2021 0600-2200



Scan for IAPS and MAPS

INCIDENT OBJECTIVES (ICS 202)

1. Incident Name:	2. Operational Period:	DAY		
TRESTLE CREEK COMPLEX	Date/Time From:		Date/Time To:	
	07/18/2021 0600	SUN	07/18/2021 2200	SUN
1. Provide for public and firefighter safety at a 2. Protect Bull Trout in Lightning, Trestle and 3. Keep fires #1 and #3 east of Trestle Ridge 4. Keep fire #6 west of Lightning Creek Road 4. Operational Period Command Emphasis: Be aware of changing situations and communica Anticipate need for the shift well ahead of time a Expect delays on needs due to competing camp	Quartz Creeks. and west of Trestle ate them up and dow nd make contingency	Creek Road. n the chain of comry plans.		
5. Site Safety Plan Required? Yes No X Approved Site Safety Plan(s) Located				
	ed below are included in t	his Incident Action Plan)		
X ICS 202	□ - □ - □ -			
	on/Title: PSC3		ignature:	-
8. Approved by Incident Commander: Name: ICS 202 IAP F	Hard Scries-or		ignature ate/Time:	
1AP F	age	ا		

Spot Forecast for Trestle Complex...

DISCUSSION...

...HOT, DRY, AND UNSTABLE CONDITIONS ON SUNDAY...

Very warm and dry weather will continue this weekend. Increased moisture late Monday through Wednesday along with a series of waves passing through the area will bring a chance of showers and thunderstorms. Storms are expected to be mainly elevated and quick moving with light rain amounts favored.

SUNDAY... Sky/weather.....Sunny with haze.

CWR.....0 percent.

LAL....1.

Max temperature....Around 81.

Min humidity......Near 25 percent.

Wind (20 ft)......Downslope/downvalley 2 to 5 mph through 0900

then upslope/upvalley 3 to 7 mph. Mixing height...... oft AGL in the morning increasing to 5500 ft

Transport winds....Southwest around 7 mph.

Haines Index.....3 or very low potential for large plume dominated fire growth.

AGL in the afternoon.

SUNDAY NIGHT...

Sky/weather.....Mostly clear with haze.

CWR.....0 percent.

LAL....1.

Min temperature....Around 61.

Max humidity......Near 45 percent.

Wind (20 ft).........Upslope/upvalley 3 to 7 mph early in the evening then downslope/downvalley 2 to 5 mph.

Mixing height......5000 ft AGL in the evening decreasing to near

the surface overnight.

Transport winds.....Southeast around 4 mph.

Haines Index.....5 or moderate potential for large plume dominated fire growth.

MONDAY...

Sky/weather..... Mostly sunny then becoming mostly cloudy. Haze through the day. Slight chance of showers and

thunderstorms in the afternoon.

CWR.....0 percent.

LAL....1.

Max temperature....Around 83.

Min humidity......Near 30 percent.

Wind (20 ft)......Upslope/upvalley 3 to 7 mph.

Mixing height...... oft AGL in the morning increasing to 6500 ft

AGL in the afternoon.

Transport winds.....Southeast around 8 mph.

Haines Index.....5 or moderate potential for large plume

dominated fire growth.

ORGANIZATION ASSIGNMENT LIST (ICS 203)

1. Incident Name:			2. Operational	Period: D	AY		
TRESTLE CRE	EK C	OMPLEX	Date/Time			Date/Time To:	
			07/18/202	21 0600	SUN	07/18/2021 2200	SUN
3. Incident Comma	200000000000000000000000000000000000000						
IC		ANDY BERTELS					
SAFETY OFFI		SAAC WALDEN MATT MARTIN	N (1)				
INFORMAT	TION	OBOTHY HAR	RVFY				
OFFI	CER	JESS HARVEY	(T)				
4. Agency/Organiza	ation F						
Agency/Organizati	on N	Name					
U	SFS	JESSIE BERNE	R				
R		KEVIN DAVIS ROB BRASSFIE	ELD				
5. Planning Section	n:						
Cł	HIEF V	WENDY MARKI	HAM				
RESOURCES (TINU	TERI COY					
6. Logistics Sectio	n:						
Cł	100000000000000000000000000000000000000	KEVIN WILMOT JAMES HAMILT					
MEDICAL U		DENNIS MCLAN RAVONN SIMP					
7. Operations Sect	100000000000000000000000000000000000000						
OPS SECTION C							
PLANNING	OPS E	BRAD MILAM					
DIVISION/GR	OUP	A	DEREK SAMS EVAN RATCLI	FFE (T)			
DIVISION/GR	OUP	W	ADAM HARRIS	SON			
7b. Air Operations	Branc	h:					
AIR OPS BRA							
AIR ATT	ACK						
SUPERVI AIR SUPP							
SUPERVI	ISOR						
HELICOF COORDINA							
AIR TAN	IKER						
COORDINA	The second second	0 - 1					
8. Finance/Admini	9/9/2019/2017	BONNIE KENN	EDV				
the second secon	William Control of the Control	DAWN MCCLA					
THVIL	OIVIT	DAVIN MODEA	(1)				
9. Prepared By:	Name:	WENDY MARKHA	M	Position/Title	PSC3	Signature:	
ICS 203	IAP Pa	ge		Date/Time:	07/16/2021 2248		

Division/Group Assignment List (ICS 204 WF)

		CO.III. CHICA	Unclassifie	3.					
TRESTLE CREEK COMPLE	ΞX			Bran	ch:		Division/Grou	ıp	
2. Operational Period:	DAY								
Date/Time From:		Date/Time To		H-164 (4.0)			Α		
07/18/2021 0600 SUN		07/18/2021 220	00 SL	IN					
			Operations P	ersonnel					
OPERATIONS CHIEF	CHUCK FOX			DIVISION/GRO	UP SUPERV	SOR DE	EREK SAMS		
DIVISION/GROUP SUPERVISOR I	EVAN RATCL	IFFE (T)							
j.		Reso	urces Assign	ed this Period					
Strike Team / Task Ford Resource Designator		LWD	ı	_eader	Number Persons	Drop (Off PT./Time	Pick	Up PT./Time
E-16 WT2 NW TRUCKING		07/29	TAYLER SZ	ABO	1				
-17 WT2		07/28	CRAIG MAF	ITIN	1				
D-14 FIRE BROS. FALLER		07/25	DAVID MOE	SELY	1				
0-15 FIRE BROS. FALLER		07/25	DAN LOCIC	ERO	1				
D-23 ATALAYA HC		07/29	NATHAN MI	LLER	23				
AMBULANCE 11		07/29	RAY DUGA	V	2				
Supply needs for next shift b	oy 0800, thr	ough Division	s.						
8.		Divisio	n/Group Com	munication Sun	nmary				
8. Function	Channel	Divisio RX Frequence		munication Sun RX Tone/NAC	nmary TX Freque	ncy N/W	TX Tone/N	AC AC	Mode
	Channel 6		y N/W				TX Tone/N/ 107.2	AC	Mode
	0.0000000000000000000000000000000000000	RX Frequenc	ey N/W	RX Tone/NAC	TX Freque	7		AC	Mode
Function COMMAND	6	RX Frequence	ey N/W	RX Tone/NAC 107.2	TX Frequer	7 25	107.2	AC	Mode

Division/Group Assignment List (ICS 204 WF)

1. Incident Name:		Controlled	Unclassifi	ed Information 3.	on//Basic		
TRESTLE CREEK COMPL	EX			Bra	anch:	Division/Group)
2. Operational Period:	DAY						
Date/Time From: 07/18/2021 0600 SUN	l l	ate/Time To: 18/2021 220		UN		W	
4.			Operations	Personnel			
OPERATIONS CHIEF	CHUCK FOX			DIVISION/GR	OUP SUPERVISO	R ADAM HARRISON	I
5.		Resou	ırces Assigr	ned this Period			
Strike Team / Task For Resource Designato		LWD		Leader	Number Persons D	Orop Off PT./Time	Pick Up PT./Time
C-8 TOM FERRY CREW		07/26	FRANSICO	GARCIA	20		
O-6 SMOD SLATE		07/23	ANGEL RE	YES	12		
O-9 IDL PRIEST LAKE		07/20	JOE ANDE	RON	7		
O-10 SMOD 81		07/21	TYLER CLI	EMENSON	6		
O-11 MOD 63		07/29	JOSH LOV	ELESS	2		
O-22 INDIANA FIRE		07/29	DAMON M	CGUCKIN	10		
E-5 WT22		07/25	KEVIN KLE	INWORTH	1		
E-15 AUKER MASTICATOR		07/30	KRYON AL	JKER	2		
STRUCTURE WRAP GROUP		07/28	CHRISTIA	N GOODLANDE	ER 3		
AMBULANCE 12		07/29	SAM HOFF	-	2		
6. Control Operations/Work Assignment of Construct line, mop-up and Utilize aircraft to reduce sponsor of the Constructions: Supply needs for next shift is special instructions:	n PACE model. cold trail where otting potential. Creek.	needed.	S.				
8.		Division	n/Group Cor	mmunication S	ummary		
Function	Channel F	X Frequenc		RX Tone/NAC			C Mode
COMMAND	6	170.975		107.2	168.7	107.2	
TACTICAL	2	166.7750		107.2	166.77500 167.7250		
9. Prepared By (Resource Unit Le	15	167.725		nning Section		Date	Time
WENDY MARKHAM	eader j	Appro	veu by (rid	ining Section	Cinci,	07/16/2021	2248

	INCIDEN.	T PADIO	Incident Name		A 2	Date/Time Prepared		Operational Period Date/Time		
	COMMUNICA:		Trestl	e Creek Comple	ex	7/15/2021 1600			7/16-7/24 0600-2000	
Ch #	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq Nor W	RX Tone/NAC	TX Freq Nor W	Tx Tone/NAC	Mode A, Dor M	Remarks	
1	Tac	NIFC Tac 4	Α	166.725	107.2	166.725	107.2		Div A Tac	
2	Tac	NIFC Tac 5	W	166.77500	107.2	166.77500	107.2		Div W Tac	
3	Tac	NIFC Tac 6		168.25	107.2	168.25	107.2			
4	IA Tac	IPF ComUse2		168.6125		168.6125				
5	Local Rept	Lunch Peak	A/W	172.4	107.2	165.4875	136.5		Local Dispatch	
6	Fire Repeater	Trestle Command	A/W	170.975	107.2	168.7	107.2		Command	
7	Local Rept	Sandpoint Bald		172.4	107.2	165.4875	110.9			
8	Local Rept	Little Black		172.4	107.2	165.4875	100			
9	Local Rept	Schweitz		159.3375	100	151.4375	136.5			
10	Local Rept	IDL Direct2		159.285	77	159.285	77			
11	Local Rept	IDL Direct3		159.3	77	159.3	77			
12	Local Rept	Koot South		171.2625		171.2625	123			
13	Fire Repeater	Command		170.975	107.2	168.7	107.2			
14	A/G	A/G IDL		151.145		151.145				
15	A/G	A/G 47	A/W	167.725		167.725			A/G	
16	EMS	EMS 2		155.28		155.28	156.7		Emergency Air	
	pared By (Planning Op dley Milam	perations)	7/15/21	1						

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.



Northern Rockies Chainsaw Parts Order Form

Please s	ee the	e bad	k page	e for	part	order nun	ber	s and i	item	s requiring an approved Property Loss and Dan	nage form.
Name:		_								Gen. Msg #:	
Resource #:										Request Date:	
Contact #:										Need by Date/Time:	
TO BE FILLED E	3Y: (d	circ	le on	e):		Buyir	ıg T	eam		Home Unit* Cache	
*Email to Send	d RO	#'s	to:								
Chainsaw In	forn	nat	ion								
Make (circle o		_				Stihl	Π	Hu	ısqv	varna Other:	
Model:					-L	<u>I.</u>	<u> </u>		•		
Serial #											
Bar Length (cir	cle o	one): []20)"	□24"		28"		30" □32" □36" □Other:	-
Request:											
Part Name	and	N b	umb	er		Qu	ant	tity		Part Name and Number	Quantity
						ļ					
								<u>.</u>	_		
· · · · · · · · · · · · · · · · · · ·											
For Sprocket & Chain Orders (circle one or fill in):						cle one	or 1	ı):			
# of Drivers:											
Pitch (*):	3	8/8"			.32	5"		Oth	er:		
Gauge:	.5	50			.06	3		Oth	ner:		
Tooth Layout:			Full			Semi-S	kip			Full Skip	
Tooth Cut:			Chis	el		Semi-C	his	el		Other:	
# of Sprocke	t Te	eth	1:								
Concurrance	(Line	Sup	pervis	or i.	e. D	IVS):					
										do not need an approved Property Loss &	& Damage Form,
or that the approv	val IS	atta	ıcned	. (SL	ıppi\	, onn Lea	iuel	criec	.KS L	pox and initials here:	/·

First source of supply is Cache, shaded blocks indicate items available thru Norther	Jly is Cache, shade	ed blocks indicate	items available	thru Northern R	ockies Cache. 1	n Rockies Cache. I tems requiring an approved Property Loss and Damage form are in a separate list at the bottom	n approved Prop	erty Loss and D	amage form are	in a separate lis	st at the bottom	
PART	034/341	360/MS360	MS361	MS362	038/381	044/MS440	MS441	460/MS461	MS462	0640/650	MS660	MS880
Spark Plug (NFES# 000344)	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCI6Y	Bosch USR7AC NGK CMR6H	Bosch WSR6F NGK BPMR7A Champion RCI6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y					
		0000	0000 000 000	0051 000 0000	0512 032 3150	0513-933-3380	9512-933-2380	9512,933,7380	9512-933-2380	9512-933-2382	9512-933-2382	9512-933-3170
Needle Cage Bearing (NFES# 066565)	9512-933-2380	9512-955-2380	9512-955-2560	9312-933-2300	9312-933-3130	0000 000 1000	0000 050 1030	0000 050 1032	0000.958.1032	0000-958-1032	0000-958-1032	0000 050 1226
Retaining Washer for Rim Sprocket	0000-958-1022	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-1001	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-1001
E CIID (INTES# 000517)	7000-150-0010	1000 170 0010										
Fuel Filter	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3518	0000-350-3504	0000-350-3500	0000-350-3504
Air Filter - HD (NFFS# 066756)	1125-120-1626	1125-120-1612	1135-120-1600	1140-140-4401	1119-120-1611	0000-140-4402	0000-120-1654	0000-120-1654	1142-140-4402	0000-140-4402	0000-140-4402	0000-140-4402
		1125-120-1626		1140-140-4402								
Pre Filter - OEM	N/A	N/A	N/A	N/A	1119-120-1500	0000-141-0300	0000-141-0300	0000-141-0300	N/A	0000-141-0300	0000-141-0300	0000-141-0300
Bar Nut (NFES# 06661)	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-995-0803	0000-955-0801	0000-922-0801	0000-955-0903
Inner Slide Plate	1122-664-1000	1122-664-1000	1122-664-1000	1122-664-1000	1119-664-1000	1128-664-1001	1138-664-1000	1128-664-1001	1128-664-1001	1128-664-1001	1128-664-1001	1124-664-1001
STIHL RAPID - Super (RS)												
Chain 3/8"PITCH050" GA - DR												
20" - 72 DR	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072
25" - 84 DR (NFES# 006500)	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084
28" - 91 DR	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091
32" - 105 DR	N/A	N/A	N/A	N/A	N/A	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105
STIHL RAPID - Super - Full Skip (RSF)												
Chain 3/8"PITCH050" GA - DR												
20" - 72 DR	N/A	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	36/6-005-00/2	36/6-005-00/2	36/6-005-00/2	36/6-005-00/2	36/6-005-00/2	36/6-005-00/2
25" - 84 DR	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084
28" - 91 DR	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091
32" - 105 DR	N/A	N/A	N/A	N/A	N/A	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105
Bar oil: Oranity - Gallon	NFES # 1880											
Bar oil: Quanity - Quart	NFES # 1869											
2 Cycle Oil: Quanity - Quart	NFES # 0341											

The following parts require an approved Property Loss & Damage form prior to ordering:

Guide Bars - 3/8"050" GA (STIHL												
ROLLOMATIC - ES)												
20"	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8877
25" (NFEC# 066584)	N/A	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830
28"	N/A	N/A	N/A	N/A	N/A	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	8888-000-8008	3003-000-8838	3003-000-8838
32"	N/A	N/A	N/A	N/A	N/A	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846
Rim Sprocket Kit 3/8 - 7T	1125-007-1040	1125-007-1223	1128-007-1000	1135-007-1002	1119-007-1003	1128-007-1000	1128-007-1000	1128-007-1017	1128-007-1000	1122-007-1000	1122-007-1000	N/A
Clutch Drim	Order Sprocket Kit	Order Sprocket Kit Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit
Rim Sprocket 3/8 7T (NFES# 066652)	0000-642-1231	0000-642-1023	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	N/A
Rim sprocket kit 3/8 - 8T	N/A	N/A	1128-007-1001	1128-007-1001	N/A	1128-007-1001	1128-007-1001	1128-007-1001	1128-007-1001	1122-007-1001	1122-007-1001	1124-007-1025
Clutch Drum	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit					
Rim Sprocket 3/8 - 8T	N/A	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216
Clutch	1127-160-2050	1125-160-2005	1128-160-2004	1138-160-2010	1119-160-2000	1128-160-2001	1138-160-2010	1128-160-2004	1142-160-2000	1122-160-2005	1122-160-2002	1124-160-2005
Chain Adiuster Kit	1125-007-1036	1125-007-1021	1125-007-1021	1125-007-1021	1118-664-1600	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1124-007-1008
					1120-664-1500							
Bump Strip	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610
Starter Rope W/handle	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400
Worm Gear (Oiler)	1125-640-7110	1125-640-7110	1128-640-7112	1128-640-7112	1119-642-1501	1128 640 7112	1128 640 7112	1128 640 7112	1128-640-7112	1122-640-7105	1122-640-7105	1124-640-7512
Manifold Boot	1125 141 2200	1125 141 2200	1135 141 2200	1140 140 2503	1119 140 2500	1128 141 2204	1138 140 2508	1128 141 2204	1142 141 2200	1122 141 2200	1122 141 2201	1124 141 2202

Trestle Complex Weed Wash Instructions:

Please read carefully...

All emergency fire equipment and vehicles are REQUIRED to be washed before going to the incident and will be required for De-mob from the incident.

A prepaid car wash card is to be used for a noxious weed wash station. Please see Logistics for these cards, Plans will be the back up if Logistics is unavailable. This is a self-wash, focus on undercarriage and wheel wells of the emergency fire equipment and or vehicle located at:

5th Avenue Car Wash 510 N Fifth Ave, Sandpoint, ID 83864

Notes: When completed with the weed wash, be sure you hit the STOP button which is RED in color and on the selector panel or it will continue to charge the card!

Return the card to logistics or plans. This will be REQUIRED to de-mob from the incident.



Trestle Creek Complex - Safety Message

July 18, 2021

Foot Travel in Steep Terrain

- When walking through steep and rocky terrain, watch footing and maintain proper spacing.
- Identify safety routes and know local conditions.
- Test and use secure footing.
- Watch for over head hazards, carry tool on downhill side and wear gloves
- Treat hot spots on your feet before they become blisters.

General Safety Concerns:

- -Driving Predictable is preventable. Speeding=Accident. Slow down and keep an eye out for wildlife and civilians.
- -Wildlife-Bees are in the area. Avoid when possible and know the Medical Plan (ICS 206) in the event of an incident. Know your people, are any of the allergic? -Stump Holes-Be aware of stump holes.
- -Stump Holes-Be aware of stump holes. Use our tools to probe in front as you walk.
- -Dehydration- It can take its toll. Drink lots of water. Strive to drink 2 quarts per hour during heavy exertion.

Hazardous Attitude

- -Invulnerability
- -Anti-Authority
- -Impulsive
- -Overconfident
- -Complacent
- -Resigned

PREPARED:

-Afraid to speak up or disagree

Matthew L. Martin Safety Officer

<u>Communication</u> <u>Responsibilities</u>

All firefighters have five communication responsibilities:

- 1. Brief others as needed.
- 2. Debrief your actions.
- 3. Communicate hazards to others.
- 4. Acknowledge messages.
- 5. Ask if you don't know.

TRESTLE CREEK COMPLEX FIRE MEDICAL PLAN

1. Incident/Project Name	2. Operational Period
Trestle Creek Complex Fire	Date/Time 07/18/2021, 0600-2200

3. Ambulance Services				1.70
Name	Complete Address	Phone & EMS Frequency	Advanced Life Support (Al Yes No	LS)
Bonner County EMS	521 North 3 rd Ave Sandpoint ID	208-265-5525 / 911	X	
Kootenai County EMS	4381 W Seltice Way Coeur d'Alene ID	208-930-4224 / 911	x	


4. Air Ambulance Service	es				Visit supervision of part	3.5 4.5°		
Name		Phone			Type of Air	craft &	Capab	ility
Two Bear Air		406-260-4319		Rotor, Hoist	t capable, Searc	ch and	Resci	ue only
_ifeFlight		800-232-0911		Rotor, ALS				
Coeur d'Alene Dispatch		208-762-6906		2RF or Sup	erior MT (short	haul)		
LZ for Air Ambulance wil	i be H1 L	at 48°20.796 Lor	ng: -116°1	4.340				
A/G with Air Ambulance								
StateCom / EMS2	RX 155.2	800 TX 155.2800	CH 16 EMS 2	?				
5. Hospitals						1 100		
Name Complete Address	Degree DD° N	Datum – WGS 84 s Decimal Minutes IM.MMM' N - Lat M.MMM' W - Long	Tra Air	vel Time Ground	Phone	I	ipad No	Level of Care Facility
Bonner General 520 N. 3 rd Ave Sandpoint, ID	Lat: Long: VHF:	N 48°16.674 W -116°32.9939	15 minutes	45 minutes	208-265-1020	x		General
Kootenai Medical Center 2003 Lincoln Way Couer d'Alene	Lat: Long: VHF:	N 47°41.777 W -116°47.630	20 minutes	60 minutes	208-666-3000	x		General
Harborview Medical Center 325 9th Ave Seattle, WA 98104	Lat: Long: VHF:	N 47°36.2377 W -122°19.4462	120 minutes	6 hours	206-744-3074	x		Burn / Trauma

EMS Responders & Capability:	Ambo 11- Raymond Dugan- (570) 766-8370
Equipment Available on Scene:	ALS
Medical Emergency Channel:	Lunch Peak (Coeur d'Alene Dispatch)
Air ETA to area:	20 Minute
Ground ETA to area:	45 Minute
Helispot:	H1
Latitude / Longitude	48°20.796 -116°14.340
Meeting Zone: DP1	
Latitude / Longitude	48°20.657 -116°13.727
Primary Evacuation Route	Air respond to H1 Ground to DP1 via Trestle Creek Road (FS275)
Secondary Evacuation Route	Air respond to H1 Ground to DP1 via Trestle Creek Road (FS275)
	Equipment Available on Scene: Medical Emergency Channel: Air ETA to area: Ground ETA to area: Helispot: Latitude / Longitude Meeting Zone: DP1 Latitude / Longitude Primary Evacuation Route

TRESTLE CREEK COMPLEX FIRE MEDICAL PLAN

Division Branch Group Spike			
Whiskey	EMS Responders & Capability:	Ambo 12- Michael Murphy- (706) 723-3376	
	Equipment Available on Scene:	ALS	
	Medical Emergency Channel:	Lunch Peak (Coeur d'Alene Dispatch)	
	Air ETA to area:	20 Minute	
	Ground ETA to area:	45 Minute	
	Helispot:	Mud Creek	
	Latitude / Longitude	48° 19.441 -116° 10.113	
	Landing Zone:		
	Latitude / Longitude	N W	
	Primary Evacuation Route	Ground to DP1 via Trestle Creek Road (FS275)	
	Secondary Evacuation Route		

Medical Emergency Communication Procedures



Prepared By (Medical Unit Leader)	2. Date/Time	3. Reviewed by Safety Officer	4. Date/Time
Dennis McLane MEDL 702-461-6977	7/17/2021	MASSIFIC MASTIN	07/17/2/095

MEDICAL PLAN (ICS 206 WF)

Controlled Unclassified Information//Basic

Medical Incident Report

NCY INCIDENT, WORK THROUGH CHAIN OF COMMAND TO REPORT AND TRANSPORT INJURED

PERSONNEL AS NECESSARY.						
FOR A MEDICAL EMERGENCY: IDENTIFY ON SCENE INCIDENT COMMANDER BY NAME AND POSITION AND ANNOUNCE "MEDICAL EMERGENCY" TO INITIATE RESPONSE FROM IMT COMMUNICATIONS/DISPATCH.						
U						munications/dispatch.
Ex: "Communic.	MMUNICATIONS I cations, Div. Alpha. St. ATUS: Provide incide cations, I have a Red p is TFLD Jones. EMT	DISPATO and-by for nt summa riority pati Smith is p	CH (Verify correct frequence of the control of the control of party (including number of party, unconscious, struck be coviding medical care."	ency prior to starting atients) and command by a falling tree. Reque	report) structure. esting air ambulance to l	Forest Road 1 at (Lat./Long.) This will be the Trout
Severity of Emer	RED / PRIORITY 1 Life or limb threatening injury or illness. Evacuation need is IMMEDIATE Ex: Unconscious, difficulty breathing, bleeding severely, 2° – 3° burns more than 4 palm sizes, heat stroke, disoriented. Priority Priority RED / PRIORITY 1 Life or limb threatening injury or illness. Evacuation need is IMMEDIATE Ex: Unconscious, difficulty breathing, bleeding severely, 2° – 3° burns more than 4 palm sizes, heat stroke, disoriented. VELLOW / PRIORITY 2 Serious Injury or illness. Evacuation may be DELAYED if necessary. Ex: Significant trauma, unable to walk, 2° – 3° burns not more than 1-3 palm sizes. GREEN / PRIORITY 3 Minor Injury or illness. Non-Emergency transport Ex: Sprains, strains, minor heat-related illness.					
Nature of In	jury or lilness					
	& sm of Injury					Brief Summary of Injury or Illness (Ex: Unconscious, Struck by Falling Tree)
Transpo	rt Request					Air Ambulance / Short Haul/Hoist Ground Ambulance / Other
Patient	Location					Descriptive Location & Lat. / Long. (WGS84)
Incide	nt Name					Geographic Name + "Medical" (Ex: Trout Meadow Medical)
On-Scene Incid	dent Commander			· · · · · · · · · · · · · · · · · · ·		Name of on-scene IC of Incident within an Incident (Ex: TFLD Jones)
Patie	nt Care					Name of Care Provider (Ex: EMT Smith)
DATE	ERIT ACCECCMENT	• Complete	e this section for each paties	nt as annlicable (start wi	th the most severe patient	9
	ent: See IRPG page		, into occurry to occur paner	n do approado (otal e un		
Treatment:						
. TRANSPORT	PLAN:	-		1900-1		
Evacuation Loca	tion (<i>if different</i>): (De	escriptive	Location (drop point, i	intersection, etc.) or	Lat. / Long.) Patien	t's ETA to Evacuation Location:
Helispot / Extraction Site Size and Hazards:						
E ADDITIONAL	RESOURCES / EQL	IIDASENIT	· NFFDS:			
				uma Bag, IV/Fluid(s), S	Splints, Rope rescue, Wi	heeled litter, HAZMAT, Extrication
B. COMMUNICA	TIONS: Identify St	ate Air/G	round EMS Frequenc	ies and Hospital C	ontacts as applicat	ble
Function	Channel Name/Num		Receive (RX)	Tone/NAC *	Transmit (TX)	Tone/NAC *
COMMAND						
AIR-TO-GRND						
TACTICAL						
7. CONTINGENCY: <u>Considerations:</u> If primary options fail, what actions can be implemented in conjunction with primary evacuation method? Be thinking ahead.						
3. ADDITIONAL INFORMATION: Updates/Changes, etc.						

REMEMBER: Confirm ETA's of resources ordered. Act according to your level of training. Be Alert. Keep Calm. Think Clearly. Act Decisively.

ACTIVITY LOG (ICS214)

1. Incident Name:		2. Operational Period: Date From: Date To:	
		Time From:	Time To:
A 11			
3. Name:	4.	ICS Position:	5. Home Agency (and Unit):
6. Resources Assigned	i:		
Name		ICS	Home Agency (and Unit)
		Position	
<u> </u>			
<u> </u>		**	
7. Activity Log:	1		
Date/Time	Notable Activities		
	<u> </u>		
	ļ		

8. Prepared by: Name:		Position/Title:	Signature:
ICS 214, Page 1		Date/Time:	