Corrected

INCIDENT ACTION PLAN

Ridge Fire Doris Point Fire Tin Soldier Complex

MT-FNF-000518 P1 QGT5 (0110)

MT-FNF-000496 P1 QJ6J (0110)

MT-FNF-000535 P1 QGH4 (0110)

MONDAY, August 28, 2023

Day Operational Period: 0700-2000

FOR ALL ICP OR SPIKE CAMP EMERGENCIES

1. Utilize radio on Tac 1 (or on a Logistics radio within the ICP); or

2. By phone to Ridge Communications at (208) 510-8368; or

3. By activating the local 9-1-1 system as appropriate



- IAPs
- Maps
- Check-in
- Blank CTRs
- Blank Shift Tickets
- Finance Email

FIRE INFORMATION

Email: 2023.Ridge@firenet.gov Phone Line: 406-998-6074

Inciweb: https://inciweb.nwcg.gov/incident-information/mtfnf-ridge-fire Facebook: https://www.facebook.com/ridge-fire.information

YouTube: https://www.youtube.com/@2023ridgefire



SOUTHWEST AREA TEAM #1

Carl Schwope – Incident Commander
Jason Clawson – Deputy Incident Commander



INCIDENT OBJECTIVES

ICS-202

INCIDENT NAME

RIDGE AND DORIS POINT FIRES, TIN SOLDIER COMPLEX

DATE PREPARED TIME PREPARED

8/27/2023

2000

OPERATIONAL PERIOD (DATE/TIME)

MONDAY, August 28, 2023 DAY Operational Period: 0700 - 2000

GENERAL CONTROL OBJECTIVES

Leader's Intent

• Effectively implement a value-driven strategy that utilizes a mix of tactics (direct, indirect, and point-protection) when and where the probability of success is high, and the risk is commensurate with the identified values. Success is defined as safely achieving objectives with the least firefighter exposure necessary while enhancing stakeholder support and adhering to the core values of **Duty**, **Respect** and **Integrity**.

Control Objectives

- Ridge Fire is a Full Suppression Fire. The Doris Point Fire/Tin Soldier Complex are Point Protection Fires.
- Minimize loss of our most Highly Valued Resources and Assets including private residences and
 infrastructure in the communities of Martin City, Hungry Horse, Coram, West Glacier, Hungry Horse Dam and
 other outlying private property, South Fork Abbot Creek, improvements, and infrastructure in and directly
 adjacent to the planning area. Additionally, minimize impacts to communication infrastructure on Desert
 Mountain and Firefighter Lookout.
- Unless human life is at risk, and to the extent possible, prevent retardant use in identified retardant avoidance areas.
- Provide initial attack for new wildland fire starts within the designated Temporary Flight Restriction areas.
 Coordinate with Kalispell Dispatch.
- · Ridge Fire. Keep fire:
 - > North of Forest Road 38
 - > South of the Great Bear Wilderness
 - > East of the communities along Highway 2
 - > West of the Tiger River
- Doris Point and Tin Soldier Complex (Sullivan and Bruce Fires):
 - ➤ Keep fires west of the western side of Hungry Horse Reservoir (NFSR 895) and Meadow Creek (NFSR 2826) roads.
- Implement suppression repairs as identified in the approved Suppression Repair Plan.

Management Objectives

- Manage risk to incident personnel by ensuring hazards are identified, assessed and where possible mitigated.
 Accept only necessary risk when values threatened warrant action and the probability of achieving objectives is high.
- Create and maintain a supportive, positive, and harassment free work environment in which people are
 treated with respect and dignity. Create a "no tolerance" atmosphere for harassment, alcohol or illegal
 drug use.
- Maintain and develop relationships with stakeholders, cooperators, community leaders, tribal representatives, elected officials, private landowners, and livestock permittees. Ensure timely and accurate information and sharing coordination with local authorities.
- Effectively manage incident costs through the selection and implementation of strategies and tactics that have a high probability of success in meeting objectives.

X ORGANIZATION L	IST (ICS 203)	X	MEDICAL PLA	N (ICS 206 & 206WF)	X WEATHER FORECAST
X ASSIGNMENT LIS	T (ICS 204)	X	AIR OPS. SUM	MMARY (ICS 220)	X FIRE BEHAVIOR FORECAST
X COMMUNICATION	I PLAN (ICS 205)	X	SAFETY MESS	SAGE	X UNIT LOG
	PREPARED BY (PLANNI	NG SECTIO	ON CHIEF)	APPROVED BY (INCID	DENT COMMANDER)
ICS 202	Bob Love R. L			Carl Schwope	

lo ve et a	SSIGNMENT LIST	RIDGE/DORIS	POINT/TIN	SOLDIER	2. DATE PREPARE 8/27/2023
3. TIME PREPARED	4. OPERATIONAL PERIOD				
1700 hours	DATE:	8/28/2023 TI	ME Day 0700-2	2000	
5. INCIDENT CO	MMANDER AND STAFF		9. OPERATIO	NS SECTION	
NCIDENT COMMANDER	Carl Schwope / Caleb Finch (t)	OPERATIONS SECTION	CHIEF - FIELD	Ralph Luca	s / Charles Ebert (
DEPUTY INCIDENT COMMANDER	Jason Clawson	OSC-PLANNING / STRA	TEGIC OPERATIO		
SAFETY OFFICER SAFETY OFFICER	Jim Burton	OPERATIONS SECTION			
IAISON OFFICER	Pete Smith/Tom Vigil	OPERATIONS SECTION	CHIEF - PLANNIN	IG Brandon W	oodward (t)
IAISON OFFICER	Troy Waskey (t)				
NFORMATION OFFICER	Katy O'Hara / Celeste Prescott				
NFORMATION OFFICER	Emery Johnson (t)				
UMAN RESOURCE SPECIALIST	Ana Parada				
	ATION REPRESENTATIVES		a. BRANCH I		
AGENCY	NAME	BRANCH DIRECTOR		Barry Green	
SFS – Flathead NF Agency Admin. SFS – Flathead NF Agency Admin.	Rob Davies	DIVISION	A/M/R		Andre Dulac (t)
SFS - Flathead NF Agency Admin.	MJ Crandall Paul Donnellon	DIVISION	W Dorin Doint	Justin Wedo	inter Dieboolee (A)
PS - Glacier NP	David Roemer	DIVISION	Doris Point	Guy VVIISON / I	yler Richwine (t)
SFS – Flathead NF IBA	Biddy Simet	GROUP	Repair	Brendon McNe	eil
lathead County Sheriff	Brian Heino	GROUP			
oram Experimental Forest	David Wright	DIVISION/GROUP			
CC Agency Representative	Miguel Diaz	DIVISION/GROUP	h DDANCU II		
		BRANCH DIRECTOR	b. BRANCH II	TJ Lowder	
		DIVISION	Tin Soldier		ston / A. Strobel
7. PLA	ANNING SECTION	DIVISION			
LANNING SECTION CHIEF		GROUP			
LANNING SECTION CHIEF	Bob Love / Dave Dobbs Dana Bagnoli	+			
ESOURCE UNIT LEADER	Glenda Womack / Mark McEntarffer		c. BRANCH iii		
ESOURCE UNIT LEADER	Matt Kilford (t) / Brooke Wrye*	BRANCH DIRECTOR			- 1700 - 640 - 730 -
TUATION UNIT LEADER	S. Bliss / C. Munday / D. Lucla	GROUP			
IRE BEHAVIOR ANALYST ONG TERM ANALYST	Stewart Turner / RJ Hannah (t)	GROUP			
IETEOROLOGIST	Trent Smith	DIVISION DIVISION/GROUP			
EMOBILIZATION UNIT LEADER	Marsha Collier / Dana Bagnoli (t)	DIVISION/GROUP			
NCIDENT TECHNOLOGY SUPPORT	Dave Kohler / Russell Virgilio	DIVISION/GROUP			
CIDENT TECHNOLOGY SUPPORT	Gonzalo Hernandez / Mac Hetherington		d. BRANCH		
OCUMENTATION UNIT LEADER ISS	LT Pratt Rick Crawford / David Danker	BRANCH DIRECTOR			
ISS	Alex Heeren	GROUP GROUP			
RAINING SPECIALIST	Emil Picchi*	GROUP			
TATUS CHECK IN	Matt Kilford				
R RESOURCE ADVISOR	Paul Corrigan		10. AIR B	RANCH	
FATUS/CHECK-IN RECORDER EAD RESOURCE ADVISOR	Meghan Han (t)	AID ODEDATIONS DOAN		Contract Contract	
	Elliot Meyer / Nate Dieterich	AIR OPERATIONS BRAN	THE RESIDENCE OF THE PARTY OF T	Sean Cox	
8. LOGIST	TICS SECTION	AIR TACTICAL GROUP S		Brian Knapp R1 pool	
OGISTICS SECTION CHIEF	Sharon Taube / Ray Kingston*			itt pool	
OGISTICS SECTION CHIEF	Ed Freed / Dean McAllister				
UPPLY UNIT LEADER	Karen Abeita / Carlos Santillana (t)				
UPPLY UNIT LEADER	Taren Abella / Carlos Saltulalla (t)				
ACILITIES UNIT LEADER	Vonnie Young	And the Landing	11. FINANCE	SECTION	
ROUND SUPPORT UNIT LEADER	Robert Gill	FINANCE SECTION CHIE		Jamie Wade / Darla	Quick
ROUND SUPPORT UNIT LEADER RDERING MANAGER	Clyde Morace Lorean Hennings	FINANCE SECTION CHIE		Karen Knight (t)	
ECEIVING MANAGER	Paul Curtis / Chris Bolen (t)	TIME UNIT LEADER COST UNIT LEADER	THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN	Karen Martinez / Ba	
		COMPENSATION/CLAIMS		Scott Turner / Nata Merlinda Valdez* /	
		COMPENSATION/CLAIMS		Jennifer Hebbeler	
		PROCUREMENT UNIT LE	ADER	Stephanie Archulet	ta
		PERSONNEL TIME RECO		Angelita Whatley /	
		EQUIPMENT TIME RECO		Beth Hartwood / Ki Amy Callahan* / Si	
		EQUIPMENT TIME RECO		Stewart Williams	ila Dellaliy
b. SER	RVICE BRANCH		12. MEDICAL		ar merkanen
OMMUNICATIONS UNIT LEADER	Brent Haberer	MEDICAL SECTION CHIE		Bill Kuamo'o	
OMMUNICATION TECHNICIAN	Brad Boyette	MEDL - PLANNING		Cheyenne Lane (t)	
	Don Simon	MEDL - PLANNING		Alan Browne (t)	***************************************
ECURITY MANAGER OOD UNIT LEADER	Donomion	MEDL - FIELD		Mike Short (t)	

^{*} Virtual Position



Ridge/Doris Point/Tin Soldier Fire Weather Forecast



FORECAST NO: 20

PREDICTION FOR: Monday

SHIFT DATE: 08/28/23

FORECAST ISSUED: 08/27/23 at 1930 MDT

NAMES OF FIRES: Ridge, Doris Point, Tin Soldier

UNIT: MT-Flathead National Forest

SIGNED: Trent Smith- Incident Meteorologist

text/email obs: 406-360-6330/trent.smith@noaa.gov

<u>WEATHER DISCUSSION:</u> The weather continues to be dominated by the ridge of high pressure causing warm and dry conditions over the fire with terrain driven winds. Another night of thermal belts developing over the fire tonight. Tuesday will be the warmest and driest day of the week as a cold front approaches the region.

TODAY:

SKY/WEATHER: Mostly sunny.

Max Temperature: 86-91 lower elevations (below 4500 ft) and 75-80 mid-slopes to ridges.

Min RH: 21-26% lower elevations (below 4500 ft) and 25-30% mid-slopes to ridges

20 ft WINDS: Slope/Valley - Terrain 3-8 mph.

Doris/Ridge Ridgetop – Variable 3-8 mph becoming southwest 5-10 mph in the afternoon.

Tin Soldier Ridgetop - Variable 3-8 mph becoming southwest 5-10 mph in the afternoon.

LAL: 1

Chance of Wetting Rain (0.10"): 0%

HAINES INDEX: 3 (Very Low)

TONIGHT:

SKY/WEATHER: Mostly clear. Min Temperature: 53-58.

Max RH: 65-70% lower elevations (below 4500 ft) and 45-50% mid-slopes to ridges. .

20 ft WINDS: Slope/Valley - Terrain 3-8 mph.

Ridgetop - Variable 3-8 mph.

LAL: 1

Chance of Wetting Rain (0.10"): 0%

Outlook for TUESDAY:

SKY/WEATHER: Mostly sunny becoming mostly cloudy in the afternoon.

Max Temperature: 90-95 lower elevations (below 4500 ft) and 79-84 mid-slopes to ridges.

Min RH: 18-23% lower elevations (below 4500 ft) and 22-27% mid-slopes to ridges

20 ft WINDS: Slope/Valley - Terrain 3-8 mph becoming south 5-10 mph in the afternoon.

Ridgetop – Variable 3-8 becoming south 5-10 mph with gusts to 15 mph in the afternoon.

Extended Forecast Discussion: A strong cold front will push through the fires Tuesday evening creating gusty erratic winds, lightning and moderate to heavy rainfall. Light rain is expected throughout the night through Wednesday morning. The fires are expected to receive between a 0.25 to 0.50 inch of rain Tuesday night through Wednesday. A low amplitude ridge builds back over the region Thursday through Saturday causing a slow warming and dry trend.

Yesterdays observations thru 1900	Min Temp	Max RH	Max Temp	Min RH	Peak Wind	Precipitation
Spotted Bear Lookout (7202')	56	47	75	23	15 mph	0.00
IRAWS46-Desert Mtn (6360')	58	54	73	25	16 mph	0.00
IRAWS45-Firefighter Mtn (5683')	55	57	78	20	13 mph	0.00
Spotted Bear RS (3725')	40	98	85	18	13 mph	0.00
West Glacier RAWS (3165')	45	100	88	18	6 mph	0.00
Hungry Horse RAWS (3123')	46	98	88	20	12 mph	0.00

FIRE BEHAVIOR FORECAST

FORECAST NUMBER: 20	TYPE OF FIRE: Wildland Fire
FIRE NAME: Tin Soldier/Ridge and Doris Point	OPERATIONAL PERIOD: Day Shift, August 28, 2023
DATE ISSUED: August 27, 2023	TIME ISSUED: 2000
UNIT: Flathead National Forest	SIGNED: Stewart Turner, FBAN

INPUTS

WEATHER SUMMARY: Mostly sunny.

MAX TEMP: 86-91 lower elevations (below 5500 ft) and 75-80 mid-slopes to ridges. Humidity: 21-26% lower elevations (below 4500 ft) and 25-30% mid-slopes to ridge 20 FOOT WINDS: Valleys/LowerSlope: Terrain 3-8 mph.

Doris/Ridge Ridgetop – Variable 3-8 mph becoming southwest 5-10 mph in the afternoon. Tin Soldier Ridgetop – Variable 3-8 mph becoming southwest 5-10 mph with gusts to 15 mph in the afternoon.

Haines 3 (very low) LAL 1

FUELS: The major fuel types, found in and around the fire area include compact timber stands, timber, understory, brush and heavy down and dead.

Ignition Receptiveness: ERC: 31 well below the 90th percentile.

Probability of Ignition: 76% Spotting distance: Ridge top timber .1-mile, brush .2-mile <u>Dryness:</u> Dead and down fuel moistures: 1 hour – 5% 10 hour-13%, 100 hour -15%, 1000 hour-17%.

OUTPUTS

FIRE BEHAVIOR

GENERAL:

Most of the fire area will see smoldering fire behavior. Some areas will creep along the surface and logs providing some movement. Single tree torching is possible. Backing, flanking and upslope movement will be possible on the Doris Point, Sullivan and Bruce fires. Limited perimeter growth will take place.

SPECIFIC:

Sullivan Fire: Creeping and smoldering fire behavior. Any movement will be to the south and southwest.

Bruce Fire: Creeping and smoldering will occur around the fire. Some limited movement to the south and southwest will occur.

Ridge Fire: No growth is expected. Low fire behavior.

Doris Point Fire: Creeping and smoldering will occur with some movement in the southwest finger. Some upslope movement can be expected. Perimeter growth is expected.

AIR OPERATIONS:

No limitation to air operations.

SAFETY

Take weather observations frequently. Base all actions on current and expected fire behavior. Reexamine your plan and risk analysis as fire behavior increases. Post more lookouts, if more warning time is needed.

DIVISION ASSIGNMENT LIST

1. BRANCH DIVISION/GROUP

A/M/R

INCIDENT NAME

TFLD

TFLD (T)

RIDGE

1 OPERATIONAL PERIOD

Date: 08/28/2023 Time: 0700-2000

OPERATIONS PERSONNEL

PLANNING OPS: Jayson Coil / Lindsay McElfresh (T) / Brandon Woodward (T)

DIVISION/GROUP SUPERVISOR: Ricky Romero / Andre Dulac (T) (O-222)(9/4)

BRANCH DIRECTOR: Barry Green

FIELD OPS: Ralph Lucas / Charles Ebert (T)

AIR OPERATIONS BRANCH DIRECTOR: Sean Cox

RESOURCES ASSIGNED THIS PERIOD STRIKE TEAM/TASK FORCE/RESOURCE DESIGNATOR NUMBER DROP OFF PICK UP LEADER Last POINT/TIME POINT/TIME **PERSONS** Shift River Ranch ICP / River Ranch ICP / HC1 TATANKA 8/30 C-26 David Zortman 18 0700 2000 River Ranch ICP / River Ranch ICP / 0-164.67 9/5 Larry Badger 1 2000 0700 River Ranch ICP / River Ranch ICP / O-184.82 9/5 Dana Johnston 1 0700 2000

River Ranch ICP / River Ranch ICP / TFLD (T) 0-184.77 Brett Idol 9/5 1 0700 2000 River Ranch ICP / River Ranch ICP / **ENG6 TORCH FIRE** E-144 9/5 Stephen Tolman 3 0700 2000

River Ranch ICP / River Ranch ICP / SOFR O-157 9/6 Troy Maguire 0700 2000 River Ranch ICP / River Ranch ICP / MED TEAM 4 0-109 9/3 2 James Fox 2000 0700

River Ranch ICP / River Ranch ICP / MED TEAM 6 O-208 9/2 Ayala Rahm 2 0700 2000 River Ranch ICP / River Ranch ICP / 8/31 AMBU 10 KALISPELL E-114 914 Jessica Kinzer 2000 0700

Task: Remove all suppression equipment and complete suppression repair in a manner consistent with the suppression repair plan. Purpose: To ensure that the fire area is safe and secure, and that the environment is protected from further damage. Endstate: All suppression equipment is removed, and the fire area is restored to its pre-fire condition.

- Pull berms on any indirect lines. Waterbar per repair standards where applicable. Backhaul all unused hose, pumps, or tanks. Pull all flagging.
- Do not travel between DP 20 & DP 25 due to poor road conditions.
- Before doing work in the Coram Experimental Forest, coordinate Nate Dieterich (406) 570-8706.
- READs and REAFs will be operating in multiple divisions. They will check in and out with DIVS.

Denotes resources with IA responsibilities.

FUNCTI	ON	FREQUENCY Rx	FREQUENCY Tx	CHAN	FUNCT	ION	FREQUENCY Rx	FREQUENCY Tx	CHAN.
COMMAND	CMD C3	170.4250 / 131.8	168.0750 / 131.8	7	AIR COMMAND	A/G PRI	173.8375	173.8375 / 123.0	13
FOREST	RPT	173.1125	164,3750 / 107.2	10					
LOGGER 2		151.5050 / 94.8	151.5050 / 94.8	12	MEDEVAC A/G	MED A/G	155.3400	154.3400 / 156.7	15
TACTICAL	TAC 4	166.7250 / 131.8	166.7250 / 131.8	4	AIRGUARD	AIRGUARD	168.6250	168.6250 / 110.9	16

APPROVED BY (PLANNING SECTION CHIEF)

Dana Bagnoli Dana K Begnuli PSC PREPARED BY (RESOURCE UNIT LEADER) DATE TIME Mark McEntarffer 08/27/2023 2100

DIVISION ASSIGNMENT LIST 1 W ICS-204 INCIDENT NAME OPERATIONAL PERIOD 4 Date: 08/28/2023 RIDGE Time: 0700-2000 **OPERATIONS PERSONNEL** PLANNING OPS: Jayson Coil / Lindsay McElfresh (T) / Brandon Woodward (T) **BRANCH DIRECTOR: Barry Green** FIELD OPS: Ralph Lucas / Charles Ebert (T) AIR OPERATIONS BRANCH DIRECTOR: Sean Cox **DIVISION/GROUP SUPERVISOR: Justin Wedo** RESOURCES ASSIGNED THIS PERIOD STRIKE TEAM/TASK FORCE/RESOURCE DESIGNATOR LEADER NUMBER Last DROP OFF PICK UP Shift POINT/TIME PERSONS POINT/TIME River Ranch ICP / River Ranch ICP / HC2 IRON MONTAIN C-18 8/29 Jesse Chiprez 20 0700 2000 River Ranch ICP / River Ranch ICP / HC2 WEST COAST 32 C-32 8/30 Benjamin Martinez 18 0700 2000 River Ranch ICP / River Ranch ICP / SOFR 0-157 9/6 **Troy Maguire** 1 0700 2000 River Ranch ICP / River Ranch ICP / MED TEAM 2 E-129 8/30 **Adam Osladacz** 0700 2000 **CONTROL OPERATIONS:** Task: Remove all suppression equipment and complete suppression repair in a manner consistent with the suppression repair plan. Purpose: To ensure that the fire area is safe and secure, and that the environment is protected from further damage. Endstate: All suppression equipment is removed, and the fire area is restored to its pre-fire condition. SPECIAL INSTRUCTIONS: Pull berms on any indirect lines. Waterbar per repair standards where applicable. Backhaul all unused hose, pumps, or tanks. Pull all flagging. Before doing work in the Coram Experimental Forest, coordinate with READ Nate Dieterich (406) 570-8706. READs and REAFs will be operating in multiple divisions. They will check in and out with DIVS. FREQUENCY Rx **FUNCTION** FREQUENCY Tx CHAN **FUNCTION** FREQUENCY FREQUENCY Tx CHAN. / TONE / TONE Rx / TONE / TONE CMD C3 COMMAND 170.4250 / 131.8 168.0750 / 131.8 7 AIR COMMAND A/G PRI 173,8375 173.8375 13 RPT **FOREST** 173.1125 164.3750 / 107.2 10 LOGGER 2 151.5050 / 94.8 MEDEVAC A/G MED A/G 155..3400 151.5050 / 94.8 12 155.3400 / 156.7 15 TAC 5 166.7750 / 131.8 166.7750 / 131.8 AIRGUARD 5 AIRGUARD 168,6250 168.6250 / 110.9 16 PREPARED BY (RESOURCE UNIT LEADER) APPROVED BY (PLANNING SECTION CHIEF) TIME Mark McEntarffer Dana Bagnoli 08/27/2023 2100

BRANCH

DIVISION/GROUP

DIVISION ASSIGNMENT LIST ICS-204

BRANCH 1.

DIVISION/GROUP

Repair Group

INCIDENT NAME

RIDGE

1 **OPERATIONAL PERIOD**

Date: 08/28/2023 Time: 0700-2000

OPERATIONS PERSONNEL

PLANNING OPS: Jayson Coil/ Lindsay McElfresh (T) / Brandon Woodward (T)

BRANCH DIRECTOR: Barry Green

FIELD OPS: Ralph Lucas / Charles Ebert (T)

AIR OPERATIONS BRANCH DIRECTOR: Sean Cox

DIVISION/GROUP SUPERVISOR: Brendon McNeil

OTDUCE TEAMERABLE CONCENTRATION OF DESIGNATION	RESOUR		IGNED THIS PERIOD			
STRIKE TEAM/TASK FORCE/RESOURCE DESIGNATOR	3/30/	Last Shift	LEADER	NUMBER PERSONS	DROP OFF POINT/TIME	PICK UP POINT/TIME
TFLD (T)	0-224	9/4	Mark Wahlberg	1	River Ranch ICP / 0700	River Ranch ICP / 2000
HC2 NORTH PACIFIC 2	C-37	9/9	Oscar Sanchez	20	River Ranch ICP / 0700	River Ranch ICP 2000
HC2 R&R CONTRACTING *	C-30	8/30	Christobal Rocha	20	River Ranch ICP / 0700	River Ranch ICP 2000
HC2 WEST COAST 33	C-33	8/30	Luis Gonzalez	20	River Ranch ICP / 0700	River Ranch ICP 2000
HC2 MOSQUEDA	C-36	9/9	Ray Rosalas	20	River Ranch ICP / 0700	River Ranch ICP 2000
HEQB	A-15.10		Mark Troxel	1	River Ranch ICP / 0700	River Ranch ICP
HEQB (T)	A-15.2		Ben O'Connor	1	River Ranch ICP / 0700	River Ranch ICP / 2000
HEQB (T)	O-190	9/1	Kyler Knapp	1	River Ranch ICP / 0700	River Ranch ICP / 2000
HEQB (T)	O-187	9/1	Drew Czyscon	1	River Ranch ICP / 0700	River Ranch ICP / 2000
HEQB (T)	O-188	9/2	Zach Emerson	1	River Ranch ICP / 0700	River Ranch ICP / 2000
MAST2 T&S CHEFF CONST	E-155	9/10	Josh Cheff	2	River Ranch ICP / 0700	River Ranch ICP / 2000
SOF2	O-206	9/3	Kim Lemke	1	River Ranch ICP /	River Ranch ICP
MED TEAM 7	O-200	8/31	Rodney Schmidt	2	0700 River Ranch ICP /	2000 River Ranch ICP
MED TEAM 3	O-110	9/3	Robert Smith	2	0700 River Ranch ICP / 0700	2000 River Ranch ICP / 2000

Task: Remove all suppression equipment and complete suppression repair in a manner consistent with the suppression repair plan. Purpose: To ensure that the fire area is safe and secure, and that the environment is protected from further damage. Endstate: All suppression equipment is removed, and the fire area is restored to its pre-fire condition.

Pull berms on any indirect lines. Waterbar per repair standards where applicable. Backhaul all unused hose, pumps, or tanks. Pull all flagging.

READs and REAFs will be operating in multiple divisions. They will check in and out with DIVS.

FUNCT	TION	FREQUENCY Rx / TONE	FREQUENCY Tx / TONE	CHAN	FUNCT	TION	FREQUENCY Rx / TONE	FREQUENCY Tx / TONE	CHAN.
COMMAND	CMD C3	170.4250 / 131.8	168.0750 / 131.8	7	AIR COMMAND	A/G PRI	173.8375	173.8375	13
FOREST	RPT	173.1125	164.3750 / 107.2	10					
LOGGER 2	7.44	151.5050 / 94.8	151.5050 / 94.8	12	MEDEVAC A/G	MED A/G	1553400	155,3400 / 156.7	15
TACTICAL	TAC 3	168.6000 / 131.8	168.6000 / 131.8	3	AIRGUARD	AIRGUARD	168.6250	168.6250 / 110. 9	16

PREPARED BY (RESOURCE UNIT LEADER) APPROVED BY (PLANNING SECTION CHIEF) DATE TIME Don't Buy le 146 Mark McEntarffer 2100 08/27/2023

DIVISION ASSIGNMENT LIST BRANCH DIVISION/GROUP 1. **DORIS POINT** ICS-204 INCIDENT NAME **OPERATIONAL PERIOD** Date: 08/28/2023 **DORIS POINT** Time: 0700-2000 **OPERATIONS PERSONNEL** PLANNING OPS: Jayson Coil / Lindsay McElfresh (T) / Brandon Woodward (T) **BRANCH DIRECTOR: Barry Green** FIELD OPS: Ralph Lucas / Charles Ebert (T) AIR OPERATIONS BRANCH DIRECTOR: Sean Cox DIVISION/GROUP SUPERVISOR: Guy Wilson / Tyler Richwine (T) RESOURCES ASSIGNED THIS PERIOD STRIKE TEAM/TASK FORCE/RESOURCE DESIGNATOR LEADER NUMBER DROP OFF PICK UP Last Shift PERSONS POINT/TIME POINT/TIME River Ranch ICP / River Ranch ICP / **FMOD WHITE HORSE** 0-223 9/6 Wade Long 2 0700 2000 River Ranch ICP / Ranch ICP / **HC2 IRON MOUNTAIN 6** C-19 8/29 Israel Santana 20 0700 2000 Ranch ICP / Ranch ICP / ENG3 CA-ANF 321 E-142 9/6 Santos Gonzalez 4 0700 2000 Ranch ICP / Ranch ICP / ENG3 AZ-ASF E361 9/5 E-143 Katie Speranske 5 0700 2000 Ranch ICP / Ranch ICP / ENG6 MT-FNF 661 E-152 9/6 Forest Barclay 6 0700 2000 River Ranch ICP / River Ranch ICP / SOF2 **O-206** 9/3 Kim Lemke 0700 2000 River Ranch ICP / River Ranch ICP / MED TEAM 5 0-111 9/10 **Michael Sowell** 2 0700 2000 River Ranch ICP / River Ranch ICP / AMBU 11 E-140 9/6 **Aaron Henry** 2 0700 2000 CONTROL OPERATIONS: Task: Remove all suppression equipment and complete suppression repair In a manner consistent with the suppression repair plan. Purpose: To ensure that the fire area is safe and secure, and that the environment is protected from further damage. Endstate: All suppression equipment is removed, and the fire area is restored to its pre-fire condition. SPECIAL INSTRUCTIONS: READs and REAFs will be operating in multiple divisions. They will check in and out with DIVS. * Denotes resources with IA responsibilities. **FUNCTION** FREQUENCY Rx FREQUENCY Tx **FUNCTION** CHAN FREQUENCY Rx FREQUENCY Tx CHAN. / TONE / TONE / TONE / TONE COMMAND CMD C3 170,4250 / 131.8 168.0750 / 131.8 AIR COMMAND A/G PRI 173.8375 173.8375 13 FOREST 173.1125 164.3750 / 107.2 10 151.5050 / 94.8 LOGGER 2 MEDEVAC A/G 151.5050 / 94.8 MED A/G 155.3400 / 156.7 12 155..3400 15 AIRGUARD TAC 6 168.2500 / 131.8 168.2500 / 131.8 AIRGUARD 6 168,6250 168.6250 / 110.9 16

APPROVED BY (PLANNING SECTION CHIEF)

Dana Bagnol

TIME

2100

DATE

08/27/2023

PREPARED BY (RESOURCE UNIT LEADER)

Mark McEntarffer

DIVISION ASSIGNMENT LIST

ICS-204

1. BRANCH

DIVISION/GROUP

TIN SOLDIER

INCIDENT NAME

TIN SOLDIER

OPERATIONAL PERIOD

Date: 08/28/2023 Time: 0700-2000

OPERATIONS PERSONNEL

PLANNING OPS: Jayson Coll / Lindsay McElfresh (T) / Brandon Woodward (T)

BRANCH DIRECTOR: TJ Lowder

FIELD OPS: Ralph Lucas / Charles Ebert (T)

AIR OPERATIONS BRANCH DIRECTOR: Sean Cox

DIVISION/GROUP SUPERVISOR: Aaron Livingston / Aaron Strobel (T)

	RESOUR		IGNED THIS PERIOD			
STRIKE TEAM/TASK FORCE/RESOURCE DESIGNATOR		Last Shift	LEADER	NUMBER PERSONS	DROP OFF POINT/TIME	PICK UP POINT/TIME
WFM SPOTTED BEAR *	0	S.J. cessifi	Scott Reid	9	Spotted Bear / 0700	Spotted Bear 2000
HETF TOUGH GO	E-50	9/1	Russ Miller	6	Spotted Bear / 0700	Spotted Bear 2000
LOGL SLACK	E-34	9/1	Auston Siderius	1	Spotted Bear / 0700	Spotted Bear 2000
LOGL SIDERIUS	E-35	9/1	Brandon Clouse	1	Spotted Bear / 0700	Spotted Bear 2000
LOGT MATHENY LINE	E-132	8/30	Timothy Matheny	1	Spotted Bear / 0700	Spotted Bear 2000
LOGT RONKOSKI TRUCKING	E-133	8/30	Ron Koski	1	Spotted Bear / 0700	Spotted Bear 2000
TFLD (T) (TASK FORCE 1)	O-186	9/2	Coyde Fickle	1	Spotted Bear / 0700	Spotted Bear 2000
HC2 PNW FIRE	C-20	8/28	Miguel Esquibel	20	Spotted Bear / 0700	Spotted Bear 2000
HC2 NORTH PACIFIC 8	C-38	9/9	Jose Perez	20	Spotted Bear / 0700	Spotted Bear 2000
SMOD GREAT LAKES *		9/2	Brad Tangerson	17	Spotted Bear / 0700	Spotted Bear 2000
SMOD MI-HIF *			David Steffen	6	Spotted Bear / 0700	Spotted Bear 2000
ENG4 BOSKET	E-15	9/1	Steve Bailey	3	Spotted Bear / 0700	Spotted Bear 2000
WTS2 CONLEY	E-14	9/1	Owen Conley	1	Spotted Bear / 0700	Spotted Bear 2000
SOF2	O-184.62	9/5	Rob Martin	1	Spotted Bear / 0700	Spotted Bear 2000
MED TEAM 8	O-209	9/1	Bejone Mixon	2	Spotted Bear / 0700	Spotted Bear 2000
AMBU 12	E-148	9/8	Tyler Adelr	2	Spotted Bear / 0700	Spotted Bear 2000
AMBU 9	E-58	8/28	Amanda Macarthur	2	Spotted Bear / 0700	Spotted Bear 2000

Task: Remove all suppression equipment and complete suppression repair in a manner consistent with the suppression repair plan. Purpose: To ensure that the fire area is safe and secure, and that the environment is protected from further damage. Endstate: All suppression equipment is removed, and the fire area is restored to its pre-fire condition.

SPECIAL INSTRUCTIONS:

* Denotes lend lease resource with IA responsibilities. READs and REAFs will be operating in multiple divisions. They will check in and out with DIVS.

FUNCTIO	NC	FREQUENCY Rx / TONE	FREQUENCY Tx / TONE	CHAN	FUNCT	ION	FREQUENCY Rx / TONE	FREQUENCY TX / TONE	CHAN.
COMMAND	CMDS	173.1875 / 167.9	164.3875 / 167.9	9	AIR COMMAND	A/G PRI	169.2625	169.2625 / 167.9	14
COMMAND	CMD N	168.1125 / 167.9	168.2875 / 167.9	8					
TACTICAL	TAC 1	168.0500 / 167.9	168.0500 / 167.9	1	MEDEVAC A/G	MED A/G	1553400	155.3400 / 156.7	15
FOREST	RPT ·	173.1125	164.3750 / 114.8	10	AIRGUARD	AIRGUARD	168.6250	168,6250 / 110.9	16

PREPARED BY (RESOURCE UNIT LEADER) APPROVED BY (PLANNING SECTION CHIEF) DATE TIME mit Beguli PSL Mark McEntarffer 08/27/2023 2100

II	NTENTI	ONALI	LY LEF	Γ BLAN	K

Controlled Unclassified Information/Basic

AIR OPERATIONS SUMMARY	Prepared By: Sean Cox AOBD	Prepared: 08/27/2023	023	Prepared Time: 1700 hrs.	1700 hrs.
Ridge/Doris Point/ Tin Soldier Complex	2. OPERATIONAL PERIOD	START TIME:	END TIME:	SUNRISE:	SUNSET:
	08/28/2023	0200	2000	0647	2028


*** INCIDENT DOWN TO ONE AIR TO GROUND FREQUENCY***

IN THE ABSENCE OF AERIAL SUPERVISION, ORDER AIRCRAFT THROUGH AIR SUPPORT.

DO YOUR PART FOR AVIATION MISSION SUCCESS. A NUMBER OF FACTORS CAN CONTRIBUTE TO DELAYS IN AIRCRAFT ON SCENE TIMES. SOME CONTRIBUTORS TO DELAYS INCLUDE RISK ASSESSMENTS, WEATHER, UNCLEAR INTENT, OR HIGHER LOCALIZED, REGIONAL, OR NATIONAL PRIORITIES TO NAME A FEW.

UNMANNED ROMEO 31 MAPPING MISSIONS SULLIVAN/ BRUCE

AGENCY EXTRACTION (SHORT-HAUL) H-OCH: KALISPELL AIRPORT NIGHT/COMM HOIST; TWO BEAR AIR: GLACIER PARK INT'L AIRPORT ORDER THROUGH COMMUNICATIONS



6. PERSONNEL	NAME	PHONE #	7. FREQUENCIES	AM	FM	8. FIXED-WING Avail/ Type/ Make-Model/ N#/ Base
AOBD	Sean Cox	530-409-2363	CMND ALL FIRES SEE 205			AIRTANKERS/ SCOOPERS: ORDER THRU AERIAL SUPERVISION
ASGS	Brian Knaop	520-591-2704				
			ALL FIRES A/G		173.8375 Tx Tone 123.0	
ATGS	Matt Counts	406-270-7437	Ridge/Dorris Point A/A		126.8250	126.8250 No Active Incident Helibase.
HLCO	John Harris	805-550-7903				
			Tin Soldier A/A		127.250	Finance email: <u>2023.ridge.finance@firenet.gov</u> OR
Kalispell Dispatch	Aircraft Desk	406-758-5306				MS TEAMS Channel under respective fire name.
Flathead FAO	Mike Bentley	307-760-5428	Medical A/G(Tan)		155.3400 Tx Tone 156.7	

T			-	were the
REMARKS				
AVAIL				
START				
BASE				
MAKE/ MODEL				
Ţ				
FAA N#				
REMARKS	Order through ASGS	Order through ASGS	Order through ASGS	
AVAIL				
START				
BASE				
MAKE/ MODEL				
4	-	7	ო	
FAA N#				

When the Tooth fairy comes to your house she takes your tooth and gives you money. When Chuck Norris Lindsay McElfresh comes to your house she breaks your tooth and takes your money.

SHORT-HAUL OPERATIONS

CAPABILITIES

- During an operational Short-Haul the helicopter is capable of inserting Short-Haulers into an area with tight canopy cover and/or technical terrain.
- Haul line lengths range from 100 feet to 350 feet.
- Short hauler and/or medical gear can be delivered to the medical scene even if extraction by short-haul is not necessary.

ORDERING

- EMT or Medical Incident IC determines medical extraction is required.
- Follow local established procedures and/or Medical Incident Report (MIR) in the IRPG.
- Confirm aircraft type, call sign, estimated time of arrival and frequency.
- Give site selection information when ordering: hazards (i.e. ash, smoke, snags, aerial), tree height, terrain, and patient transport configuration (supine or seated position). Repeat hazards and give updated weather conditions as well as brief patient update to responding helicopter.

PROCESS: The helicopter will fly to the coordinates provided. They will make contact with ground personnel on scene with the patient using an identified air-to-ground frequency. The helicopter will complete a short-haul recon and size up, gather patient update information and then fly to a landing zone (LZ) to configure for short-haul operations. The helicopter will be monitoring the appropriate air-to-ground, air guard and victor frequencies. From this point, ground resources should only contact the helicopter in case of an emergency. During the insertion and extraction process ground personnel must be clear of the area.

ON SCENE - EXPECT THE FOLLOWING

- 1 or 2 rescuers (at least one qualified as an EMT or higher)
- Backboard (if needed and not already on scene)
- All equipment necessary for patient extraction

The <u>Patient Extraction Bag</u> accommodates most backboards.

• A patient on a backboard, TRS, SKED or litter will be inserted into the bag.



The <u>Seat Harness</u> is used for patients not requiring the use of a backboard.



2023 IAP INSERT

SAFETY/RISK MESSAGE

Incident Name: Ridge / Doris Point
Tin Soldier Complex

ate: 8/28/2023

Signed:

Jim Buston

SOF1

Safety Discussion

Temperatures are 15 degrees above normal and present a high risk for heat related injuries. Precautionary measures are required. Heat index (HI) values were created for shady, light wind conditions, so exposure to full sunshine can increase heat index values by up to 15°F. Drink before feeling thirsty. By the time you feel thirsty, you are already behind in fluid replacement. Dehydration is a primary contributor to heat exhaustion. When working in the heat, drink 1 cup (8 ounces) of water every 15–20 minutes. This translates to ¾–1 quart (24–32 ounces) per hour. Take frequent breaks and seek a shady area or A/C to allow core body temperatures to lower.

Significant Ri	sks				
Aviation Use Hazards	Moderate Risk	Are all hazards identified and have you made other aircraft in the area?	e them kn	own? Are	there any
Driving Hazards	Moderate Risk	Place a quarter into your tread with Washing If you see the top of Washington's head, the serious loss in stopping power and hydroplan	n your tire	s will expe	
Fire Entrapment Hazards	Low Risk	Lookout for one another, communicate the high place before experiencing heat exhaustion, a nighttime sleeping location free from food so traffic.	a safety zo	one is your	
Hit by Hazards	Moderate Risk	Has the lack of something occurring given you happen. It only takes one lapse in SA to resu		eption noth	ing will
Environmental Hazards	High Risk	www.stopbearchumming.			
NIOSH Heat))			
Safety Tool	Step 1: Identify, Assess,				
	Instructions: To determine the level Low/Medium/High scale. If your perce that corresponds to the mitigated risk	THESE ELEMENTS ARE IDENTIFIED AS CONTRIBUTING TO A LARGE PORTION OF RISK. RATE EACH ELEMENT BELOW			
60 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		ion for thorough planning, briefing and implementation. Consider: and on-scene details/hazards, contingency plan discussed, LCES.	Complete Low	Partial Medium	None High
		Consider: task duration, overextended, air support or logistics tion, access), urban interface, public evac, coordination, etc.	Routine Low	Infrequent Medium	Abnorma High
44 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		for the mission. Consider: qualifications, experience, familianty w/ task, etc.), adequate supervision (span of control), organization.	Excellent Low	Marginal Medium	Poor High
	Communications/Supervision - Abi	ilty to maintain communication throughout mission. Consider: availability ses, clear task - purpose - end state, backup comms, limited comms.	Excellent Low	Partial Medium	None High
Incident	Environment - Conditions surrounding	ng mission. Consider: weather, vegetation, temperature, night/day, hazards, road conditions, vapors, ongoing ops, snags, wildlife, etc.	Ideal Low	Marginal Medium	Extreme High
Response Pocket	Step 2: Determine Overal		LOW	Wedidiii	riigii
Guide (IRPG)	Consider: 1) the rating for each elem	ent above, 2) the importance of the element for mission execution, ne perceived Overall Risk Level when considering this info.	Low	Medium	High
(A)	Step 3: Determine Risk v	s. Gain: Do gains warrant the risk?			
		(Step 2) in the RISK box (Low, Medium, or High). ain below and enter the level in the GAIN box. (Low, Medium, or High).		←RISK VS.	
		benefits or a low probability for providing concrete results. Examples: ct, minimal public interest/concern, non-urgent/time sensitive activity		ublic safety, mi	nor impact t

significant environmental impact, public interest/concern.

Medium Gain - Situation that provides immediate and real benefits. Examples: minor threat to public safety, medium impact to livelihood,

High Gain - Situation that provides immediate and real benefits that if ignored could result in loss of life. Examples: significant threat to public



You're in Bear Country

- DO NOT bring food, toiletries, or scented items into your tent.
- Sleep at least 100 yards away from the kitchen/food prep area.
- Secure food attractants properly in a bear resistant bin or in a secured building.
- Stay alert and look for bear activity, especially where visibility or hearing is limited (thick vegetation, streams).
- Make noise whenever possible to avoid surprising a bear, especially where visibility or hearing is limited.
 The human voice is the best deterrent, be loud.
- Travel in a group and keep members together.
- Never run from a bear.
- If a bear is hanging around, alert others, and from a safe place make it leave. Yell, set off car alarms, air horns, bang pots and pans, etc.
- If you experience any type of conflict with a bear or have any questions/concerns, immediately contact Bear Specialist Justine Vallieres at (406)250-1265.

Ridge and Doris Point Fire, and Tin Solder Complex Tin Sold 168.0500 131.8 168.0500 131.8 168.0500 131.8 168.000 131.8 169.000 131.8 169.000 131.8 131	GIONI	INCIDENT PADIO	Incident Name			Date/Time Prepared		Operation	Operational Period Date/Time
Function Controlled Unclassified in Target TX Freq	COMMUNI	CATIONS PLAN	Ridge and and Tin	d Doris Point Soldier Comp	Fire, lex	8/27/2023 @	1800	08/28/	08/28/2023 0700 to 08/29/2023 0700
Function Channel Name/Trunked Assignment RX Freq RX ToneNAMC TX Freq Assignment RX						Cont	rolled Unclas	siffed In	nformation//Basic
TAC 1 Tin Sold 188.0500 131.8 168.0500 131.8 A TAC 2 DO NOT USE 168.2000 131.8 168.2000 131.8 A TAC 3 Repair 168.6000 131.8 168.6000 131.8 A TAC 4 DIV A/M/R 166.7750 131.8 166.7750 131.8 A TAC 5 DIV W 166.7750 131.8 166.7750 131.8 A CMD C3 CMD C3 170.4250 131.8 168.2500 131.8 A D CMD C3 170.4250 131.8 168.2500 131.8 A D CMD C3 170.4250 131.8 168.0750 131.8 A D CMD C3 CMD S CMD S 167.9 167.9 A D CMD S CMD S 173.1875 164.3875 167.9 A CMD S CMD S 173.1875 164.3875 167.9 A CMD S A/G PRI <td< th=""><th></th><th>Channel Name/Trunked Radio System Talkgroup</th><th>200</th><th>RX Freq</th><th>RX Tone/NAC</th><th>TX Freq</th><th>Tx Tone/NAC</th><th>Mode A, D or</th><th>Remarks</th></td<>		Channel Name/Trunked Radio System Talkgroup	200	RX Freq	RX Tone/NAC	TX Freq	Tx Tone/NAC	Mode A, D or	Remarks
TAC 2 DO NOT USE 168.2000 131.8 168.2000 131.8 A TAC 3 Repair 168.6000 131.8 168.7250 131.8 A TAC 4 DIV A/M/R 166.7750 131.8 166.7750 131.8 A TAC 5 DIV W 166.7750 131.8 168.2500 131.8 A CMD C3 CMD C3 170.4250 131.8 168.0750 131.8 A D CMD N CMD North 168.125 167.9 167.9 A A D CMD S CMD South 173.1875 167.9 164.3875 167.9 A D CMD S CMD South 173.1875 167.9 164.3750 107.2 A D CMD S CMD South 173.1875 164.3750 107.2 A D CMD S CMD South 173.1875 164.3750 107.2 A S CMD South 173.8375 164.3750 107.2 A S CMD South 173.8375 173.8375	1 TAC	TAC 1	Tin Sold	168.0500	131.8	168.0500	131.8	A	Tin Soldier Group
TAC 3 Repair 168.6000 131.8 168.7560 131.8 A TAC 4 DIV AM/R 166.7250 131.8 166.7250 131.8 A TAC 5 DIV W 166.7750 131.8 166.7550 131.8 A CMD 63 DORIS 168.2500 131.8 168.2500 131.8 A CMD C3 CMD C3 170.4250 131.8 168.0750 131.8 A D CMD C3 CMD C3 170.4250 131.8 168.0750 131.8 A D CMD C3 CMD North 168.1125 167.9 168.2875 167.9 A D CMD S CMD South 173.1875 167.9 164.3750 107.2 A D CMD S AII DIVS 151.5050 94.8 151.5050 94.8 A EVAC TAN AII DIVS 151.5050 94.8 173.8375 123.0 A EVAC TAN AII DIVS 165.3400 165.3400 166.57 A		TAC 2	DO NOT USE	168.2000	131.8	168.2000	131.8	A	BAD CLONE, DO NOT USE
TAC 4 DIV AM/R 166.7550 131.8 A TAC 5 DIV W 166.7750 131.8 131.8 A TAC 5 DIV W 166.7750 131.8 166.7750 131.8 A TAC 6 DORIS 168.2500 131.8 A A A DC CMD C3 CMD C3 170.4250 131.8 168.0750 131.8 A DC CMD C3 CMD South 173.1875 167.9 167.9 A DC CMD C3 CMD South 173.1875 164.3875 167.9 A DC CMD C3 CMD South 173.1875 164.3875 167.9 A D CMD C3 CMD South 173.1875 164.3875 167.9 A D CMD C3 CMD South 173.1875 164.3875 167.9 A D CMD C3 AII DIVS 151.5050 94.8 164.3750 173.0 A EVAC TAN AII DIVS 155.3400 155.3400 156.7 A		TAC 3	Repair	168.6000	131.8	168.6000	131.8	A	Repair Group
CMD C3 DORIS 168.2500 131.8 A DCMD C3 170.4250 131.8 168.2500 131.8 A DCMD C3 170.4250 131.8 168.0750 131.8 A DCMD C3 170.4250 131.8 168.0750 131.8 A DCMD C3 170.4250 167.9 163.2875 167.9 A DCMD C3 CMD South 173.1875 167.9 164.3875 167.9 A DCMD C3 CMD South 173.1125 164.3750 107.2 A DCMD C3 AII DIVS 151.5050 94.8 151.5050 94.8 A CMD SOUTH 173.8375 173.8375 123.0 A CMD C3 AII DIVS 155.3400 155.3400 156.7 A CMAC PRID AII DIVS 168.6250 110.9 A CMAC PRID AII DIVS 168.6250 110.9 A CMAC PRID AII DIVS 168.6250 110.0 A <td></td> <td>TAC 4</td> <td>DIV A/M/R</td> <td>166.7250</td> <td>131.8</td> <td>166.7250</td> <td>131.8</td> <td>A</td> <td>DIV A/M/R</td>		TAC 4	DIV A/M/R	166.7250	131.8	166.7250	131.8	A	DIV A/M/R
CMD C3 CMD C3 TAC 6 DORIS 168.2500 131.8 168.2500 131.8 A CMD C3 CMD C3 CMD C3 170.4250 131.8 168.0750 131.8 A D CMD C3 CMD North 168.1125 167.9 167.9 A D CMD S CMD South 173.1875 164.3875 167.9 A D CMD S CMD South 173.1875 164.3875 167.9 A C CMD S CMD South 173.1875 164.3875 167.9 A C CMD S 173.1875 164.3750 167.2 A C A/G PRI Branch 1 173.8375 173.8375 123.0 A EVAC TAN AII DIVS 155.3400 168.6250 110.9 A Sd ARD AIRGUARD AII DIVS 168.6250 110.9 A A Bad IV (Communications Unit) AIRGUARD AIRGUARD AIRGUARD AIRGUARD AIRGUAR		TAC 5	DIV W	166.7750	131.8	166.7750	131.8	A	DIVW
CMD C3 CMD C3 T70.4250 131.8 168.0750 131.8 A D CMD North 168.1125 167.9 163.2875 167.9 A D CMD S CMD South 173.1875 167.9 167.9 A D CMD S CMD South 173.1125 164.3875 167.9 A D CMD S All DIVS 151.5050 94.8 151.5050 94.8 A D A/G PRI Branch 1 173.8375 173.8375 123.0 A EVAC TAN AII DIVS 155.3400 155.3400 156.7 A Bd By (Communications Unit) AII DIVS 168.6250 110.9 A Bd Communications Unit) AII DIVS 168.6250 110.9 A		TAC 6	DORIS	168.2500	131.8	168.2500	131.8	A	DORIS
DESERT CMD North 168.1125 167.9 163.2875 167.9 A DESERT CMD South 173.1125 167.9 164.3750 107.2 A CMD S CMD South 173.1125 164.3750 107.2 A CMD SERT All DIVS 151.5050 94.8 164.3750 107.2 A CMD SERT All DIVS 151.5050 94.8 151.5050 94.8 A CMD SERT All DIVS 173.8375 173.8375 A A EVAC TAN All DIVS 155.3400 155.3400 156.7 A CUARD AIRGUARD All DIVS 168.6250 168.6250 110.9 A COMMUNICATIONS Unit) All DIVS All DIVS <t< td=""><td></td><td>CMD C3</td><td>CMD C3</td><td>170.4250</td><td>131.8</td><td>168.0750</td><td>131.8</td><td>A</td><td>Branch 1</td></t<>		CMD C3	CMD C3	170.4250	131.8	168.0750	131.8	A	Branch 1
DESERT CMD South 173.1875 167.9 164.3875 167.9 A DESERT All DIVS 173.1125 164.3750 107.2 A COMBAR A/G PRI Branch 1 173.8375 151.5050 94.8 151.5050 94.8 A EVAC TAN Branch 1 173.8375 173.8375 A A EVAC TAN All DIVS 155.3400 156.7 A GUARD AIRGUARD All DIVS 168.6250 110.9 A Bed By (Communications Unit) All DIVS 168.6250 110.9 A ABerer COML Brad Boyette COML-T Communications Phone: 206		CMD N	CMD North	168.1125	167.9	163.2875	167.9	A	Branch 2
DESERT All DIVS 173.1125 164.3750 107.2 A COGGER2 All DIVS 151.5050 94.8 151.5050 94.8 A A/G PRI Branch 1 173.8375 173.8375 123.0 A EVAC TAN All DIVS 155.3400 155.3400 156.7 A GUARD All DIVS 168.6250 110.9 A ad By (Communications Unit) Last Clone Name: RID aberer COML / Brad Boyette COML-T Communications Phone: 206		CMD S	CMD South	173.1875	167.9	164.3875	167.9	A	Branch 2
COGGER2 All DIVS 151.5050 94.8 151.5050 94.8 A A/G PRI Branch 1 173.8375 173.8375 123.0 A EVAC TAN All DIVS 155.3400 155.3400 A A GUARD AIRGUARD All DIVS 168.6250 168.6250 110.9 A ad By (Communications Unit) And Boyette COML-T Communications Phone: 206	10 RPT	DESERT	All DIVS	173.1125		164.3750	107.2		Kalispell Dispatch
LOGGER2 AII DIVS 151.5050 94.8 151.5050 94.8 A A/G PRI Branch 1 173.8375 173.8375 123.0 A EVAC TAN AII DIVS 155.3400 155.3400 A A GUARD AIRGUARD AII DIVS 168.6250 110.9 A A Sd By (Communications Unit) ABad Boyette COML-T Communications Phone: 206 Communications Phone: 206	11	64 64	91	eq V	71	18	24	A	
A/G PRI Branch 1 173.8375 123.0 A EVAC TAN All DIVS 155.3400 155.3400 156.7 A GUARD AIRGUARD All DIVS 168.6250 110.9 A ad By (Communications Unit) Last Clone Name: RID aberer COML / Brad Boyette COML-T Communications Phone: 206	12 TAC	LOGGER2	All DIVS	151.5050	94.8	151.5050	94.8	A	LOGGER2
AIR EVAC TAN All DIVS 155.3400 155.3400 156.7 A AIRGUARD AIRGUARD All DIVS 168.6250 168.6250 110.9 A epared By (Communications Unit) Last Clone Name: RID ent Haberer COML / Brad Boyette COML-T Communications Phone: 206	13 A/G	A/G PRI	Branch 1	173.8375		173.8375	123.0	A	Primary A/G
TAN All DIVS 155.3400 155.3400 156.7 A AIRGUARD All DIVS 168.6250 110.9 A Immunications Unit) Last Clone Name: RIDI OML / Brad Boyette COML-T Communications Phone: 208	14		6) 5			ed.	10	A	WAS A/G TIN, DO NOT USE
AIRGUARD All DIVS 168.6250 110.9 A Immunications Unit) Last Clone Name: RID OML / Brad Boyette COML-T Communications Phone: 206	15 AIR EVAC	TAN	All DIVS	155.3400	3-91	155.3400	156.7	A	Primary Medical Evac
yette COML-T	16 AIRGUARD	9 28	All DIVS	168.6250	1.5	168.6250	110.9		AIRGUARD
/ Brad Boyette COML-T	Prepared By (C	ommunications Unit)		i) (Last	Clone Nam	e: RID	0825
	Brent Haberer (1	yette COML-T			Communic	ations Phor	ne: 208	3-510-8368

After hours Medical 208-891-6143

Use Human Repeaters when and where necessary.

Use only Channels assigned.

Controlled Unclassified Information//Basic

NFES 1330

7 .	INCIDEN	INCIDENT RADIO	Incident Name	pstro edge		Date/Time Prepared		Operatio	Operational Period Date/Time
	COMMUNICA	COMMUNICATIONS PLAN	<u>-</u>	Initial Atack		8/27/2023 @ 1800	1800	08/28/	08/28/2023 0700 to 08/29/2023 0700
						Com	trolled Unclass	sified	Controlled Unclassified Information//Basic
င် #	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq	RX Tone/NAC	TX Freq	Tx Tone/NAC	Mode A, D or	Remarks
~	TAC	TAC 1		172.2250	107.2	172.2250	107.2	4	
2	TAC	TAC 2		172.3750	107.2	172.3750	107.2	4	
က	TAC	TAC 3		154.3025	107.2	154.3025	107.2	4	
4	TAC	FNF WORK 1		168.1625	(A CE)	168.1625	167.9	K	
ည	CMD	CMD DIR	Ridge CMD DIR	167.2500	107.2	167.2500	107.2	K	Ridge Command DIR
ဖ	CMD	CMD RPT	Ridge CMD RPT	167.2500	107.2	162.2625	107.2	A	Ridge Command RPT
7	FOREST DIR	FNF DIR	Forest DIR	173.1125		173.1125	123.0	K	Forest Dir
00	FOREST RPT	DESERT	Forest RPT	173.1125		164.3750	107.2	4	Forest RPT
တ	A/G	FNF A/G	Forest A/G	169.1250	911	169.1250	167.9	A	Forest A/G
10	10 A/G	RIDGE A/G	All DIV	173.8375		173.8375	123.0	4	All DIV
11	A/G	AREA A/G	3 A/G52	168.3875		168.3875	123.0	4	3 A/G52
12	12 Mutual FD Tac MAROON	MAROON	Mutual FD Pri	154.2800		154.2800	156.7	4	Mutual FD Pri
13	Mutual FD Tac SCARLET	SCARLET	Mutual FD Sec	154.2950		154.2950	156.7	<	Mutual FD Sec
14	14 Mutual FD Tac	RED	Mutual FD I A	154.0700		154.0700	156.7	4	Mutual FD I A
15	15 Medical A/G	TAN	MT Med A/G	155.3400		155.3400	156.7	⋖	MT Med A/G
16	16 AIRGUARD	AIRGUARD	All DIV	168.6250		168.6250	110.9	4	AIRGUARD
П	epared By (Com	Prepared By (Communications Unit)			16	Last (ast Clone Name: 08/15/2023	: 08/15	1/2023
ă	Brent Haberer COML	1	Brad Boyette COML-T	0		Communic	Communications Phone: 208-510-8368	ie: 208	-510-8368

After hours Medical 406-345-5975

Use Human Repeaters when and where necessary.

Use only Channels assigned.

Controlled Unclassified Information//Basic

NFES 1330

Official Fire Information

Ridge, Doris Point, Tin Soldier Fire Information

Phone: (406)998-6074 (8:00 am to 8:00 pm)

Email: 2023.Ridge@firenet.gov

Inciweb: https://inciweb.nwcg.gov/incident-information/mtfnf-ridge-fire

Facebook: https://www.facebook.com/ridge.fire.information

YouTube: https://www.youtube.com/@2023ridgefire

SOUTHWEST AREA INCIDENT MANAGEMENT TEAM

TALKING POINTS FOR AUGUST 28, 2023

- Expect to see increased fire activity on all fires as weather conditions become warmer and drier, particularly on the southern edges.
- An Unmanned Aerial Systems Group is in place to gather imagery and intel on all fires over the next several operational periods. Still a "No Drone Zone" for the public.
- Closures are still in place around Hungry Horse Reservoir.
- Ridge Fire: Backhaul is occurring on all divisions of the fire, except Division R where hose lays will remain through the warm and dry weather. The repair group will begin rehabbing handline.
- Doris Point Fire: The fire was more active yesterday with similar conditions expected today. Crews will remove snags from access roads and areas with values at risk.
- Tin Soldier Fire: The prep work along FS RD 2628 to FS RD 2828 near the Hydro Dam has been completed. Crews continue to monitor the fire. Mechanical thinning reached Tin Creek yesterday and will proceed towards Sullivan Creek today.
- Crews will maintain point protection strategy on the values at risk in coordination with the Flathead National Forest.
- All fires are conducting backhaul operations and ground support will start with Ridge Fire before move around to assist the other fires with backhaul.

Fire Closure:

The Hungry Horse Reservoir is closed to all public access, including both the east and west side roads. As firefighting efforts continue on the Ridge Fire, the Tin Soldier, and other fires in the area, the closure is in place to provide for public and firefighter safety. https://www.fs.usda.gov/alerts/flathead/alerts-notices/?aid=82283

No Drone Zone: A temporary flight restriction is in place over the Ridge, Doris Point, Tin Soldier Fires. https://tfr.faa.gov/tfr2/list.html

To interact: If you have photos/videos you'd like to share for Inciweb to help tell the story of the fire and help the public understand what you're doing on the line, you can email them to 2023.Ridge@firenet.gov. It's helpful to know what date the photo was taken, where and by whom.

Finance Message

Please use the QR code on front page of IAP to submit your time to

2023.ridge.finance@firenet.gov

If you need assistance with electronic submission, there will be a Finance presence at briefing to assist those in need.

We now are accepting Time documents for THREE different fires:

RIDGE- P1QGT5
TIN SOLDIER-P1QGH4
DORIS POINT-P1QJ6J

Please note on CTR or Shift Ticket which fire you are working on.

Turn all time in through the firenet email above.

- FOR CTR SUBMISSION, PLEASE PUT CTR and RO# IN SUBJECT LINE OF EMAIL.
- FOR SHIFT TICKETS, PLEASE PUT ST AND RO# IN SUBJECT LINE OF EMAIL.
- IF TURNING IN FINAL CTR OR SHIFT TICKET, PLEASE ALSO PUT FINAL IN SUBJECT LINE.
- PLEASE MAKE EVERY EFFORT TO TURN IN ALL CTR's AND SHIFT TICKETS DAILY.
- PLEASE INCLUDE YOUR RESOURCE ORDER # ON ALL DOCUMENTATION SUBMITTED, INCLUDING RECEIPTS.
- AUTO RESPONSE IS SET UP TO LET YOU KNOW THAT DOCUMENTS WERE RECEIVED.
- FOR DEMOB: Finance will email the Draft OF-288 or OF-286 to employee for their review and approval. If everything is correct, Finance will reply with FINAL OF-288/OF-286.
- CONTRACTORS: Be sure to get Performance Evaluation before demobilization.

FINANCE CHECK IN:

 PLEASE ENSURE THE BELOW DOCUMENTS ARE EMAILED TO FINANCE WITH RESOURCE ORDER NUMBER NOTED:

Agency	Overhead:	Contract Equipment/Contract	Cooperator:
Equipment/Crews:ManifestResource OrderCTR's	Resource OrderAD Hire Form (If an AD)CTR's	Crews: Agreement/Manifest Resource Order Shift Ticket Inspection Forms	 Cooperative Agreement Resource Order Shift Ticket Inspection Forms

DEMOB MESSAGE

		TENTATIVE RELEASE FOR 8/28/23
Ridge Fire		
CREWS		
C-20	1000	(CRW2) CRW2 PNW FIRE
EQUIPMENT		
E-114	0830	(AMB1) AMB1 KALISPELL CITY
E-126	0830	(SKD1) SKD1 TAMARACK TIMBER
E-60	0900	(ENG6) ENG6 BIGFORK 382
E-67	0900	(SKG3) ROCKY MOUNTAIN
E-I	0930	(DZR2) DOZ2 SIDERIUS
E-156	1000	(MBM2) MBM2 - ROCK SOLID BRUSH CONTROL
OVERHEAD		(SOF2) CAROTHERS, COUGAN (TFLD) CARTWRIGHT, BEAU (TFLD) MECHAM, BODE
O-97	0800	(SOF2) CAROTHERS, COUGAN
O-221	0830	(TFLD) CARTWRIGHT, BEAU
O-138	0830	(TFLD) MECHAM, BODE
O-184.90	0830	(COMT) MOFFITT, KENT M
O-144	0900	(FOBS) LOBRE, RYAN
O-127	0900	(REAF) MEYER, ELLIOTT
O-150	2000	(SCKN) VALLEY, MATTHEW
O-63.1	0930	(EMPF) GREGOR, RYAN
O-63.2	0930	(UPTON, MITCH
		TENTATIVE RELEASE FOR 8/29/23
Ridge Fire CREWS		
C-18	0830	(CRW2) CRW2 IRON MOUNTAIN FIREFIGHTING
C-19	0830	(CRW2) CRW2 IRON MOUNTAIN FIREFIGHTING EQUIPMENT
E-58	1000	(AMB2) WILDERNESS MEDICS
OVERHEAD		NATIONAL PRINTED BY A STATE OF THE PROPERTY OF
O-96	0830	(EMPF) SCHMID T, RODNEY
	1500	(RESL) KILFORD, MATTHEW ZANE
O-184.35 EQUIPMENT E-58.1	1000	(EMTF) MACARTHUR, AMANDA

DEMOB IS LOCATED AT RIVER RANCH ICP

If Finance requires a **final 296** form to complete your finance package, stop at Ground Support / Weed wash **PRIOR** to coming to ICP. Turn in accountable equipment & supplies (e.g. radios & sleeping bags etc.) **PRIOR** to visiting DMOB. At DMOB we will verify your returns & collect your travel information. The crew leader or single resource will then close-out with Finance at their **scheduled** time.

Marsha Collier DMOB
928-308-1301
2023.ridge.demob@firenet.gov

VEHICLE INSPECTIONS - STAGING - WEED WASH

Located at KOA 251 Halfmoon Flats Rd., West Glacier, MT

Need a flight?

Stop by, email or call DMOB 72 hours prior to your DMOB date.

DB



Human Resource Message









DRUGS AND ALCOHOL

Non-prescription, unlawful drugs and alcohol are not permitted at this incident. This includes marijuana or a variation even if it is prescribed or in a state where it is legal.

Violating this policy:

- Compromises safety and could cause injury or death of yourself or others.
- Interferes with our mission, particularly when resources are stretched, and optimal performance is needed from everyone.
- Possession or use of these substances will result in disciplinary action.

INAPPROPRIATE BEHAVIOR

Inappropriate behavior is all forms of harassment including sexual and racial harassment and shall not be tolerated. When you observe or hear of inappropriate behavior you should report the incident to your supervisor or other appropriate authority for appropriate action.


Quote of the day: "The best way to appreciate your job is to imagine yourself without one." ---Oscar Wilde

Yesterday's Riddle: If 1+9+8=1, what is 2+8+9=? Answer: 10 (First letter of each number)

Today's Riddle: You do not want to have it, but when you do have it, you do not want to lose it. What is it?

Ana G Parada, Human Resource Specialist, 505-270-3457

If it's not written down it didn't happen!



- ✓ Do not miss out on capturing your hard work.
- √ The amount of time wasted trying to recreate
 the event is huge compared to the time it takes
 to document it immediately after the event.
- ✓ Please DO NOT procrastinate until tomorrow what can be done today.
- ✓ If you need forms or have questions, please call the Training Specialist.



Check-IN

Emil Picchi TNSP (650)520-5102

TNSPEP@gmail.com



Exit Interview

Logistics Messages

Kitchen Hours

Breakfast 0600-0900 Dinner 1800-2100



Shower Hours

0500-1100 1400-2200




Refer Hours

0600-2100



Fuel Truck Hours

0600-1200 1400-2100






Northern Rockies Chainsaw Parts Order Form


Please see the back page for part order numbers and items requiring an approved Property Loss and Damage form. Name: Gen. Msg #: Resource #: Request Date: Contact #: Need by Date/Time: TO BE FILLED BY: (circle one): **Buying Team** Home Unit Cache **Chainsaw Information** Make (circle one or fill in): Stihl Husqvarna Other: Model: Serial # Bar Length (circle one): 20" 24" 28" 30" 32" 36" Other: Request: Part Name and Number Quantity Part Name and Number Quantity For Sprocket & Chain Orders (circle one or fill in): # of Drivers: Pitch (*): 3/8" .325" Other: Gauge: .50 .063 Other: Tooth Layout: Full Semi-Skip Full Skip Tooth Cut: Chisel Semi-Chisel Other: # of Sprocket Teeth: Concurrance (Line Supervisor i.e. DIVS): __ Supply Unit Leader has checked that the items ordered do not need an approved Property Loss & Damage Form, or that the approval is attached. (Supply Unit Leader checks box and initials here:_____

First source of supply is Cache, shaded blocks indicate Items available thr	dy is Cache, shade	ed blocks Indicate	tems available	thru Northern	Rockies Cache.	tems requiring a	in approved Pro	serty Loss and D	amage form are	in a separate li	u Northem Rockles Cache. ^I te <i>ms requiring on approved Property Loss and Damage form are in a separate list at the bottom.</i>	
PART	034/341	360/MS360	MS361	MS362	038/381	044/MS440	MS441	460/MS461	MS462	0640/650	MSG60	MS880
	Bosch WSREF	Bosch WSR6F	Bosch WSR6F	Bosch WSRGF	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F	Basch (1607AC	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F
Spark Plug (NFES# 000344)	NGK BPMR7A Champion RCIGY	NGK BPMR7A Champion RCIGY	NGK BPMR7A Champton RCI6Y	NGK BPMR7A Champion RCIGY	NGK BPMR7A Champion RCI6Y	Champion RCIGY	NGK BPWR7A Champion RCIGV	NGK BPWR7A Champion RCIGY	NGK CMR6H	NGK BPMR7A Champion RCI6Y	NGK BPMR7A Champlon RCJ6Y	NGK BPMR7A Champlon RCJ6Y
Needle Cage Bearing (NFES# 066565)	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-3150	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2382	9512-933-2382	9512-933-3170
Retaining Washer for Rim Sprocket	0000-958-1022	0000-958-1022		0000-958-1032	0000-958-1231	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	-	0000-958-1236
E Clip (NFES# 066517)	9460-624-0801	9460-624-0801	9460-524-0801	9460-624-0801	9460-624-1001	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	-	9460-624-1001
		_										
Fuel Filter	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3518	0000-350-3504	0000-350-3500	0000-350-3504
Ale Filter UN ANGEGR OCCUE	1175 170 1676	2000 000 7000	2000 000 1000	4440 440 4404	,,,,,	2070				_	-	
Car Titles - The Live 5th Cook 50)	0707-777-777	1107-071-071	000T-07T-CCTY	1140-140-4401	TT01-071-6717	COOL-160-440Z	UUUV-121-1654	WW-120-1654	1142-140-4402	0000-140-4402	0000-140-4402	0000-140-4402
Pre Filter - OFM	N/A	N/A	N/A	N/A	1119-120-1500	0000-141-0300	0000-141-0300	0000-141-0300	V/12	0000 141 0000	0000 141 0300	0000 111 0000
Bar Nut (NFES# 06661)	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-995-0803	1	0000141-0300	0000-141-0300 0000-141-0300
										-		2000 000
Inner Silde Plate	1122-664-1000	1122-664-1000	1122-664-1000	1122-664-1000	1119-664-1000	1128-664-1001	1138-664-1000	1128-664-1001	1128-664-1001	1128-664-1001	1128-664-1001	1124-664-1001
STIHL RAPID - Super (RS)												
Chain 3/8"PITCH050" GA - DR												
20" - 72 DR	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072
25" - 84 DR (NFES# 006500)	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084
28" - 91 DR	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	_	3623-005-0091	3623-005-0091
32" - 105 DR	N/A	N/A	N/A	N/A	N/A	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105
STIHL RAPID - Super - Full Skip (RSF)												
Chain 3/8"PITCH050" GA - DR												
20"-72 DR	N/A	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072
25"-84 DR	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084
28" - 91 DR	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091
24 32" - 105 DR	N/A	N/A	N/A	N/A	N/A	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105
Beroff: Quentty - Gallon	NFES#1880											
Baroll: Quantty - Quart	NFES#1869											
2 Cycle Oil: Quantty - Quart	NFES # 0341											

The following parts require an approved Property Loss & Damage form prior to ordering:

Guide Bars - 3/8"050" GA (STIHL ROLLOMATIC - ES)												
20"	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822
25" (NFES# 066584)	N/A	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003 000-8830	3003-000-8830	3003-000-8830
28"	N/A	N/A	N/A	N/A	N/A	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838
32"	N/A	N/A	N/A	N/A	N/A	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846
Rim Sprocket Kit 3/8 - 7T	1125-007-1040	1125-007-1223	1128-007-1000	1135-007-1002	1119-007-1003	1128-007-1000	1128-007-1000	1128-007-1017	1128-007-1000	1122-007-1000	1122-007-1000	N/A
Clutch Drum	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket kit Order Sprocket kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit					
Rim Sprocket 3/8 7T (NFES# 066652)	0000-642-1231	0000-642-1023	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	N/A
Rim sprocket kit 3/8 - 8T	N/A	N/A	1128-007-1001	1128-007-1001	N/A	1128-007-1001	1128-007-1001	1128-007-1001	1128-007-1001	1122-007-1001	1122-007-1001	1124-007-1025
Clutch Drum	Order Sprocket Kit	Order Sprocket für	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit Order Sprocket Kit Order Sprocket Kit Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit
Rim Sprocket 3/8 - 8T	N/A	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216
Clutch	1127-160-2050	1125-160-2005	1128-160-2004	1138-160-2010	1119-160-2000	1128-160-2001	1138-160-2010	1128-160-2004	1142-160-2000	1122-160-2005	1122-160-2002	1124-160-2005
Chain Adjuster Kit	1125-007-1036	1125-007-1021	1125-007-1021	1125-007-1021	1118-664-1600	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1124-007-1008
				The second second	1120-664-1500							
8ump Strip	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610
Starter Rope W/handle	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400
Worm Gear (Oller)	1125-640-7110	1125-640-7110	1128-640-7112	1128-640-7112	1119-642-1501	1128 640 7112	1128 640 7112	1128 640 7112	1128-640-7112	1122-640-7105	1122-640-7105	1124-640-7512
Manifold Boot	1125 141 2200	1125 141 2200	1135 141 2200	1140 140 2503	1119 140 2500	1128 141 2204	1138 140 2508	1119 140 2500 1128 141 2204 1138 140 2508 1128 141 2204 1142 141 2200		1122 141 2200	1122 141 2201	1124 141 2202
												The state of the s





		<u>EDICAL</u>	PLAN				
	/ Project Name	<u> </u>			tional Per	riod	
	Point, & Tin Soldier		Date/Time:	8/28/2023 (0700-200)()		
3. Ambulance Services						Advanced	Life Support (ALS)
Name	Location		Phone and E	mergency Frequency		YES	NO
Three Rivers EMS	31 7th Street W Columbia Falls, MT 59912		406	911 892-4244		х	
. Air Ambulance Services			•				
Name	Phone			Type of Aircraft &	Capability		
ALERT-1	911 866-302-9767			Bell 407 Critical	Care/ALS		
wo Bear Air Resuce	911 406-758-5610			Bell 429 Rescue/ Ho	ist NVG/ BL	S	
350HQ	Kalispell Dispatch			H-125 Short-ha	ul/ BLS		
5. Hospitals							
Name Complete Address	Degrees Decimal Minutes	Travel Tim Air	e From ICP Ground	Phone	Hel Yes	ipad No	Level of Care
Logan Health Whitefish	Lat: 48° 22.51' N			406-863-3528			
1600 Hospital Way Whitefish, MT 59937	Long: 114° 19.56' W	7 MINS	19 MINS	Ask for ER	Х		Level 4
Logan Health Kalispell	Lat: 48° 22.84' N	40.14040	22 2 41215	406-752-1733			112
350 Heritage Way Kalispell, MT 59901	Long: 114° 19.88' W	10 MINS	33 MINS	Ask for ER	Х		Level 3
St Patrick's Medical Center	Lat: 113° 59.96' N		 				
500 W. Broadway		45 MINS	2.5 HRS	406-543-7271 Ask for ER	х		Level 2
Missoula, MT 59802	Long: 122° 19.39' W			risk for Ex		5 S N	
Harbor View Medical Center 325 9th Ave.	Lat: 47° 36.24' N	1.5 HRS	8.5 HRS	206-744-3140	v		Level 1
Seattle, WA 98104	Long: 122° 19.39' W	1.5 111.5	6.5 nk3	Ask for ER	Х		Burn Center
	EMS Responders & Capat	Branc oilities:	Med Team	6: O-208: Ayala Rai 4: O-109: James Fo			Market Anna Committee Comm
	EMS Responders & Capab Equipment Available on S	oilities:	Med Team Med Team AMBO 10:		x EMPF: 25	3-222-80 406-471-0	23 (Lead) 0146 (Lead)
		oilities: Scene:	Med Team Med Team AMBO 10: BLS/ALS Ki	4: O-109: James For E-114: Timothy Gas	x EMPF: 25 ton EMPF nce, UTV (I	53-222-80 <u>406-471-(</u> NON PT TI	23 (Lead) 0146 (Lead)
DIV A/M/R	Equipment Available on S	oilities: cene: nel:	Med Team Med Team AMBO 10: BLS/ALS Ki Capable.	4: O-109: James Fo E-114: Timothy Gas ts; 4x4 ALS Ambula	x EMPF: 25 ton EMPF nce, UTV (I	53-222-80 <u>406-471-(</u> NON PT TI	23 (Lead) 0146 (Lead) ransport
DIV A/M/R	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air:	oilities: cene: nel:	Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi	4: O-109: James Fo E-114: Timothy Gas ts; 4x4 ALS Ambular proximate inimum)	x EMPF: 25 ton EMPF nce, UTV (I	63-222-80 406-471-(NON PT TI G: TAN/M	23 (Lead) 0146 (Lead) ransport IED (VMED28)
DIV A/M/R	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground:	oilities: cene: nel:	Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi	4: O-109: James Fo E-114: Timothy Gas ts; 4x4 ALS Ambular proximate inimum) inimum) to H15, 40	x EMPF: 25 ton EMPF nce, UTV (I	33-222-80 406-471-(NON PT TI G: TAN/M	23 (Lead) 0146 (Lead) ransport IED (VMED28)
DIV A/M/R	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot	oilities: cene: nel:	Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi	4: O-109: James Fo E-114: Timothy Gas ts; 4x4 ALS Ambular proximate nimum) nimum) to H15, 40 H15	x EMPF: 25 ton EMPF nce, UTV (I A/ min (minir H8	63-222-80 406-471-(NON PT TI G: TAN/M	23 (Lead) 0146 (Lead) ransport IED (VMED28) 11 to H15
DIV A/M/R	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat:	oilities: cene: nel:	Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi	4: O-109: James Fo E-114: Timothy Gas ts; 4x4 ALS Ambular proximate inimum) inimum) to H15, 40 H15 22.894' N 48°	x EMPF: 25 ton EMPF nce, UTV (I A/ min (minir H8 21.861' N	33-222-80 406-471-(NON PT Th G: TAN/M mum) DP1 H1 48° 2	23 (Lead) 0146 (Lead) ransport IED (VMED28) 11 to H15 0 22.362' N
DIV A/M/R	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long:	oilities: cene: nel: ene:	Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 48°: 114°	4: O-109: James Fo E-114: Timothy Gas ts; 4x4 ALS Ambular proximate nimum) nimum) to H15, 40 H15 22.894' N 48° 00.283' W 113°	x EMPF: 25 ton EMPF nce, UTV (I A/ min (minin H8 21.861' N 54.227' W	33-222-80 406-471-(NON PT TO G: TAN/M num) DP1 48° 2 113°	23 (Lead) 0146 (Lead) ransport IED (VMED28) 11 to H15 10 22.362' N 54.227' W
DIV A/M/R	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capat	cene: nel: ene:	Med Team Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 48° 114° Med Team	4: O-109: James Fo E-114: Timothy Gas ts; 4x4 ALS Ambular proximate inimum) inimum) to H15, 40 H15 22.894' N 48° 00.283' W 113° 2: E-129: Adam Osi	min (minir H8 21.861' N 54.227' W	33-222-80 406-471-(NON PT TO G: TAN/M mum) DP1 H1 48° 2 113° PF: 805-47	23 (Lead) 0146 (Lead) ransport IED (VMED28) 11 to H15 10 22.362' N 54.227' W
DIV A/M/R	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capat Equipment Available on S	cene: nel: ene: pilities:	Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 48° 114° Med Team BLS/ALS Ki	4: O-109: James Fo. E-114: Timothy Gas ts; 4x4 ALS Ambular proximate nimum) nimum) to H15, 40 H15 22.894' N 48° 00.283' W 113° 2: E-129: Adam Osi ts; UTV (Non-pt trai	min (minir H8 21.861' N 54.227' W adacz EMF	33-222-80 406-471-(NON PT To G: TAN/M num) DP1 48° 2 113° PF: 805-47 able)	23 (Lead) 0146 (Lead) ransport IED (VMED28) 11 to H15 0 22.362' N 54.227' W 17-8568 (Lead)
DIV A/M/R	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capat	cene: nel: ene: pilities: cene: nel:	Med Team Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 48°: 114° Med Team BLS/ALS Ki Command	4: O-109: James Fo E-114: Timothy Gas ts; 4x4 ALS Ambular proximate nimum) nimum) to H15, 40 H15 22.894' N 48° 00.283' W 113° 2: E-129: Adam Osi ts; UTV (Non-pt trai	min (minir H8 21.861' N 54.227' W adacz EMF	33-222-80 406-471-(NON PT To G: TAN/M num) DP1 48° 2 113° PF: 805-47 able)	23 (Lead) 0146 (Lead) ransport IED (VMED28) 11 to H15 0 22.362' N 54.227' W 17-8568 (Lead)
DIV A/M/R DIV W	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S Medical Emergency Chan	cene: nel: ene: pilities: cene: nel:	Med Team Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 48°: 114° Med Team BLS/ALS Ki Command	4: O-109: James For E-114: Timothy Gasts; 4x4 ALS Ambular proximate inimum) to H15, 40 H15 22.894' N 48° 00.283' W 113° 2: E-129: Adam Osits; UTV (Non-pt train proximate	min (minir H8 21.861' N 54.227' W adacz EMF	33-222-80 406-471-(NON PT To G: TAN/M num) DP1 48° 2 113° PF: 805-47 able)	23 (Lead) 0146 (Lead) ransport IED (VMED28) 11 to H15 0 22.362' N 54.227' W 17-8568 (Lead)
	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground:	cene: nel: ene: pilities: cene: nel:	Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 48° 114° Med Team BLS/ALS Ki Command All time ap 25 min (mi	4: O-109: James For E-114: Timothy Gasts; 4x4 ALS Ambular proximate inimum) to H15, 40 H15 22.894' N 48° 00.283' W 113° 2: E-129: Adam Osits; UTV (Non-pt train proximate	min (minir H8 21.861' N 54.227' W adacz EMF	33-222-80 406-471-(NON PT To G: TAN/M num) DP1 48° 2 113° PF: 805-47 able)	23 (Lead) 0146 (Lead) ransport IED (VMED28) 11 to H15 0 22.362' N 54.227' W 17-8568 (Lead)
	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot	cene: nel: ene: pilities: cene: nel:	Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 48° 114° Med Team BLS/ALS Ki Command All time ap 25 min (mi	4: O-109: James For E-114: Timothy Gasts; 4x4 ALS Ambular proximate inimum) to H15, 40 H15 22.894' N 48° 00.283' W 113° 2: E-129: Adam Osits; UTV (Non-pt trainimum) inimum) to H15	min (minir H8 21.861' N 54.227' W adacz EMF nsport cap	33-222-80 406-471-(NON PT To G: TAN/M num) DP1 48° 2 113° PF: 805-47 able)	23 (Lead) 0146 (Lead) ransport IED (VMED28) 11 to H15 0 22.362' N 54.227' W 17-8568 (Lead)
	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat:	cene: nel: ene: pilities: cene: nel:	Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 48° 114° Med Team BLS/ALS Ki Command All time ap 25 min (mi	4: O-109: James For E-114: Timothy Gas ts; 4x4 ALS Ambular sproximate sproxim	min (minir H8 21.861' N adacz EMF nsport cap H 8 21.861' N	33-222-80 406-471-(NON PT To G: TAN/M num) DP1 48° 2 113° PF: 805-47 able) G: TAN/M	23 (Lead) 0146 (Lead) ransport IED (VMED28) 11 to H15 0 22.362' N 54.227' W 17-8568 (Lead)
	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot	cene: nel: ene: pilities: cene: nel:	Med Team Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 48° 114° Med Team BLS/ALS Ki Command All time ap 25 min (mi 30 min (mi	4: O-109: James For E-114: Timothy Gas ts; 4x4 ALS Ambular sproximate inimum) to H15, 40 H15 22.894' N 48° 00.283' W 113° 2: E-129: Adam Osi ts; UTV (Non-pt trainimum) inimum) to H15 48° 113°	min (minir H8 21.861' N adacz EMF nsport cap A/	33-222-80 406-471-(NON PT To G: TAN/M num) DP1 48° 2 113° PF: 805-47 able) G: TAN/M	23 (Lead) 0146 (Lead) ransport IED (VMED28) 11 to H15 10 22.362' N 54.227' W 77-8568 (Lead)
	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat:	cene: nel: ene: pilities: cene: nel: ene:	Med Team Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 48° 114° Med Team BLS/ALS Ki Command All time ap 25 min (mi 30 min (mi	4: O-109: James For E-114: Timothy Gas ts; 4x4 ALS Ambular sproximate sproxim	min (minir H8 21.861' N 54.227' W adacz EMF nsport cap A/ H 8 21.861' N 54.227' W eal 563-37	3-222-80 406-471-(NON PT To G: TAN/M mum) DP1 48° 3 113° PF: 805-47 able) G: TAN/M	23 (Lead) 0146 (Lead) ransport IED (VMED28) 11 to H15 10 22.362' N 54.227' W 17-8568 (Lead) IED (VMED28)
	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long:	cene: nel: ene: pilities: cene: nel: ene: pilities: cene: nel: ene:	Med Team Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 148° Med Team BLS/ALS Ki Command All time ap 25 min (mi 30 min (mi Med Team AMBO 11:	4: O-109: James For E-114: Timothy Gas ts; 4x4 ALS Ambular sproximate mimum) to H15, 40 H15 22.894' N 48° 00.283' W 113° 2: E-129: Adam Osi ts; UTV (Non-pt transproximate mimum) to H15 48° 113° 5: O-111: Sean O'N	min (minir H8 21.861' N 54.227' W adacz EMF nsport cap A/ H 8 21.861' N 54.227' W eal 563-37	3-222-80 406-471-(NON PT To G: TAN/M mum) DP1 48° 3 113° PF: 805-47 able) G: TAN/M	23 (Lead) 0146 (Lead) ransport IED (VMED28) 11 to H15 10 22.362' N 54.227' W 17-8568 (Lead) IED (VMED28)
DIV W	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capat Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capat	cene: nel: ene: pilities: cene: nel: ene: pilities: cene: nel: ene:	Med Team Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 148° Med Team BLS/ALS Ki Command All time ap 25 min (mi 30 min (mi Med Team AMBO 11:	4: O-109: James For E-114: Timothy Gas ts; 4x4 ALS Ambular sproximate sproxim	min (minir H8 21.861' N 54.227' W adacz EMF nsport cap A/ H 8 21.861' N 54.227' W eal 563-37 EMPF: 90 nce	3-222-80 406-471-(NON PT To G: TAN/M mum) DP1 48° 2 113° PF: 805-47 able) G: TAN/M	23 (Lead) 0146 (Lead) ransport IED (VMED28) 0146 (Lead) 02146 (Lead) 022.362' N 04.227' W 07-8568 (Lead) 0150 (VMED28) 022 (Lead)
	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S	cene: nel: cene: pilities: cene: nel: cene: nel: cene: nel: cene: nel:	Med Team Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 15 min (mi 48° 114° Med Team BLS/ALS Ki Command All time ap 25 min (mi 30 min (mi Med Team AMBO 11: BLS/ALS Ki Command	4: O-109: James For E-114: Timothy Gas ts; 4x4 ALS Ambular sproximate sproxim	min (minir H8 21.861' N 54.227' W adacz EMF nsport cap A/ H 8 21.861' N 54.227' W eal 563-37 EMPF: 90 nce	3-222-80 406-471-(NON PT To G: TAN/M mum) DP1 48° 2 113° PF: 805-47 able) G: TAN/M	23 (Lead) 0146 (Lead) ransport IED (VMED28) 0146 (Lead) 02146 (Lead) 022.362' N 04.227' W 07-8568 (Lead) 0150 (VMED28) 022 (Lead)
DIV W DORIS POINT	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S Medical Emergency Chan	cene: nel: cene: pilities: cene: nel: cene: nel: cene: nel: cene: nel:	Med Team Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 15 min (mi 48° 114° Med Team BLS/ALS Ki Command All time ap 25 min (mi 30 min (mi Med Team AMBO 11: BLS/ALS Ki Command	4: O-109: James Fo. E-114: Timothy Gas ts; 4x4 ALS Ambular proximate nimum) nimum) to H15, 40 H15 22.894' N 48° 00.283' W 113° 2: E-129: Adam Osi ts; UTV (Non-pt trainimum) nimum) to H15 48° 113° 5: O-111: Sean O'N E-140: Aaron Henry ts; 4x4 ALS Ambular	min (minir H8 21.861' N 54.227' W adacz EMF nsport cap A/ H 8 21.861' N 54.227' W eal 563-37 EMPF: 90 nce	3-222-80 406-471-(NON PT To G: TAN/M mum) DP1 48° 2 113° PF: 805-47 able) G: TAN/M	23 (Lead) 0146 (Lead) ransport IED (VMED28) 0146 (Lead) 02146 (Lead) 022.362' N 04.227' W 07-8568 (Lead) 0150 (VMED28) 022 (Lead)
DIV W	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce	cene: nel: cene: pilities: cene: nel: cene: nel: cene: nel: cene: nel:	Med Team Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 1	4: O-109: James For E-114: Timothy Gas ts; 4x4 ALS Ambular proximate inimum) to H15, 40 H15 22.894' N 48° 00.283' W 113° 2: E-129: Adam Osi ts; UTV (Non-pt trainimum) to H15 Approximate inimum) to H15 48° 113° 5: O-111: Sean O'N E-140: Aaron Henry ts; 4x4 ALS Ambular proximate inimum)	min (minir H8 21.861' N 54.227' W adacz EMF nsport cap A/ H 8 21.861' N 54.227' W eal 563-37 EMPF: 90 nce	3-222-80 406-471-(NON PT To G: TAN/M mum) DP1 48° 2 113° PF: 805-47 able) G: TAN/M	23 (Lead) 0146 (Lead) ransport IED (VMED28) 0146 (Lead) 02146 (Lead) 022.362' N 04.227' W 07-8568 (Lead) 0150 (VMED28) 022 (Lead)
DIV W DORIS POINT	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capat Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capat Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Long:	cene: nel: cene: pilities: cene: nel: cene: nel: cene: nel: cene: nel:	Med Team Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 1	4: O-109: James Fo. E-114: Timothy Gas ts; 4x4 ALS Ambular proximate nimum) nimum) to H15, 40 H15 22.894' N 48° 00.283' W 113° 2: E-129: Adam Osi ts; UTV (Non-pt trainimum) nimum) to H15 48° 113° 5: O-111: Sean O'N E-140: Aaron Henry ts; 4x4 ALS Ambular	min (minir H8 21.861' N 54.227' W adacz EMF nsport cap A/ H 8 21.861' N 54.227' W eal 563-37 EMPF: 90 nce	3-222-80 406-471-(NON PT To G: TAN/M mum) DP1 48° 2 113° PF: 805-47 able) G: TAN/M	23 (Lead) 0146 (Lead) ransport IED (VMED28) 0146 (Lead) 02146 (Lead) 022.362' N 04.227' W 07-8568 (Lead) 0150 (VMED28) 022 (Lead)
DIV W DORIS POINT	Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground: Approved Heli-spot Lat: Long: EMS Responders & Capal Equipment Available on S Medical Emergency Chan ETA for Ambulance to Sce Air: Ground:	cene: nel: cene: pilities: cene: nel: cene: nel: cene: nel: cene: nel:	Med Team Med Team Med Team AMBO 10: BLS/ALS Ki Capable. Command All time ap 25 min (mi 15 min (mi 1	4: O-109: James For E-114: Timothy Gas ts; 4x4 ALS Ambular sproximate inimum) to H15, 40 H15 22.894' N 48° 00.283' W 113° 2: E-129: Adam Osi ts; UTV (Non-pt trainimum) to H15 48° 113° 5: O-111: Sean O'N E-140: Aaron Henry ts; 4x4 ALS Ambular sproximate inimum) to H15	min (minir H8 21.861' N 54.227' W adacz EMF nsport cap A/ H 8 21.861' N 54.227' W eal 563-37 EMPF: 90 nce	3-222-80 406-471-(NON PT To G: TAN/M mum) DP1 48° 2 113° PF: 805-47 able) G: TAN/M	23 (Lead) 0146 (Lead) ransport IED (VMED28) 11 to H15 10 22.362' N 54.227' W 17-8568 (Lead) IED (VMED28)

	EMS Responders & Capabilities:	Med Team 3: O-110: Robert Smith 541-285-8890 (Lead) Med Team 7: O-96: Rodnev Schmidt EMPF: 406-261-9541 (Lea		
	Equipment Available on Scene:	BLS/ALS Kits		
DEDAID COOLID	Medical Emergency Channel:	Command A/G: TAN/MED (VMED2		
REPAIR GROUP	ETA for Ambulance to Scene:	All time approximate		
	Air:	Division Dependent		
	Ground:	Division Dependent		
	Approved Heli-spot	Division Dependent		
	Branc			
	EMS Responders & Capabilities:	Med Team 8: O-209: Beione Mixon EMPF: 313-977-6319 (Lead AMBO 9: E-58: Matt Roth EMPF: 406-214-9738 (Lead) AMBO 12: E-148: Tyler Adair EMPF: 479-393-9307		
	Equipment Available on Scene:	BLS/ALS Kits; 4x4 ALS Ambulance		
TIM COLDIED	Medical Emergency Channel:			
TIN SOLDIER	ETA for Ambulance to Scene:	Command A/G: TAN/MED (VMED2 All time approximate		
GROUP	Air:	30 min (minimum)		
GNOOF	Ground:	1.25 hr (minimum) to DP 24		
	Approved Heli-spot	H 52 H 50 H 20		
	Lat:	48° 04.720' N 47° 57.413' N 47° 55,098' N		
	Long:	113° 41.622' W 113° 33.496' W 113° 30.924' W		
		Med Team1: O-63: Ryan Gregor 602-363-0770 Will Kuamo'o, MESC, 480-799-7447		
	EMS Responders & Capabilities:	Cheyenne Lane, MEDL(T), 512-629-3476 Alan Browne, MEDL(T), 406-261-5255		
	Equipment Available on Scene:	AED/ALS/BLS Kit		
ICP	Medical Emergency Channel:	TAC 1 A/G: TAN/MED (VMED28)		
ICP	ETA for Ambulance to Scene:	All time approximate		
	Air:	15 Mins (minimum)		
	Ground:	8 Mins (minimum)		
	Approved Heli-spot	H1		
	Lat:	48° 23.120' N		
CARTER .	Long:	114° 03.740' W		
	EMS Responders & Capabilities:	Mike Short: MEDL(T): 520-419-2401 Med Team 8: O-209: Beione Mixon EMPF: 313-977-6319 (Lead) AMBO 12: E-148: Tyler Adair EMPF: 479-393-9307 (Lead)		
CDOTTED DEAD	Equipment Available on Scene:	BLS/ALS Kits; 4x4 ALS Ambulance		
SPOTTED BEAR	Medical Emergency Channel:	TAC 1 A/G: TAN/MED (VMED28)		
SPIKE	ETA for Ambulance to Scene:	All time approximate		
STILL	Air:	30 min (minimum)		
	Ground:	1.25 hr (minimum) to DP 24		
	Approved Heli-spot	H 52 H 50		
	Lat:	48° 04.720' N 47° 57.413' N 113° 41.622' W 113° 33.496' W		
	Long:	113° 41.622' W 113° 33.496' W		

In Camp Medical Emergencies Procedures

In ICP:

- 1. Radio over TAC1
- 2. Call Medical at 208-891-6143

In Spotted Bear Spike:

- 1. Contact Branch II through Tac 1
- 2. Radio through Command with LOCATION and COMPLAINT

For any questions or concerns please call 208-891-6143

Will Kuamo'o, MESC, 480-799-7447 Cheyenne Lane, MEDL(T), 512-629-3476

(WF206)

Medical Incident Report

FOR A NON-EMERGENCY INCIDENT: WORK THROUGH CHAIN OF COMMAND TO REPORT AND TRANSPORT INJURED PERSONNEL AS NECESSARY.

FOR A MEDICAL EMERGENCY: IDENTIFY ON SCENE INCIDENT COMMANDER BY NAME AND POSITION AND ANNOUNCE "MEDICAL EMERGENCY" TO INITIATE RESPONSE FROM COMMUNICATIONS

Use the following items to communicate situation to communications/dispatch.

1. CONTACT COMMUNICATIONS / DISPATCH (Verify correct frequency prior to starting report)

Ex: "Communications, Div. Alpha. Stand-by for Emergency Traffic."

2. INCIDENT STATUS: Provide incident summary (including number of patients) and command structure.

Ex: "Communications, I have a Red priority patient, unconscious, struck by a falling tree.

Requesting air ambulance to Forest Road 1 at (Lat.fl.ong.)
"This will be the Trout Meadow Medical Incident, IC is TFLD Jones. EMT Smith is providing medical care."

Severity	of Emergency	□ RED / PRIORITY 1 Li Ex: Unconscious, diffic				is IMMEDIATE s, heat stroke, disoriented.
	AND	Significant trums	2 Serious Injury or il unable to walk, 2° – 3° bu			if necessary.
Trans	port Priority	Ex. Signincant naoma,	unable to wain, z = 3 bu	IMS HOUTHOIR Mail 1-5 p	alli sizes.	
(prior	rity 1, 2, 3)	Ex: Sprains, strains, mi		ss. Non-Emergenc	y transport	
Nature of	Injury or Illness				Brief Summar	ry of Injury or Illness
	. &					s, Struck by Falling Tree)
Mechar	nism of Injury					
Transp	port Request					nce / Short Haul/Hoist mbulance / Other
Patie	nt Location				Descriptive Location	on & Lat. / Long. (WGS84)
Incid	lent Name				(Ex: Trout	Name + "Medical" Meadow Medical)
On-Scene Inc	cident Commander				Incident (e IC of Incident within an Ex: TFLD Jones)
Crew f	Patient Care					Care Provider EMT Smith)
3. INITIAL PAT	TIENT ASSESSMENT:	Complete this section for each p	atient as applicable (start w	ith the most severe paties	nt)	
Patient Assessr (IRPG PAGE 10	3	Weight:	Chief Con	nplaint:		
Skin Signs: (col	lor/moisture/temp)	Level of Consci	ousness:	BP:	HR:	Respirations:
Treatment:	(Messe et 1978 needs		i hatti	sportish & Capal	a8 3343	
4. TRANSPORT	Γ PLAN:					
		section, helispot, Lat. / Lon	g, hazards) Pal	tient's ETA to Location	on:	SPOTTED BEL
5. ADDITIONAL	L RESOURCES / EQUI	PMENT NEEDS:				
Paramedic / EMT	- Crews - Immobilization	Devices - AED - Oxygen -	Trauma Bag - IV/Fluid('s) - Splints - Rope re	escue - Wheeled litter	- HAZMAT - Extrication
6. COMMUNICA	ATIONS: Identify State	e Air/Ground EMS Freque	encies and Hospital C	Contacts as applica	ible	
Function	Channel Name/Number	Receive (RX)	Tone/NAC *	Transmit	(XT)	Tone/NAC *
COMMAND						VIII I TOP ES AS ENGLIS A CANADA SECURIO SE
AIR-TO-GRND						
TACTICAL						
7. CONTINGEN	ICY: Considerations: If p	orimary options fail, what ac	tions can be implemente	ed in conjunction with	primary evacuation	method?

REMEMBER: Confirm ETA's of resources ordered. Act according to your level of training

8. ADDITIONAL INFORMATION: Updates/Changes, etc.

Be Alert - Keep Calm - Think Clearly - Act Decisively

*** Follow up with MEDL upon return to ICP ***



ACTIVITY LOG (ICS 214)

1. Incident Name	2. Oper	ational Period: Date From: Time From:	Date To: Time To:
3. Unit Name / Designator	4. Unit	Leader (Name and Position))	5. Team / Agency
6. Personnel Roster Assig	ned		
Name		ICS Position	Team / Agency
7. Activity Log			
TIME		MAJOR EVENTS	· · · · · · · · · · · · · · · · · · ·
	Alexander de la companya de la comp		:

	7444		
8 Prepared Rus Names		Decition / Title:	0:
8. Prepared By: Name:		Position / Title:	Signature:
ICS 214, Page 1	(v181125)	Date / Time:	GO BY CANADA

1. Incident Name	2. Opera	tional Period: Date From: Time From:	Date To: Time To:
7. ACTIVITY LOG (continu			
7. ACTIVITY LOG (continu	Y 20 Y	MAJOR EVENTS	and so religion of a new state of the state of
	and the second s		
	*		
		and the second s	
	——————————————————————————————————————		
O. Desperant d. Desperant		Daglia of Title	Cinn Alexander
8. Prepared By: Name:		Position / Title:	_ Signature:
ICS 214, Page 2	(v181125)	Date / Time:	TOP 256, Page 1