
INCIDENT ACTION PLAN SUNSET



Tuesday August 19, 2025 0600-2200



FOR CHECK-IN, MAPS & IAP

ID-POS-000630 PNS7RR (1532) 320POS03525



INCIDENT OBJECTIVES

ICS-202

SUNSET

8/1

DATE PREPARED **8/18/2025**

TIME PREPARED

2000

OPERATIONAL PERIOD (DATE/TIME)

August 19, 2025, 0600 – 2200

INCIDENT OBJECTIVES:

Implement risk management practices to provide for firefighter and public safety.

Implement the full suppression strategy to keep the fire North of Sunset Road, East of Cross White Road, South of Talache Road, West of Lake Pend Oreille.

Utilize tactics to protect prioritized values, commensurate with responder risk:

- 1) Private residences and property
- 2) Critical infrastructure and communications sites
- 3) US Navy Infrastructure
- 4) Private, State and Federal timber lands
- 5) Developed recreation infrastructure on Forest Service and BLM land
- 6) Heritage sites on Forest Service and BLM land

Manage incident costs commensurate with the values at risk.

INCIDENT REQUIREMENTS:

Preserve, maintain and foster interagency relationships.

Coordinate routine messaging to the public and identified incident cooperators.

Minimize suppression impacts to heritage resources through coordination with assigned Resource Advisors.

Tallara				
X ORGANIZATION	LIST (ICS 203)	X FIRE WEATH	IER FORECAST	X FINANCE MESSAGE
X ASSIGNMENT LIS	ST (ICS 204)	X FIRE BEHAV	IOR FORECAST	X DIVISION SUPPLY ORDER
X AIR OPS SUMMA	ARY (ICS 220)	X SAFETY MES	SAGE	X UNIT LOG
X COMMUNICATION	ON PLAN (ICS 205			
COMMUNICATIO	JN PLAN (ICS 205	X MEDICAL PL	AN (ICS 206)	X INCIDENT MAP
	PREPARED BY (PLANNING SECTION	ON CHIEF)	APPROVED BY (INCIDENT	COMMANDER)
2002	XIII Shall		11/	1. 2
CS 202	Wie She		Vkh lade	March To

ORGANIZA	ATION ASSIGNMENT LIST	9. OPERATIONS		
Incident Name		Planning Ops	Greg Sche	enk
SUNSET ID-POS-000630	j	Line Ops	Kevin Smi	th
		Strategic Ops	Paul Diaz	
2. Date	3. Time	a.		I - Divisions/Groups
August 18, 2025	2100	Division/Group	A	Macker Babb; Jarid Clark (T)
4. Operational Period		Division/Group	F/M	Dave Maclay-Schulte; Mitch Robbins (T)
August 19, 20	25 0600-2200	Division/Group	R	Aaron Jones; Steve Aguirre (T)
5. Incid	lent Commander and Staff	Division/Group	Т	Scott Drake
Incident Commander	Joe Sampson	Division/Group	z	Chris White; Toby Greenberg (T)
Deputy Incident Commander	Rick Connell	Structure Group		Ed Wingert; Brian Evans (T)
Safety Officer	Adam Carr; Jonathan White; Mike Smith (T); Robert Spence (T)	Staging		
Information Officer	Terina Hill; Erik Broeder (T)			
Liaison Officer	Kevin Doherty; Geoffrey Bogie			
6.	cy Representatives			
Agency	Name			
IDL	Erik Sjoquist			
BLM	Ray Pease			
USFS	Kevin Knauth; Chris Noyse (T)			
7. Plann	ing Section			
Chief	Julie Shea; John Gubel; Jim Stiteler			
Resources Unit	Patty Bates; MJ Crandall			
Situation Unit	Brett Gore; Brittney Allestad (T)			
Demobilization Unit	Sue Puddy		Air Ope	rationa Pranch
Documentation Unit	Elvira Nieves (T) Jeremy Hurst; Matt Heller (T);	c.		rations Branch
GISS	Jennifer Lacounte (T)	Air Operations	Steve (Croy; Jeff Pollack
IMET	Bob Hoenisch	Air Attack Helicopter Coord		
FBAN	Mike Pagoaga	Air Tanker Coord		
LTAN	Jon Rieck; Todd Erdody	10.	Finar	nce Section
ITSS 8.	Michael Harper; Amy Johnson Logistics Section	Chief		McCartney; Biddy Simet
				Petersen;
Chief	Bill Lauer; Peter Pappas (V)	Procurement Time Unit		filliams(T)
Supply Unit	Meghan Carosella	Comp/Claims Unit	Quoya	
Ordering Manager	Lynda Murphy; Darcy Wheeler (V) Jim Lane	Cost Unit		rosbeck
Ground Support Food Unit	Justin Trodick	JUST OTHE	i rony O	
Medical Unit	Ray Mines; Sadie Gallaway (T); Steve Kendley; Chris Jacks	Prepared by (Reso	urce Unit Lea	ader)
Communication Unit	Mike Scherer	Patty Bate	.s	
	Richard Paine	1		
Security Unit	Pat Nelson	1		
Facilities Unit	rat Neison	L		

1. Incident Name:				3.					
SUNSET			and the second	Bra	nch:		Division/Grou	p:	
2. Operational Period:									
Date/Time From:		Date/Time To	0:					Α	
08/19/2025 0600	TUE	08/19/2025 22	200 7	TUE					
4.			Operations	Personnel					
PLANNING	OPS GREG SCI	HENK			LINE	OPS	KEVIN SMITH		
DIVISION/GROUP SUPERV	ISOR MACKER E	BABB	SAFETY ADAM CARR						
	JARID CLA					J	ONATHAN WHIT	E	
5.		Resc	ources Assig	ned this Period					
Strike Team / Ta Resource De		LWD		Leader	Number Persons	Dron	Off PT./Time	Pick Up PT./Tim	
0-5 TFLD AARON BABIN	Signator	08/27	-	LCadei	1	Бібр			
D-75 TFLD JOSH BRANDT		08/27	-		1		yw 2000 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 -		
-14.1 TFLD(T) CONNOR S		08/26	1		1			•	
		08/27	MATT ELLI	IOT	20	110000			
C-2 CR2I PATRICK BRAVO)				20				
C-4 CR2I GRAYBACK A		08/27	BRYAN LE			W-200-121			
C-6 CR2I MILLER ALPHA		08/28	GARCIA LU		22				
E-11 ENG5 E3252		08/26	KEVEN PALASDOS		3				
-14 ENG6 E-611-2 NANTA	HALA	08/26	BRANDON PHILLIPS		4		33 - Camara Sauri (1997)		
-20 ENG6 NORTHWEST E	ENGINE 37	08/31	GARY MOBBS		3				
-22 ENG6 NORTHWEST E	ENGINE 27	08/31	SCOTT SHERLOCK		3				
-23 ENG6 MONTANA FIRE	E, LLC	08/31	BRENT LUNDE		3				
-86 ENG6 HAYNES			TYRELL HA	AAKANSON	2				
-3 WTS2 FOX CREEK		08/27	MOUREEN	WEST	1				
-62 WTS2 OXFORD, INC	*	08/31	JON ROGE	RS	1 1				
-26 WTS3 NORTHSIDE FI	RE DISTRICT	08/28	ALEXIS VA	NDECOEVERING	G 1			W. 44	
)-11 FMOD CAMPBELL TR	UCKING	08/28	TRAVIS PU	ILLER	2				
-16 AMB4 HAUSER LAKE	BLS	08/28	DAVE STR	OHTE	2				
. Control Operations/Work	Assignments:		1						
		Division	/Group Com	munication Sum	mary	X 100 (
Function	Channel	RX Frequency	STREET STREET	RX Tone/NAC	TX Frequence	, _{N/W} T	TX Tone/NAC	Mode	
ACTICAL	1	168.0500		110.9	168.050		110.9	A	
OMMAND	7	168.5000		110.9	164.875		110.9	A	
OMMAND	8	170.9750		110.9	168.700		110.9	A	
ACTICAL	12	159.2850		77.0	159.2850		77.0	A	
ACTICAL	13	155.3400			155.3400	,		А	
IR TO GROUND	14	171.4250			171.4250)		А	
IR TO GROUND	15	171.7750			171.7750			А	
. Prepared By (Resource Ui	nit Leader)	Appro	ved By (Plan	ning Section Ch	ief)	Da	te	Time	

1. Incident Name:				3.	ion//Basic		
CHART					Branch:	Division/Group	
SUNSET					nanon.		
2. Operational Period:							
Date/Time From:			Date/Time To:				Α
	TUE		08/19/2025 2200	TUE			
4.				tions Personnel			
PLANNING (OPS	GREG SC	HENK		LINE OPS	KEVIN SMITH	
DIVISION/GROUP SUPERVIS	SOR	MACKER	BABB		SAFETY	ADAM CARR	100 - 10 - 10 - 10 - 10 - 10 - 10 - 10
		JARID CL				JONATHAN WHITE	
6. Control Operations/Work A	Assig	nments:			**		
Task: Secure existing co						p 100' from fires	s edge, continue
supporting adjacent divis					as needed.		
Purpose: To prevent fire End State: Fires edge is					k while utilizing del	iberate risk ass	essments
End Otate. I fied edge is	500	arca min	mmemy impacts to one	iodi valdos at 115	K Willio dillizing doi	iborato non acc	ocomonio.
7. Special Instructions:							
			Division/Group	Communication Sc	ummary		
Function	C	Channel	Division/Group RX Frequency N/W	Communication Su RX Tone/NAC	ummary TX Frequency N/W	TX Tone/NAC	Mode
Function	C	Channel	CARGON STOLLING LABOR SCAN CONT.			TX Tone/NAC 110.9	Mode A
Function ACTICAL	C		RX Frequency N/W	RX Tone/NAC	TX Frequency N/W		
Function ACTICAL COMMAND	C	1	RX Frequency N/W 168.0500	RX Tone/NAC 110.9	TX Frequency N/W 168.0500	110.9	A
Function ACTICAL COMMAND COMMAND ACTICAL	C	7	RX Frequency N/W 168.0500 168.5000	RX Tone/NAC 110.9 110.9	TX Frequency N/W 168.0500 164.8750	110.9 110.9	A A
Function ACTICAL COMMAND COMMAND ACTICAL	C	1 7 8	RX Frequency N/W 168.0500 168.5000 170.9750 159.2850	RX Tone/NAC 110.9 110.9 110.9	TX Frequency N/W 168.0500 164.8750 168.7000	110.9 110.9 110.9	A A A
Function ACTICAL OMMAND OMMAND ACTICAL ACTICAL	С	1 7 8 12 13	RX Frequency N/W 168.0500 168.5000 170.9750 159.2850 155.3400	RX Tone/NAC 110.9 110.9 110.9	TX Frequency N/W 168.0500 164.8750 168.7000 159.2850 155.3400	110.9 110.9 110.9	A A A A
Function ACTICAL OMMAND OMMAND	С	1 7 8 12	RX Frequency N/W 168.0500 168.5000 170.9750 159.2850	RX Tone/NAC 110.9 110.9 110.9	TX Frequency N/W 168.0500 164.8750 168.7000 159.2850	110.9 110.9 110.9	A A A

JOHN GUBEL

1307

08/18/2025

1. Incident Name:									
SUNSET					Branc	ch:	Division/6	Group:	
2. Operational Period:									
Date/Time From: 08/19/2025 0600	TUE	Date/Time 08/19/2025		TUE				F/M	
4.			Operat	tions Personnel			Life of policy and	1411-11111	
PLANN	ING OPS GREG	SCHENK				LINE	OPS KEVIN SMITH	1	
DIVISION/GROUP SUPE	DVISOD DAVE A	1401.474.0011111							
DIVIDION/OROUT SUFE	A Secretaria de la constante d	ROBBINS (T)				SAI	JONATHAN V		
5.		Re	sources A	ssigned this Pe	riod		Toolvalla	VIIII C	
	/ Task Force /			ooigiica tiiis i c		Number			
	Designator	LWD		Leader		Persons	Drop Off PT./Time	Pick	Up PT./Tir
O-35 TFLD NICHOLAS (1			- (W).
O-79 TFLD JOHN COOK		08/27				1			
O-117 TFLD (T) RYAN J	ACKSON	08/27				1			
D-26 HEQB JARED HAM	IMATT	08/31				1			
D-37 HEQB DENNIS GIL	LMER		DENNI	IS GILLMER		1			
C-3 CR2I PATRICK CHA	RLIE	08/27	JOE FO	OWARD		20			
C-14 CR2I DIAMOND FIR	RE 11A	08/29	JONAT	HAN ALVAREZ		20		_	
C-15 CR2I UMPQUA SZ		08/21	DANE DEXTER			19			
D-112 SMOD NORTH IDA	AHO SUPPRESSIO	2/20/20/20/20/20		NE CHOWNING					
10D -39 ENG5 E1152						6			
32-2		08/28		VANDECOEVER	RING	3			
-19 ENG6 SEAN ANDRE		CE 08/31	NATHA	NIEL KIELE		3			1
-63 DZR2 NELSON BRC		08/31				2			
-47 EXC2 EQUIPMENT	TECHNOLOGIES,	LLC 08/28	DYLAN	YARNELL		2			
-82 FEL1 AKRE LOGGIN	IG	08/29				2			
-33 WTS2 FOX CREEK 2)	08/29	PAT TR	ASK	$\neg +$	1			
43 WTS2 PRIMMER		08/29	JAMES	PRIMMER		1		-	-
44 WTT2 OXFORD INC		08/28	HANS W	/ARBOYS	-	1	·	-	
		Division	/Group C	ommunication §	Summa	7			Inscription to the h
Function	Channel	RX Frequency		RX Tone/NAC		Frequency I	N/W TX Tone/N/	<u>,, </u>	Mod-
ACTICAL	2	168.2000		110.9	+	168.200	110.9	10	Mode A
DMMAND	7	168.5000		110.9	+-	164.8750	110.9		A A
DMMAND	8	170.9750		110.9	+	168.7000	110.9		A A
CTICAL	12	159.2850		77.0	1	159.2850	77.0		A A
CTICAL	13	155.3400				155.3400		\dashv	
R TO GROUND	14	171.4250				171.4250			
R TO GROUND	15	171.7750			1	171.7750		-	Α
R GUARD	16	168.6250				168.6250	110.9		A
Prepared By (Resource U	Init Leader)	Approv	ed By (Pla	anning Section					

Division/Group Assignment List (ICS 204 WF)

SUNSET		SHOW SHOW SHOW TO ANALYSIS AND ANALYSIS.				
				Branch:	Division/Gro	oup:
2. Operational Period:						
Date/Time From: 08/19/2025 0600	TUE	Date/Time To 08/19/2025 220			F/M	
4.			Operations Personnel			
PLANNING	OPS GREG S		- Peraliene i ersenner		OPS KEVIN SMITH	
DIVIDIO 1/0 DO 1						
DIVISION/GROUP SUPERVI	Millionary on a	ACLAY-SCHULTE OBBINS (T)		SA	FETY ADAM CARR	
5.	111110111				JONATHAN WH	ITE
Strike Team / Ta	sk Force /	Resou	rces Assigned this Pe	A STATE OF THE PARTY OF THE PAR		
Resource Des		LWD	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./T
-61 WTS2 FISHER RIVER	RFD	08/30	MIKE HARRIS	1		
-10 FMOD NEWMAN MOD	5	08/28	ETHAN NEWMAN	2		
-12 FMOD SWEDBERG		08/28	JAKE MEHAFFEY	2		1
. Control Operations/Work	Assignments:					
		Division/G	oup Communication S	Gummary		
Function	Channel	Division/Gi		TO SECURITY OF THE PROPERTY OF	N/W TX Tone/NAC	Mode
Control of the Contro	Channel 2			WARRANT TO THE PROPERTY OF THE PARTY	N/W TX Tone/NAC 110.9	
CTICAL		RX Frequency N/\	N RX Tone/NAC	TX Frequency		Mode A A
CTICAL MMAND	2	RX Frequency N/\ 168.2000	N RX Tone/NAC	TX Frequency 168.200	110.9	A
CTICAL MMAND MMAND	2	RX Frequency N/\ 168.2000 168.5000	N RX Tone/NAC 110.9 110.9	TX Frequency 168.200 164.8750	110.9 110.9	A A
MMAND MMAND CTICAL	2 7 8	RX Frequency N/\ 168.2000 168.5000 170.9750	RX Tone/NAC 110.9 110.9 110.9	TX Frequency 168.200 164.8750 168.7000	110.9 110.9 110.9	A A A
MMAND MMAND CTICAL CTICAL	2 7 8 12	RX Frequency N/\ 168.2000 168.5000 170.9750 159.2850	RX Tone/NAC 110.9 110.9 110.9	TX Frequency 168.200 164.8750 168.7000 159.2850	110.9 110.9 110.9	A A A
MMAND MMAND CTICAL CTICAL TO GROUND	2 7 8 12 13	RX Frequency N/\ 168.2000 168.5000 170.9750 159.2850 155.3400	RX Tone/NAC 110.9 110.9 110.9	TX Frequency 168.200 164.8750 168.7000 159.2850 155.3400	110.9 110.9 110.9	A A A A
MMAND MMAND CTICAL CTICAL TO GROUND TO GROUND	2 7 8 12 13	RX Frequency N/A 168.2000 168.5000 170.9750 159.2850 155.3400 171.4250	RX Tone/NAC 110.9 110.9 110.9	TX Frequency 168.200 164.8750 168.7000 159.2850 155.3400 171.4250	110.9 110.9 110.9	A A A A A
Function CTICAL DMMAND DMMAND CTICAL CTICAL CTICAL R TO GROUND R TO GROUND R GUARD repared By (Resource Unit 1)	2 7 8 12 13 14 15	RX Frequency N/A 168.2000 168.5000 170.9750 159.2850 155.3400 171.4250 171.7750 168.6250	RX Tone/NAC 110.9 110.9 110.9	TX Frequency 168.200 164.8750 168.7000 159.2850 155.3400 171.4250 171.7750 168.6250	110.9 110.9 110.9 77.0	A A A A A

1. Incident Name:				3.					
SUNSET				E	Branch:		Division/Group):	
2. Operational Period:									
Date/Time From:		Date/Time To						R	
08/19/2025 0600	TUE	08/19/2025 22		TUE					
4.			Operations	Personnel			E. (ILLOMETIL		
PLANNING	G OPS GREG SCH	HENK			LINE	OPS	EVIN SMITH		
DIVISION/GROUP SUPERV	VISOR AARON JO	ONES			SAFETY ADAM CARR				
DIVIDIONI/ORGON GOV. E.C.	STEVE AG					Ĵ	ONATHAN WHIT	E	
5.		Reso	ources Assig	ned this Perio	od				
Strike Team / T Resource De		LWD		Leader	Number Persons	Drop	Off PT./Time	Pick Up PT./Time	
O-28 TFLD(T) WES MORG	SAN	08/26		- ALL SAME	1				
O-62 HEQB ERIC KLEIN		08/27	1		1		***************************************		
O-29 HEQB BOB ECK		08/26			1				
C-7 CRW1 ELDORADO IH	С	08/25	BENJAMIN	STRAHAN	24				
C-8 CRW1 TAHOE IHC		08/28	DANIEL G	UERRERO	20	- 1			
C-12 CRW1 BAKER RIVER	RIHC	08/27	GARY CHI	CKS	25				
C-9 CR2I LOLO REGULAR	RS #1	08/28	MARGARE	TFISK	22				
C-17 CR2I GRAYBACK		08/31	DANIEL SILLER		20		•		
E-65 ENG6 CATALDO F11		08/28	MASON WYMAN		3				
E-45 SKG1 EQUIPMENT T	ECHNOLOGIES, L	LC 08/28	KADEN PR	RATHER	2	-			
E-2 DZR2 FOUSTS INC		08/26	DARRL UN	IRUH	2				
E-24 DZR2 AKRE LOGGIN	G LLC	08/28	BRYAN KIF	RSCHMAN	2				
E-34 DZR3 EQUIPMENT T	ECHNOLOGIES	08/28	GREG JON	IES	1				
E-81 MBM1 ALTERED ASF	PECTS	08/29					500 100000 200 200 200		
E-105 MBM2 HESTER FOR	REST MGMT	08/29			1				
E-59 WTS2 CAMPBELL TR	RUCKING	08/31	EVERETT	HAMMOND	1	,		1 2 11 2 2 2 1 2 1 2 1	
E-60 WTS2 CAMPBELL TR	RUCKING	08/31	SHANE CA	MPBELL	1				
			<u> </u>						
8.		Division	n/Group Com	munication S	Summary				
Function	Channel	RX Frequency		RX Tone/NAC		y N/W	TX Tone/NAC	Mode	
TACTICAL	3	168.6000		110.9	168.600	0	110.9	А	
COMMAND	7	168.5000		110.9	164.875)	110.9	A	
COMMAND	8	170.9750		110.9	168.700)	110.9	А	
TACTICAL	12	159.2850		77.0	159.285	ס	77.0	А	
TACTICAL	13	155.3400			155.340)		Α	
AIR TO GROUND 14 1					171.4250)		A	
AIR TO GROUND					171.7750			A	
). Prepared By (Resource L	Jnit Leader)	Appro	ved By (Plan	ning Section	Chief)	Da	te	Time	
M.J. CRANDALL		JOH	IN GUBEL			08	/18/2025	1307	

SUNSET 2. Operational Period: Date/Time From: 08/19/2025 0600 TUE Date/Time To: 08/19/2025 2200 TUE Date/Time From: 08/19/2025 2200 TUE Operations Personnel LINE OPS KEVIN SMITH DIVISION/GROUP SUPERVISOR AARON JONES STEVE AGUIRRE (T) STEVE AGUIRRE (T) Strike Team / Task Force / Resource Designator LWD Leader Persons Drop Off PT:/Time Pick Up PT. E-42 AMB1 FREMONT CO ALS/BLS O8/29 TRACY GARCIA C. Control Operations/Work Assignments: Task: Continue to scout and construct direct and indirect control lines and secure spot fires. Purpose: To prevent fire spread to the west and north towards critical values at risk. End State: Fire progression is stopped and spot fires are controlled. Critical values at risk are protected while utilizing deliberate risk assessments. 7. Special Instructions:	1. Incident Name:				3.				
Date/Time From: 08/19/2025 0600 TUE Date/Time To: 08/19/2025 2200 TUE 4. Operations Personnel PLANNING OPS GREG SCHENK LINE OPS KEVIN SMITH DIVISION/GROUP SUPERVISOR AARON JONES STEVE AGUIRRE (T) Strike Team / Task Force / Resource Designator LWD Leader Persons Drop Off PT./Time Pick Up PT. E-42 AMB1 FREMONT CO ALS/BLS 08/29 TRACY GARCIA 2 Control Operations/Work Assignments: Task: Continue to scout and construct direct and indirect control lines and secure spot fires. Purpose: To prevent fire spread to the west and north towards critical values at risk. End State: Fire progression is stopped and spot fires are controlled. Critical values at risk are protected while utilizing deliberate risk assessments.	SUNSET		18 000		Branch:		Division/Grou	ıp:	
Date/Time From: 08/19/2025 0600 TUE	2. Operational Period:								
PLANNING OPS GREG SCHENK LINE OPS KEVIN SMITH DIVISION/GROUP SUPERVISOR AARON JONES STEVE AGUIRRE (T) ADAM CARR JONATHAN WHITE 5. Resources Assigned this Period Strike Team / Task Force / Resource Designator LWD Leader Number Persons Drop Off PT./Time Pick Up PT. 6-42 AMB1 FREMONT CO ALS/BLS 08/29 TRACY GARCIA 2 6. Control Operations/Work Assignments: Task: Continue to scout and construct direct and indirect control lines and secure spot fires. Purpose: To prevent fire spread to the west and north towards critical values at risk. End State: Fire progression is stopped and spot fires are controlled. Critical values at risk are protected while utilizing deliberate risk assessments.	Date: Time Touris						R		
AARON JONES STEVE AGUIRRE (T) Strike Team / Task Force / Resource Designator LWD Leader Number Persons Drop Off PT./Time Pick Up PT. Control Operations/Work Assignments: Task: Continue to scout and construct direct and indirect control lines and secure spot fires. Purpose: To prevent fire spread to the west and north towards critical values at risk. End State: Fire progression is stopped and spot fires are controlled. Critical values at risk are protected while utilizing deliberate risk assessments.	4.			Operations Person	nel				
Strike Team / Task Force / Resource Designator LWD Leader Number Persons Drop Off PT./Time Pick Up PT. Control Operations/Work Assignments: Task: Continue to scout and construct direct and indirect control lines and secure spot fires. Purpose: To prevent fire spread to the west and north towards critical values at risk. End State: Fire progression is stopped and spot fires are controlled. Critical values at risk are protected while utilizing deliberate risk assessments.	PLANNING OPS	GREG SCHENK				LINE	OPS KEVIN SMITH		
Strike Team / Task Force / Resource Designator LWD Leader Persons Drop Off PT./Time Pick Up PT. 3. Control Operations/Work Assignments: Task: Continue to scout and construct direct and indirect control lines and secure spot fires. Purpose: To prevent fire spread to the west and north towards critical values at risk. End State: Fire progression is stopped and spot fires are controlled. Critical values at risk are protected while utilizing deliberate risk assessments.	DIVISION/GROUP SUPERVISOR	Charles Con- Charles A Development Con- Con- Con-	E (T)			SAI	•	TE	
Resource Designator LWD Leader Persons Drop Off PT./Time Pick Up PT. Pick Up PT. Task: Control Operations/Work Assignments: Task: Continue to scout and construct direct and indirect control lines and secure spot fires. Purpose: To prevent fire spread to the west and north towards critical values at risk. End State: Fire progression is stopped and spot fires are controlled. Critical values at risk are protected while utilizing deliberate risk assessments.	5.		Reso	urces Assigned this	Period				
Task: Continue to scout and construct direct and indirect control lines and secure spot fires. Purpose: To prevent fire spread to the west and north towards critical values at risk. End State: Fire progression is stopped and spot fires are controlled. Critical values at risk are protected while utilizing deliberate risk assessments.			LWD	Leader	1		Drop Off PT./Time	Pick Up PT./Time	
Task: Continue to scout and construct direct and indirect control lines and secure spot fires. Purpose: To prevent fire spread to the west and north towards critical values at risk. End State: Fire progression is stopped and spot fires are controlled. Critical values at risk are protected while utilizing deliberate risk assessments.	E-42 AMB1 FREMONT CO ALS/E	BLS	08/29	TRACY GARCIA		2			
7. Special Instructions:	Task: Continue to scout and Purpose: To prevent fire spi End State: Fire progression	d construct direct read to the west is stopped and	t and north	n towards critical	values at r	isk.		ile utilizing	
	. Special Instructions:								

8.		Division/Group	Communication Su	mmary		
Function	Function Channel F		requency N/W RX Tone/NAC		TX Tone/NAC	Mode
TACTICAL	3	168.6000	110.9	168.6000	110.9	А
COMMAND	7	168.5000	110.9	164.8750	110.9	A
COMMAND	8	170.9750	110.9	168.7000	110.9	A
TACTICAL	12	159.2850	77.0	159.2850	77.0	А
TACTICAL	13	155.3400		155.3400		А
AIR TO GROUND	14	171.4250		171.4250		А
AIR TO GROUND	15	171.7750	0.000	171.7750		А
9. Prepared By (Resource	Unit Leader)	Approved By (Planning Section C	hief)	ate	Time
M.J. CRANDALL		JOHN GUBE	L	0	8/18/2025	1307

Division/Group Assignment List (ICS 204 WF)

1. Incident Name:			3.	ation//Basic			
SUNSET				Branch:		Division/Group	:
2. Operational Period:							т
Date/Time From: 08/19/2025 0600 T	TUE	Date/Time To: 08/19/2025 2200	TUE				•
					for Edmin		
4.	ne lopeo so		tions Personnel	LINE	OPSIKE	VIN SMITH	
PLANNING O	PS GREG SCI	JEINK		LINL	OI OI KE	VIII OIVII I I I	
DIVISION/GROUP SUPERVISO	OR SCOTT DE	RAKE	- (U-01/10) U.S.	SAI		AM CARR	
					JO	NATHAN WHITE	<u> </u>
AIR O	PS						
5.	See all of	Resources /	Assigned this Per	iod			
Strike Team / Task	Force /	Resources	433igilea tili3 i el	Number		T	professional de la company de la
Resource Design		LWD	Leader	Persons	Drop C	Off PT./Time	Pick Up PT./Time
O-73 SQAD IA MODULE IPF	71	JEDE	DIAH ADAMS	4			
CITY OF SANDPOINT BT 1191							
SAM OWEN BT 1391			ALC:				
6. Control Operations/Work As	ssignments:					L	
Purpose: To limit impacts End State: Impacts to crit 7. Special Instructions:	to infrastruc tical values a	ture and other critical it risk are minimized w	values at risk. vhile utilizing de	eliberate risk as	ssessm	ents.	
8.		Division/Group	Communication	Summary			
	Channel		Communication RX Tone/NA		, N/W T	TX Tone/NAC	Mode
Function	Channel 4	RX Frequency N/W	RX Tone/NA	C TX Frequency		TX Tone/NAC	Mode A
Function TACTICAL	4	RX Frequency N/W 166.7250	RX Tone/NA0	TX Frequency		110.9	A
Function TACTICAL COMMAND	4 7	RX Frequency N/W 166.7250 168.5000	RX Tone/NA0 110.9 110.9	C TX Frequency	0		
Function TACTICAL COMMAND COMMAND	4 7 8	RX Frequency N/W 166.7250 168.5000 170.9750	RX Tone/NA0 110.9 110.9 110.9	TX Frequency 168.7256 164.8750	0	110.9 110.9	A A
Function TACTICAL COMMAND COMMAND TACTICAL	4 7 8 12	RX Frequency N/W 166.7250 168.5000 170.9750 159.2850	RX Tone/NA0 110.9 110.9	TX Frequency 168.7250 164.8750 168.7000		110.9 110.9 110.9	A A A
Function TACTICAL COMMAND COMMAND TACTICAL TACTICAL	4 7 8 12 13	RX Frequency N/W 166.7250 168.5000 170.9750 159.2850 155.3400	RX Tone/NA0 110.9 110.9 110.9	TX Frequency 168.7250 164.8750 168.7000 159.2850 155.3400		110.9 110.9 110.9	A A A
Function TACTICAL COMMAND COMMAND TACTICAL TACTICAL AIR TO GROUND	4 7 8 12 13 14	RX Frequency N/W 166.7250 168.5000 170.9750 159.2850 155.3400 171.4250	RX Tone/NA0 110.9 110.9 110.9	TX Frequency 168.7250 164.8750 168.7000 159.2850		110.9 110.9 110.9	A A A A
	4 7 8 12 13	RX Frequency N/W 166.7250 168.5000 170.9750 159.2850 155.3400	RX Tone/NA0 110.9 110.9 110.9	TX Frequency 168.7250 164.8750 168.7000 159.2850 155.3400 171.4250		110.9 110.9 110.9	A A A A

JOHN GUBEL

1307

08/18/2025

1. Incident Name:				3.	4.增强200				
SUNSET				Br	ranch:		Division/Group:		
2. Operational Period:						1			
Date/Time From: 08/19/2025 0600	TUE	Date/Time To 08/19/2025 22		TUE				Z	
4.			Operations	Personnel					
PLANNING C	PS GREG SCH	HENK				OPS	KEVIN SMITH		
					CA	FETY	ADAM CARR		
DIVISION/GROUP SUPERVIS		ENBERG (T)			SA		JONATHAN WHI	ГЕ	
AIR C						$\neg \uparrow$			
5.		Reso	urces Assig	ned this Period					
Strike Team / Task Resource Design		LWD		Leader	Number Persons	Drop	Off PT./Time	Pick Up PT./Time	
O-105 TFLD KALIROSE ZURI		09/01	 		1		1.10		
E-7.1 TFLD (T) RYAN KLETTE		08/27	-	- 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	1				
D-27 HEQB JOSHUA WOLFS		09/01	-		1				
C-5 CR2I MILLER BRAVO		08/28	MAXWELL	LABAHN	22				
C-16 CR2I GRAYBACK 158		08/29	JEREME LOVE		22				
E-13 ENG5 INLAND FOREST	MGMT 522	08/26	JOHN AILI		3				
E-58 ENG6 INLAND FOREST	1770 - 1770	08/23	DONAVON		2				
3 44.5	MGMT 621		BONAVOI	V WAOT IIV	3				
E-87 ENG6 CAHOON		08/31	LIGOEDILLI	CALII EN					
E-89 ENG6 CAHOON		08/31	JOSEPH KAULEY DAVE TAYLOR		3				
E-1 DZR4 TAYLOR & SON		08/27	DAVE TAYLOR		1				
E-80 EXC2 ALTERED ASPEC	TS, LLC - 00192	24 08/30			2				
E-48 FEL1 AKRE LOGGING		08/29	COREY LO	OVELL	2				
E-4 WTS2 CRAIG MARTIN - 4	92771	08/28	CRAIG MA	ARTIN	1				
-5 WTS2 RICHARDSON TRE	E CARE	08/26	SARAH JIN	MENEZ	2				
6. Control Operations/Work A	ssignments:							3000-000	
					week.				
		Division	/Group Con	nmunication Su	ummary				
Function	Channel	RX Frequency	N/W	RX Tone/NAC	TX Frequenc		TX Tone/NAC		
TACTICAL	5	168.2500		110.9	168.250		110.9	A	
COMMAND	7	168.5000		110.9	164.875		110.9	A	
COMMAND	8	170.9750		110.9	168.700		110.9	A	
TACTICAL	12	159.2850		77.0	159.285		77.0	A	
TACTICAL	13	155.3400			155.340			A	
AIR TO GROUND 14		171.4250		*	171.425				
AIR TO GROUND	15	171.7750			171.775 168.625		110.9	A	
AIR GUARD	16	168.6250	168.6250		108.025	U	110.9	^	

	D	ivision/Group Ass	signment assified Inforr	List (ICS 204 WF nation//Basic	-)	
1. Incident Name:				3.		
SUNSET				Branch:	Division/Group):
2. Operational Period:						
Date/Time From:	T	Date/Time To:				Z
08/19/2025 0600 TUE		08/19/2025 2200	08/19/2025 2200 TUE			
4.		Operat	tions Personne	Ī		
PLANNING OPS	GREG SC	HENK		LINE OPS	KEVIN SMITH	
DIVISION/GROUP SUPERVISOR	CHRIS WI	HITE		SAFETY	ADAM CARR	
	TOBY GRI	EENBERG (T)			JONATHAN WHIT	E
AIR OPS						
6. Control Operations/Work Assi	nnments:		<u>.</u>			
	TO 1			DD 400 () - -		
Task: Continue to scout and			ontrol lines fro	om DP-160 to Lake F	Pend Oreille. Co	intinue to mop up
and secure 100' from DP-2						
Purpose: To prevent fire sp					alibarata rialeaas	
End State: Fires edge is se	curea min	imizing impacts to criti	cai values at	risk while utilizing di	eliberate risk ass	sessments.
7. Special Instructions:				************		
. Special instructions.						
		Division/Group	Communicatio	n Summary		1.00
Function	Channel	RX Frequency N/W	RX Tone/N		TX Tone/NAC	Mode
FACTICAL	5	168.2500	110.9	168.2500	110.9	A
COMMAND	7	168.5000	110.9	164.8750	110.9	A
COMMAND	8	170.9750	110.9	168.7000	110.9	А
ACTICAL	12	159.2850	77.0	159.2850	77.0	А
ACTICAL	13	155.3400		155.3400		A
AIR TO GROUND	14	171.4250		171.4250		А
AIR TO GROUND	15	171.7750		171.7750		А
AIR GUARD	16	168.6250	10901	168.6250	110.9	А
. Prepared By (Resource Unit Le	ader)	Approved By (Planning Secti	on Chief)	Date	Time

JOHN GUBEL

1307

08/18/2025

1. Incident Name:			iciassineu iiio	3.				
SUNSET				Branc	h:		Division/Grou	ıp:
2. Operational Period:								
Date/Time From: 08/19/2025 0600 TUE		Date/Time To: 08/19/2025 2200	TUE				STAGIN	IG
4.	patricina de la composição	One	erations Personr	el				
	ADAM CARR				P SUPERVI	SOR		
	JOHNATHAN							
LINE OPS	KEVIN SMITH	4		ı	PLANNING	OPS G	REG SCHENK	
AIR OPS								
AIR OF 3								
5.		Resource	s Assigned this	Period		78.		
Strike Team / Task Fo					Number	_	O# DT /T'	D: 1 11 DT /T:
Resource Designat		LWD	Leader		Persons	Drop	Off PT./Time	Pick Up PT./Time
E-90 EXC2 ALTERED ASPECTS	orthodox.	09/01 BL	AKE LINDSAY		2			
					,			
8.		Division/Gro	up Communicati	on Summ	ary			
Function	Channel	RX Frequency N/W			X Frequency	N/W	TX Tone/NAC	Mode
COMMAND								
TACTICAL								
OGISTICS								
AIR TO GROUND			1					
9. Prepared By (Resource Unit Lea	l ader)	Approved E	I By (Planning Sec	tion Chief	·)	Dat	e	Time
M.J. CRANDALL	·&	JOHN GL	E7 (E).C				18/2025	2030

O-25 TFLD JEFF ARMSTRONG 08/24 1 TFLD JOSH DELAMAR 1 E-88 ENG6 GRAY WOLF 09/01 TREVOR SCOTT 3 6. Control Operations/Work Assignments: Task: Continue to scout for indirect control line opportunities, implement structure protection as needed and continue with structure triage.	1. Incident Name:				3.				
Date/Time From: 08/19/2025 0600 TUE	SUNSET				Branch:			Division/Grou	ıp:
### Date/ lime From: ### 08/19/2025 0600 ### Operations Personnel ### 4. *** Operations Personnel** PLANNING OPS GREG SCHENK LINE OPS KEVIN SMITH	2. Operational Period:								
PLANNING OPS GREG SCHENK DIVISION/GROUP SUPERVISOR ED WINGERT BRIAN EVANS (T) SAFETY ADAM CARR JONATHAN WHITE Strike Team / Task Force / Resource Designator LWD Leader Persons Drop Off PT./Time Pick Up PT./Time Pick Up PT./Time Pick Up PT./Time Pick Up PT./Time Pick Up PT./Time Resource Assignments: Task: Continue to scout for indirect control line opportunities, implement structure protection as needed and continue with structure triage.								ST	RUCTURE
DIVISION/GROUP SUPERVISOR BRIAN EVANS (T) SAFETY ADAM CARR JONATHAN WHITE Resources Assigned this Period Strike Team / Task Force / Resource Designator LWD Leader Persons Drop Off PT./Time Pick Up PT./Time D-25 TFLD JEFF ARMSTRONG 08/24 1 FLD JOSH DELAMAR 1 C-88 ENG6 GRAY WOLF 09/01 TREVOR SCOTT 3 Control Operations/Work Assignments: Task: Continue to scout for indirect control line opportunities, implement structure protection as needed and continue with structure triage.	4.			Operations Person	nnel				
BRIAN EVANS (T) Resources Assigned this Period Strike Team / Task Force / Resource Designator D-25 TFLD JEFF ARMSTRONG 08/24 1 FLD JOSH DELAMAR 1-88 ENG6 GRAY WOLF Control Operations/Work Assignments: Task: Continue to scout for indirect control line opportunities, implement structure protection as needed and continue with structure triage.	PLANNING OPS	REG SCHENK				LINE	OPS	KEVIN SMITH	
Strike Team / Task Force / Resource Designator LWD Leader Persons Drop Off PT./Time Pick Up PT./T			·			SAF			ΓE
Resource Designator LWD Leader Persons Drop Off PT./Time Pick Up PT./Time Pick	5.		Reso	urces Assigned this	s Period				
FE-88 ENG6 GRAY WOLF 5. Control Operations/Work Assignments: Task: Continue to scout for indirect control line opportunities, implement structure protection as needed and continue with structure triage.		e /	LWD	Leader	4.000		Drop	Off PT./Time	Pick Up PT./Time
E-88 ENG6 GRAY WOLF 09/01 TREVOR SCOTT 3 Control Operations/Work Assignments: Task: Continue to scout for indirect control line opportunities, implement structure protection as needed and continue with structure triage.	0-25 TFLD JEFF ARMSTRONG	D JEFF ARMSTRONG H DELAMAR G GRAY WOLF Operations/Work Assignments: Ontinue to scout for indirect control line opportunities triage. To limit impacts to infrastructure and other critical re: Impacts to critical values at risk are minimized values.		1		1			
Control Operations/Work Assignments: Task: Continue to scout for indirect control line opportunities, implement structure protection as needed and continue with structure triage.	FLD JOSH DELAMAR					1			
Task: Continue to scout for indirect control line opportunities, implement structure protection as needed and continue with structure triage.	-88 ENG6 GRAY WOLF			TREVOR SCOTT		3			5/ls
End State: Impacts to critical values at risk are minimized while utilizing deliberate risk assessments. Special Instructions:	structure triage. Purpose: To limit impacts to ir End State: Impacts to critical v	nfrastructure a	nd other	critical values at	risk.				continue with

8.		Division/Group	Communication Su	mmary		
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode
TACTICAL	6	166.7750	110.9	166.7750	110.9	А
COMMAND	7	168.5000	110.9	164.8750	110.9	А
COMMAND	8	170.9750	110.9	168.7000	110.9	А
TACTICAL	12	159.2850	77.0	159.2850	77.0	А
TACTICAL	13	155.3400		155.3400		А
AIR TO GROUND	14	171.4250		171.4250		А
AIR TO GROUND	15	171.7750		171.7750		А
AIR GUARD	16	168.6250		168.6250	110.9	А
9. Prepared By (Resource	Unit Leader)	Approved By (Planning Section C	hief) Dat	e	Time

9. Prepared By (Resource Unit Leader)

Approved By (Planning Section Chief)

Date

Time

JOHN GUBEL

08/18/2025

1307

Strate Have Note Leaves Have Name Strate Have Name	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			l	ı								
Second color Seco	Sunset Fire	D-POS-0006	30	Sunrise Suns 0547 1952	set "P		2022	Shutdo 200	nwo Ot	Operation 8/	al Period -Date 19/2025		perational Period - Time 0600-2200
Control Cont	General Remai	rks, Safety Note	s, Hazards,	Air Operations (Special	Equipment,	etc.	Airport /Helil	base Info	TFR/NO.	TAM Informatio		Extraction Info (helicopter)
Standard Standard	Request all (fixed & contact and order fix	rotor wing) avi	ation resou	urces thru assign if Air Attack is r	ned Di	risions. Lin station ove	e Ops will r fire.	oeur d'Ale	46.46' 3.49.17'	TF Surface to 100	R 5/8727 000', freq 118.9		t: Two Bear Air located at Glacien Intl. Airport (GPI), Bell 429, ox. 94 mi GPI to Sunset Fire are.
FRA Tone TX Tone TX Tone AMF Position Name Position Name Phone Phone	Sunset Fire resource	onclude at sun es have IA resp	set due to onsibility v	shadows on th∉ within TFR.	e lake :	ind steep t	errain.	Sand Poi 8 48 17.9 de 116 33 on 2131		24 Hrs. in si UAS Operatio	upport of upcor ns		t Haul: Central MT. Helitack led at Libby, 45nm to Sunset Fire Jest Procedure: Order
This		Judy.						Email costs to:		ļ		thror	ugh Coeur d'Alene Dispatch
18 18 18 18 18 18 18 18								2025.sunset.financ	e@firenet.gov	http://tfr.faa	.gov/tfr2/list.hti	티	
17,1750 17,1750 17,1750 FM Dispatch DCDC (Coeur d'Alene) 208,772,3283 FM Dispatch DCDC (Coeur d'Alene) 208,772,3283 FM Dispatch DCDC (Coeur d'Alene) 208,772,3283 FM DISPACE Clinton Aguidius 208,680,2725 FM DISPACE Clinton Aguidius 208,680,2725 FM DISPACE Clinton Bloom Corp. Ing. 208,882,3847 FM FM FM FM FM FM FM F	reduencies	ž	Tone	ΧŢ		Tone	AM/FM	Position	Nan	ne	Phone		Remarks
11 1756 171 1756 171 1756 171 1756 171 1756 171 1756 171 1756 171 1756 171 1756 171 1756 171 1756 171 1756 171 1756 171 1756 171 1756 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 171 17								Dispatch	ID-CDC (Coe	our d'Alene)	208-772-32	83	
The color of the	A/G Secondary	171.4250		171.4250			FM	Dispatch					
Table Tabl	(manual and a second	200		00/////	+		E.	IPF FAO	Clinton A	guidius	208-860-27	.25	
188 6500 110 9					-			IDL AO	Cory	lvy	208-982-13	154	
Table Tabl					+			AOBD	Steve	Croy	540-230-25	168	
188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188 188	ational FIt Following	-	110.9	189 8500	-	7700		AOBD	Jeff Pt	olack	208-813-34	147	
Taylor 18.9 118.9 118.9 AM HMGB 64H Rob Cole 406.461.4777 AM HMGB 62ML Cilinton Bloom 208.461.69754 208.465.6510 AM HMGB 628ML Cilinton Bloom 208.465.6510 208.465.6510 AM AM AM AM AM AM AM A	Air Guard	+	0.00	168.6250		110.9	E E						
118 9	dent Specific:												
127.2500	Air / Air Primary	118.9		118.9	+		AM	UNG GAU	1-0		100		
# Type Make/Model Helibase Avail Start Remarks Taylor Hess 209-845-5510	Air / Air Secondary	127.2500		127.2500			AM	וואוכס סטוויוו	מסא	cole	406-461-47		
HMGB 658HA Taylor Hess 269-845-5510								HMGB 366RA	Jonathan J.	Bloom	208-610-97	16	
HELICOPTERS LONG Helibase Avail Start Remarks FAA# TYPE Make/Model Base Avail Start Start CDE 0900 0900 Bucket CDE 0900 0900 Bucket CDE 0900 0900 CDE 0900 CDE								HMGR 658HA	Taylor	Lowards	200-000	0	
HELICOPIERS									laylor	SSS	269-845-55	0	
# Type Make/Model Helibase Avail Start Remarks FAA# TYPE Make/Model Base Avail Start 1 UH-60 COE 0900 0900 Bucket 2 UH-1H COE 0900 0900 Bucket 3 B407 S59 0900 0900 Short Haul, Recon, Tactical 1 VMANNED AIRCRAFT SYSTEMS 1 Type Model Call Sign Avail Start Remarks FAA# Type Make/Model Base Avail Start Type Model Call Sign Avail Start Remarks FAA# Type Make/Model CoE 1000 0900 Bucket Type Model Call Sign Avail Start Remarks FAA# Type Make/Model CoE 1000 0900			HELICO	PTERS									
1	-	Make/Model	Ľ	Aveil	1		THE REAL PROPERTY.			TANKE	RS / SCOOPE	35	
1		B-407	_	Avail	F	Rem	arks	FAA#	TYPE	Make/Model		H	
1 CH-47 SZT		20 11	100	+		rorest IA	, Kecon						
2 UH-1H COE 0900 Bucket Bucke		CH-A7	SZZ	+	0 0	Buc	ket	Order as N	heeded				
3 B407 S59 0900 Short Haul, Recon, Tactical		IH-1H	SOF	+		Buc	Ket						
Short Haul, Recon, Tactical Short Haul, Recon, Tactical Short Haul, Recon, Tactical Start St			100	+	-	Dag	xer						
UNMANNED AIRCRAFT SYSTEMS FRA# Type Model Call Sign Avail Start Remarks FAA# Type Make/Model Base Av Start N721TB AC-690B COE 1000 0900		5407	BG S	+		hort Haul, R	econ, Tactical						
Type Model Call Sign Avail Start Remarks FAA# Type Make/Model Base Av Start N721TB AC-690B COE 1000 0900		UNMA	NNED AIRC	RAFT SYSTEMS									
N721TB AC-690B COE 1000 0900		Mo	Call Sign	Avail Star	L	Rem	arks	FAA#	Type	Barbolanodol I			
AC-690B COE 1000 0900				-				T POOLIN) ype	ivid ke/ ivione	-		
								N/ZIIB		AC-690B			

N	INCIDENT RADIO COMMUNICATIONS PLAN 1-205	MMUNICATIONS F		1. INCIDENT NAME			2. DATE/TIME PREPARED	ARED		3. OPERATIO	3. OPERATIONAL PERIOD DATE/TIME
				SUNSET			8/18/2025			8/19/25 06(8/19/25 0600 THRU 2200
				4. BAS	IC RA	BASIC RADIO CHANNEL UTILIZATION	UTILIZATION				
ნ #	Function	Channel Name	Assignment	RX Freq	N/N	RX Tone/NAC	TX Freq	N/N	TX Tone/NAC	Mode Analog (A) Digital (D) Mixed (M)	Remarks
-	TAC	TAC 1	DIVA	168.0500	Z	110.9	168.0500	z	110.9	٨	DIV A
7	TAC	TAC 2	DIV F/M	168.2000	z	110.9	168.2000	z	110.9	A	DIV F/M
ო	TAC	TAC 3	DIVR	168.6000	z	110.9	168.6000	z	110.9	A	DIVR
4	TAC	TAC 4	T VIQ	166.7250	z	110.9	166.7250	Z	110.9	A	DIV T
2	TAC	TAC 5	Z NIQ	168.2500	z	110.9	168.2500	z	110.9	A	DIVIZ
9	TAC	TAC 6	STRUCTURE	166.7750	z	110.9	166.7750	z	110.9	A	STRUCTURE GROUP
^	COMMAND	CMD 7	COMMAND	168.5000	z	110.9	164.8750	z	110.9	4	CAPE HORN
∞	COMMAND	CMD 8	COMMAND	170.9750	z	110.9	168.7000	z	110.9	4	LITTLE BLACK TAIL
တ	COMMAND	RESERVED			z						
9	DISPATCH	SCHWEITZER	LOCAL REPEATER	159.3375	z	100.0	151.4375	z	136.5	A	IDL SCHWEITZER TO COEUR D ALEANE DISPATCH
5	DISPATCH	НООВОО	LOCAL REPEATER	159.4500	z	123.0	151.2200	z	123.0	A	IDL HOODOO TO COEUR D ALEANE DISPATCH
12	TAC	IDL DIR 2	IA TAC	159.2850	Z	77.0	159.2850	z	0.77	A	IDL DIR 2 (IA TAC)
13	TAC	VMED 28	MEDIVAC	155.3400	z		155.3400	z		∢	AIR MED
14	A/G	A/G PRI	AIR TO GROUND	171.4250	z		171.4250	z		4	AG PRIMARY
15	AG	A/G SEC	AIR TO GROUND	171.7750	z		171.7750	z		∢	AG SECONDARY
16	AIRGUARD	AIRGUARD	EMERGENCY	168.6250	z		168.6250	z	110.9	<	EMERGENCY
	5. Special Instructions:										
9	6. I-205 Prepared By: Co	Communications Unit Leader	-eader	Name: Mike S	Scherer	rer			Signature:		PAUL SCHERER Dignally signed by PAUL SCHERER Dignally signed by PAUL SCHERER Dignally signed by PAUL SCHERER

FORECAST NO. 02

NAME OF INCIDENT: Sunset FORE

UNIT: IDL-Pend Oreille

TIME AND DATE

FORECAST ISSUED: 1900 Man Aug 19 2025

FORECAST ISSUED: 1800 Mon Aug 18, 2025

FORECAST FOR: Tuesday Aug 19, 2025

SIGNED: Bob Hoenisch (406) 899-4112

Incident Meteorologist

WEATHER DISCUSSION:

An upper level ridge of high pressure over the Rockies will strengthen through the rest of the week before shifting west toward the Great Basin this weekend. This will bring initially gradual warming and drying before a shift to hot and dry conditions this weekend. Temperatures will be near seasonal norms through Wednesday with afternoon humidity gradually decreasing each day through the weekend. General winds will predominantly be from the southwest with terrain driven winds prevailing on steeper slopes and drainages. A weather disturbance passing by to the north of the region on Wednesday will bring some enhanced west to southwest winds with breezy winds Wednesday afternoon on ridges and areas with open exposure to the west.

TODAY (TUESDAY):

WEATHER: Mostly sunny.
MAX TEMPERATURES:

2000 FT: 81 – 86

4000 FT: 75-80 (Up 2-4)

MINIMUM RELATIVE HUMIDITY:

2000 FT: 26 – 31%

4000 FT: 30 – 35% (Down 3 - 5%)

20 FOOT WINDS:

Slope/Valley: Variable up to 6 mph in the morning, becoming southwest 5-10 mph with gusts to 16 mph in the afternoon.

Ridgetop: Southwest 6-12 mph with a few afternoon gusts to 18 mph.

STABILITY: Morning inversion dissipates by 1100 with afternoon mixing to 7500 ft .

CHANCE OF WETTING RAIN: 0% SMOKE TRANSPORT WIND: SW 12 mph

TUESDAY NIGHT:

WEATHER: Mostly clear.

MINIMUM TEMPERATURE: 52-59.

MAXIMUM RELATIVE HUMIDITY: 55-65%.

20 FOOT WINDS: SW winds 4-8 mph with gusts to 15, becoming down-drainage 3-6 mph after 2100 hrs.

STABILITY: Becoming stable after 2100.

CWR: 0%

WEDNESDAY: Seasonably warm and dry with breezy west to southwest winds in the afternoon on ridgetops and areas with open exposure to the west. Winds will be terrain-driven in steeper drainages and slopes without exposure to the west. High temperatures in the low 80s with minimum relative humidity around 25-30%.

OUTLOOK FOR THURSDAY THROUGH SATURDAY: Warming and drying continues with the most noticeable heating and dryness occurring Friday through the weekend. By this weekend, expect afternoon temperatures in the upper 80s to around 90 with afternoon humidity below 20%. Overnight humidity recovery is also likely to degrade at midslopes and ridges through the weekend.

Send weather observations to: (406) 899-4112 or robert.hoenisch@noaa.gov

Scan QR code for nearby obs:



FIR	E BEHAVIOR FORECAST
FORECAST NUMBER: 2	TYPE OF FIRE: Wildland Fire
FIRE NAME: Sunset	OPERATIONAL PERIOD: 08/19
DATE ISSUED: August 18, 2025	TIME ISSUED: 1800
UNIT: ID-POS	SIGNED: Mike Pagoaga - FBAN

WEATHER

*** SEE IMET FORECAST ***

Local Weather Thresholds that shout WATCH OUT

Temperature > 80 F Relative Humidity < 20% 1000-Hour Fuel Moisture < 15% Eye level winds over 10 mph, 20 ft Winds over 15 mph

FUELS

The area comprises a mix of fuel models: TU5 (very high load, dry climate timber-shrub), TU2 (moderate load, humid climate timber-shrub), and SH2 (moderate load, dry climate shrub). Fuels are mid-way through their curing phase of growth and will provide little resistance to fire spread. Areas that are barren can still support fire spread due to the sparse dry fuels.

FIRE DANGER CONDITIONS = Moderate

100 Hr Fuel Moisture = 7% Energy Release = 88% 1000 Hr Fuel Moisture = 7% Burning Index = 75%

North Zone NFDRS

FIRE BEHAVIOR

General Fire Behavior:

Moderate fire behavior can be expected again today. A gradual warming and drying trend will cause fire activity to increase a little bit each day. There are plenty of ladder fuels to bring the fire into the canopies. It won't take much for conifers to become active and produce spots.

Fine Dead Fuel Moisture: 5% unshaded, 7% shaded Probability of Ignition 60-70%, spotting less than .25 mile with wind gusts and full exposure

Specific Fire Behavior:

DIV A: Smoldering and creeping will continue, and fire behavior will be limited due to suppression activities, Today will be another good day for operational assignments.

DIV F/M: The main concern for this division is the slope along Maiden Creek along with the patchy burn pattern. Torching and spotting will be the primary concern for continued spread.

DIV Z: Backing, and flanking will continue as the fire slowly works south and along the ridgeline toward the Three Sisters Peaks. Spread rates and intensity will be low.

DIV T: Pockets of unburned or patchy burns can become active, torch, and throw spots into other divisions. Expect this to happen after 1400 when humidity begins drops below 30%.

DIV R: This area of the fire has the most opportunity to see increased fire behavior as the fire continues to spread north toward Talache Creek. Watch for increased torching due to the patchy burn pattern through much of this division.

Safety

This is the beginning of a warming and drying trend, anticipate changes and plan for worsening conditions.

Retardant and Water Drop Safety

Retardant (jell, foam), paracargo, and water drops on a fire are routine events. However, there are risks associated with these missions that can pose serious threats to personnel and equipment. Consider the following for all drops you are coordinating:

- Be aware of the location and flight patterns (final approach, drop zone, exit) of aircraft during drop operations.
- Ensure you have positive contact with the pilot before the drop.
 - Clear all persons, vehicles, and animals from the danger zone prior to the arrival of the aircraft.
 - Beware of streamers or parachutes that do not open.
- Personnel can be injured by the impact of material dropped by aircraft. Clear personnel out of the target area before the drop is conducted. If an individual is caught unaware in a drop zone:
 - Hold hand tools away from your body.
 - Lie face down with hardhat in place and head toward the oncoming aircraft.
 - Grasp something firm to prevent being carried or rolled about by dropped liquid.
 - Do not run unless escape is guaranteed.
 - Get clear of dead snags and tree tops.
 - Be aware of rolling debris below the drop site in steep terrain.
- Use caution when working in an area covered by retardant. Surfaces are slippery.
- Wash the retardant off your skin as soon as possible to prevent irritation.

MEDICAL PLAN (ICS 206)

1. Incident Nam Sunset Fire	e:		2. Operational	Period:	Date From: Time From:		Date To: 0 Fime To: 2	
3. Alr Ambuland	es:							
N	32.3		Location			ontact s)/Frequency		medics Site?
Name Life Flight Networ	rlv	Sandpoint and C			911	3/11 requeries	✓Ye	
Two Bear Air	<u> </u>	Kalispell, MT (ho			911			s 🕅 No
Central Montana	Helitack	Libby, MT (shorth			CDA Dispa	itch		s 🛛 No
Certifal Montana	Ticitack	Libby, WT (Griotti	iddiy				☐Ye	
							☐Ye	s No
							Ye	s No
4. Transportatio	n (indicate	e air or ground):						
4. Hanoportuno	(ontact		
Ambulance S			Location		· · · · · · · · · · · · · · · · · · ·	s)/Frequency		of Service
Kootenai County		Coeur d'Alene, ID)		911		⊠ ALS	
Bonner County El	MS	Sandpoint, ID			911		ALS	
							ALS	
		1					ALS	DBL9
5. Hospitals:	T		0	T	I Time a		T	
Hospital Name	Latitud	Address, e & Longitude Helipad	Contact Number(s)/ Frequency	Air	vel Time Ground	Trauma Center	Burn Center	Helipad
Kootenai Health Coeurd'Alene,ID		47 41 45.658 / 116 47 41.684	911	30 mir	75 min	Yes Level:_2	Yes No	Yes No
Bonner General Sandpoint ID		48 16.650 7 116 32.980	911	30 mir	60 min	Yes Level: 4	Yes No	∑Yes □ No
						Yes	Yes	Yes No
						Yes	Yes No	Yes No
						Yes Level:	Yes No	Yes No
6. Special Medic	al Emerge	ency Procedures:						
E-16 Houser Lake E-42 Fremont Am	e Fire Amb ibulance (A	oulance (BLS)- Divi ALS) - Division Ror	sion Alpha - Stag meo - Staged at T	ed at Ca alache F	reywood Fire Road	e Station		
transport to hospi Airport desig Sandpoin Coeur d'A	tal. nators: t - KSZT lene - CO	nmodate Type 3 sl E sets are utilized for				e with Air Oper	rations.	
7. Prepared by (f	Medical Ur	nit Leader): Name:	Sadie Galloway	MEDLt	Signa		alloway Digitally sig	
		icer): Name: Rob	THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.		Signatur	e: ROBERT SPE	ENCE Digitally signed Date: 2025,08.	by ROBERT SPENCE 18 13:44:07 -06'00'
ICS 206		Page	Date/Time: 08	3/18/202	5 1150			

FINANCE MESSAGE 8/19/25

Behold, the Hazard/Environmental Pay Matrix! (Applies only to Federal Employees)

You *MUST* show the entitled hazardous activity (see below) you were performing in the comments of your CTR if you are claiming Hazard Pay.

HAZARD/ENVIRONMENTAL PAY MATRIX

ACTIVITY	ENTITLED TO HAZARD	COMMENTS
Fighting Uncontrolled Fire	Yes	
Delivering supplies to fireline	No	
Delivering personnel to fireline	No	
Any incident personnel visiting uncontrolled fireline	No	Not considered active firefighting
Safety personnel patrolling uncontrolled fireline	Yes	
Media tours to uncontrolled fireline	No	Not considered active firefighting
Search and rescue on uncontrolled fireline	Yes	
Limited control flights	Yes	
Parachute Jumps	No	Unless as a part of a field testing program: refer to CFR
Piloting aircraft	No	
Hover hook-ups	Yes	
Working in rough/remote terrain	Yes	
Smoke exposure	No	No authority exists in CFR
Plastic Sphere Dispenser Operations	Yes	Applies to operator of dispenser*
Rappel/Short-haul/Hoist Operations Cargo Letdown/Fast Rope	Yes	*
Low-level Infrared Operations	Yes	Applies to operator*

^{*} If it meets the definition of the CFR involving fixed or tactical patterns or low level flying which cannot be mitigated.

We love visitors, come see us with your questions!

Finance Phone: 208.867.9570


Finance Email: 2025.sunset.finance@firenet.gov

Got Fire Photos?

Please email to 2025.sunset@firenet.gov or text 406-560-2522.

Include a location/where photo was taken and your incident position.

Where people can go to get information:



Division Supply Order

Ordo	er Number: Date -		Division -	P. J O I			
	er taken in Communications by	r	Dividion -	IRADO	or COML o	confirmation:	
	Supervisor:				Time Nee		
	very Contact:				y Location		
	Phone #:			UTM	y Location		
	o Channel Number:		10-10-10-10-10-10-10-10-10-10-10-10-10-1	Lat:		Long:	
	e of Delivery (Circle Means):	Groun	nd Support	DP/LZ:		20119.	
IVIOU	Division will pick up		er to Helibase	Other:			U-100
CDIII	L Confirmation can be filled as		The same of the sa		uiring at le	ast 24 hours to fil	1
	Description:	needed (C	Quanity	T TOO	anning at ic	Comments	
item	Hose Lay Kit, 1000 Feet = (10\ 1 1/2"	local and 5 Fac	h of: 1" b	lose 1 1/2		1" Reducers and
	1" Forester Nozzles	(10) 1 1/2 1	iose, and 5 Lac	.1101. 1 1	1036, 1 1/2	. vvyes, 1 1/2 to	1 reducers, and
1	1 Forester Nozzies		1000 Feet	4			4000 Feet
2			2000 Feet				5000 Feet
3			3000 Feet		68		6000 Feet
3	Garden Hose Kit, 500 Feet	- (10) 2/4"			W/vo 3/4"	Shutoff 3/4" No	
	1" to 3/4" Reducers)	- (10) 3/4	iose, and (5 Ea	3011). 3/4	vv ye, 3/4	Gridion, 5/4 1902	zio, i vvyo, and
7	1 to 3/4 Reducers)		500 Feet	10			3000 Feet
8			1000 Feet				4000 Feet
9			2000 Feet		E-9		5000 Feet
9	Water Handling Equipment		Zudu reet	Item#	KIN ERSONNIEGES	Description	Quanity
13	Water Handling Equipment Hose: 1½" (100')		LG		Line Too		Quanty
			LG	Annual Control of the	Pulask		EA
14	1" (100') 3/4" (50' Toy/Garde		LG		Combi	<u> </u>	EA
15		en)	EA		McClou	.d	EA
16 17	Gated Wye: 1 1/2"		EA	43	Shovel		EA
77000	3/4"		EA	44	Water: 0		EA
18	Reducer: 1½" X 1"		EA	45		Bottled	CS
19	1" X 3/4"		EA	46	Gatorad		CS
20	Nozzle: 1" Forester		EA	47	MRE's	<u> </u>	BX
22	1" Mystery (KK)		EA	48	Flagging	: Lime Green	RO
23	1½" Red Barrel		EA	49	lagging	Pink	RO
24	3/4" Brass			50		Orange	RO
25	Shutoff Values: 3/4"		EA	51		Killer Tree	RO
26	Pumpkin or Porta-Tank, 18	00 gal	EA	52	Wran S	tructural	RO
		oo gai.	EA	53	Other:	tructurar	
27	Blivets, Slingable 55 Gal		EA	54	Other.		
28	Mopup Kits 3 Person Backpack Pumps	en and property and the se	EA	55		1900	
	Sprinkler Kits		EA	56			
	Foam (5 GALS)		PL	57			_
	Mark III Kits		KT	58	<u> </u>		
	Drip Torch		EA	59			
	Fusees (72/Case)		CS	60			
35	Chainsaw Kit		KT	61	Bar Oil	KIR STOKE STATE OF THE STATE OF	Gal
36	Fuel, 5 gallons:	Gas	Can	62	Diesel, 5	gallon	Can
37	Mark III (20:1)	- 040	Can	63	-	Ť	QT
38	Chainsaw (50:1)	(Appendix)	Can	64	Not	2.6 oz/ Gal	BT
50	Citatiisaw (50.1)	Mixed		65	Mixed	12.8 oz/ 5 Gal	BT
39	Drip Torch (3:2)		Can			1.2.0 02 0 041	




Northern Rockies Chainsaw Parts Order Form

Please	see th	e bac	k page	e for	part	order nu	mbe	rs a	nd ite	ems r	equi	ing an	арр	roved	Pro	perty Loss and	Damag	e form.
Name:												. Msg						
Resource #:										F	Req	uest [Dat	e:				
Contact #:										1	Nee	d by [Dat	e/Tir	_			
TO BE FILLED	BY: (circl	e on	e):		Buy	ing	Tea	am		H	ome l	Jni	it		Cache		
Chainsaw Ir	nforr	nat	ion															
Make (circle	-				П	Stihl	Т	Ti	Hus	qvai	rna		1	Other	r:			
Model:			,							•			-					
Serial #					-													
Bar Length (c	ircle (one)):	20	"	24"		28'	"	30)"	32"	Τ	36'	"	Other:		
Request:		-1 81						4:4.		$\overline{}$		Dart N	lar	20 21	ad	Number	\neg	Quantity
Part Nam	e and	a Nu	ımbe	er		ų	uan	itity	<u> </u>	+		arti	uai	ile ai	Tu	Number		Quantity
										-								
						W- W-				+								. 181 2 2 2
					-					+	-150							
	1 (11)									+	******	· · · · · · ·				1 - 10 - 10		
										+-				-				
					_					+-			-				_	
										+								
										+								
		140-14								†	-							
										T		****		770		1122		
							3101 22		2000 3000									
														***				200 - 100
For Sprocket	& Ch	ain (Orde	ers (circ	le one	or	fill	in):									
# of Drivers:																		
Pitch (*):	3	/8"		Π.	325	,11		01	ther	:								
Gauge:		50		1	.063	}		0	the	:								
Tooth Layout:			Full	•		Semi-S	kip			Fu	ıll Sl	кiр						
Tooth Cut:		-	Chise	el		Semi-0	Chis	el		Ot	her	:						
# of Sprocke	t Te	eth:									M						2007	
																		
Concurrance	(Line	Supe	ervisc	r i.e	e. DI\	/S):								· · · · · · · · · · · · · · · · · · ·				
Supply Unit L	.eader	r has	chec	ked	that	the ite	ms (orde	ered	do r	not r	need a	n a	pprov	/ed	Property Los	ss & Da	mage Form,
or that the appro	val is a	attac	hed.	(Sup	ply	Unit Le	ader	che	ecks	box	and	initial	s h	ere:				

First source of supply is Cache, shaded blocks indicate items available thru Nori	oly is Cache, shade	ed blocks indicate	items available	thru Northern F	lockies Cache.	tems requiring a	n approved Pro	thern Rockies Cache. ^I t <i>ems requiring an approved Property Loss and Damage form are in a separate list at the bottom.</i>	amage form are	in a separate lis	t at the bottom	N. C. State of the Party of the
PART	034/341	360/MS360	MS361	MS362	038/381	044/MS440	MS441	460/MS461	- MS462	0640/650	MS660	MS880
	Bosch WSR6F	Bosch WSR6F	Bosch WSR6F	Bosch WSB6E	Bosch WYSBEE	Bosch W/CDEE	Posch Weber	Description of				0000
Spark Plug (NFES# 000344)	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	NGK RPMR7A	NGK RPMR7A	NGK BDAADA	MCV DDAAD7A	Bosch USR7AC	BOSCH WSRBF	Bosch WSR6F	Bosch WSR6F
	Champion RCJ6Y	Champion RCJ6Y	Champion RCI6Y	Champion RCJ6Y	Champion RCI6Y	Champion RCI6Y	Champion RCIEY	Champion PCIEV	NGK CMR6H	Chamier BCICY	NGK BPMIK/A	NGK BPMK/A
	SON OF THE PROPERTY OF THE PARTY OF						Topil Holding	Cuampion NCO		Citainpion Kubi	Champion KUby	Champion RCJ6Y
Needle Cage Bearing (NFES# 066565)	9512-933-2380	9512-933-2380	9512,933,7380	051 202 2300	סזור כנט רושט	2000 000 000	2000 000					
Retaining Washer for Rim Sprocket	0000-958-1022	0000-058-1033	0000 050 1000	9312-933-2300	9512-955-5150	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2382	9512-933-2382	9512-933-3170
E Olia (NECC# OCCE42)	0400-530-1022	0.000-530-1022	0000-938-1032	0000-958-1032	0000-958-1231	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1236
E CIID (INTES# OBBSIL/)	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-1001	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-1001
Fuel Filter	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3518	0000-350-3504	0000-350-3500	0000-350-3504
Air Eilter - HD (NEES# 066756)	1135 130 1636	1175 427 4611	2004 004 7044									
טון וויכן	0791-071-071	1125-120-1612	1135-120-1600	1140-140-4401	1119-120-1611	0000-140-4402	0000-120-1654	0000-120-1654	1142-140-4402	0000-140-4402	0000-140-4402	0000-140-4402
Pre Filter - OFM	A/N	N/A	V/N	7044-04TT	4440 420 4700							
Rar Nut (NEEC# OGGG1)	0000 000	1/N	A/N	A/N	1119-120-1500	0000-141-0300	0000-141-0300	0000-141-0300	N/A	0000-141-0300	0000-141-0300	0000-141-0300
(TOOO #50 10 10 10 10 10 10 10	T000-666-0000	T080-006-0000	0000-922-0801	0000-525-0000	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-995-0803	0000-955-0801	0000-955-0801	0000-955-0903
Inner Slide Plate	1122-664-1000	1122-664-1000	1122-664-1000	1122-664-1000	1119-664-1000	1128-664-1001	1138-664-1000	1128-664-1001	1128-664-1001	1178-664-1001	1138 664 1001	1134 664 1001
CTILI DABIN C									1001	1001-100-0711	1128-884-1001	1124-664-1001
Stille Barlo - Super (NS)												
Chain 3/8"PITCH050" GA - DR												
20" - 72 DR	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3673-005-0072	3673-005-0073	CEOO 300 CC3C	רביים זמט נרוזר	200 100 5075	
25" - 84 DR (NFES# 006500)	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3673-005-0084	3623-005-0012		3623-003-0072	3623-005-0072	3623-005-0072
28" - 91 DR	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3673-005-0091	2522 005 0001	-	3623-003-0084	3623-005-0084	3623-005-0084
32" - 105 DR	N/A	A/N	N/A	N/A	N/A	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091
STIHL RAPID - Super - Full Skip (RSF)												
Chain 3/8"PITCH050" GA - DR												
20" - 72 DR	N/A	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-0005-0073	LEGO 300 3535	2526 700 7575	200 200			
25" - 84 DR	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676.005.0097	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072
28" - 91 DR	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676 005 0001	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084
32" - 105 DR	N/A	N/A	N/A	N/A	N/A	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091
Bar oil: Quanity - Gallon	NEFS # 1880										5000000	2010-002-0103
Bar oil: Quanity - Quart	NFES # 1869											
2 Cycle Oil: Quanity - Quart	NFES # 0341											
1	***************************************											

The fallowing parts require an approved Property Loss & Damage form prior to ordering:

3003-000-8822 3003-000-8822 3003-000-8822 3003-000-8822 3003-000-8822 3003-000-8822 3003-000-8822 3003-000-8822 3003-000-8822 3003-000-8822 3003-000-8822 3003-000-8822 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000-8838 3003-000	Guide Bars - 3/8"050" GA (STIHL												
3003-000-8822 3003-000-8820 3003-000-8820 3003-000-8820 3003-000-8820 3003-000-8820 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-893	ROLLOMATIC - ES)												
N/A 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8830 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-8930 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-89300 3003-000-8	20"	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	2003-000-2002	2000 000 2002	2000 000 000	2000 000 000		
N/A	25" (NFES# 066584)	N/A	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822
Sprocket Kit 3/8 - 7T 1125-007-10240 1125-007-1223 1128-007-1000 1135-007-1002 1119-007-1003 1128-007-1000	28"	N/A	A/N	A/A	N/A	N/A	000000000000000000000000000000000000000	000-000-000	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830
Sprocket Kit 3/8 - 7T 1125-007-1024 1125-007-1223 1128-007-1000 1135-007-1002 1135-007-1003 1128-007-1000 ch Drum Order Sprocket Kit Order Sprocket Sprocket Ki	32"	N/A	4/14		2/1	1/2	3003-000-0030	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838
1125-007-1040 1125-007-1223 1128-007-1000 1135-007-1003 11129-007-1000 07der Sprocket Kit 07der Sprocket Kit 07der Sprocket Kit 07der Sprocket Kit 0000-642-1223 0000-642-1223 0000-642-1223 0000-642-1223 0000-642-1223 0000-642-1223 0000-642-1223 0000-642-1223 0000-642-1223 0000-642-1223 0000-642-1223 0000-642-1223 0000-642-1223 07der Sprocket Kit 07der Sprock	20	4/2	N/A	N/A	N/A	N/A	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846
1125-007-11040 1125-007-1223 1128-007-1002 1119-007-1003 1128-007-1000 1125-007-1004 1125-007-1001 1125-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1001 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-10	Rim Sprocket Kit 3/8 - 7T	1135 007 1040		2007 100 0017									
Order Sprocket Kit Order S	Clitte Paris	1123-007-1040	1172-00/-1773	1128-00/-1000		- 1	1128-007-1000	1128-007-1000	1128-007-1017	1128-007-1000	1122-007-1000	1122-007-1000	N/A
N/A 1128-007-1021 N/A 1128-007-1001 N/A 1128-007-101 N/A 1128-107-101 N/A 1128-1	Clutch orum	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit			Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit
N/A N/A 1128-007-1001 1128-007-1001 N/A 1128-007-1011 N/A 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 00000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 00000-642-1216 0000-642-1216	Kim sprocket 3/8 / I (NFES# 066652)	0000-642-1231	0000-642-1023	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	N/A
1128-007-1001	TO 0/ C 1:1 1-1-0-0-0	.,								X			
Order Sprocket Kit Order S	Kim sprocket kit 3/8 - 81	N/A		1128-007-1001	1128-007-1001	N/A	1128-007-1001	1128-007-1001	1128-007-1001	1128-007-1001	1122-007-1001	1122-007-1001	1124 ONT 103E
N/A 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 0000-642-1216 1125-06-2050 1128-160-2004 1138-160-2010 1119-160-2000 1128-160-2011 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-00	Clutch Drum	Order Sprocket Kit		Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Corechat Vit	Order Creek Land		1177-001-1001	1124-00/-1023
1127-160-2050 1128-160-2005 1128-160-2004 1138-160-2010 1138-160-2010 1138-160-2010 1138-160-2010 1138-160-2010 1128-160-2010 1128-160-2010 1128-160-2010 1128-160-2010 1128-160-2010 1128-160-2010 1128-160-2010 1128-160-2010 1128-160-2010 1128-160-2010 1128-160-2010 1128-160-2010 1128-160-2010 1128-160-2010 1128-160-2010 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007-1021 1128-007	Rim Sprocket 3/8 - 8T	N/A	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000 642 1216	OOO CAN 1916	Older Sprotker Mr.		Order sprocket Kit	Order Sprocket Kit
1125-007-1036 1125-007-1021 1125-007-1021 1135-007-1021 1136-64-1500 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 112	Clutch	1127-160-2050	1125-160-2005	1128-160-2004	1138-160-2010	_	1138-160-2001	1130 150 2010	1130 100 1001	1110 400-042-1216	0000-642-1216	0000-642-1216	0000-642-1216
1125-007-1036 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648						2007 001 0111	7770-100-5007	0102-001-0011	1128-150-2004	1142-160-2000	1122-160-2005	1122-160-2002	1124-160-2005
1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1125-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-1021 1126-007-102	The Admitted Nit	7477	2002 100 1022										
1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648-6610 1121-648	מומון שלומובן ואונ	TT73-001-T030	1707-700-5711	1772-00/-1071	1125-007-1021	1118-664-1600	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1124-007-1008
1128-190-3400 1128-190-3400 1128-190-3400 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 1128-640-7112 11						1120-664-1500							
1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 11	Bump Strip	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1131 649 6610	1131 640 6610
1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 1128-190-3400 11											0100000	777-040-070	1121-040-0711
1125-640-7110 1125-640-7112 1128-640-7112 1119-642-1501 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 11	Starter Rope W/handle	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1178.100.2400	1130 100 3400	2170 100 1001	007
1125-640-7110 1125-640-7112 1128-640-7112 1119-642-1501 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 1128 640 7112 11									200000000000000000000000000000000000000	7759-730-3400	1120-130-3400	1128-190-3400	1128-190-3400
1125 141 2200 1125 141 2200 1135 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 2300 1115 141 141 141 141 141 141 14	Worm Gear (Oiler)	1125-640-7110	Ц	1128-640-7112	1128-640-7112	1119-642-1501	1128 640 7112	1128 640 7112	1128 640 7112	1128-640-7112	1122-640-7105	1122-640-7105	1124-640-7512
1125 141 2200 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1125 141 2200 1111 1111 1125 141 2200 1111 1125 141 2200 1111 1111 1111 1111 1111 1111			_										
1175 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 1115 141 2500 11	Manifold Boot	1125 141 2200	1125 141 2200	1135 141 2200	1140 140 2503	1119 140 2500	1128 141 2204	1138 140 2508	1128 141 2204	1142 141 2200	1127 141 2200	1122 141 5511	COLC 141 1C11



UNIT LOG	1. Incident Name	2. Date Prepared	3. Time Prepared	
. Unit Name/Designators	5. Unit Leader (Name and Posit	5. Unit Leader (Name and Position)		
7.	Personnel Roster	Assigned		
Name	ICS Positi		Home Base	
	200			
8.	Activity Log			
Time		Major Events		

MEDICAL PLAN (ICS 206 WF)

Controlled Unclassified Information//Basic

Medical Incident Report

FOR A NON-EMERGENCY INCIDENT, WORK THROUGH CHAIN OF COMMAND TO REPORT AND TRANSPORT INJURED PERSONNEL AS NECESSARY.

FOR A MEDICAL EMERGENCY: IDENTIFY ON-SCENE INCIDENT COMMANDER BY NAME AND POSITION AND ANNOUNCE "MEDICAL EMERGENCY" TO INITIATE RESPONSE FROM IMT COMMUNICATIONS/DISPATCH.

Use the following items to communicate situation to communications/dispatch.

Ex: "Commu 2. INCIDENT S Ex: "Communication of the communication of th	unications, Div. Alpha. S I TATUS: Provide incid nications, I have a Red	I DISPATCH (Verify correct to Stand-by for Emergency Traffic.' Ient summary (including number priority patient, unconscious, str T Smith is providing medical care	of patients) and comman ruck by a falling tree. Req	nd structure.	Forest Road 1 at (Lat./Long.) This will be the Trout		
	ergency / Transport riority	□ RED / PRIORITY 1 Life or limb threatening injury or illness. Evacuation need is IMMEDIATE Ev. Unconscious difficulty preathing bleeding severely 2° – 3° burns more than 4 palm sizes, heat stroke, discriented.					
	njury or Illness & ism of Injury				Brief Summary of Injury or Illness (Ex: Unconscious, Struck by Falling Tree)		
Evacuat	ion Request				Air Ambulance / Short Haul/Hoist Ground Ambulance / Other		
Patier	t Location				Descriptive Location & Lat. / Long. (WGS84)		
Incide	ent Name				Geographic Name + Medical (Ex: Trout Meadow Medical)		
On-Scene Inc	ident Commander		J. 2004		Name of on-scene IC of Incident within an Incident (Ex: TFLD Jones)		
Patio	ent Care				Name of Care Provider (Ex: EMT Smith)		
. INITIAL PAT	IENT ASSESSMENT	: Complete this section for each p	atient as applicable (start w	vith the most severe patient)			
Patient Assessment: See IRPG PAGE 106							
Treatment:							
. EVACUATION				. I . I . I . D. D. Hissell			
vacuation Loca	tion (if different): (De	escriptive Location (drop poil	nt, intersection, etc.) of	r Lat. / Long.) Pallent	s ETA to Evacuation Location:		
Helispot / Extraction Site Size and Hazards:							
. ADDITIONAL RESOURCES / EQUIPMENT NEEDS:							
xample: Paramed	dic/EMT, crews, immobi	ilization devices, AED, oxygen, t	rauma bag, IV/fluid(s), sp	lints, rope rescue, wheele	d litter, HAZMAT, extrication		
. COMMUNICA		te Air/Ground EMS Freque			е		
Function	Channel Name/Num	ber Receive (RX)	Tone/NAC *	Transmit (TX)	Tone/NAC *		
COMMAND AIR-TO-GRND							
TACTICAL							
CONTINGENCY: Considerations: If primary options fail, what actions can be implemented in conjunction with primary evacuation method? Be thinking ahead							
. ADDITIONAL INFORMATION: Updates/Changes, etc.							
REMEMBER: Confirm ETAs of resources ordered. Act according to your level of training. Be Alert. Keep Calm. Think Clearly. Act Decisively.							