

SUNSET

Incident Action Plan



Friday August 29, 2025

0600-2200



ID-POS-000630

PNS7RR (1532)

320POS03525



**IAPs, Maps,
Demob, Check-in**

This page intentionally left blank

INCIDENT OBJECTIVES

ICS-202

INCIDENT NAME

SUNSET

DATE PREPARED

8/28/2025

TIME PREPARED

2000

OPERATIONAL PERIOD (DATE/TIME)

August 29, 2025 0600 – 2200**INCIDENT OBJECTIVES:**

Implement risk management practices to provide for firefighter and public safety.

Implement the full suppression strategy to keep the fire North of Sunset Road, East of Cross White Road, South of Talache Road, and West of Lake Pend Oreille.

Utilize tactics to protect prioritized values, commensurate with responder risk:

- 1) Private residences and property
- 2) Critical infrastructure and communications sites
- 3) US Navy Infrastructure
- 4) Private, State and Federal timber lands
- 5) Developed recreation infrastructure on Forest Service and BLM lands
- 6) Heritage sites on Forest Service and BLM lands

Manage incident costs commensurate with the values at risk.

INCIDENT REQUIREMENTS:

Preserve, maintain and foster interagency relationships.


Coordinate routine messaging to the public and identified incident cooperators.

Minimize suppression impacts to heritage resources through coordination with assigned Resource Advisors.

- | | | |
|---|--|--|
| ☒ Organization List (ICS 203) | ☒ Comm Plan (ICS 205) | ☒ Division Supply Order |
| ☒ Fire Weather Forecast | ☒ Safety Message | ☒ Chainsaw Part Order Form |
| ☒ Fire Behavior Forecast | ☒ Medical Plan (ICS 206) | ☒ Incident Map |
| ☒ Division Assignment Lists (ICS 204) | ☒ Demobilization List | ☒ Unit Log (ICS 214) |
| ☒ Air Operations Summary (ICS 220) | | ☒ Eight Line (ICS 206 WF) |

ICS 202

PREPARED BY (PLANNING SECTION CHIEF)



APPROVED BY (INCIDENT COMMANDER)



ORGANIZATION ASSIGNMENT LIST		9. OPERATIONS		
1. Incident Name SUNSET ID-POS-000630		Planning Ops	Greg Schenk	
		Line Ops	Kevin Smith	
		Strategic Ops	Ashley Sites	
2. Date	3. Time	a. Branch I - Divisions/Groups		
August 28, 2025	2100	Division/Group	A	Macker Babb; Jarid Clark (T)
4. Operational Period August 29, 2025 0600-2200		Division/Group	F/M	Dave Maclay-Schulte; Mitch Robbins (T)
		Division/Group	R/T	Aaron Jones; Steve Aguirre (T)
5. Incident Commander and Staff		Division/Group	Z	Chris White; Toby Greenberg (T)
Incident Commander	Joe Sampson	Structure Group	Mike King; Charlie McDonald (T)	
Deputy Incident Commander	Rick Connell			
Safety Officer	Adam Carr; Jonathan White			
Information Officer	Terina Hill; Erik Broeder (T)			
Liaison Officer	Kevin Doherty; Geoffrey Bogie (T)			
6. Agency Representatives				
Agency	Name			
IDL	Erik Sjoquist			
BLM	Ray Pease			
USFS	Kevin Knauth; Chris Noyes (T)			
7. Planning Section				
Chief	John Gubel; Jim Stiteler			
Resources Unit	Patty Bates; MJ Crandall			
Situation Unit	Brett Gore; Brittney Allestad (T)			
Demobilization Unit	Sue Puddy			
Documentation Unit	Elvira Nieves (T)(V)	c. Air Operations Branch		
GISS	Jay Gatlin; Matt Heller (T); Jeniffer Lacounte (T)	Air Operations	Steve Croy; Jeff Polack	
IMET	Bob Hoenisch	Air Attack		
FBAN	Mike Pagoaga	Helicopter Coord		
LTAN	Jon Rieck; Todd Erdody	Air Tanker Coord		
ITSS	Mike Harper; Amy Johnson; Michel Mouzong (T)	10. Finance Section		
8. Logistics Section		Chief	Wendy McCartney	
Chief	Peter Pappas; Jeremiah Greene	Procurement	Tammy Petersen; Stew Williams(T)	
Supply Unit	Meghan Carosella	Time Unit	Haleigh Stott	
Ordering Manager	Lynda Murphy; Darcy Wheeler (V)	Comp/Claims Unit	Quoya Waters	
Ground Support	Dave Lane; Jason Noble	Cost Unit	Terry Grosbeck (V)	
Food Unit	Justin Trodick	Prepared by (Resource Unit Leader) Patty Bates		
Medical Unit	Ray Mines; Steve Kendley; Chris Jacks; Sadie Galloway (T)			
Communication Unit	Mike Scherer			
Security Unit	Richard Paine			
Facilities Unit	Pat Nelson			

FORECAST NO. 12

NAME OF INCIDENT: Sunset

FORECAST FOR: Friday Aug 29, 2025

UNIT: IDL-Pend Oreille

TIME AND DATE

FORECAST ISSUED: 1800 Thu Aug 28, 2025

SIGNED: Bob Hoenisch (406) 899-4112

Incident Meteorologist

WEATHER DISCUSSION:

Temperatures warm back to seasonal norms today with less clouds behind the departing weather disturbance. Some moisture will linger in the area and relative humidity will remain somewhat elevated, leading to afternoon cumulus development and the risk for an afternoon or evening thunderstorm. General winds today will be somewhat variable through mid-day before turning more west to northwesterly in the afternoon and evening, with slope-driven winds dominating in steeper terrain.

WEATHER: Partly cloudy with afternoon cumulus buildup and an isolated thunderstorm possible.

Chance of lightning: 25% (Gusty and erratic winds possible near thunderstorms)

MAX TEMPERATURES:

2000 FT: 80 – 85

4000 FT: 74– 79 (Up 10 - 12)

MINIMUM RELATIVE HUMIDITY:

2000 FT: 30 – 35%

4000 FT: 34 – 39% (Down 10 - 15%)

20 FOOT WINDS:

Slope/Lakeshore: Light morning winds, becoming up-slope 3-7 mph afternoon.

Ridgetop: Light and variable winds in the morning, becoming west to northwest 5-10 mph in the afternoon with gusts to around 15 mph.

STABILITY: Morning inversion dissipating by 1100 with afternoon mixing to 7000 ft .

CHANCE OF WETTING RAIN: 10% **SMOKE TRANSPORT WIND:** Northwest around 10 mph

FRIDAY NIGHT:

WEATHER: Partly cloudy with an isolated thunderstorm possible early in the evening, then clearing.

Chance of lightning: 15% (Gusty and erratic winds possible near thunderstorms)

MINIMUM TEMPERATURE: 52-59.

MAXIMUM RELATIVE HUMIDITY: 65-75%...55-65% mid-slopes to ridgetops.

20 FOOT WINDS: North to northeast 5-10 mph with a few early evening gusts to 15 mph on ridgetops and along the lakeshore, becoming down-slope/down-drainage 3-5 mph in steeper terrain.

STABILITY: Becoming stable after 2100.

CWR: 5%

SATURDAY:

Temperatures warm to above seasonal averages on Saturday as upper level ridging builds back over the Pacific Northwest. Afternoon max temperatures reach the upper 80s at lower elevations with minimum humidity down to around 20-25% at lower elevations. General winds from the west with a few afternoon gusts up to 18 mph on ridgetops with slope-driven winds in steeper terrain and in drainages.

OUTLOOK FOR SUNDAY THROUGH TUESDAY:

Additional warming is expected through early next week as upper level high pressure strengthens some across the inland Northwest. Overnight humidity recovery remains fair with afternoon humidity declining to around 20 percent. . A general west to southwest flow across the region will bring some afternoon west to southwest winds on exposed ridgetops with a tendency for northeast winds during the overnight and morning periods, while slope/terrain driven winds dominate in drainages and sheltered east facing slopes.

Send weather observations to:
(406) 899-4112 or robert.hoenisch@noaa.gov

Scan QR code for nearby obs:



FIRE BEHAVIOR FORECAST	
FORECAST NUMBER: 12	TYPE OF FIRE: Wildland Fire
FIRE NAME: Sunset	OPERATIONAL PERIOD: Friday, Aug. 29
DATE ISSUED: August 28, 2025	TIME ISSUED: 1800
UNIT: ID-POS	SIGNED: Mike Pagoaga - FBAN
WEATHER	
*** SEE IMET FORECAST ***	
Local weather thresholds that shout WATCH OUT : Temperatures over 85, Relative Humidity below 20%, 1000-hr fuel moisture below 15%, Eye level winds over 10mph, 20 ft winds over 15 mph.	
FUELS	
The area comprises a mix of fuel models: TU5 (very high load, dry climate timber-shrub), TU2 (moderate load, humid climate timber-shrub), and SH2 (moderate load, dry climate shrub). Fuels are mid-way through their curing phase of growth and will provide little resistance to fire spread. These conditions are near average for this time of year.	
Fire Danger Conditions = MODERATE 100-hr Fuels = 18% 1000-hr fuels = 13% Energy Release = 73% Burning Index = 77%	
	
FIRE BEHAVIOR	
General Fire Behavior: Fire behavior will be smoldering and creeping. Few sources of heat remain across the fire. Threats to containment will continue to come from interior heat sources until these are completely consumed or suppressed. Shortened burning period due to good overnight recovery. Active fire conditions: Temp greater than 80, Rh less than 30, full sun exposure. <i>Probability of Ignition 30-40% with full exposure Short range spotting with peak wind gusts</i>	
Specific Fire Behavior: DIV A: Today will be an excellent day to complete mop up around DP 57. DIV F/M: Patchy burned or unburned islands will continue to be the primary threat to handline from DP 107 to Maiden Creek. Outflow thunderstorm winds can be in any direction. Risk to containment is minimal. DIV Z: The remaining isolated east of DP 160. This area will continue to be the primary source of activity as those fuels consume with low intensity. DIV R/T: Scattered heat in Pearl Creek and No Name creek will continue to require monitoring and mop up. Expect smoldering and creeping as minimal fire behavior is expected. Afternoon thunderstorms and associated outflow winds could cause additional smokes to appear.	
Safety	
Organic materials and duff continue burning out around logs and rocks watch for unstable footing and rolling objects.	

Division/Group Assignment List (ICS 204 WF)

Controlled Unclassified Information//Basic

1. Incident Name:				3.				
SUNSET				Branch:		Division/Group:		
2. Operational Period:						A		
Date/Time From: 08/29/2025 0600 FRI		Date/Time To: 08/29/2025 2200 FRI						
4. Operations Personnel								
PLANNING OPS		GREG SCHENK			LINE OPS		KEVIN SMITH	
DIVISION/GROUP SUPERVISOR		MACKER BABB JARID CLARK (T)			SAFETY		ADAM CARR JONATHAN WHITE	
5. Resources Assigned this Period								
Strike Team / Task Force / Resource Designator		LWD	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time		
O-160 TFLD NICK MERSINGER (T)		09/07		1	ICP/0630	ICP/2030		
C-16 CR2I GRAYBACK IRAC #2		08/29	JEREME LOVE	22	ICP/0630	ICP/2030		
C-26 CRW2 J FRANCO REFORESTATION		09/04	HERNANDO MIJIA	20	ICP/0630	ICP/2030		
E-20 ENG6 NORTHWEST ENGINE 37		08/31	GARY MOBBS	3	ICP/0630	ICP/2030		
E-22 ENG6 NORTHWEST ENGINE 27		08/31	SCOTT SHERLOCK	3	ICP/0630	ICP/2030		
E-23 ENG6 MONTANA FIRE, LLC		08/31	BRENT LUNDE	3	ICP/0630	ICP/2030		
E-87 ENG6 GRAY WOLF CONTRACTING		08/31	DANIEL BLACKWOLF	3	ICP/0630	ICP/2030		
E-89 ENG6 GRAY WOLF CONTRACTING		08/31	JOSEPH KAULEY	3	ICP/0630	ICP/2030		
E-62 WTS2 OXFORD, INC		08/31	JON ROGERS	1	ICP/0630	ICP/2030		
O-100 AEMF TIMBERLINE MEDICAL		09/02	ALEXA WARNCKE	1	ICP/0630	ICP/2030		
E-16 AMB4 HAUSER LAKE BLS		08/30	SHANE KAMPS	2	ICP/0630	ICP/2030		
O-41 SOFR WILLY CIRONE		09/01		1	ICP/0630	ICP/2030		
O-115 SOFR CHRIS ROBERTSON (T)		09/02		1	ICP/0630	ICP/2030		
6. Control Operations/Work Assignments:								
Task: Conduct mop up 100' from fires edge from DP 200 to DP 57. Purpose: To prevent fire spread to the west towards critical values at risk. End State: Fires edge is secured minimizing impacts to critical values at risk while utilizing deliberate risk assessments.								
7. Special Instructions:								
8. Division/Group Communication Summary								
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode		
TACTICAL	1	168.0500	110.9	168.0500	110.9	A		
9. Prepared By (Resource Unit Leader)			Approved By (Planning Section Chief)		Date	Time		
M.J. CRANDALL			JOHN GUBEL		08/28/2025	2000		

Division/Group Assignment List (ICS 204 WF)
Controlled Unclassified Information//Basic

1. Incident Name:				3.			
SUNSET				Branch:		Division/Group:	
2. Operational Period:				F/M			
Date/Time From: 08/29/2025 0600 FRI		Date/Time To: 08/29/2025 2200 FRI					
4. Operations Personnel							
PLANNING OPS		GREG SCHENK		LINE OPS		KEVIN SMITH	
DIVISION/GROUP SUPERVISOR		DAVE MACLAY-SCHULTE MITCH ROBBINS (T)		SAFETY		ADAM CARR JONATHAN WHITE	
5. Resources Assigned this Period							
Strike Team / Task Force / Resource Designator		LWD	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time	
O-37 HEQB DENNIS GILLMER		08/30		1	ICP/0630	ICP/2030	
C-14 CR2I DIAMOND FIRE 11A		08/29	JONATHAN ALVAREZ	20	ICP/0630	ICP/2030	
C-18 CR2I PATRICK ECHO		09/01	WILLIAM NEASON	20	ICP/0630	ICP/2030	
C-27 CRW2 RJT CONTRACTING		09/05	ANTONIO TORRES	20	ICP/0630	ICP/2030	
O-112 SMOD NORTH IDAHO SUPPRESSION MOD**		09/01	JASMINE CHOWNING	6	ICP/0630	ICP/2030	
E-19 ENG6 SEAN ANDREWS FIRE SERVICE		08/31	NATHANIEL KIELE	3	ICP/0630	ICP/2030	
E-43 WTS2 IDAHO HEAVY EQUIPMENT		08/29	JAMES PRIMMER	1	ICP/0630	ICP/2030	
E-61 WTS2 FISHER RIVER RFD		08/30	MIKE HARRIS	1	ICP/0630	ICP/2030	
O-99 EMPF ADVENTURE MEDICS		09/01	STEPHEN TUCKER	1	ICP/0630	ICP/2030	
E-139 AMB2 BONNER COUNTY EMS - ALS - 31		09/03	ZACHARY POHL	2	ICP/0630	ICP/2030	
O-71 REAF DANA SUKAU (T)		08/30		1	ICP/0630	ICP/2030	
O-111 REAF CASEY SEAMAN (T)		09/01		1	ICP/0630	ICP/2030	
6. Control Operations/Work Assignments:							
Task: Continue to secure and mop up from DP 57 to Maiden Creek.							
Purpose: To prevent fire spread to the west towards critical values at risk.							
End State: Fire progression is stopped and critical values at risk are protected while utilizing deliberate risk assessments.							
7. Special Instructions:							
**O-112 SMOD North Idaho Suppression Mod available for initial attack.							
8. Division/Group Communication Summary							
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode	
TACTICAL	2	168.2000	110.9	168.200	110.9	A	
9. Prepared By (Resource Unit Leader)			Approved By (Planning Section Chief)		Date	Time	
M.J. CRANDALL			JOHN GUBEL		08/28/2025	2000	

Division/Group Assignment List (ICS 204 WF)

Controlled Unclassified Information//Basic

1. Incident Name:				3.		
SUNSET				Branch:		Division/Group:
2. Operational Period:						R/T
Date/Time From: 08/29/2025 0600 FRI		Date/Time To: 08/29/2025 2200 FRI				
4. Operations Personnel						
PLANNING OPS		GREG SCHENK		LINE OPS		KEVIN SMITH
DIVISION/GROUP SUPERVISOR		AARON JONES STEVE AGUIRRE (T)		SAFETY		ADAM CARR JONATHAN WHITE
5. Resources Assigned this Period						
Strike Team / Task Force / Resource Designator	LWD	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time	
O-78 TFLD ERIK JANSEN	09/03		1	ICP/0630	ICP/2030	
O-28 TFLD WES MORGAN (T)	08/30		1	ICP/0630	ICP/2030	
O-97 TFLD ZACH ALEXAKIS (T)	09/03		1	ICP/0630	ICP/2030	
C-23 CRW1 WOLF CREEK IHC	09/03	JACOB GARATE	22	ICP/0630	ICP/2030	
C-24 CRW1 ARROYO GRANDE IHC	09/02	BENJAMIN R HOLMES	24	ICP/0630	ICP/2030	
C-13 CR2I MILLER TIMBER NCC1A	09/03	TJ CANO	20	ICP/0630	ICP/2030	
C-17 CR2I GRAYBACK	08/31	DANIEL SILLER	20	ICP/0630	ICP/2030	
C-20 CR2I MILLER DELTA	09/03	SHIMA MAIDHER	22	ICP/0630	ICP/2030	
E-134 TBOT SAM OWEN FD BOAT 1391			2	ICP/0630	ICP/2030	
E-136 TBOT FS 7606 KANIKSU II BOAT			2	ICP/0630	ICP/2030	
O-121 REM1 BACKCOUNTRY MEDICS 2	09/03	ETHAN ADAMS	4	ICP/0630	ICP/2030	
E-42 AMB1 FREMONT CO ALS/BLS	08/29	TRACY GARCIA	2	ICP/0630	ICP/2030	
O-110 SOFC MATTHEW NELSON	08/30		1	ICP/0630	ICP/2030	
O-33.28 SOFF DOUG KRAUS (T)	08/30		1	ICP/0630	ICP/2030	
O-124 REAF ALLISON STRINGER	09/02		1	ICP/0630	ICP/2030	
6. Control Operations/Work Assignments:						
Task: Continue to hold and secure control lines and spot fires. Continue logistical support and crew shuttles as necessary. Purpose: To prevent fire spread to the west and north towards critical values at risk. End State: Fire progression is stopped and spot fires are controlled. Critical values at risk are protected while utilizing deliberate risk assessments.						
7. Special Instructions:						
8. Division/Group Communication Summary						
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode
TACTICAL	3	168.6000	110.9	168.6000	110.9	A
9. Prepared By (Resource Unit Leader)		Approved By (Planning Section Chief)		Date	Time	
M.J. CRANDALL		JOHN GUBEL		08/28/2025	2000	

Division/Group Assignment List (ICS 204 WF)

Controlled Unclassified Information//Basic

1. Incident Name:				3.			
SUNSET				Branch:		Division/Group: Z	
2. Operational Period:							
Date/Time From: 08/29/2025 0600 FRI		Date/Time To: 08/29/2025 2200 FRI					
4. Operations Personnel							
PLANNING OPS		GREG SCHENK		LINE OPS		KEVIN SMITH	
DIVISION/GROUP SUPERVISOR		CHRIS WHITE TOBY GREENBERG (T)		SAFETY		ADAM CARR JONATHAN WHITE	
5. Resources Assigned this Period							
Strike Team / Task Force / Resource Designator	LWD	Leader	Number Persons	Drop Off PT./Time	Pick Up PT./Time		
O-105 TFLD KALIROSE ZURFLUH (T)	08/30		1	DP 170/0700	DP 170/2000		
C-19 CR2I TEAKEAN**	09/02	PROCTOR BRYDON	21	DP 170/0700	DP 170/2000		
E-13 ENG5 INLAND FOREST MGMT 522	09/02	CHRIS TERWILLIGER	3	DP 170/0700	DP 170/2000		
E-58 ENG6 INLAND FOREST MGMT 621	09/06	KARL RADCLIFFE	3	DP 170/0700	DP 170/2000		
E-140 ENG6 NCF-E613	09/03	DAVID PERKINS	7	DP 170/0700	DP 170/2000		
E-5 WTS2 RICHARDSON TREE CARE	09/09	MICHAEL RICHARDSON	1	DP 170/0700	DP 170/2000		
6. Control Operations/Work Assignments:							
Task: Continue to secure control lines from DP-160 to Lake Pend Oreille. Mop up and secure 200' from DP-200 to DP-160. Purpose: To prevent fire spread to the south towards critical values at risk. End State: Fires edge is secured minimizing impacts to critical values at risk while utilizing deliberate risk assessments.							
7. Special Instructions:							
**C-19 CR2I TEAKEAN available for initial attack.							
8. Division/Group Communication Summary							
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode	
TACTICAL	5	168.2500	110.9	168.2500	110.9	A	
9. Prepared By (Resource Unit Leader)			Approved By (Planning Section Chief)		Date	Time	
M.J. CRANDALL			JOHN GUBEL		08/28/2025	2000	

Controlled Unclassified Information//Basic

8. Division/Group Communication Summary						
Function	Channel	RX Frequency N/W	RX Tone/NAC	TX Frequency N/W	TX Tone/NAC	Mode
TACTICAL	6	166.7750	110.9	166.7750	110.9	A
9. Prepared By (Resource Unit Leader)		Approved By (Planning Section Chief)		Date		Time
M.J. CRANDALL		JOHN GUBEL		08/28/2025		2000

[illegible]

INCIDENT RADIO COMMUNICATIONS PLAN I-205				1. INCIDENT NAME			2. DATE/TIME PREPARED			3. OPERATIONAL PERIOD DATE/TIME		
				SUNSET			8/28/2025			8/29/25 0630 THRU 2200		
4. BASIC RADIO CHANNEL UTILIZATION												
Ch #	Function	Channel Name	Assignment	RX Freq	N/W	RX Tone/NAC	TX Freq	N/W	TX Tone/NAC	Mode Analog (A) Digital (D) Mixed (M)	Remarks	
1	TAC	TAC 1	DIV A	168.0500	N	110.9	168.0500	N	110.9	A	DIV A	
2	TAC	TAC 2	DIV F/M	168.2000	N	110.9	168.2000	N	110.9	A	DIV F/M	
3	TAC	TAC 3	DIV R/T	168.6000	N	110.9	168.6000	N	110.9	A	DIV R/T	
4	TAC	TAC 4	Unassigned	166.7250	N	110.9	166.7250	N	110.9	A	Unassigned	
5	TAC	TAC 5	DIV Z	168.2500	N	110.9	168.2500	N	110.9	A	DIV Z	
6	TAC	TAC 6	STRUCTURE	166.7750	N	110.9	166.7750	N	110.9	A	STRUCTURE GROUP	
7	COMMAND	CMD 7	COMMAND	168.5000	N	110.9	164.8750	N	110.9	A	CAPE HORN	
8	COMMAND	CMD 8	COMMAND	170.9750	N	110.9	168.7000	N	110.9	A	LITTLE BLACK TAIL	
9	COMMAND	CMD 9	COMMAND	170.6875	N	110.9	166.5750	N	110.9	A	BARTON HUMP	
10	DISPATCH	SCHWEITZER	LOCAL REPEATER	159.3375	N	100.0	151.4375	N	136.5	A	IDL SCHWEITZER TO COEUR D ALEANE DISPATCH	
11	DISPATCH	HOODOO	LOCAL REPEATER	159.4500	N	123.0	151.2200	N	123.0	A	IDL HOODOO TO COEUR D ALEANE DISPATCH	
12	TAC	IDL DIR 2	IA TAC	159.2850	N	77.0	159.2850	N	77.0	A	IDL DIR 2 (IA TAC)	
13	TAC	VMED 28	MEDIVAC	155.3400	N		155.3400	N		A	AIR MED	
14	A/G	A/G PRI	AIR TO GROUND	171.4250	N		171.4250	N		A	A/G PRIMARY	
15	A/G	A/G SEC	AIR TO GROUND	171.7750	N		171.7750	N		A	A/G SECONDARY	
16	AIRGUARD	AIRGUARD	EMERGENCY	168.6250	N		168.6250	N	110.9	A	EMERGENCY	
5. Special Instructions:		RAWS station placed at Little Black Tail Mountain, RX Freq 163.3500, TX Freq 163.3500, Mode: Analog, DTMF 0001 for weather information. RAWS station placed at Talache, RX Freq 163.3600, TX Freq 163.3500, Mode Analog, DTMF 0060 for weather information										
6. I-205 Prepared By: Communications Unit Leader				Name: MIKE SCHERER COML				Signature: PAUL SCHERER Digitally signed by PAUL SCHERER Date: 2025.08.28 16:43:07 -07'00'				

Complacency

To all responders:

Every call we answer carries risk—some visible, some hidden. Whether it's a structure fire, Wildland fire, a medical emergency, or a routine traffic incident, the danger is real. And the most insidious threat we face isn't always the flames or the chaos—it's complacency.

Why it matters:

- Complacency creeps in when we've done the job a hundred times.
- It convinces us that shortcuts are safe, that gear checks can wait, that "this one's just like the last."
- It dulls our edge, erodes our vigilance, and opens the door to injury—or worse.

The risks are real:

- Scene hazards overlooked because they "don't look serious"
- PPE not worn properly because "it's just a quick assist"
- Communication breakdowns because "we know the drill"

Stay sharp. Stay alive.

- Treat every call like it's your first—and your last.
- Double-check your gear, your surroundings, and your assumptions.
- Speak up if something feels off. Trust your gut and trust your training.

Complacency doesn't announce itself—it waits for the moment you let your guard down. Don't give it that moment.

Be Mindful About Safety in all Your Actions

MEDICAL PLAN (ICS 206)

1. Incident Name: Sunset		2. Operational Period: Date From: 08/29/25 Time From: 0600		Date To: 08/29/25 Time To: 2200			
3. Air Ambulances:							
Name	Location	Contact Number(s)/Frequency	Paramedics on Site?				
Life Flight Network	Sandpoint and Coeur d'Alene, ID	911	☒ Yes ☐ No				
Two Bear Air	Kalispell, MT (hoist)	911	☐ Yes ☒ No				
Central Montana Helitack	Libby, MT (shorthaul)	Command	☐ Yes ☒ No				
Mesa Verda Helitack	Missoula, MT (shorthaul)	Command	☐ Yes ☒ No				
			☐ Yes ☐ No				
			☐ Yes ☐ No				
4. Transportation (indicate air or ground):							
Ambulance Service	Location	Contact Number(s)/Frequency	Level of Service				
E-16 Hauser Lake	Div. A-Staged at DP200	Command	☐ ALS ☒ BLS				
E-42 Freemont Ambulance	Div. R-Staged at Talache Road DP120	Command	☒ ALS ☐ BLS				
E-139 Bonner Ambulance	Div. F/M Staged At DP 55	Command	☒ ALS ☐ BLS				
			☐ ALS ☐ BLS				
5. Hospitals:							
Hospital Name	Address, Latitude & Longitude if Helipad	Contact Number(s)/Frequency	Travel Time		Trauma Center	Burn Center	Helipad
			Air	Ground			
Kootenai Health Coeur d'Alene, ID	LAT- N 47 41 45.658 LONG- W 116 47 41.684	208-625-4000	30 min	75 min	☒ Yes Level: 2	☐ Yes ☒ No	☒ Yes ☐ No
Bonner General Sandpoint ID	LAT- N 48 16.650 LONG- W 116 32.980	208-263-1441	30 min	60 min	☐ Yes Level: 4	☐ Yes ☒ No	☒ Yes ☐ No
NW Urgent Care	7173 E Super 1 Loop, Suite A, Athol, ID 83801	208-561-9970		30 min	☐ Yes Level: _____	☐ Yes ☒ No	☐ Yes ☒ No
					☐ Yes Level: _____	☐ Yes ☐ No	☐ Yes ☐ No
					☐ Yes Level: _____	☐ Yes ☐ No	☐ Yes ☐ No
6. Special Medical Emergency Procedures: Bonner General Helipad can only accommodate Type 3 ships. Type 2 ships will need to land at Sandpoint Airport (KSZT) and transfer to local ambulance.							
☒ Check box if aviation assets are utilized for rescue. If assets are used, coordinate with Air Operations.							
7. Prepared by (Medical Unit Leader): Name: <u>Steven Kendley</u> Signature: <u>Steven Kendley</u> Digitally signed by Steven Kendley Date: 2025.08.28 09:25:31 -06'00'							
8. Approved by (Safety Officer): Name: <u>Adam Carr</u> Signature: <u>Adam Carr</u> Digitally signed by Adam Carr Date: 2025.08.28 08:38:46 -07'00'							
ICS 206		IAP Page _____		Date/Time: _____			

SUNSET TENTATIVE DEMOB SCHEDULE

Subject to Change

Friday, August 29

C-5	HC2IA	Miller Bravo
C-6	HC2IA	Miller Alpha
C-9	HC2IA	Lolo Regulars #1
E-4	WTS2	Martin Water tender
E-24	DZR2	Akre Logging
E-26	WTS2	Northside Fire District
E-46	SKG1	Chapman Skidgeon
E-65	ENG6	Cataldo F11
O-10	FMOD	Bailey Fallers

Saturday, August 30

C-14	HC2IA	Diamond Fire 11A
C-16	HC2IA	Grayback IRAC #2
E-43	WTS2	Idaho Heavy Equipment
E-42	AMB1	Fremont County ALS/BLS
O-28	TFLD	Wes Morgan
E-85	FUT2	Anchor Point Fuels
O-83	PIO3	Samantha Russell
E-126	FUT3	QB Fueling
E-133	STMH	Sundberg Solutions
E-16	AMB4	Hauser Lake BLS

Sunday, August 31

O-33	CIMT	Northern Rockies Team 5
O-88	RADO	Trevin Lilly
O-144	RADO	Aubrey Rusoff
O-66	RADO	Ernesto De Leon
O-81	COMT	Cody Craig
O-142	INCM	Steve Bales
O-25	TFLD	Jeff Armstrong
C-11	CRWC	Trapper Creek Camp Crew 5
E-20	ENG6	SGS Northwest Engine
E-61	WTS2	Fisher River RFD
O-37	HEQB	Dennis Gillmer
O-71	REAF	Dana Sukau
O-105	TFLD	Kalirose Zurfluh

Contact Demob if you need any help, and travel home safely!

(541) 410-5716 or 2025.Sunset.Demob@firenet.gov




Division Supply Order

Order Number:		Date -		Division -	
Order taken in Communications by:				RADO or COML confirmation:	
DIVS Supervisor:				Date & Time Needed:	
Delivery Contact:				Delivery Location:	
Cell Phone #:				UTM	
Radio Channel Number:				Lat:	Long:
Mode of Delivery (Circle Means):		Ground Support		DP/LZ:	
Division will pick up		Deliver to Helibase		Other:	
SPUL Confirmation can be filled as needed (Circle): Yes or No - Requiring at least 24 hours to fill.					
Item	Description:	Quantity	Comments		
	Hose Lay Kit , 1000 Feet = (10) 1 1/2" Hose; and 5 Each of: 1" Hose, 1 1/2" Wyes, 1 1/2" to 1" Reducers, and 1" Forester Nozzles				
1		1000 Feet	4	4000 Feet	
2		2000 Feet	5	5000 Feet	
3		3000 Feet	6	6000 Feet	
	Garden Hose Kit , 500 Feet = (10) 3/4" Hose, and (5 Each): 3/4" Wye, 3/4" Shutoff, 3/4" Nozzle, 1" Wye, and 1" to 3/4" Reducers)				
7		500 Feet	10	3000 Feet	
8		1000 Feet	11	4000 Feet	
9		2000 Feet	12	5000 Feet	
Water Handling Equipment:			Item #	Description	Quantity
13	Hose: 1 1/2" (100')	LG		Line Tools:	
14	1" (100')	LG	40	Pulaski	EA
15	3/4" (50' Toy/Garden)	LG	41	Combi	EA
16	Gated Wye: 1 1/2"	EA	42	McCloud	EA
17	1"	EA	43	Shovel	EA
18	3/4"	EA	44	Water: Cubies	EA
19	Reducer: 1 1/2" X 1"	EA	45	Bottled	CS
20	1" X 3/4"	EA	46	Gatorade	CS
21	Nozzle: 1" Forester	EA	47	MRE's	BX
22	1" Mystery (KK)	EA	48	Flagging: Lime Green	RO
23	1 1/2" Red Barrel	EA	49	Pink	RO
24	3/4" Brass		50	Orange	RO
25	Shutoff Values: 3/4"	EA	51	Killer Tree	RO
26	Pumpkin or Porta-Tank, 1800 gal.	EA	52	Wrap, Structural	RO
27	Blivets, Slingable 55 Gal	EA	53	Other:	
28	Mopup Kits 3 Person	EA	54		
29	Backpack Pumps	EA	55		
30	Sprinkler Kits	EA	56		
31	Foam (5 GALS)	PL	57		
32	Mark III Kits	KT	58		
33	Drip Torch	EA	59		
34	Fusees (72/Case)	CS	60		
35	Chainsaw Kit	KT	61	Bar Oil	Gal
36	Fuel, 5 gallons:	Gas	Can	62	Diesel, 5 gallon
37	Mark III (20:1)		Can	63	Not
38	Chainsaw (50:1)	Mixed	Can	64	2.6 oz/ Gal
				65	12.8 oz/ 5 Gal
39	Drip Torch (3:2)		Can		BT

First source of supply is Cache, shaded blocks indicate items available thru Northern Rockies Cache. Items requiring an approved Property Loss and Damage form are in a separate list at the bottom.												
PART	034/341	360/MS360	MS361	MS362	038/381	044/MS440	MS441	460/MS461	MS462	0640/650	MS660	MS880
Spark Plug (NFES# 000344)	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch USR7AC NGK CMR6H	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y	Bosch WSR6F NGK BPMR7A Champion RCJ6Y
Needle Cage Bearing (NFES# 066565)	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-3150	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2380	9512-933-2382	9512-933-2382	9512-933-3170
Retaining Washer for Rim Sprocket	0000-958-1022	0000-958-1022	0000-958-1032	0000-958-1032	0000-958-1231	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1032	0000-958-1236
E Clip (NFES# 066517)	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-1001	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-0801	9460-624-1001
Fuel Filter	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3504	0000-350-3518	0000-350-3504	0000-350-3500	0000-350-3504
Air Filter - HD (NFES# 066756)	1125-120-1626	1125-120-1612	1135-120-1600	1140-140-4401	1119-120-1611	0000-140-4402	0000-120-1654	0000-120-1654	1142-140-4402	0000-140-4402	0000-140-4402	0000-140-4402
Pre Filter - OEM	N/A	N/A	N/A	N/A	1119-120-1500	0000-141-0300	0000-141-0300	0000-141-0300	N/A	0000-141-0300	0000-141-0300	0000-141-0300
Bar Nut (NFES# 06661)	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-955-0801	0000-995-0803	0000-955-0801	0000-955-0801	0000-955-0903
Inner Slide Plate	1122-664-1000	1122-664-1000	1122-664-1000	1122-664-1000	1119-664-1000	1128-664-1001	1138-664-1000	1128-664-1001	1128-664-1001	1128-664-1001	1128-664-1001	1124-664-1001
STIHL RAPID - Super (RS)												
Chain 3/8" PITCH " .050" GA " DR												
20" - 72 DR	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072	3623-005-0072
25" - 84 DR (NFES# 006500)	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084	3623-005-0084
28" - 91 DR	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091	3623-005-0091
32" - 105 DR	N/A	N/A	N/A	N/A	N/A	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105	3623-005-0105
STIHL RAPID - Super - Full Skip (RSF)												
Chain 3/8" PITCH " .050" GA " DR												
20" - 72 DR	N/A	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072	3676-005-0072
25" - 84 DR	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084	3676-005-0084
28" - 91 DR	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091	3676-005-0091
32" - 105 DR	N/A	N/A	N/A	N/A	N/A	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105	3676-005-0105
Bar oil: Quantity - Gallon	NFES # 1880											
Bar oil: Quantity - Quart	NFES # 1869											
2 Cycle Oil: Quantity - Quart	NFES # 0341											

The following parts require an approved Property Loss & Damage form prior to ordering:

Guide Bars - 3/8" -.050" GA (STIHL ROLLOMATIC - ES)												
20"	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822	3003-000-8822
25" (NFES# 066584)	N/A	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830	3003-000-8830
28"	N/A	N/A	N/A	N/A	N/A	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838	3003-000-8838
32"	N/A	N/A	N/A	N/A	N/A	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846	3003-000-8846
Rim Sprocket Kit 3/8 - 7T	1125-007-1040	1125-007-1223	1128-007-1000	1135-007-1002	1119-007-1003	1128-007-1000	1128-007-1000	1128-007-1017	1128-007-1000	1122-007-1000	1122-007-1000	N/A
Clutch Drum	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit
Rim Sprocket 3/8 7T (NFES# 066652)	0000-642-1231	0000-642-1023	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	0000-642-1223	N/A
Rim sprocket kit 3/8 - 8T	N/A	N/A	1128-007-1001	1128-007-1001	N/A	1128-007-1001	1128-007-1001	1128-007-1001	1128-007-1001	1122-007-1001	1122-007-1001	1124-007-1025
Clutch Drum	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit	Order Sprocket Kit
Rim Sprocket 3/8 - 8T	N/A	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216	0000-642-1216
Clutch	1127-160-2050	1125-160-2005	1128-160-2004	1138-160-2010	1119-160-2000	1128-160-2001	1138-160-2010	1128-160-2004	1142-160-2000	1122-160-2005	1122-160-2002	1124-160-2005
Chain Adjuster Kit	1125-007-1036	1125-007-1021	1125-007-1021	1125-007-1021	1118-664-1600	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1125-007-1021	1124-007-1008
Bump Strip	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610	1121-648-6610
Starter Rope W/handle	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400	1128-190-3400
Worm Gear (Oiler)	1125-640-7110	1125-640-7110	1128-640-7112	1128-640-7112	1119-642-1501	1128 640 7112	1128 640 7112	1128 640 7112	1128-640-7112	1122-640-7105	1122-640-7105	1124-640-7512
Manifold Boot	1125 141 2200	1125 141 2200	1135 141 2200	1140 140 2503	1119 140 2500	1128 141 2204	1138 140 2508	1128 141 2204	1142 141 2200	1122 141 2200	1122 141 2201	1124 141 2202



IAP

Sunset

IDPOS-000630

08/29/2025 Day

3,230 acres at 08/24/2025 1615

0 1 Miles



1:80,000 | NR Team 5 | 8/28/2025 1728
IR and GPS
North American 1983 Datum LatLong Grid

- | | | | | | |
|------------------------|------------------------|-------------------------------------|--------------------------|--------------------|--|
| ● Helispot | ⌋ Division Break | ⌋ Completed Fuel Break | — Completed Road as Line | — Primary Highway | — Road, Not Maintained for Passenger Car |
| ■ Drop Point | — Completed Hand Line | — Completed Mixed Construction Line | — Access Route | — Secondary Paved | — Spur |
| S Staging Area | — Completed Dozer Line | | — Contained Fire Edge | — Secondary Dirt | — Spur-No Show |
| ◆ Repeater | | | — Uncontained Fire Edge | — Dirt (Not Paved) | — Primitive |
| ⊗ Completed Dozer Line | | | □ Wildfire Perimeter | | □ Administrative FS Boundary |

MEDICAL PLAN (ICS 206 WF)

Controlled Unclassified Information//Basic

Medical Incident Report

FOR A NON-EMERGENCY INCIDENT, WORK THROUGH CHAIN OF COMMAND TO REPORT AND TRANSPORT INJURED PERSONNEL AS NECESSARY.

FOR A MEDICAL EMERGENCY: IDENTIFY ON-SCENE INCIDENT COMMANDER BY NAME AND POSITION AND ANNOUNCE "MEDICAL EMERGENCY" TO INITIATE RESPONSE FROM IMT COMMUNICATIONS/DISPATCH.

Use the following items to communicate situation to communications/dispatch.

1. CONTACT COMMUNICATIONS / DISPATCH (Verify correct frequency prior to starting report)

Ex: "Communications, Div. Alpha. Stand-by for Emergency Traffic."

2. INCIDENT STATUS: Provide incident summary (including number of patients) and command structure.

Ex: "Communications, I have a Red priority patient, unconscious, struck by a falling tree. Requesting air ambulance to Forest Road 1 at (Lat./Long.) This will be the Trout Meadow Medical, IC is TFLD Jones. EMT Smith is providing medical care."

Severity of Emergency / Transport Priority	☐ RED / PRIORITY 1 Life or limb threatening injury or illness. Evacuation need is IMMEDIATE Ex: Unconscious, difficulty breathing, bleeding severely, 2° – 3° burns more than 4 palm sizes, heat stroke, disoriented. ☐ YELLOW / PRIORITY 2 Serious Injury or illness. Evacuation may be DELAYED if necessary. Ex: Significant trauma, unable to walk, 2° – 3° burns not more than 1-3 palm sizes. ☐ GREEN / PRIORITY 3 Minor Injury or illness. Non-Emergency transport Ex: Sprains, strains, minor heat-related illness.	
Nature of Injury or Illness & Mechanism of Injury		Brief Summary of Injury or Illness (Ex: Unconscious, Struck by Falling Tree)
Evacuation Request		Air Ambulance / Short Haul/Hoist Ground Ambulance / Other
Patient Location		Descriptive Location & Lat. / Long. (WGS84)
Incident Name		Geographic Name + Medical (Ex: Trout Meadow Medical)
On-Scene Incident Commander		Name of on-scene IC of Incident within an Incident (Ex: TFLD Jones)
Patient Care		Name of Care Provider (Ex: EMT Smith)

3. INITIAL PATIENT ASSESSMENT: Complete this section for each patient as applicable (start with the most severe patient)

Patient Assessment: See IRPG PAGE 106

Treatment:

4. EVACUATION PLAN:

Evacuation Location (if different): (Descriptive Location (drop point, intersection, etc.) or Lat. / Long.) Patient's ETA to Evacuation Location:

Helispot / Extraction Site Size and Hazards:

5. ADDITIONAL RESOURCES / EQUIPMENT NEEDS:

Example: Paramedic/EMT, crews, immobilization devices, AED, oxygen, trauma bag, IV/fluid(s), splints, rope rescue, wheeled litter, HAZMAT, extrication

6. COMMUNICATIONS: Identify State Air/Ground EMS Frequencies and Hospital Contacts as applicable

Function	Channel Name/Number	Receive (RX)	Tone/NAC *	Transmit (TX)	Tone/NAC *
COMMAND					
AIR-TO-GRND					
TACTICAL					

7. CONTINGENCY: Considerations: If primary options fail, what actions can be implemented in conjunction with primary evacuation method? Be thinking ahead..

8. ADDITIONAL INFORMATION: Updates/Changes, etc.

REMEMBER: Confirm ETAs of resources ordered. Act according to your level of training. Be Alert. Keep Calm. Think Clearly. Act Decisively.