A publication of the National Wildfire Coordinating Group

NWCG Airtanker Base Directory

PMS 507 June 2018

NFES 002537



NWCG Airtanker Base Directory

June 2018 PMS 507 NFES 002537

The *NWCG Airtanker Base Directory* offers a single source of information on airtanker bases across all Geographic Areas. The Directory is intended to aid wildland fire managers, pilots, and contractors in the use of airtanker base facilities. The Directory is not intended to supersede any regulations, authority, local procedures, Federal Aviation Administration regulations, laws of any entity, common sense, or the authority of the Pilot-in-Command.

The National Wildfire Coordinating Group (NWCG) provides national leadership to enable interoperable wildland fire operations among federal, state, tribal, territorial, and local partners. NWCG operations standards are interagency by design; they are developed with the intent of universal adoption by the member agencies. However, the decision to adopt and utilize them is made independently by the individual member agencies and communicated through their respective directives systems.

WARNING

Runway weight bearing strength listed in this directory does not imply that all airtankers at or below that weight may operate from that airport. Unless otherwise specified, limit is for most suitable runway only and does not include additional runways, taxiways, or ramp areas.

Other limitations may be imposed based on aircraft performance, weather, and airport restrictions. The final authority for legal and safe flight rests with the Pilot-in-Command.

It is the responsibility of the user to check the accuracy of the information in this directory. No assumption of accuracy is implied or inferred for information in this directory.

Table of Contents

WARNING	1
Leadplane Pilots, Identifiers and Qualification Status	3
Mass Flow Metering Equipment	3
Contracting Officer & Contracting Officer Representative Lists	3
MAFFS Specific Information	5
Aircraft Identification	6
Geographic Areas	20
Directory Format	21
Airtanker Bases	22
Single Engine Airtanker Bases	95

Leadplane Pilots, Identifiers, and Qualification Status

The current leadplane pilots, identifiers, and qualifications list is available at the following website:

http://fsweb.wo.fs.fed.us/aqm/contractpa/NIFC/

Mass Flow Metering Equipment

Many airtanker bases utilize mass flow metering devices to determine the weight in pounds of fire retardant chemicals or water delivered to the airtanker. Mass flow meters enhance safety and provide a method of measurement for payment under the *National Full Service Retardant Contract*.

All Forest Service contracted large airtankers and MAFFS shall be loaded using a mass flow meter measuring the retardant payload in pounds, regardless of airtanker base management.

Mass Flow Metering Equipment Support

National assistance and support of the Mass Flow Meter Program is available from the National Technology & Development Program.

Contact:

Armando Sanchez (909) 599-1267 x 293 (323) 273-2771 Cell aisanchez@fs.fed.us

Mechanical Engineering Technician USDA Forest Service National Technology & Development Program 444 East Bonita Avenue San Dimas, CA 91773

Contracting Officer and Contracting Officer Representative Lists

Please reference the latest Schedule of Items found at this website:

https://fsweb.wo.fs.fed.us/aqm/contractpa/NIFC/

Large Airtanker Program Manager

WO FS Boise: James Fa'asau	(208) 387-5968	jfaasau@fs.fed.us
Regional Aviation Officers (USFS)		
Region 1 Northern Rockies: John Harris (Acting)	(406) 329-4729	johnmharris@fs.fed.us
Region 2 Rocky Mountain: Jim McMahill	(303) 275-5740	amesmcmahill@fs.fed.us
Region 3 Southwest: Kris Damsgaard	(505) 842-3359	kdamsgaard@fs.fed.us
Region 4 Great Basin: Samuel Ramsay	(801) 620-1890	sramsay@fs.fed.us
Region 5 Pacific Southwest: Yolanda Saldana	(707) 562-8813	ysaldana@fs.fed.us
Region 6/10 Northwest/Alaska: Aaron Schoolcraft	(503) 808-2359	aschoolcraft@fs.fed.us
Region 8 Southern: Jerry Perry	(770) 237-0119 x1014	joperry@fs.fed.us
Region 9 Eastern: Bob Madill	(414) 297-3744	rmadill@fs.fed.us
National SEAT Program Manager		
NIFC: Glen Claypool	(208) 387-5160	gclaypoo@blm.gov
State Aviation Managers (BLM)		
Alaska: Gary Baumgartner	(907) 356-5523	gbaumgar@blm.gov
Arizona/New Mexico: Darren Mathis	(602) 417-9308	dmathis@blm.gov
California: Kip Morrill	(916) 978-4435	gmorrill@blm.gov
Colorado: Clark Hammond	(303) 239-3809	clhammond@blm.gov
Idaho: Mike Reid	(208) 373-3853	mreid@blm.gov
Montana: Bob Flesh	(406) 896-2912	bflesh@blm.gov
Nevada: Alec Goicoechea (Acting)	(775) 748-4023	agoicoec@blm.gov
Oregon/ Washington: Kurt Kleiner	(503) 808-6593	kkleiner@blm.gov
Utah: Cameron Dingman	(801) 539-4241	cdingman@blm.gov
Wyoming: Greg Reser	(307) 775-6237	greser@blm.gov

State Aviation Point of Contacts

NASF Fire Director/Aviation Liaison: Dan Smith	(208) 387-5653	desmith@blm.gov
Alaska: Steve Elwell	(907) 761 6271	Stephen.elwell@alaska.gov
California: Travis Alexander	(916) 324-7309	travis.alexander@fire.ca.gov
Colorado: Vince Welbaum	(303) 445-4362	vince.welbaum@state.co.us
Florida: Brian McKee	(850) 681-5986	brian.mckee@freshfromflorida.com
Minnesota: Matt Woodwick	(218) 322-2726	matthew.woodwick@state.mn.us
Oregon: Neal Laugle	(503) 945-7508	nlaugle@odf.state.or.us
Texas: Cynthia Foster	(979) 458-7345	cfoster@tfs.tamu.edu
Washington: Mike Cuthbert	(360) 902-1736	michael.cuthbert@dnr.wa.gov

MAFFS Specific Information

On Forest Service activations the Modular Airborne Fire Fighting System (MAFFS) are managed through a central military command and control office (Air Expeditionary Group or "AEG") located in Boise, Idaho. For all MAFFS issues contact the MAFFS AEG at:

Phone – (208) 422-3426 Fax– (208) 422-3419 Email– aeg.wff@ang.af.mil

MAFFS C-130 aircraft use military-specific weight bearing capacity calculations that may differ from Federal Aviation Administration (FAA) and agency numbers. The MAFFS rating is for Single Tandem (ST) gear which is not equivalent to dual. The military maintains separate approval letters as needed in the Airfield Suitability and Restrictions Reports (ASRR) and Supplemental Theater Information Files (STIF) within the Global Decision Support System (GDSS). Weight Bearing (Wt.) listed in this airtanker base guide is the highest number for the airport/base (including waivers). See the Giant Report for specific taxiway limits.

MAFFS airtanker bases are surveyed and approved by the military. The approval levels include the following:

- **R** Reload—approved for loading retardant using existing pits.
- **H Hub**—approved for loading using existing pits and may also be used for overnight and staging of maintenance and support.
- Full Activation—approved for loading using existing pits and may also be used for overnight and staging of maintenance and support. Additionally, this location may be used to set up MAFFS specific temporary pits and set up larger operating facilities.

Aircraft Identification

This information is for aircraft identification and familiarization only. Data provided is typical for each make and model but does not necessarily apply to any specific airtanker.

This data must not be used for load calculations. Specific performance data is contained in each aircraft's flight manual.

Final authority for legal and safe flight is the Pilot-in-Command.

Key to Airtanker Data

Wingspan: The length of the wing from wingtip to wingtip, in feet, as specified in the aircraft manual.

Length: The length, in feet, of the fuselage from the tail section to the nose of the aircraft as specified in the aircraft manual.

Turn Radius: As listed in the aircraft flight manual the distance, in feet, the aircraft's outboard wingtip will travel with the steering control fully deflected.

Wheel Base: The distance between the center of the nose wheel of an aircraft and the line joining the center line of the wheels of the main undercarriage.

Gear: The configuration of the main landing gear tire(s)/wheel(s); S = Single wheel type, D = Dual wheel type.

Cruise Speed: The distance the aircraft will travel in one hour in a (no wind) cruise configuration given in knots.

Maximum Takeoff Weight: The maximum weight, as listed in the aircraft manual that the airtanker can weigh for takeoff.

Maximum Landing Weight: As listed in the aircraft manual, the maximum weight at which the airtanker may land.


Zero Fuel Weight: The most an aircraft can weigh when loaded with passengers and cargo with no useable fuel or oil.

Contract Operating Weight: The average operating weight of the airtanker with the contract load of fire retardant and 2 ½ hours of fuel.


Retardant Load Gallons: The amount of fire retardant, in gallons, that the aircraft will carry based on contract requirements.

FPT Wheel Load: The wheel loading, in pounds per square inch that the main gear exerts upon a surface.

Avro RJ85




BAe-146



^{*} ACN/PCN-Aircraft/Pavement Classification Ratings based on airport taxiway loading

Grumman S-2T "Turbine Tracker"

Marsh Aviation has upgraded and extensively modified the Grumman S-2 for the CAL FIRE. Modifications include turboprop engines, a new electrical system, new avionics, and a new 1,200 gallon constant flow retardant tank system.




WINGSPAN	LENGTH	TURN RADIUS	WHEEL BASE	GEAR	CRUISE SPEED
72 FT. 7 IN	43 FT 6 IN	45 FT 6.5 IN	18 FT 6 IN	SINGLE	235 KTS
MAX TAKEOFF WT	MAX LANDING WT	ZERO FUEL WT	CONTRACT OPERATING WT	RET. LOAD GAL.	FPT WHEEL LOAD
29,150 lbs.	24,800 lbs.	N/A	29,150 lbs.	1,200	110 PSI

McDonnell Douglas-DC10

The McDonnell Douglas DC10 is commercial passenger aircraft modified specifically for the purpose of aerial firefighting.


- Coverage Level: 1 thru 8
- Line Length: ½ to 1 Mile
- Fill Time: 30 Minutes




WINGSPAN	LENGTH	TURN RADIUS	WHEEL BASE	GEAR	CRUISE SPEED
165 FT	170 FT	150 FT	72 FT	Dual Tandem	490 KTS
MAX TAKEOFF WT	MAX LANDING WT	ZERO FUEL WT	CONTRACT OPERATING WT	RET. LOAD GAL.	ACN/PCN RATING
420,000 lbs.	363,500 lbs.	350,000 lbs.	314,666 lbs.	9,400	24

^{*} ACN/PCN-Aircraft/Pavement Classification Ratings based on airport taxiway loading

Lockheed C-130 "Hercules"




Lockheed C-130 J-30 "Hercules" J Models (long)



MD-87


The MD-87 is an innovative firefighting aircraft. New to the USFS firefighting arsenal this aircraft is termed a NextGen. Airtanker.



WINGSPAN	LENGTH	TURN RADIUS	WHEEL BASE	GEAR	CRUISE SPEED
107 Ft 8 IN	130 FT 5 IN	67.7 FT	63 FT	Dual	438 KTS
MAX TAKEOFF WT	MAX LANDING WT	ZERO FUEL WT	CONTRACT OPERATING WT	RET. LOAD GAL.	ACN/PCN RATING
140,000 lbs.	128,000 lbs.	112,000 lbs.	128,000 lbs.	3,000	


Lockheed-P3 "Orion"

The P3 is a 4 engine turboprop anti-submarine and maritime surveillance aircraft. It has been converted into an airtanker. May be available on a state contract.




WINGSPAN	LENGTH	TURN RADIUS	WHEEL BASE	GEAR	CRUISE SPEED
99	116	65	29 FT 9 IN	Dual	252 KTS
MAX TAKEOFF WT	MAX LANDING WT	ZERO FUEL WT	CONTRACT OPERATING WT	RET. LOAD GAL.	ACN/PCN RATING
139,760 lbs.	135,000 lbs.	77,200 lbs.	95,100 lbs.	2,550	

Boeing-737




Boeing-747-400



Canadair CL-215


The Canadair CL-215 is a Canadian aircraft built specifically for fire suppression. It first flew in 1967 and is an amphibian—can operate from land or water. *No retardant*.



WINGSPAN	LENGTH	TURN RADIUS	WHEEL BASE	GEAR	CRUISE SPEED
94 FT	65 FT	N/A	N/A	SINGLE	145 KTS
MAX TAKEOFF WT	MAX LANDING WT	ZERO FUEL WT	CONTRACT OPERATING WT	LOAD GAL.	FPT WHEEL LOAD
43,000 lbs.	37,000 lbs.	36,400 lbs.	43,000 lbs.	1,440 US gal	N/A

Canadair CL-215 T


The Canadair CL-215T is the same airframe and tank system as the CL-215. It has been converted to turbine engines to enhance performance. *No retardant*.



WINGSPAN	LENGTH	TURN RADIUS	WHEEL BASE	GEAR	CRUISE SPEED
94 FT	65 FT	N/A	N/A	SINGLE	174 KTS
MAX TAKEOFF WT	MAX LANDING WT	ZERO FUEL WT	CONTRACT OPERATING WT	LOAD GAL.	FPT WHEEL LOAD
43,000 lbs.	N/A	N/A	43,000 lbs.	1,440 US gal	N/A

Canadair CL-415


The Canadair CL-415 is a Canadian aircraft built specifically for fire suppression. It is a twin turbine engine amphibian—can operate from land or water. It can be used for *mixed retardant delivery or as a "water scooper" from lakes. *The USFS contracted CL-415 delivers only water.



WINGSPAN	LENGTH	TURN RADIUS	WHEEL BASE	GEAR	CRUISE SPEED
94 FT	65 FT	N/A	25 FT 8 IN	SINGLE	203 KTS
MAX TAKEOFF WT	MAX LANDING WT	ZERO FUEL WT	CONTRACT OPERATING WT	RET. LOAD GAL.	FPT WHEEL LOAD
47,000 lbs.	N/A	28,400 lbs.	N/A	1,600	90 PSI

Convair-580


The first flight was on January 19, 1960. This aircraft has an Allison 501-D13D engine. The type is an axial-flow prop-jet. Unlike the Convair 440 this aircraft uses Jet A fuel and is estimated to have a shaft horsepower of 3,800 at 13,820 rpm. Weight of the engine alone is 1,750 lbs.



WINGSPAN	LENGTH	TURN RADIUS	WHEEL BASE	GEAR	CRUISE SPEED
105 FT 4 in.	81 FT 6in.	65'	N/A	DUAL	282 kts.
MAX TAKEOFF WT	MAX LANDING WT	ZERO FUEL WT	CONTRACT OPERATING WT	RET. LOAD GAL.	FPT Wheel Load
58,156 lbs.	52,000 lbs.	32,500 lbs.	58,000 lbs.	2,000	N/A

Douglas DC-7

The DC-7 is a converted civilian airliner with a retardant capacity of 3,000 gallons. The DC-7 can be distinguished from the DC-4 and DC-6 models by square windows, with three being forward of the wing (DC-4 has round windows), and four-blade propellers (DC-4 and DC-6 have three-blade propellers).




WINGSPAN	LENGTH	TURN RADIUS	WHEEL BASE	GEAR	CRUISE SPEED
117 FT 6 IN	105 FT 7 IN	72 FT 8 IN	24 FT 8 IN	DUAL	235 KTS
MAX TAKEOFF WT	MAX LANDING WT	ZERO FUEL WT	CONTRACT OPERATING WT	RET. LOAD GAL.	FPT WHEEL LOAD
116,900 lbs.	102,000 lbs.	96,000 lbs.	102,250 lbs.	3,000	111 PSI

Single Engine Airtankers (SEAT's)

Air Tractor-802

The AT-802 is an innovative initial attack firefighting aircraft. Designed from the wheels up to fight wildfires, it uses an advanced, patented computer-controlled fire gate to deliver optimum coverage levels with extreme accuracy.



WINGSPAN	LENGTH	TURN RADIUS	WHEEL BASE	GEAR	CRUISE SPEED
59 ft 3 in	35 ft 11 in				221 mph
MAX TAKEOFF WT	MAX LANDING WT	ZERO FUEL WT	CONTRACT OPERATING WT	RET. LOAD GAL.	ACN/PCN RATING
16,000 lbs.		13,440 lbs.		800	

Air Tractor-802A

The AT-802 is an innovative initial attack firefighting aircraft. Designed from the wheels up to fight wildfires, it uses an advanced, patented computer-controlled fire gate to deliver optimum coverage levels with extreme accuracy.



WINGSPAN	LENGTH	TURN RADIUS	WHEEL BASE	GEAR	CRUISE SPEED
59.2 ft.	35.9 ft.				221 mph
MAX TAKEOFF WT	MAX LANDING WT	ZERO FUEL WT	CONTRACT OPERATING WT	RET. LOAD GAL.	ACN/PCN RATING
16,000 lbs.		13,440 lbs.		800	


Air Tractor-FIREBOSS

The AT-802 is an innovative initial attack firefighting aircraft. Designed from the wheels up to fight wildfires, it uses an advanced, patented computer-controlled fire gate to deliver optimum coverage levels with extreme accuracy. Equipped with Wipaire amphibious floats, the AT-802 "Fire Boss" can land on nearby lakes and return over the front lines faster.



WINGSPAN	LENGTH	TURN RADIUS	WHEEL BASE	GEAR	CRUISE SPEED
59.2	35.9				150 KIAS
MAX TAKEOFF WT	MAX LANDING WT	ZERO FUEL WT	CONTRACT OPERATING WT	LOAD GAL.	ACN/PCN RATING
16,000 lbs.	11,500 lbs.			800	

Geographic Areas



Alaska

Northern California

Southern California

Eastern

Great Basin

Northern Rockies

Northwest

Rocky Mountain

Southern

Southwest

Directory Format

BASE NAME

			DASI	ע ד	NAIVIL				
					NTIFIER				
			•		and Elevation				
Airport Latitude/Longitude Base Location on Field									
					HIC AREA				
	Base Fax Number		Bas	se Ma	ailing Address				tion Agency Logo
Ва	ase Email Address		County	for .	Travel Regulati	ion			physical address if ent than mailing
Base Opera	tions Phone:							Airtanke	r Base office phone
Dispatch Of	ffice Phone:		Со	ntrol	lling Dispatch			Contro	lling Dispatch Phone
Dispatch Co	ontact Frequency:		"Control	ling I	Dispatch Call S	Sign"			ng Dispatch Contact Frequency
Base Manag	ger:		Ba	se M	lanager Name			Base	Manager Phone
Asst. Base I	Manager:		Asst.	Base	Manager Nam	e		Asst.	Base Manager Phone
ATB Techn	ician:		Airba	ase To	echnician Nam	e		Airba	ase Technician Phone
Air Attack:			A	Air A	ttack Name		Air Attack Phone		
FAO or UA	M:				Name				Phone
Weight Lim Runway	reight Limits hits as Published by hits per existing agree	ements	Single X1000lbs		Dual X1000lbs	Appli	(100 ies 1	S 00lbs mainly to S gear	2D X1000lbs
VLATs	Are Very Large airtankers authorized?	Pit To	tal	Но	ow many loadin pits?	g Но	t Loading		Is hot loading authorized?
LATs	Are large airtankers authorized?	Parkir	ng Total	cap	Total parking pability for mos		el a	nd Load	Can simultaneous fueling and loading be done under any circumstance?
MAFFS	What level of MAFFS certification?	Load Simul	taneously		How many irtankers can be loaded at same time?	Но	t Ro	efueling	Is hot refueling allowed under any circumstance?
SEATs	SEATs Are SEATs authorized? Offloa				Bases offload pacity in gallon	s.	Re	eserved	
	Nar	ne and o			tison Area(s) nated retardant	jettisor	ı ar	eas	
Known Hazards:	Caution: Any l	known h	azards unique	to the	e local area or l	oase.			
Remarks:	Remarks pertino	ent to pu	ıblished inforn	nation	n or of significa	ant natu	re.		
Shipping Address:									
Last Revision	on: Date that base inf	ormatio	n was last upda	ated.					

Note: Types of contacts may vary depending on the base and may include fire management, aviation, or other contacts as desired.

Airtanker Bases

ABILENE-ABI

	A			1.13N/99 68.19V	V			
			Base Location or SOU	1 F1610: NE Quae THERN	arant			
(D I	25) 928-4002 ispatch) Email: tch@tfs.tamu.		Abilene Reş Abile	Forest Service gional Airport ne, TX nty: Taylor	TEX FOR	TEXAS A&M FOREST SERVICE		
Base Operation	ons Phone:				Establisl	ned upon activation		
Dispatch Offi	ce Phone:		Merkel	Dispatch		(325) 261-3620		
Dispatch Con	tact Frequenc	ey:	"Loc	Repeater" al FF" nal FF"	T	159.330, Tn 225.7 X 151.385 Tn 173.8 155.370 tone 156.7 168.650 tone 110.9		
Base Manage	r:		As As	ssigned				
Asst. Base Ma	anager:		As As	ssigned				
Airtanker Co	ntract COR:		As As	ssigned				
Air Attack:			As As	ssigned				
State Aviation	n Officer:		Cynthi	a Foster		(979) 458-7308		
Runway Wei Runway 17-3			Single 85.0	Dual 160.0	2S 160.0	2D 160.0		
VLATs	NO	Pit To	otal	2	Hot Loading	YES		
LATs	Yes	Parki	ng Total	6	Fuel and Load	NO		
MAFFS	NO	Load	Simultaneously	2	Hot Refueling	NO		
SEATs	YES	Offlo	ad Capacity	5,000	Retardant Type	LC 95A		
			Retardant	Jettison Area				
Known Hazards: Caution: Commercial Air Traffic								
Remarks: Base staffed and operational as needed. http://txforestservice.tamu.edu/								
Shipping Address: FBO-Abilene Aero 2850 Airport Blvd. Abilene, TX 79602 Last Revision: 3-23-2018								
Last Revision	: 3-23-2018							

ALAMOGORDO-ALM

White Sands Regional Airport–Elevation: 4,200'
--

Airport: 32 50.27N/105 59.77 W Base Location on Field: NW Quadrant

SOUTHWEST

FAX: (575) 439-6011 Email: <u>bpearson@fs.fed.us</u>			Alamogordo Airtanker Base 3500 Airport Road Alamogordo, NM 88310-8601 FTR County: Otero			USFS				
Base Operation	ons Phone:						(57	5) 439-6010		
Dispatch Off	ice Phone:		Alamogord	lo Dispatch Cen	iter		(57	5) 437-0778		
Dispatch Con	Dispatch Contact Frequency:			"Alamogordo Dispatch"			73.775 tx/rx e 103.5 tx/rx			
Base Manage	er:		Brian Pearson			(575) 439-6012				
Asst. Base M	anager:		Scott Mitchell (57			(57	5) 439-6013			
Air Attack:			Bri	an Pearson			(57	5) 439-6012		
Forest Aviation	on Officer:		Da	ivid Bales			(57	(575) 439-6012 (575) 434-7391 2D		
Runway 03R	Runway Weight Limits Runway 03R-21L Published: Overweight Agreement:		Single 54	Dual 74		2S 2D 94 120				
VLATs	NO	Pit Tot	al	3	Hot Lo	ading		YES		
LATs	YES	Parkin	g Total	8	Fuel an	d Load		¹ Pending		
MAFFS	NO	Load S	Simultaneously	1	Hot Re	Hot Refueling		NO		
SEATs YES Offload			d Capacity	3,000	Retarda	ant Type MVP FX				
			Runways: 3/21-	-7,005' x 150'						

Runways: 3/21–7,005' x 150' Retardant Jettison Area

Lat. 32° 49.53'N Long.105° 50.45'W

Known Hazards:	Caution: Unmanned aerial vehicle activity, restricted areas, and military ops in the vicinity of airport. Holloman AFB contacts—Cherokee Control 126.95 or Holloman Approach 120.6.
Remarks:	Overweight agreement in place with runway inspections. National Flight Following 168.650 tone 110.9 ¹See ATBM for details.
Shipping Address:	Alamogordo Airtanker Base PO Box 10 Alamogordo, NM
Last Revision:	2-27-2018

ALBUQUERQUE-ABQ

Albuquerque International Sunport Airport–Elevation: 5,355'

Airport: 35 02.87N/106 36.45W Base Location on Field–NE Quadrant

SOUTHWEST									
Email: rdbeal@fs.fed.us			Ţ	SOUTHV	WEST				
Base Operations Phone: is Cell Number. Cell (505) 401-1242				2113 Osuna Road NE–Suite A Albuquerque, NM 87113			USFS		
Dispatch Contact Frequency:	Base Operations Phone:					ontact	Се	,	/
Base Manager: Rick Beal Rick Beal Cell(505) 846-7408 Cell(505) 401-1242 Asst. Base Manager: Vacant ATB Technician: Air Attack: Runway Weight Limits Runway 08-26 Published: Overweight Agreement: Runway 03-21 Published: Airtanker Base Ramp Restriction: VLATs NO Pit Total 100 210 155 360 VES VLATs VES Parking Total AAFFS R/PH/F Load Simultaneously I Hot Refueling NO SEATS YES Offload Capacity Runways: 8/26-13,793' x 150' Retardant Jettison Area(s) Lat. 34° 58.03' N Long. 106° 26.07' W Known Hazards: VAAITS Remarks: Caution: Balloons, Ultra Lights, and Gliders in the area. Viaittanker base ramp limited to ST155 (120K on a portion of M1. See STIF) for MAFFS per agreement with Kirkland. 28 MAFFS A/C Authorized, Co-located on Kirkland AFB. Additional aircraft parking (over 8), coordinated through Air Force Base. Shipping Address: Cibola National Forest 2113 Osuna Road NE-Suite A	Dispatch Office Pho	one:		Albuquerque	Dispatch Cente	er		(505	5) 346-2660
Asst. Base Manager: ATB Technician: Air Attack: Runway Weight Limits Runway 08-26 Published: Runway 03-21 Published: Runway 03-21 Published: Runway 03-21 Published: Runway 04-25 Parking Total ATS TOTAL TOTAL AND Retardant Type BEATS ACA CHARACT Type Retardant Jettison Area(s) Lat. 34° 58.03' N Long. 106° 26.07' W Known Hazards: Remarks: ACA Uthorized, Co-located on Kirkland AFB. Additional aircraft parking (over 8), coordinated through Air Force Base. Cell(505) 401-1242 Asst. Bear Cell(505) 401-1242 Asst. Bear Cell(505) 401-1242 Asst. Bear Manager: Vacant Vacant Vacant Vacant Vacant Ado 28	Dispatch Contact F	requency	:	"Albuquer	que Dispatch"			168.65	50 Tn 110.9
ATB Technician: Air Attack: Runway Weight Limits Runway 08-26 Published: Overweight Agreement: Runway 03-21 Published: Runway 04-20 Published: Runway 04-20 Published: Runway 04-20 Published: Runway 04-20 Published: Runwa	Base Manager:			Rio	ck Beal		Co		
Air Attack: Runway Weight Limits Single Dual 2S 2D	Asst. Base Manager	r:		V	acant				
Runway Weight Limits Runway 08-26 Published: 100 210 155 360 Overweight Agreement: Runway 03-21 Published: 100 210 360 Airtanker Base Ramp Restriction: VLATS NO Pit Total 2 Hot Loading YES LATS YES Parking Total 6+ Fuel and Load NO MAFFS R/H/F Load Simultaneously 1 Hot Refueling NO SEATS YES Offload Capacity 4,000 Retardant Type MVP FX Runways: 8/26-13,793' x 150' 3/21-10,000' x 150' 12/30-6000' x 150' Retardant Jettison Area(s) Lat. 34° 58.03' N Long. 106° 26.07' W Known Hazards: Caution: Balloons, Ultra Lights, and Gliders in the area. 'Airtanker base ramp limited to ST155 (120K on a portion of M1. See STIF) for MAFFS per agreement with Kirkland. 28 MAFFS A/C Authorized, Co-located on Kirkland AFB. Additional aircraft parking (over 8), coordinated through Air Force Base. Shipping Address: Cibola National Forest 2113 Osuna Road NE-Suite A	ATB Technician:								
Runway 08-26 Published: Overweight Agreement: Runway 03-21 Published: Runway 03-21 Published: Airtanker Base Ramp Restriction: VLATS NO Pit Total 2 Hot Loading YES LATS YES Parking Total 6+ Fuel and Load NO MAFFS R/2H/2F Load Simultaneously 1 Hot Refueling NO SEATS YES Offload Capacity 4,000 Retardant Type MVP FX Retardant Jettison Area(s) Lat. 34° 58.03' N Long. 106° 26.07' W Known Hazards: Remarks: Caution: Balloons, Ultra Lights, and Gliders in the area. Additional aircraft parking (over 8), coordinated through Air Force Base. Cibola National Forest 2113 Osuna Road NE-Suite A	Air Attack:								
VLATS NO Pit Total 2 Hot Loading YES LATS YES Parking Total 6+ Fuel and Load NO MAFFS R/2H/2F Load Simultaneously 1 Hot Refueling NO SEATS YES Offload Capacity 4,000 Retardant Type MVP FX Runways: 8/26-13,793' x 150' 3/21-10,000' x 150' 12/30-6000' x 150' Retardant Jettison Area(s) Lat. 34° 58.03' N Long. 106° 26.07' W Known Hazards: Caution: Balloons, Ultra Lights, and Gliders in the area. 1-Airtanker base ramp limited to ST155 (120K on a portion of M1. See STIF) for MAFFS per agreement with Kirkland. 28 MAFFS A/C Authorized, Co-located on Kirkland AFB. Additional aircraft parking (over 8), coordinated through Air Force Base. Cibola National Forest 2113 Osuna Road NE-Suite A	Runway 08-26 Published: Overweight Agreement: Runway 03-21 Published:			100	210		155		360
MAFFS R/2H/2F Load Simultaneously 1 Hot Refueling NO SEATS YES Offload Capacity 4,000 Retardant Type MVP FX Runways: 8/26–13,793' x 150' 3/21–10,000' x 150' 12/30–6000' x 150' Retardant Jettison Area(s) Lat. 34° 58.03' N Long. 106° 26.07' W Known Hazards: Caution: Balloons, Ultra Lights, and Gliders in the area. 1Airtanker base ramp limited to ST155 (120K on a portion of M1. See STIF) for MAFFS per agreement with Kirkland. 28 MAFFS A/C Authorized, Co-located on Kirkland AFB. Additional aircraft parking (over 8), coordinated through Air Force Base. Shipping Address: Cibola National Forest 2113 Osuna Road NE-Suite A			Ì	al	2	Hot I	Loading		YES
SEATS YES Offload Capacity 4,000 Retardant Type MVP FX Runways: 8/26–13,793' x 150' 3/21–10,000' x 150' 12/30–6000' x 150' Retardant Jettison Area(s) Lat. 34° 58.03' N Long. 106° 26.07' W Known Hazards: Caution: Balloons, Ultra Lights, and Gliders in the area. 'Airtanker base ramp limited to ST155 (120K on a portion of M1. See STIF) for MAFFS per agreement with Kirkland. 28 MAFFS A/C Authorized, Co-located on Kirkland AFB. Additional aircraft parking (over 8), coordinated through Air Force Base. Shipping Address: Cibola National Forest 2113 Osuna Road NE-Suite A	LATs	YES	Parkin	g Total	6+	Fuel	-		NO
Runways: 8/26–13,793' x 150' 3/21–10,000' x 150' 12/30–6000' x 150' Retardant Jettison Area(s) Lat. 34° 58.03' N Long. 106° 26.07' W Known Hazards: Caution: Balloons, Ultra Lights, and Gliders in the area. 'Airtanker base ramp limited to ST155 (120K on a portion of M1. See STIF) for MAFFS per agreement with Kirkland. 28 MAFFS A/C Authorized, Co-located on Kirkland AFB. Additional aircraft parking (over 8), coordinated through Air Force Base. Shipping Address: Cibola National Forest 2113 Osuna Road NE-Suite A	MAFFS R	/2H/2F	Load S	Simultaneously	1	Hot F	Refueling		NO
Retardant Jettison Area(s) Lat. 34° 58.03' N Long. 106° 26.07' W Known Hazards: Caution: Balloons, Ultra Lights, and Gliders in the area. 'Airtanker base ramp limited to ST155 (120K on a portion of M1. See STIF) for MAFFS per agreement with Kirkland. 28 MAFFS A/C Authorized, Co-located on Kirkland AFB. Additional aircraft parking (over 8), coordinated through Air Force Base. Cibola National Forest 2113 Osuna Road NE-Suite A	SEATs	YES	Offloa	d Capacity	4,000	Retar	dant Type		MVP FX
Lat. 34° 58.03' N Long. 106° 26.07' W Known Hazards: Caution: Balloons, Ultra Lights, and Gliders in the area. Airtanker base ramp limited to ST155 (120K on a portion of M1. See STIF) for MAFFS per agreement with Kirkland. 28 MAFFS A/C Authorized, Co-located on Kirkland AFB. Additional aircraft parking (over 8), coordinated through Air Force Base. Cibola National Forest 2113 Osuna Road NE-Suite A		8/26–13.	,793' x 1		•	30–6000)' x 150'		
Remarks: \[\begin{align*} \text{Caution:} Balloons, Ultra Lights, and Gliders in the area. \\ \begin{align*} \text{Airtanker base ramp limited to ST155 (120K on a portion of M1. See STIF) for MAFFS per agreement with Kirkland. \(^2\)8 MAFFS A/C Authorized, Co-located on Kirkland AFB. Additional aircraft parking (over 8), coordinated through Air Force Base. \\ \text{Shipping Address:} \] \[\text{Cibola National Forest 2113 Osuna Road NE-Suite A} \]			La			W			
Remarks: per agreement with Kirkland. ² 8 MAFFS A/C Authorized, Co-located on Kirkland AFB. Additional aircraft parking (over 8), coordinated through Air Force Base. Cibola National Forest 2113 Osuna Road NE-Suite A	1 (3)	ution: Ba	alloons,	Ultra Lights, and C	Gliders in the are	ea.			
Shipping Address: 2113 Osuna Road NE-Suite A	Remarks: per agreement with Kirkland. ² 8 MAFFS A/C Authorized, Co-located on Kirkland AFB.								
Albuquerque, Nivi 8/113	Shipping 211	oing 2113 Osuna Road NE-Suite A							
Last Revision: 04-02-2018		ouquerque	e, mwi 8	/113					

BAKERSFIELD-BFL

Meadows Field Airport–Elevation: 509'

Airport: 35 25.705N/119 02.695 W Base Location: NE Quadrant

			Base Location:	NE Quadrant			
			SOUTHERN C	ALIFORNIA			
	FAX:					FOREST SER	S
Email: <u>ric</u>	contreras@fs.fee	<u>d.us</u>				USF	S
Base Operati	ions Phone:						TBD
Dispatch Off	fice Phone:		Porterv	ille Dispatch		(559	9) 782-3120
Dispatch Con	ntact Frequency	7:	"Po	rterville"			168.650
Base Manage	er:		Raul	Contreras		(559	9) 288-3528
Asst. Base M	lanager:		Ann	e Johnson		(559	9) 288-3528
Air Attack:							
Forest Aviati	ion Officer:		Jo	Joel Lane (5.			9) 789-0191
Runway We Runway Pub Overweight	lished:						
VLATs	YES	Pit To	tal		Hot Loading		
LATs	YES	Parkir	ıg Total		Fuel and Loa	ıd	
MAFFS		Load	Simultaneously		Hot Refuelin		
SEATs		Offloa	nd Capacity		Retardant Ty	pe	
			Retardant Jett	ison Area(s)			
Known Hazards:							
Remarks:	*This base r	not oper	ational yet. Planed	to be operational	during the 201	18 field s	eason.
Shipping Address:							
Last Revision	n: 3/19/2018+						

BATTLE MOUNTAIN-BAM

	Ва	attle M	Iountain Airpo		n: 4,532 '				
	Airport: 40 35.94N/116 52.46W Base Location on Field–NE Quadrant								
			GREAT H	`					
	FAX: (775) 635-2260 Email: <u>j4miller@blm.gov</u>			Battle Mountain District Attn: Battle Mountain Airtanker Base 50 Bastian Rd Battle Mountain, NV 89820 FTR County: Lander			BLM		
Base Operation	ns Phone:						, ,) 635-3034	
Dispatch Offic	e Phone:		(CNIDC				623-1555	
Dispatch Conta	act Frequency	·:	"Central I	Nevada Dispato	ch"	1	68.650	0 Tn 110.9	
Base Manager	:		Jo	oe Miller		Cel	, ,) 635-5160) 455-6047	
Asst. Base Ma	nager:		Vacant			(775) 635-3034			
Zone UAM:				ary Loan	1	(775) 623-2397			
Runway Weig Runway 12-30 Overweight Ag Runway 03-21 Overweight Ag	Published: greement: Published:		Single 30 94 30	Dual 104 130 125	6	S 55 75	5		
VLATs	NO	Pit Tot	al	2	Hot Lo	lot Loading		YES	
LATs	YES	Parkin	g Total	6	Fuel an	d Load		NO	
MAFFS	R	Load S	Simultaneously	1	Hot Re	fueling		NO	
SEATs	YES	Offloa	d Capacity	5,000	Retarda	ant Type		LC 95A	
	R	unways	: 3/21–7,300° x 15 Retardant Jetti 40° 36.3 N X 1	son Area(s)	99' x 150'				
Known Hazards:			ivity on airport. ng routes in area						
Remarks: FBO: (775) 635-2245, See Base Manager for details¹. MAFFS: 1. Taxiway limit ST 157; Don't use western-most TWY entry to GA ramp 2. Park right side towards pits due to hose length, offset S of pit taxi lines for wingtip clearance. 3. ARFF coordination req'd for > 4 sorties/7 days									
Shipping Address:	Battle Mour		Airport Road V 89820						
Last Revision:	Z-Z1-ZU10								

BEMIDJI-BJI

Bemidji Regional Airport-Elevation: 1,390'

Airport: 47 30.17N/94 55.70W Base Location on Field: SE Quadrant

EASTERN

FAX: (218) 755-4379 Email: bemidjitb.dnr@state.mn.us			Dept. of Nata Bemidji Interager 3219 Gill Bemidji,	nesota ural Resources ncy Airtanker Base ett Dr. NW MN 56601 ty: Beltrami	DEPARTMENT OF NATURAL RESOURCES	BIA	
Base Operations l	Phone:		Open Ap	oril –June ¹	(2	218) 755-4380	
Dispatch Office P	Phone:		-	cy Coordination enter	(2	218) 327-4558	
Dispatch Contact	Frequency	:	"Fire	Center"	Ai	r Net–151.370 Tn 136.5	
Base Manager:			Lee S	Schaar	(218) 755-4380		
Asst. Base Manag	ger:						
BIA Contract CO	R:		Greg I	Peterson	(218) 751-	-2011 Ext. 408	
MN DNR Contra	ct COR:		Paul W	⁷ annarka	(218) 322-2728		
Runway 13-31 Pu Overweight Agre Runway 07-25 Pu	Runway Weight Limits Runway 13-31 Published: Overweight Agreement: Runway 07-25 Published: Overweight Agreement:		Single 75 75	Dual 200 200	28	2D	
VLATs	NO	Pit To	tal	2	Hot Loading ² YES		
LATs	YES	Parkin	g Total	3	Fuel and Load	NO	
MAFFS	MAFFS NO Load S		Simultaneously	1	Hot Refueling	NO	
SEATs	YES	Offloa	d Capacity		Retardant Type		

Runways: 13/31–7,004' x 150' 7/25–5,700' x 150' Retardant Jettison Area(s)

Lat. 47^o22.35' N Long. 95^o07.47' W

Known Hazards:	
Remarks:	¹ Please call Fixed-Wing Operations Specialist during off season. Paul Wannarka. (218) 322-2728. ² Hot Loading for SEATs only. Contact base by radio for parking instructions (120.1250)
Shipping Address:	Bemidji Airtanker Base 3219 Gillett Dr. NW Bemidji, MN 56601
Last Revision:	02-27-2018

BILLINGS-BIL

Billings Logan International Airport–Elevation: 3,652'

Airport: 45 48.38N/108 31.35W Base Location on Field: NE Quadrant

			NORTHERN	ROCKIES					
FAX: (406) 896-2951 Email: <u>jhassler@blm.gov</u>			Bureau of Land Management 1299 Rimtop Drive Billings, MT 59105 FTR County: Yellowstone			BLM			
Base Operat	tions Phone:) 896-2910	
Dispatch Office Phone:			Billings l	Dispatch Center			(406)	896-2900	
Dispatch Co	ontact Frequency	':	"Billin	gs Dispatch"		1	68.65	0 Tn 110.9	
Base Manag	ger:		Jir	n Hassler			. ,) 896-2962) 794-7377	
Air Services	s Manager/SEMO	G:	Henr	ry Gilliland			(406)	896-2969	
Ramp Mana	ger:		Adan	n Edgington			(406)	896-2883	
Unit Aviatio	on Manager:		Cha	ad Cullum			(406)	896-2862	
Runway 101	unway Weight Limits unway 10L-28R Published: overweight Agreement:		Single 130	Dual 170		2S 175		2D 285	
VLATs	NO	Pit To	tal	2	Hot Lo	ading		YES	
LATs	YES	Parkin	g Total	6	Fuel an	d Load		YES	
MAFFS	R	Load S	Simultaneously	2	Hot Re	Hot Refueling YI		YES	
SEATs	YES	Offloa	d Capacity	5,000	Retarda	ant Type		LC 95A	
W			10L/28R-10,518' Retardant Jetti Lat. 45-57.9N Lo	son Area(s) ng.108-41.0W			- 1	•	
Known Hazards:	Center webs	site unde	er aviation. Updated	d annually					
Remarks: Remark					e.				
Shipping Address:	Bureau of L 1299 Rimto Billings, M7 on: 3-02-2018	p Drive							
Last ICVISIC	711. J-04-4010								

BISHOP-BIH

Lastana	C:	Daniana	1 1	–Elevation	. 11719
Eastern	Sierra	Regiona	i Airnori-	-rievanor	1 4.1/41
	DICIIU	1 CO CIOIIA		Lic vacioi.	

Airport: 37 22.53N/118 22.48W Base Location on Field-SW Quadrant

SOUTHERN CALIFORNIA

			SOUTHERN	ALIFORNIA					
FAX: (760) 873-8403 Email: <u>mingram@fs.fed.us</u>			Inyo National Forest 798 N. Main Street Bishop, CA 93514 FTR County: Inyo			USFS			
Base Operat	ions Phone:						(760) 873-8371		
Dispatch Of	Dispatch Office Phone:			OVICC			`) 873-2405	
Dispatch Contact Frequency:				"Inyo"		Rx168	8.125 T	Tx173.800 Tn 8	
Base Manag	er:						,) 873-2470	
Admin. contact:			М	ark Ingram		Ce		9) 872-5007 9) 616-0006	
ATB Techni	cian:								
Air Attack:									
Runway 12- Overweight Runway 16-	Runway Weight Limits Runway 12-30 Published: Overweight Agreement: Runway 16-34 Published: Overweight Agreement:		Single 70 100	Dual 110 140	2	28		2D 200 240	
VLATs	NO	Pit Tota	ıl	1	Hot Lo	oading		YES	
LATs	YES	Parking	Total	6	Fuel a	nd Load		NO	
MAFFS	NO	Load Si	multaneously	1	Hot Re	efueling		NO	
SEATs	YES	Offload	Capacity		Retard	ant Type		MVP FX	
	Runways: 1	2/30–7,4	98' x 100' 16/34 Retardant Jet Contact	tison Area(s)	7/25–5,	567' x 10	00'		
Known Hazards:									
Remarks:									
Shipping	Bishop Relo								

Last Revision: 02-28-2018

Address:

Bishop, CA. 93514

BOISE-BOI

Boise Air Terminal/Gowen Field-Elevation: 2,871'

Airport: 43 33.93N/116 12.87W Base Location on Field–NE Quadrant

GREAT BASIN

FAX: (208) 387-5436 Email: <u>ldixon@fs.fed.us</u>	Boise Airtanker Base 3833 S. Development Ave. Boise, ID 83705 FTR County: Ada			UAS PRINT OF AGRICUS		
Base Operations Phone:					(208	3) 387-5664
Dispatch Office Phone:	Boise Dis	patch Center		(20	8) 384	-3398/3400
Dispatch Contact Frequency:	"Boise	Dispatch"		172.200 Tn 123.0 168.650 Tn 110.9		
Base Manager:	Les Dixon			(208) 387-5664/5651		
Asst. Base Manager:	Dave Perez			(208) 387-5664		
Runway Weight Limits Runway 10L-28R Published: Overweight Agreement: Runway 10R-28L Published: Overweight Agreement:	Single 100 100	Dual 210 210		2S 175		2D 446 430
VLATs NO Pit To	tal	3	Hot I	Loading		YES
LATs YES Parkin	ng Total	5+	Fuel	and Load		NO
MAFFS R/¹H/¹F Load S	Simultaneously	1	Hot I	Hot Refueling		NO
SEATs YES Offloa	nd Capacity	3,000	Retardant Type			LC 95A

Runways: 10L/28R-10,000' x 150' 10R/28L-9,763' x 150' Retardant Jettison Area(s)

Lat. 43° 26.06' N Long. 116° 06.54' W

(3,000' drop height, avoid livestock, vehicles, radio towers (2)

	(3,000 drop neight, avoid fivestock, vehicles, radio towers (2)
Known Hazards:	Caution: Class C airspace. Helicopter training ops on third runway. IDANG, LATN & MTR routes and training outside of MOA's with A-10 and C-130. MOA south of Snake River. Backcountry air ops 122.9 between BOI, Salmon, McCall, and Frank Church Wilderness.
Remarks:	16 MAFFS A/C Authorized 3SEATs only Numerous MTR's in area. Consult hazard maps and sectional charts. Transitioning Owyhee or Jarbidge MOA contact Mountain Home RAPCON on 124.8, Cowboy Control on 134.1. Noise abatement: Unless otherwise instructed by ATC departing airtankers should fly runway heading until 4,400 feet MSL before making turns. Pilots may request a southerly turn any time after departure. MAFFS: MOG of 2 for all J Model C-130's in the Pits.
Shipping Address:	Atten: Boise Airtanker Base 3833 S. Development Ave. Boise, ID 83705
Last Revision:	3-2-2018

BROWN FIELD-SDM

Brown Field Municipal Airport-Elevation: 526'

Airport: 32 34.33 N/116 58.82 W Base Location on Field: SW Quadrant

SOUTHERN CALIFORNIA

FAX: (760) 788-9634 Email: meaton@fs.fed.us MVU.RamonaAirAttackBase@fire.ca.gov			1421 Con San Die	own Field ntinental Stree go, CA 92154 nty: San Dieg		USI	FS &	CAL FIRE		
Base Operations Phone:			(RN	VM AAB)			(760) 789-1370		
Dispatch Office Phone:			Cleveland Dispatch/ Monte Vista				(619) 557-5262			
Dispatch Contac	Dispatch Contact Frequency:			"Cleveland"				168.650 Tn 100.9		
Base Contact:			USFS: Mike Eaton FAO Burke Kremensky RNM BC			(909) 383-2994 (760) 789-1370				
Runway Weight Limits Runway 8L-26R Published: Overweight Agreement:			Single 80	Dual 110	28			2D		
VLATs	NO	Pit Tota		2	Hot Load	ing		YES		
LATs YES Parkin			Total	8	Fuel and Load			NO		
MAFFS	pending	Load Si	multaneously	2 Hot Refue		ueling		NO		
SEATs	YES	Offload	Capacity	0	Retardant Type			MVP FX		

Runways: 8L/26R-7,692' x 150' 8R/26L-3,180' x 75' Retardant Jettison Area(s) Orosco Ridge Lat. 33 06 00 N Long. 166 52 09 W

Known Hazards:	Caution: Be alert to runway crossing clearances Caution: Read back of all holding instruction required Caution: Otay Mountain Range–6 miles east of runway.
Remarks:	This airport is used as a temporary addition. Contact the dispatch center to find out the specific aviation information.
Shipping Address:	Brown Reload Base 1421 Continental Street San Diego, CA 92154

CASPER-CPR

Casper/Natrona County Int'l Airport-Elevation: 5,350'

Airport: 42 54.12N/106 24.60W Base Location on Field–Southwest of terminal

ROCKEY MOUNTAIN

FAX: (307) 261-7646 Email: <u>echapman@blm.gov</u>			Bureau of La Casper–N Internati Cas FTR Cou	BLM				
Base Operation	Base Operations Phone:			licated line				
Dispatch Offic	Dispatch Office Phone:			ispatch Center			(307	7) 233-1140
Dispatch Conta	act Frequency	:	"Caspe	r Dispatch"			168.65	50 Tn 110.9
Base Manager:	;		,	TBD				
Asst. Base Mar	nager:							
ATB Technicia	an:							
Unit Aviation	Manager:		Eric Chapman			(307) 261-7512		
Runway Weight Limits Runway 3-21 Published: Overweight Agreement: Runway 08-26 Published: Overweight Agreement:			Single 130 85	Dual 170 140		ST D7 270		
VLATs	¹YES	Pit To	tal	1	Hot 1	Hot Loading		YES
LATs	YES	Parkin	g Total	2	Fuel	and Load		NO
MAFFS	YES	Load S	Simultaneously	1	Hot]	Refueling		NO
SEATs	YES	Offloa	d Capacity		Reta	rdant Type		LC 95A
W.	Runways: 3/21–10,165' x 150' Retardant Jettison Area(s) Lat. 42 54.354' N Long. 106 38.354' W West of airport, Ridgeline south of Emerald Acres subdivision							
Known Hazards: Caution: Wyoming Aerial Hazards Map available at the base.								
Remarks:	• Unio	nporary com 122 AF 118.3 LL, Jet 2	3	DC-10 only. Pr	rimary (Jse is a SE.	AT Ba	se

Last Revision: 3-02-18

Shipping

Address:

Casper Interagency Dispatch Center

3777 Airport Parkway

Casper, WY 82604

CASTLE-MER

Castle Airport–Elevation: Airport: 37 22.49N/120 34.05W									
Base Location on Field: NW Quadrant									
SOUTHERN CALIFORNIA									
F	09) 725-1702 Email: ry@fs.fed.us		Stanislaus National Forest Castle Airport Headway Drive Gate 29 Atwater, CA 95301 FTR County: Merced				USFS		
Base Operation	ns Phone:		USFS	Castle A	ATB			(209	9) 725-1700
STF Dispatch (Office Phone:		Stanisla	us Disp	patch			(209	9) 533-1130
Dispatch Conta	act Frequency		"Stanislaus Dis	patch/l	Vational F	FF"		168.65	50 Tn 110.9
ATB Base Mar	nager:		V	acant					
Phos-Chek Are	a Manager:		Chuc	k Dunc	an		(951) 452-1355		
Stanislaus NF 1	FAO:								
Castle Airport	Manager:		Scott Malta			(209) 3	85-768	36 ext. 4180	
Forest Fire Stat	ff Officer:		Harold "I	Dave" I	Jpdike			(209	9) 532-3671
Runway Runway 13-31 Overweight Ag		its	Single 155		Oual 200		2S		2D 415
VLATs	¹YES	Pit To	tal		2	Hot l	Loading		YES
LATs	YES	Parkin	g Total		6	Fuel	and Load		NO
MAFFS	YES	Load S	Simultaneously		2	Hot l	Refueling		NO
SEATs	YES	Offloa	d Capacity	1	2,000	Reta	rdant Type		MVP FX
Gra	ssy area north	and ce	Runways: 13/31– Retardant Jetti ntered with runway	ison Aı	rea(s)	y 13-3	1 and road	/prison	l
Known			student flight train	ing act	ivity on a	irport.	Avoid fuel	hydra	nt outlets
Hazards: Remarks:	Hazards: on north ramp area. Civilian and military training may occasionally cause pattern congestion								
Shipping Address: Last Revision:	Castle Airta 1900 Airdro Atwater, CA 04-09-2018	me Entr							

CEDAR CITY-CDC

Cedar City	Regional	Airport-	Elevation:	5,622
J	0			,

Airport: 37 42.47N/113 05.35W Base Location on Field: NE Quadrant

GREAT BASIN

FAX: (435) 865-4629 Email: rsorenson@blm.gov cedarcityac@gmail.com			Bureau of I 1635 N Cedar C	teragency Air C Land Managem J. Airport Rd. City, UT 84721 County: Iron			NATIONAL SYSTEM OF U.S. REPARTMENT OF USE BUILDING OF UNION OF BUILDING OF UNION OF BUILDING OF UNION OF USE BUILDING OF USE B	THE CANAL CA	
Base Operations Phone:							(435	5) 865-4620	
Dispatch Offic	e Phone:		1	CCIFC			(435	5) 865-4600	
Dispatch Conta	act Frequency	' :	"Cole	or Country"			168.65	50 Tn 110.9	
Base Manager	Base Manager:			Vacant			(435) 865-4622		
Asst. Base Ma	nager:		Vacant						
Air Attack:			Isaac Shinkle			(435) 865-4645 Cell(435) 669-6869			
Unit Aviation	Manager:		Vacant						
Runway Weig Runway 02-20 Overweight Ag	Published:		Single 75	Dual 100		S '51		2D 150	
VLATs	NO	Pit Tot	al	3	Hot Lo	ading		YES	
LATs	YES	Parkin	g Total	5+	Fuel an	d Load		YES	
MAFFS	R	Load S	imultaneously 2 Hot Re		fueling		NO		
SEATs	YES	Offloa	d Capacity	5,000	Retardant Type Lo			LC 95A- Fx	

Runways: 2/20–8,653' x 150' Retardant Jettison Area(s)

Lat. 37° 46.37'N Long.113° 22.23'W

Known Hazards:	Caution: Extensive student flight training activity on airport. Large airtankers exceed runway 08/26 bearing strength.			
Remarks:	¹ MAFFS approved to 2S175 per letter of agreement. FBO Sphere One contact number: (435) 586-4504. Service: 122.85 Traffic: 123.0 VOR CDC 252 @ 14nm Additional parking in GA East of FBO			
Shipping Address:	Cedar City Air Center 1635 N Airport Road Cedar City, UT 84721			
Last Revision: 3-19-2018				

CHANNEL ISLANDS RELOAD-NTD

Airport: 34 07.82N/119 06.54W Base Location on Field: NE Quadrant

		Ι		on on Field: NE Quadrani ERN CALIFORNIA	L			
			SOUIN	EKN CALIFUKNIA				
<u>S</u>	FAX: (TB Email: LU.PasoRoblesA fire.ca.gov@fire	irAttack@	<u>Q</u>	146 th Airlift Win 106 Mulcahe Port Hueneme, C FTR County: V	CAL FIRE			
Base Opera	ations Phone:			TBD/Paso Robl	TBD/Paso Robles AAB			
Dispatch O	office Phone:			San Luis Obisp	o U	nit	(805) 547-9331	
Dispatch C	ontact Frequenc	ey:		"San Luis" Comma	Tone 10	Rx 151.355 Tx 159.300 Tn 107.2		
Base Mana	ger:			Battalion Chief Ja	mes	Tully	(805) 903-3418	
				Captain Matt N	Aiha	lco	(805) 610-1469	
				Captain Tom S	wan	son	(805) 903-3481	
Runway 3-	Runway Weight LimitsSingleRunway 3-21 Published:150Overweight Agreement:			Dual 300		2S 175	2D	
VLATs	NO	Pit Tot	al		3	Hot Loading	YES	
LATs		YES		Parking Total	8	Fuel and Load	NO	
MAFFS		H/F		Load Simultaneously	2	Hot Refueling	NO	
SEATs		YES		Offload Capacity	0	Retardant Type	MVP FX	
			Retarda	102' x 200' 9/27–5,502 ant Jettison Area(s) djacent to RWY 02/22 N			27.89	
Known Hazards:	L antion, Read pack of all holding instriction required							
Remarks:	This airport is used as a temporary addition and works in conjunction with Paso Robles Air Attack Base during peak fire conditions. Contact Battalion Chief James Tully with all questions concerning Channel Islands and its operations (805) 903-3418.							
Shipping Address:	11 C I III Williamev I r							
Last Revisi	ion: 3-1-2018	·						

CHATTANOOGA-CHA

Chattanooga Metropolitan Airport, Lovell Field-Elevation: 683'

Airport: 35 02.22N/85 12.30W Base Location on Field–NW Quadrant

SOUTHERN

FAX: (423) 892-1258 Email: <u>doug_ivey@nps.gov</u>			Cherokee National Forest 1022 Jubilee Drive Chattanooga, TN 37421 FTR County: Hamilton			USFS		
Base Operation	ns Phone:						(423	3) 892-6861
Dispatch Office	e Phone:		Cherok	ee Dispatch			(423	3) 476-9761
Dispatch Conta	act Frequency	:	"Cherok	ee Dispatch"			169.29	95 Tn 103.5
Base Manager:			Doug Ivey			(423) 892-6861 Cell(865) 712-0689		
Asst. Base Mar	nager:		Corey Smith					
ATB Technicia	ın:							
Air Attack:								
Runway Weight Limits Runway 02-20 Published: Overweight Agreement: Runway 15-33 Published: Overweight Agreement:			Single 120 120	Dual 164 164		2S		2D 265 265
VLATs NO Pit Tot			al	2	Hot I	Loading		NO
LATs	YES	Parkin	g Total	4	Fuel	and Load	YES	
MAFFS	NO	Load S	Simultaneously	1	Hot I	Refueling	NO	
SEATs	YES	Offloa	d Capacity	5,000	Retai	rdant Type	MVP FX	

Runways: 2/20–7,400' x 150' 15/33–5,575' x 150' Retardant Jettison Area(s)

Lat. 35° 16.33' N Long. 084° 30.27' W

Known Hazards:	Caution: Large flocks of birds in vicinity of airport.				
Remarks:	Transient aircraft avoid security zone within 300 ft. of terminal building. Read back all hold short instructions required.				
Shipping Address:	Cherokee National Forest 1022 Jubilee Drive Chattanooga, TN 37421				
Last Revision:	Last Revision: 3-02-2018				

CHESTER-005

Rogers Fi	ield Airport	t–Elevation	4,528
\mathcal{C}	1		,

Airport: 40 17.32N/121 14.65W Base Location on Field–NE Quadrant

NORTHERN CALIFORNIA

FAX: (530 Email: <u>talexar</u>			90 Ches	n National Forest 1 E. Hwy 36 ster, CA 96020 County: Plumas	USFS			
Base Operations Phone:						(530) 258-5150 (530) 258-5151		
Dispatch Offic	ce Phone:		Susanville Ir	nteragency Fire Center		(530) 257-5575		
Dispatch Conf Frequency:	tact		ee s	Susanville"		173.1875 164.8000 Tn 5		
Base Manager	r:		Tam	my Alexander	(530) 258-542			
Assistant Base	e Mgr.:			Vacant				
ATB Technic	ians:		Kirk Phillips Jenna Peters			(530) 258-5117 (530) 258-5420		
Lassen NF FA	Lassen NF FAO:			rian Rogers	(530) 258-51			
Air Attack:			Fr	ed Brewster		(530) 258-5108		
Runway 16-3 4	Runway Weight Limits Runway 16-34 Published: Overweight Agreement:		Single 80,000	Dual 135,000	2S 155,000	2D 165,000		
VLATs	NO	Pit T	otal	3	Hot Loading	YES		
LATs	YES	Parki	ing Total	10	Fuel and Load NO			
MAFFS	NO	Load Simu	ıltaneously	3	Hot Refueling NO			
SEATs	YES	Offlo	oad Capacity	6,500	Retardant Type	MVP FX		

Runways: 16/34–5,020' x 100' Retardant Jettison Area(s)

"Prattville Plantation" Lat. 40° 12.26' N Long. 121° 11.15' W

From O05, 134° for 6 nm

Known Hazards:			
Remarks:	No avgas truck, recip. Aircraft use commercial pump at FBO Jet fuel truck available from FBO AWOS frequency 118.275 or (530) 258-5860		
Shipping Address:	Lassen National Forest Atten: Chester Airtanker Base 900 E. HWY 36 Chester, CA 96020		
Last Revision: 3-01-2018			

CHICO-CIC

Chico Municipal Airport-Elevation: 240'

Airport: 39 48.13N/121 51.52W Base Location on Field–NE Quadrant

NORTHERN CALIFORNIA

FAX: (530) 895-6029 Email: btu_chicoairattackbase@fire.ca.gov			Chico Air Attack Base 1335 Fortress Street Chico, CA 95973 FTR County: Butte			CAL FIRE		
Base Operations Pho	ne:						(530) 895-6505
Dispatch Office Phon	ne:		Orovi	lle ECC			(530	538-6460
Dispatch Contact Fre	equency:		"Orc	oville"		Tx 159.375 Rx 151.400		
Base Manager:			Captain Matt Davis Captain Chris Vatcher			(530) 895-6505		
Asst. Base Manager:								
ATB Technician:								
Air Attack:			BC Shem Hawkins				(530	990-5128
Runway Weight Limits Runway 13L-31R Published: Overweight Agreement:			Single 63	Dual 100 155 ¹	,	2S 165 ²		2D 170
VLATs NO Pit Tota			1	3	Hot Loading			YES
LATs	YES	Parking	Total	10+	Fuel and Load		1	NO
MAFFS	R	Load Simultaneously		3	Hot Refueling		NO	
SEATs	YES	Offload	Capacity	6000	Reta	Retardant Type		MVP FX
		-	101 (015) (50	4. 4.70.				

Runways: 13L/31R-6,724' x 150' Retardant Jettison Area(s)

Contact base on airtanker base frequency for jettison area locations and drop instructions

	1 3 3
Known Hazards:	
Remarks:	¹ Waiver to exceed runway weight limit in effect for occasional use up to 155,000 lbs. See base manager for details. ² MAFFS approved to ST165 per letter of agreement on RWY 13L-31R, TWYs A, B, E, H, and R. For noise abatement a left turn to 080° is desirable when departing RW 13L. A left 270 is the usual pattern for westerly headings. Avgas and Jet A both available. Single point fueling available.
Shipping Address:	Chico Air Attack Base 1335 Fortress Street Chico, CA 95973
Last Revision: 3-1-20	018

COEUR d' ALENE-COE

Pappy Boyington Field–Elevation: 2,320'									
	Airport: 47 46.55N/116 48.52W Location on Field–NE Quadrant								
			NORTHERN 1						
Email: idcdcb2atbase@fs.fed.us			Coeur d'Alene Wildland Fire Center 11569 Airport Drive Hayden, Idaho 83835 FTR County: Kootenai				USFS		
Base Operation	ns Phone:					Ce		8) 762-6912 8) 290-2540	
Dispatch Offic	e Phone:		24hr Ph	one Number			`	8) 772-3283	
Dispatch Conta	act Frequency	·:	"Coeur d'.	Alene Dispatch	."		168.6	50 Tn 110.9	
Base Manager:	:		H. "S	tan" Goode			(208	8) 762-6901	
Asst. Base Ma	nager:		Pat "Pat" Montreuil				(208	8) 762-6920	
ATB Tech:			Rick Sorenson				(208	8) 762-6920	
Forest Aviation Officer/ BLM UAM:			Greg Loper				(208	8) 762-6926	
Runway (Runway Weight Limits Runway 06/24 Published: Overweight Agreement:			Dual 95 120		2S 165		2D 165	
VLATs	NO	Pit Tot	al	2	Hot Los	ading	YES1		
LATs	YES	Parkin	g Total	5	Fuel an	d Load		YES	
MAFFS	NO	Load S	Simultaneously	1	Hot Re	fueling		YES ²	
SEATs	YES	Offloa	d Capacity	10,000	Retarda	nt Type		LC 95A	
			ys: 6/24–7,400' x 1 Retardant Jetti 47° 50.25' N X 11	son Area(s)	0' x 75'				
Known Hazards:			ng tip clearances ta						
¹ Hot Loading for SEATs common/LATs very uncommon. ² Hot Refueling for equipped/approved aircraft only. Remarks: ³ Jettison area is approximately 7 miles northeast of the airport. Jet A and 100LL both available on field. Air card accepted State SEATs based at COE									
Shipping Address: Coeur d' Alene Airtanker Base 11569 Airport Drive Hayden, ID 83835									
Last Revision:	3-1-2018								

COLORADO SPRINGS-COS

Colorado	Springs N	Municipal	l Airport-	-Elevation:	6,187
					- ,

Airport: 38 48.80N/104 42.70W Base Location on Field–SE Quadrant

ROCKY MOUNTAIN

			ROCKI MC						
	FAX: TBD Email: sATB@gmail.co	<u>om</u>	Army/Departu Gro Colorado	t Service CWN are Airfield Cor up Ramp o Springs, CO unty: El Paso	ntrol				
Base Operat	ions Phone:					TBD contact Dispatch			
Dispatch Of	fice Phone:		Puebl	o Dispatch			(719)	553-1600	
Dispatch Co	ntact Frequency	' :	"Nat	ional FF"				168.650	
Base Manager:			William	(Robby) Cline		Се	ell (303)	941-6359	
Asst. Base N	lanager:								
ATB Techni	cian:								
Air Attack:									
Runway 35I Runway 35I Runway 31-	Runway Weight Limits Runway 35R-17L Published: Runway 35L-17R Published: Runway 31-13 Published: Airtanker Base Ramp			Dual 250K 250K 171K		ST DT 250K 550K 250K 550K 171K 279K			
VLATs	YES	Pit Tot	al	2	Hot 1	Loading		NO	
LATs	YES	Parkin	g Total	6+1	Fuel	and Load		YES	
MAFFS	YES	Load S	Simultaneously	2	Hot]	Refueling		NO	
SEATs	YES	Offload	d Capacity	NO					
			Retardant Jett 38-79.7299N,10 300 Ft East of run	04-68.3611W					
Known Hazards:	None know	n at this	time						
Remarks:	¹ Extra parki	ng coord	linated with ADEC	C ramp and/or C	COS airp	ort.			

Last Revision: 3-22-18

TBD

Shipping

Address:

COLUMBIA-022

Columbia Airport-Elevation: 2,118'

Airport: 38 01.58N/120 24.78W Base Location on Field-NE Quadrant

NORTHERN CALIFORNIA

	K: (209) 532-80 3 Email: airattackbase@	PO Columb	CAL FIRE PO Box 390 Columbia, CA 95310 TR County: TUOLOMNE			CAL FIRE		
Base Operations	Base Operations Phone:				(2	209) 532-2911		
Dispatch Office	Dispatch Office Phone:				С	(2	209) 754-3831	
Dispatch Contact	Frequency:		"San	Andreas'	,		151.175	
Base Manager:	BC Ke	en Warnoo	(:	(209) 532-2911				
Asst. Base Manager:								
ATB Technician:								
Air Attack:	Captain S	tacey Han	nilton					
Runway 17-35 P	Runway Weight Limits Runway 17-35 Published: Overweight Agreement:			Dual		2S	2D	
VLATs	NO	Pit Total		3	Hot L	oading	YES	
LATs	NO	Parking Tota	al	6	Fuel a	nd Load	NO	
MAFFS	NO	Load Simult	aneously	3	Hot R	efueling	NO	
SEATs	YES	Offload Cap	acity	3,000	Retard	lant Type	MVP FX	
Known	"American (: 17/35–4,673° nt Jettison Ard Lat 38° 05.11°	ea(s)	120° 23.0	97'W		
Hazards:	As app	licable, land on	runway 35, and	d depart or	ı runway	17 when c	conditions	

NWCG Airtanker Base Directory

permit.

10735 North Airport Road

Columbia, CA 95310

Remarks:

Shipping Address:

Last Revision: 3-1-2018

DARWIN ANDERSON (BRAINERD)-BRD

Brainerd Lakes Regional Airport–Elevation: 1,232'

Airport: 46 23.83N/94 07.85W Base Location on Field: SW Quadrant

	•	α	$\Gamma { m E}$	n	T.
н	Λ	•	. н	ĸ	IN.
					I 🕶

			EAST	ΓERN				
FAX: (218) 828-2707 Email: brainerdtb.dnr@state.mn.us			Dept. of Na Brainerd DN 12834 Brainerd	nnesota tural Resources R Airtanker Base Hwy 210 I, MN 56401 ry: Crow Wing		DEPARTMENT OF NATURAL RESOURCES Minnesota DNR		
Base Operati	ons Phone:		Open A	April –June ¹		(218)) 316-3820	
Dispatch Off	ice Phone:		_	ncy Coordination Center		` ′) 327-4558	
Dispatch Cor	ntact Frequency	/:	"Fire	e Center"	A	Air Ne	et–151.370 Tn 136.5	
Base Manage	er:		Keit	h Riedel		(218)	316-3824	
Asst. Base M	lanager:							
Runway 16-3 Overweight A Runway 05-2 Overweight A	Agreement: 3 Published:		Single 75 75	Dual 125 125	28		2D	
VLATs	NO	Pit To	tal	2	Hot Loading		YES	
LATs	YES	Parkin	ng Total	4	Fuel and Load		NO	
MAFFS	NO	Load S	Simultaneously	1	Hot Refueling		NO	
SEATs	YES	Offloa	nd Capacity		Retardant Type	e	LC 95A	
	I		Retardant Je	150' 5/23–6,512' ttison Area(s) Long. 94 ⁰ 02.51'W	x 150'			
Known Hazards:	Radio Towe	er (500 f	t. tall) approxima	tely 5 miles SW of r	unway.			
Remarks: 1 Please call Fixed-Wing Operations Specialist during off season. Paul Wannarka. (218) 322-2728. 2 Hot Loading for SEATs only. Contact base by radio for parking instructions (120.1250)								
Shipping Address:	pping Darwin Anderson Airtanker Base							

Last Revision: 3-01-2018

DELTA JUNCTION-PABI-BIG

Fort Greely/Allen Army Airfield–Elevation: 1,277'									
	Airport: 63 59.32N/145 43.30W Base Location on Field–SE Quadrant								
			ALAS	KA					
FAX: (907) 895-2125 Email: michael.goyette@alaska.gov			PO Delta Jun	a Division of F Box 1149 ction, AK 9973 ounty: Alaska	·	State of Alaska			
Base Operation	ns Phone:		State of Alask	a ,Delta Area F	orestry		(907	7) 895-4225	
Dispatch Offic	e Phone:		Delta	Area Forestry			,	7) 895-2107 7) 895-4225	
Dispatch Conta	act Frequency	:	"Del	ta Forestry"				132.450	
Base Manager:			Ca	leb Parker		Се	,	7) 895-4225 7) 799-0365	
ATB Technicia	an:								
Airfield Manag	ger: US Milita	ry	Burt Verhaar				(907) 873-7401		
Airport Operat	ions: US Mili	tary		ando Elkins			(907) 873-4171 (907) 873-4172		
Runway Weight Limits Runway 01-19 Published: Overweight Agreement: Runway 10-28 Published: Overweight Agreement:			Single PCN 54 N/A PCN 20 N/A	Dual		175 137		2D	
VLATs	NO	Pit Tot	al	2	Hot Loa	ding	NO		
LATs	YES	Parkin	g Total	6	Fuel and	d Load		NO	
MAFFS	R		Simultaneously	2	Hot Ref			NO	
SEATs	YES	Offloa	d Capacity	3,000	Retarda	nt Type		LC 95A	
	Runways:		000' x 150' 10/28- Retardant Jetti t. 63° 51.00' N Loi	son Area(s)	7/25-4,0°	77' x 90),		
Known									
Remarks: Class D Control Area, 6.0 mile radius of PABI. Active military base PPR required (contact Delta Forestry to coordinate). Avoid flight over main base. Avoid flight over sensitive ammunition storage area 1.5 miles SE of field. Avoid flight over National Missile Defense site 2.3 miles SE of field. Contact tower/CTAF on 122.9 prior to landing (staffed M-F 08:00–24:00 local). Ground Control 118.225 MAFFS: 1) Face West in pits; no pit taxilines.2) No RON/No Restricted Area Pit MOG of 1 unless manifolds spread out.									
Shipping Address:	Shipping MP 267.5 Richardson HWY Delta Junction AK 99737								
Last Revision:	03-2-2018								

DURANGO-DRO

Durango/La Plata County Airport-Elevation 6,685'

Airport: 37 09.78N/107 44.82W Base Location on Field: NW Quadrant

ROCKY MOUNTAIN

FAX: (970) 382-8061 Email: <u>cfrench01@fs.fed.us</u>				Ign:	nan National 100 CR 3092 acio, CO. 81 ounty: LA I	A .137		USFS		
Base Operation	ons Phone:								(9	70) 375-3333
Dispatch Offi	ce Phone:			Dura	ngo Fire Dis	spatch			(9	70) 385-1324
Dispatch Contact Frequency:				"Du	rango Dispo	atch"			168.	650 Tn 110.9
Base Manager:				Craig French				(970) 375-3322		
Asst. Base Ma	Asst. Base Manager:			Jayleen Vera				(9	70) 375-3333	
Air Attack:										
Forest Aviation	on Officer:			Jarren Flinders				(9	70) 375-3334	
Runway 03-2	Runway Weight Limits Runway 03-21 Published: Overweight Agreement:		,	Single 95	Dua 150					2D 210
VLATs	NO	Pit To	otal		2	Hot L	oading	g		YES
LATs	YES	Parki	ng T	Total	6	Fuel a	nd Lo	ad		YES
MAFFS	R	Load Simu		eously	1	Hot R	efueli	ng		NO
SEATs	YES	Offlo	ad C	Capacity	6,500	Retard	lant T	ype		LC 95A
	D 2/21 0 2011 1501									

Runways: 3/21-9,201' x 150' Retardant Jettison Area(s) On Airport: Lat. 37° 09.47' N Long.107° 44.50' W

	on impose zame, opti, in zongre, into
Known Hazards:	
Remarks:	¹ Runway and all taxiways rated to ST175. Hot Loading for Single Engine Airtankers only.
Shipping Address:	San Juan National Forest 100 CR 309A Ignacio, CO. 81137
Last Revision:	3-02-2018

ELY-ELO

T1 N / : - : 1	Airport–Elevation:	1 45/9
FIV Willinicinal	LAIRDORI-FIEVAIION	1 430
Liv ivianiciba	Lievanon.	TATOU

Airport: 47 49.67N/91 49.98W Base Location on Field: SW Quadrant

EASTERN

	218)365-5420 attack@gmail		158 Ely,	r Attack Base 87 Hwy 1 MN 55731 unty: St. Louis		USFS			
Base Operation	ns Phone:						(218	3) 365-4831	
Dispatch Offic	e Phone:		Su	perior NF			(218	3) 327-4175	
Dispatch Conta	act Frequency	<i>'</i> :	"MIFC	168.650 Tn 110.9					
Base Manager:			Blake Freking					(218) 340-4878	
Alternate Base Manager:			Jim	(218) 349-0146					
Forest Aviation	Forest Aviation Officer:			Rob Heavirland				3) 343-7995	
Mixmaster/Alt	ernate Contac	et:	Mort Tome				(218) 365-4831		
Runway 12-30	Runway Weight Limits Runway 12-30 Published: Overweight Agreement:			Dual 100 155		2S 155		2D	
VLATs	NO	Pit Tot	al	2	Hot Lo	ading		YES	
LATs	YES	Parking	g Total	5	Fuel an	d Load		NO	
MAFFS	NO	Load S	imultaneously	1	Hot Re	fueling		NO	
SEATs	YES	Offload	d Capacity	4,000	Retarda	ınt Type		LC 95A	
			D 12/20	<i>5 50(1 - 1001</i>					

Runways: 12/30–5,596' x 100' Retardant Jettison Area(s)

"August Lake" Lat 47 47.22' N Long 91 37.20'W

Known	Caution: Radio Tower 500 Ft. AGL approx. 5 miles SW of Runway. Strong crosswinds.
Hazards:	Possible deer and moose on Runway
Remarks:	Hot Loading for SEAT's only.
Shipping Address:	Ely Air Attack Base 1587 Hwy 1 Ely, MN 55731
Last Revision:	3-02-2018

FAYETTEVILLE-FYV

City of Fayetteville Drake Field Airport–Elevation: 1,251'	

Airport: 36 00.45N/94 09.98W Base Location on Field

SOUTHERN								
FAX: (479) 575-9554 Email: <u>kpaxson@fs.fed.us</u>			Fayettevi	ncis National F McCollum lle, AR 72701 ty: Washingto	USFS			
Base Operat	tions Phone:				(479) 575-0030			
Dispatch Of	fice Phone:		A	OICC			(50	1) 321-5232
Dispatch Co	ontact Frequency	7:	"Hot Spri	'ngs Dispatch''		Natl 1	FF 168	3.650 Rx/Tx 110.9
Base Manag	ger:							
Asst. Base I	Manager:							
ATB Techn	ician:							
Forest Avia	tion Officer:		Kris Paxson			(719) 660-8281		
Runway 16-	eight Limits -34 Published: Agreement:		Single Dual 90 150		2S		2D 175	
VLATs	NO	Pit Tot	al	1	Hot 1	Loading		NO
LATs	YES	Parking	g Total	2	Fuel	and Load		NO
MAFFS	NO	Load S	imultaneously	1	Hot]	Refueling		NO
SEATs	YES	Offload	d Capacity		Reta	rdant Type		MVP FX
			Runways: 6,0 Retardant Jett Contact	ison Area(s)				
Known Hazards: Deer on and in vicinity of airport								
Remarks:	Remarks: Use runway 34 for departure to avoid populated areas if possible.							

Last Revision: 3-02-2018

4500 South School Road

Fayetteville, AR 72701

Shipping

Address:

FORT HUACHUCA-FHU

Sierra Vista Municipal/Libby Army Airfield-Elevation: 4,719'

Airport: 31 35.97N/110 20.88W Base Location on Field–NW Quadrant

SOUTHWEST

FAX: (520) 417-6916 Email: <u>libbyatb@gmail.com</u>			Ft. Hua 4070 S. Av Herefor	nado NFS chuca ATB venida Saracii d, AZ 85615 unty: Cochise		US	SERVICE SERVICE FS	
Base Operation	s Phone:							
Dispatch Office	Phone:		Tucson Intera	gency Fire C	enter	((520) 202-2710	
Dispatch Conta	ct Frequency	<i>/</i> :	"Tucso	n Dispatch"			169.600	
Base Manager:				bert Gil fs.fed.us	Cell(520) 559-3105			
Asst. Base Man	Asst. Base Manager:		Eric Lathrop eglathrop@fs.fed.us			Cell(520) 559-2792		
ATB Technicia	n:							
Air Attack:								
Runway Weight Limits Runway 08-26 Published: Overweight Agreement: Runway 12-30 Published: Overweight Agreement:		Single 70 46	Dual 200 106		2S 2D 400 137			
VLATs	NO	Pit To	tal	3	Hot Lo	oading	YES	
LATs	YES	Parkin	ng Total 6 Fuel a		nd Load	YES		
MAFFS	NO	Load S	Simultaneously	1	Hot R	efueling	NO	
SEATs	YES	Offloa	d Capacity	3,000	Retard	lant Type	MVP FX	

The Ft. Huachuca Airtanker Base located on Libby Army Airfield has been relocated for the 2018 season. The temporary base is located on the North side across the airfield from Ft. Huachuca at the Sierra Vista airport side.

Runways: 16/34–6,005' x 100' Retardant Jettison Area(s)

Jettison areas are between the main runway and the taxiway, or off the west end of the runway, and one designated area in the Whetstone Mountains. See Base Manager for details

Known Hazards:	CAUTION: Aerostat Balloon
Remarks:	Within Military Boundary
Shipping Address:	Coronado NFS, Ft. Huachuca ATB, 4070 S. Avenida Saracino, Hereford, AZ 85615
Last Revision: 3	3-19-2018

FORTUNA-FOT

Rohnerville Airport–Elevation: 392'

Airport: 40 33.12N/124 07.58W Base Location on Field–E Quadrant

NORTHERN CALIFORNIA

	NORTHERIT CALIFORNIA						
FAX: (<u>Kurt.Dern</u> <u>HUUAirPr</u>	Fortuna	Rohnerville Airport Way a, CA 9554 nty: Humb e	CAL FIRE				
Base Operations Ph	Logar	n Kalfsbeek		(707) 725-4572			
Dispatch Office Pho	one:		Fort	tuna ECC			(707) 726-1280
Dispatch Contact Fr	requency:		"F	Tortuna"			Tx 159.405 Rx 151.250
Base Manager:			Bria	ın Renner		((707) 725-4572
Asst. Base Manager	••		Logar	ı Kalfsbeek		((707) 725-4572
ATB Technician:							
Air Attack:			Brian Renner	/ Logan Ka	lfsbeek		
Runway Weight Limits Runway 11-29 Published: Overweight Agreement:			Single 30 80	Dual 155		2S	2D
VLATs	NO	Pit Total		3	Hot Lo	ading	YES
LATs	YES	Parking Total	al 4 Fuel		Fuel ar	nd Load	NO
MAFFS	NO	Load Simul	taneously	3 Hot Re		efueling	NO
SEATs	YES	Offload Cap	acity 3,000 Ret		Retard	ant Type	MVP FX
Jettiso Known Hazards:	Runways: 11/29–4,005' x 100' Retardant Jettison Area(s) Jettison area is parallel and south of runway on RW-29 approach. Contact Base Caution: Runway length and weather conditions will dictate load carrying capability. Pilot-in-Command should review POH for more information.						
Remarks: Avoid operations over city. When applicable, right hand traffic RW-11, left has traffic RW-29. Airtanker Base Manager will brief new pilots on procedures and hazards. CAL FIRE/ Rohnerville AAB							
Shipping Address: 2420 Airport Way Fortuna, CA 95540							
Last Revision: 3-2-2	2018						

FORT WAINWRIGHT-PAFB-FBK

Ladd Army Airfield-Elevation: 460'

Airport: 64 50.20N/147 36.97W Base Location on Field–NE Quadrant

ALASKA

,	907) 356-5527 umlee@blm.g		Alaska PO B Fort Wainw	and Managemer Fire Center ox 35005 right, AK 9970 ty: Fairbanks	Shows with of their continue o					
Base Operations Phone:						(907	7) 356-5528			
Dispatch Office Phone:			_	ency Coordinat enter	ion		(907	7) 356-5670		
Dispatch Conta	act Frequency	:	"Fai	rbanks"			161.1	75 Tx & Rx		
Base Manager:	Base Manager:			Ted Plumley				(907) 356-5528		
Asst. Base Mai	Asst. Base Manager:			Vacant						
ATB Technicia	an:									
Air Attack:			Rick Thompson			(907) 356-5535				
Runway Weight Limits Runway 07L-25R Published: Overweight Agreement: Runway 07R-25L Published: Overweight Agreement:		Single PCN 130	Dual		2S 166 175		2D			
VLATs	NO	Pit Tot	al	3	Hot l	Loading		NO		
LATs	YES	Parkin	g Total	6	Fuel	Fuel and Load		NO		
MAFFS	R	Load S	Simultaneously	1	Hot Refueling			NO		
SEATs	NO	Offloa	d Capacity		Retardant Type					
	Runways: 7L/25R-8.575' x 150' 7R/25L-7.280' x 75'									

Runways: 7L/25R-8,575' x 150' 7R/25L-7,280' x 75' Retardant Jettison Area(s)

Lat. 64° 34.00' N Long. 147° 20.00' W

Known Hazards:	Caution: Heavy bird activity				
Remarks:	Avoid overflight of base hospital.				
	MAFFS:				
	1) Face West; Not room for consecutive C130Js (use Pit 1 & 3).				
	2) Offset approx. 10ft left due to fence.				
Chinning	Fort Wainwright Airtanker Base				
Shipping Address:	1544 Gaffney Rd				
	Fort Wainwright, AK 99703				
Last Revision:	3-30-2018				

FOX FIELD-WJF

			FUX FIE	LD-WJF					
	Gen. William J. Fox Airfield–Elevation: 2,351 ' Airport: 34 44.27N/118 13.07W								
	Base Location on Field: NE Quadrant								
	SOUTHERN CALIFORNIA								
FAX: (661) 723-2750 Email: <u>cmyers@fs.fed.us</u>			4341 Willia Lancaster	Angeles National Forest 4341 William J. Barnes Avenue Lancaster, California 93536 FTR County: Los Angeles			USFS		
Base Operati	ons Phone:						(661	1) 723-2740	
Dispatch Off	ice Phone:		An	igeles ECC		I	,	1) 723-2705 1) 723-3620	
Dispatch Con	ntact Frequency	:	"	'Angeles''				75 Tn 103.5	
Base Manage	er:		C	lay Myers		C		1) 723-2742 6) 253-1306	
Asst. Base M	lanager:		Grant Bussard			(661) 723-2743			
Forest Aviati	ion Officer:		Darlene Hall			Cell(661) 666-100) 666-1005	
Runway 06-2	Runway Weight Limits Runway 06-24 Published: Overweight Agreement:			Single Dual 2S 50 68		2S	2D 117		
VLATs	NO	Pit To	tal	5	Hot Lo	Hot Loading		YES	
LATs	YES	Parkin	ng Total	12+	Fuel an	Fuel and Load			
MAFFS	R	Load S	Simultaneously	5	Hot Re			NO	
SEATs	YES	Offloa	nd Capacity	2000	Retarda	ant Type		MVP FX	
	Lat. 34° 4	4.30' N	Runways: 6/24- Retardant Jet Long. 118° 13.00°	tison Area(s)	parallel to	runway)			
Known Hazards:	Caution: A	void pri	son 3 miles SW of	`Airfield. Solar '	Γower Pla	nt 4 Mile	es SE o	of infield.	
Night Air Attack & Type 2 Night Helicopter on base. For after-hours dispatch, call ANF dispatch 661-723-2705. Remarks: MAFFS: 1) Use pit 4 and 5 only (MOG is 2 MAFFS). Pit 5 for MAFFS water loads. 2) Pits 1 and 2 are unsuitable due to concrete structures around loading equipment.									
Shipping Address:	Angeles National Forest Shipping 4341 William I. Barnes Ave								

Last Revision: 03-02-2018

FRESNO-FAT

Fresno Yosemite International Airport–Elevation: 336'									
	Airport: 36 46.27N/119 42.08W Base Location on Field: SE Quadrant								
		L	SOUTHERN C						
FAX: (559) 292-6927 Email: jharpain@fs.fed.us			2307 Cl Fresno	ational Fores ovis Avenue , CA 93727 unty: Fresno	;		USFS		
Base Operation	ns Phone:		Johr	Harpain				(559	9) 291-1875
Dispatch Office	e Phone:		Sierra Natio	onal Forest E	ECC			(559	9) 291-1877
Dispatch Conta	act Frequency	•	"'	Sierra"				Simp	lex 172.225
Base Manager:			Johr	Harpain				(559	9) 291-1875
Asst. Base Mar			Ry	an Stout					9) 291-1875
ATB Technicia			George Corvarrubio			(559) 291-1875			
ATB Technicia			Ben Castaneda			(599) 291-1875			
Air Attack Offi			Mike Fralicks			(559) 291-1875			
Air Attack Offi			Mark Bertuccelli				(559	9) 291-1875	
Runway Weig Runway 11L-2 Overweight Ag Runway 11R-2	9R Published greement: 9L Published		Single 70 70	Dual 170 125		2S			2D 250 200
Overweight Ag VLATs	NO	Pit To	l ta1	5		Hot Loading			YES
LATs	YES		g Total	6			and Load		YES
MAFFS	Н		Simultaneously	2			Refueling		NO
SEATs	YES		d Capacity	5,000)		dant Type		MVP FX
Burn		·	IL/29R-9,539' x 1 Retardant Jett 37 00'00'N Long	ison Area(s))			Height)
Known Hazards:			s high voltage trans erations for further		s in tl	he are	a and on th	e Sier	ra NF.
Remarks:	Plan for stra	ight out	departure. Class C	airspace. He	elitan	ker re	tardant ope	eration	S
Shipping Address:	Sierra National Forest Shipping Fresno Air Attack Base								
Last Revision:	3-02-2018								

GATEWAY-IWA

	Ph	oenix	-Mesa Gatewa	ny–Elevation	n: 1,382	,•		
		Ва	Airport: 33 18.47 ase Location on Fi	eld: SW Quadra	ant			
FAX: (480) 279-3260 Email: <u>aziwaatbase@fs.fed.us</u>			Phoenix Interagency Fire Center 6335 S. Downwind Suite 101 Mesa, AZ 85212 FTR County: Maricopa			USFS		
Base Operati	ons Phone:					(480)) 457-15	553/1554
Dispatch Off	ice Phone:		Phoen	nix Dispatch			(480) 4	457-1551
Dispatch Con	ntact Frequenc	ey:	"Phoe	nix Dispatch''			164	4.125 TX 4.825 RX Tn 123.0
Base Manage	er:			Vacant				
Asst. Base M	Ianager:		Chris Pri	ce "Lunch Box	,,		(480)	457-1550
Air Attack:			Brya		(480)	457-1574		
Forest Aviati	on Officer:		M	latt Huse			(480) 4	457-1549
Runway We Runway 12L Runway 12R Runway 12C	-30R R-30L		Single 75 55 55	Dual 215 95 95	59 18	2S 590 185 185		2D 350 550 550
VLATs	¹YES	Pit To	tal	4	Hot Lo	pading YES		YES
LATs	YES	Parkir	ng Total	6	Fuel ar	nd Load		YES
MAFFS	F		Simultaneously	2		fueling		NO
SEATs	YES		nd Capacity	20,000		ant Type		LC 95A
Runw	/ays: 12R/30L		1' x 150' 12C/30 Retardant Jett at. 33° 29.3' N Lo	ison Area(s)		30R–9,3	00' x 15	0'
Known Hazards:	military ops	xtensiv	e student and mili- acrobatics activity	tary flight train y, crop dusters	ing activi	rea.	1	
Price of the FBO. Jettison area is approximately 11 miles on a bearing of 21.8 degrees from the IWA VOR.								
Shipping Address:	10333							
Last Revision		-						

GRAND JUNCTION-GJT

Grand Junction Regional Airport-Elevation: 4,858'

Airport: 39 07.72N/108 32.33W Base Location on Field–SW Quadrant

ROCKY MOUNTAIN

,	70) 683-7720 oeden@blm.g		2774 Land Grand Junc	and Managemer ing View Lane tion, CO 81506 ounty: Mesa			MICONIA STEER OF PUBLISHED OF PUBLISHED OF LINES SHEET OF LINES SH	OF CAMPA	
Base Operation	ns Phone:							0) 683-7712	
Dispatch Office	e Phone:		Grand Jun	ction Dispatch			(970)) 257-4800	
Dispatch Conta	act Frequency	:	"Grand Jun	ction Dispatch'	,		168.65	50 Tn 110.9	
Base Manager:			Adan	n Goeden			(970	0) 683-7710	
Asst. Base Mar	Asst. Base Manager:			Jake Lloyd			(970) 683-7711		
ATB Technicia	an:		V						
Unit Aviation I	Manager:		Sarah Culhane				(970	0) 683-7701	
Air Attack:									
Runway Weight Limits Runway 11-29 Published: Overweight Agreement:			Single 110	Dual 180		2S 175		2D 260	
VLATs	NO	Pit Tot	al	2	Hot l	Loading		YES	
LATs	YES	Parkin	g Total	6	Fuel	and Load		YES	
MAFFS	R	Load S	Simultaneously	2	Hot Refueling			YES	
SEATs	YES	Offloa	d Capacity	5,000	Reta	rdant Type		LC 95A	

Runways: 11/29–10,501' x 150' 4/22–5,502' x 75' Retardant Jettison Area(s)

Lat. 39° 13.00' N Long. 108° 33.00' W

Known Hazards:	Caution: Military activity on airport				
Remarks:	MAFFS: 1) Txwy's C,C2,C3,C4 non-wt bearing for C-130's 2) Modified Centerlines in PITS—follow parking tender instructions 3) Elevated hose reels—pits have modified centerlines to keep clear SEATS: 4)Hot Refueling is only when needed per local policy LATS: Limited parking for heavy aircraft maintenance on days off				
Shipping Address: Bureau of Land Management 2774 Kanding View Lane Grand junction, CO 81506					
Last Revision:	3-30-2018				

GRASS VALLEY-GOO

Nevada County Air Park–Elevation: 3,152'

Airport: 39 13.37N/121 00.07W Base Location on Field: SE Quadrant

CALFORNIA

FAX: (530) 272-1112 Email: NEUGVAAB@fire.ca.gov			Grass Valley Interagency Air Attack Base 13120 Loma Rica Drive Grass Valley, CA 95945 FTR County: Nevada			CAL FIRE & USFS		
Base Operation	ons Phone:		CAL FIRE				(530	0) 272-4952
Dispatch Office Phone:			Grass \	Valley ECC			•	0) 477-0641
Dispatch Contact Frequency:			"Gra	ss Valley"				Rx151.325 Tx 159.360 Tn 4 136.5
Base Manager:			Dar	n Hickey			(530	0) 272-4952
FS Rep:			Les	Becicka		(530) 478-6113		
Air Attack: CAL FIRE			Jake Sjolund				(530	0) 272-4952
Air Attack: TAHOE NF			Todd White				(530	0) 478-6116
Runway We Runway 07-2 Overweight	5 Published:		Single 30	Dual		2S		2D
VLATs	NO	Pit Tot	al	3	Hot l	Loading		YES
LATs	NO	Parkin	g Total	7	Fuel	and Load		NO
MAFFS	NO	Load S	imultaneously	3	Hot l	Refueling		NO
SEATs	YES	Offloa	d Capacity	1,200	Reta	rdant Type		MVP FX
Runways: 7/25–4,351' x 75' Retardant Jettison Area(s) Forest Service: "Buckeye" Lat. 39° 14.70' N Long. 120° 53.00' W CAL FIRE: "Purdon" Lat. 39° 19.00' N Long. 121° 02.00' W								
Known Hazards:	Caution: S2	2's airtar	kers only					
USFS frequency Tahoe NF 168.775 Airport Unicom 122.725 Remarks: When applicable, airtankers take off on runway 25, land on runway 07.								

After takeoff turn to heading 225 as soon as safe to avoid flying over Grass Valley and

Last Revision: 3-19-2018

Shipping

Address:

Nevada City whenever possible.

13120 Loma Rica Drive

Grass Valley, CA 95945

Grass Valley Interagency Air Attack Base

HELENA-HLN

Helena Regional Airport-Elevation: 3,877'

Airport: 46 36.52N/111 58.57W Base Location on Field–NE Quadrant

NORTHERN

FAX: (406) 449-5010 Email: jeffreyjackson@fs.fed.us			Helena N 3211 SI Helena FTR County	USFS				
Base Operat	ions Phone:					(406) 449-5005		
Dispatch Of	fice Phone:		Helena D	rispatch Center			(406)) 449-5475
Dispatch Contact Frequency:			"Helen	a Dispatch"				166.225
Base Manag	er:		Jeffre	ey Jackson) 449-5005) 439-9569
Asst. Base N	lanager:							
ATB Techni	cian:							
Air Attack:								
Runway Wo Runway 09- Overweight	27 Published:		Single 100	Dual 160		2S 2D 250		
VLATs	NO	Pit To	tal	2	Hot I	Hot Loading Y		
LATs	YES	Parkin	ıg Total	4-6	Fuel	and Load		NO
MAFFS	R	Load S	Simultaneously	1	Hot I	Refueling		NO
SEATs	YES	Offloa	d Capacity	6000	Retai	dant Type		LC 95A
	Runways: 9/27–9,000' x 150' Retardant Jettison Area(s) Lat. 46° 47.06' N Long. 111° 39.06' W Lat. 46° 44.30' N Long. 111° 18.30' W Lat. 46° 39.00' N Long. 112° 18.30' W							
Known Hazards:	L Coution: Vary active Air Guard heliconter operations east side at the Airtanker hase							base.
Airtanker base has additional airtanker parking available for emergency use. MAFFS: 1) MAFFS non-wt. bearing areas: RWYs 5/23, 16/34, TWY B 2) Face W, right side to pits due to hose length								

3) Distance between pits allows entry/exit with H or J model when other pit is occupied

Last Revision: 3-30-2018

Shipping

Address:

Helena Airtanker Base

2880 Skyway Drive

Helena, MT 59602

HEMET-HMT

Hemet (Ryan Field) Elevation-1,512'

Airport: 33 43.82N/117 01.30W Base Location on Field: E Quadrant

SOUTHERN CALIFORNIA

FAX:(951) 925-7174 (Tower) (951) 652-2089 (Admin) Email: <u>rru.ryanairattack@fire.ca.gov</u>			Hemet-Ryan Air Attack Base 4710 W. Stetson Ave. Hemet. Ca. 92645 FTR County: Riverside				CAL FIRE		
Base Operation	ns Phone:						(951) 652-2066	
Dispatch Office Phone:			Pe	erris ECC			1-80	0-228-9645	
Dispatch Contact Frequency:			"	'Perris''				151.385	
Base Manager	:		FC Tin	n Stepanovich			(951) 652-2066	
Asst. Base Ma	nager:		FAE N	Mike Alarcon			(951) 652-2066	
ATB Technician:			FAE	Fred Mata			(951) 652-2066	
Air Attack:			BC Justin McGough/ FC Tim Stepanovich			(951) 652-206		.) 652-2066	
Runway Weig Runway 05-23 Overweight Ag	Published:		Single 80	Dual 130	25	S		2D	
VLATs	NO	Pit Tot	al	8	Hot Loa	ıding		YES	
LATs	NO	Parking	g Total	8	Fuel and	Fuel and Load			
MAFFS	NO	Load S	imultaneously	8	Hot Ref			NO	
SEATs	YES	Offload	d Capacity	2,500	Retarda	nt Type	:	MVP FX	
			Runways: 5/23-4 Retardant Jettis 33°50.00' N/116	on Area(s)					
Known Hazards: Caution: Ultra Lights in area, skydiving 8 miles West. Caution: General Aviation airport, no control tower.									
Remarks: S2 and SEATS only.									
	1								

Last Revision: 3-02-2018

Shipping

Address:

Hemet-Ryan Air Attack Base

4710 W. Stetson Ave.

Hemet, CA 92645

HIBBING-HIB

Chisolm/Hibbing Range Regional Airport–Elevation: 1,354' Airport: 47 23.48N/92 50.08W Base Location on Field: NC Quadrant **EASTERN** Mail: Hibbing ATB Minnesota 11038 Hwy 37 Ste 13 Dept. of Natural Resources Hibbing, MN 55746 Hibbing DNR Airtanker Base 10956 Hwy 37 FAX: (218) 262-7327 NATURAL RESOURCES Hibbing, MN 55746 Email: Minnesota DNR Hibbingtb.dnr@state.mn.us FTR County: Itasca ¹Open April –October Base Operations Phone: (218) 231-8050 MN Interagency Coordination Dispatch Office Phone: (218) 327-4558 Center Air Net–151.370 "Fire Center" Dispatch Contact Frequency: Tn 136.5 (218) 231-8050 Base Manager: Kirk Johnson Asst. Base Manager: Dual 2S2D **Runway Weight Limits** Single Runway 13-31 Published: 60 100 Overweight Agreement: Pit Total ²YES **VLATs** NO **Hot Loading** 1 LATs YES Parking Total 3 Fuel and Load NO MAFFS NO Load Simultaneously 1 Hot Refueling NO Retardant Type **SEATs** LC 95A YES Offload Capacity Runways: 13/31-6,758' x 150' **Retardant Jettison Area(s)** Lat. 47^o13.51' N Long. 92^o51.57' W Known Hazards: ¹Please call Fixed-Wing Operations Specialist during off season. Paul Wannarka. (218) 327-4530. Remarks: ²Hot Loading for SEATs only. Contact base by radio for parking instructions (120.1250)

Last Revision: 3-02-2018

Shipping

Address:

Hibbing Airtanker Base

Hibbing, MN 55746

10956 Hwy 37

HILL-HIF

	Hill Air Force Base–Elevation: 4,789 ° Airport: 41 08.05N/111 58.40W Base Location on Field: NE Quadrant									
	GREAT BASIN									
	801) 777-3143 cymmiller@fs.f		Ogden R 507 : Ogden	atch/ Cache NF Langer District 25 th Street L, UT 84401 Dunty: Davis			USFS			
Base Operation	ons Phone:			<u> </u>			(801	1) 777-1469		
Dispatch Offi			Northern Utah	Interagency Dis Center	patch			1) 495-7600		
Dispatch Con	tact Frequency	:	"Nort	hern Utah"			168.65	50 Tn 110.9		
Base Manage	r:		Jef	ff Miller		C		1) 777-1469 1) 866-5606		
Asst. Base Ma	anager:		7	Vacant						
ATB Technic	ian:									
Runway Wei Runway 14-3 Overweight A	2 Published:		Single PCN 68	Dual		2S 175	2D			
VLATs	NO	Pit To	tal	2	Hot 1	t Loading YES				
LATs	YES	Parkin	g Total	5	Fuel	el and Load YES				
MAFFS	R	Load	Simultaneously	2	Hot 1	Refueling		NO		
SEATs	YES	Offloa	d Capacity	4,000	Reta	rdant Type		LC 95A		
		(Pr	Runways: 14/32- Retardant Jett 2. 40° 51' 02" N Lo Promonto rivate Property/Lar South F 41° 16' 59.6" N Lo Rock G 41° 17' 27.1" N Lo	ison Area(s) ng. 112° 29' 54' ry Point nd Use Agreeme Ridge ng. 112° 28' 24 Gulch	ent) .5" W					
Known Hazards:	Caution: An control of th	_	cables on end of ruorce.	ınway. Airtanke	er base a	and airfield	are un	der the		
Flight plan required for all arriving and departing aircraft. VFR/IFR flight plans departing HIF must be filled through Hill AFB rather than FAA. See Remarks: ATBM for assistance. Takeoff and landing not authorized when tower is closed. When closed contact dispatch for alternate instructions.										
Unita/ Wasatch/ Cache NF. Shipping Ogden Ranger District Address: 507 25 th Street Ogden, UT 84401 Last Revision: 3-19-2018										
Last Kevision	1. 3-19-2018									

HOLLISTER-CVH

	Holli	ster Municipa	l Airport–E	levation	n: 23 0	,•			
		Airport: 36 Base Location	53.20N/121 24						
			RN CALIFOR						
FAX: (831) 63 Email:	7-6281	CAL FIRE 2300 San Felipe Road Hollister, CA 95023 FTR County: San Benito				CA	CAL FIRE		
Base Operations Ph	one:					(8	331) 637-5456		
Dispatch Office Pho	one:		Monterey EC	С		(8	331) 647-6241		
Dispatch Contact Fr	requency:		"Monterey" "BEU EAST				Rx:151.250 Tx:159.405		
Base Manager:		I	BC Joshua Net	tles		3)	331) 637-5456		
Asst. Base Manager	r:	FC Marc DiTullio							
ATB Technician:		N/A							
Air Attack:		BC Joshua Nettles/FC Marc Ditullio							
Runway Weight L Runway 13-31 Pub Overweight Agreen	lished:		Single Dual 30 45		2S	2D			
VLATs	NO	Pit Total		3	Hot	Loading	YES		
LATs	NO	Parking Total	I	10	Fuel	and Load	NO		
MAFFS	NO	Load Simulta	neously	3	Hot	Refueling	NO		
SEATs	YES	Offload Capa	city		Reta	rdant Type	MVP FX		
	O	•	13/31–6,350° x t Jettison Are orth of airport–	ea(s)	Base				
Known Hazards:	Known Caution: Radio controlled model aircraft 3 miles WNW. Caution: Glider activity.								
Remarks:	S2 On	ly, conditions per	mitting use rur	nway 31.					
Shipping Address: CAL Fire 2300 San Felipe Road Hollister, CA 95023									
Last Revision: 3-30		•							

JEFFCO-BJC

Rocky Mountain Metropolitan Airport–Elevation 5,673'

Airport: 29 54.82N/105 07.23W Base Location on Field: NW Quadrant

ROCKY MOUNTAIN

<u>om</u>	10900 V Bu	Vest 120 th Ave.			POREST SI	S S
					(303	3) 439-0332
	Fort Co	ollins Dispatch			(303	3) 439-0332
	"Fort Co	ollins Dispatch"				168.650
	William (Robby)	(720) 887-4769 Cell(303) 941-6359				
	Scott Headrick scotteheadrick@fs.fed.us				(303	3) 439-0332
	Bryan Karchut			(970) 295-6631		
	Single 55	Dual 75		2S 2		2D
it Tota	ıl	2	Hot Lo	ading		YES
arking	; Total	6	Fuel an	d Load		YES
Load Si	imultaneously	1	Hot Re	Hot Refueling		YES
Offload	Capacity	5,000	Retarda	ınt Type		LC 95A
	rit Tota Parking	Fort Co William (Robby) Scott Headrick s Brys Single	Fort Collins Dispatch "Fort Collins Dispatch" William (Robby) Cline wrcline@ Scott Headrick scotteheadrick@ Bryan Karchut Single 55 Dual 75 it Total 2 arking Total 6 coad Simultaneously 1	Total To	The second secon	10900 West 120th Ave. Building D Broomfield, CO 80021 Some Fort Collins Dispatch "Fort Collins Dispatch" William (Robby) Cline wrcline@fs.fed.us Scott Headrick scotteheadrick@fs.fed.us Bryan Karchut Single Dual 2S 55 75 Single Dual 2S 55 75 Hot Loading arking Total 6 Fuel and Load Load Simultaneously 1 Hot Refueling

Runways: 12L/30R-9,000' x 100' 12R/30L-7,002' x 75' Retardant Jettison Area(s)

Coffin Top Mountain: Lat. 40° 11' 55.48 N Long. 105° 21' 21.13 W 330° @ 19nm off Jeffco VOR

Known	Caution: Noise abatement procedures in place. Contract helitanker on base.
Hazards:	
Remarks:	Hot loading for SEATs and LATs. MAFFS: 1)11L/29R, A, all A connectors approved to ST155K per letter of agreement and military waiver. West GA (Stephens) ramp limited to ST125K. WBC Waiver for Fire use only—no training. 2) ARFF Class A. Confirm ARFF. 3) Stay approx. 10' south of taxi line in Pit 2 (western-most pit) due to fence on north side. Room for 180 turn out of either pit but not room to pass other C-130 in pits.
Shipping Address:	(303) 439–0332 Jeffco Airtanker Base 10900 West 120 th Ave. Building D Broomfield, CO 80021
Last Revision:	3-02-2018

KENAI-ENA

Kenai Municipal Airport–Elevation: 99'

Airport: 60 34.08N/151 14.67W Location on Field: E Quadrant

Location on Field: E Quadrant									
ALASKA									
FAX: (907) 283-4816 Email: <u>howard.kent@alaska.gov</u>			State of Alaska Division of Forestry 42499 Sterling Highway Soldotna, Alaska 99669 FTR County: Alaska			State of Alaska			
Base Operations Phone:					((907) 283-3816			
Dispatch Off	fice Phone:		k	KIDC			((907) 260-4230	
Dispatch Con	ntact Frequenc	y:	" <i>K</i>	KIDC"				132.450	
Base Manage	er:		Aver	y Hansen				(907) 260-4241	
Asst. Base M	lanager:								
ATB Technic	cian:								
Air Attack:									
Runway We Runway 1L- Overweight	19R Published	1:	Single 75 None	Dual 150 None		2S	2D 250 None		
VLATs	NO	Pit Tot	tal	1	Hot L	oading		NO	
LATs	YES		g Total	3		Fuel and Load			
MAFFS	NO		Simultaneously	1		Refueling		NO	
SEATs	YES	Offloa	d Capacity	5,000		dant Type		LC 95A	
			Runways: 2L/20 Retardant Jer Contact Soldo	ttison Area(s)	50'				
Known Hazards: Caution: Occasional moose and caribou on runway. Flocks of migratory birds 10 nm radius of runway Spring thru Fall. Seaplane base opposite side of runway from ATB									
Remarks:	Remarks: See warning in front of this directory for more information about runway limitations.								
Shipping Address: State of Alaska Division of Forestry 42499 Sterling Highway Soldotna, AK 99669 Last Revision: 3-20-2018									
Last IXEVISIO	11. 3-20-2018								

KINSTON-ISO

	Kinston	Regio	nal Jetport/Sta	llings Field–l	Eleva	tion: 93 '			
Airport: 35 19.37N/77 36.95W Base Location on Field: SE Quadrant									
SOUTHERN									
FAX: (252) 522-1289 Email: John.Willis@ncagr.gov			North Carolina Forest Service NCDA- CS 2958 Rouse Road–Extension Kinston, North Carolina 28504 FTR County: Lenoir			North Carolina Forest Service			
Base Operation	ons Phone:					`	/	-2402 x 227	
Dispatch Offic	ce Phone:		Press "0", "227	on Dispatch 7", or "228", at a	uto-	(232	(252 (252	-2402 x 248 2) 520-2402 2) 520-2403 2) 520-2404	
Dispatch Con	tact Frequency	:	"Kinston"			122.925			
Base Manager:			Robert Delleo				(252	2) 560-1761	
Asst. Base Ma	anager:		Gail Bledsoe				(919	9) 219-7917	
Air Attack:									
Runway Wei Runway 05-23 Overweight A	3 Published:		Single 90 min. Max not calculated	Dual 135 min. Max not calculated		2S 2D 806			
VLATs	NO	Pit Tot	tal	1	Hot l	Loading		YES	
LATs	YES	Parkin	g Total	10 SEATs	Fuel	and Load		NO	
MAFFS	pending	Load S	Simultaneously	1	Hot l	Refueling		NO	
SEATs	YES	Offloa	d Capacity	20,000	Reta	rdant Type		MVP FX	
			Runways: 5/23– Retardant Jett Contact Base	ison Area(s)					
Known Hazards:	Caution: M	ultiple a	ircraft on ramp						
Remarks:			er. Numerous helic	•	ınd spo	tter aircraf	t on fie	eld.	
Shipping Address: North Carolina Forest Service NCDA-CS 2958 Rouse Road–Extension Kinston, NC 28504									
Last Revision	: 4-02-2018								

KLAMATH FALLS-LMT

Klamath Falls Airport–Elevation: 4,095'

Airport: 42 10.25N/121 44.15W Base Location on Field: NE Quadrant

NORTHWEST

			NORTH	WEST				
FAX: (541) 273-1457 Email: <u>dcavin@fs.fed.us</u>			Fremont/Winema National Forest 6300 Summers Lane Klamath Falls, Oregon 97603 FTR County: Klamath			USFS		
Base Operati	ons Phone:					(541) 883-6853		
Dispatch Off	Dispatch Office Phone:			Lakeview Interagency Fire Center				1) 947-6315
Dispatch Con	ntact Frequency	/:	"Lakevie	ew Dispatch"			168.63	50 Tn 110.9
Base Manage	er:		Do	n Cavin		C		1) 883-6855 1) 891-1170
Asst. Base M	lanager:		Wya	tt Hefley			(54)	1) 883-6854
ATB Technic	cian:		V	acant			(54)	1) 883-6853
Air Attack:			Danny	y Williams			(54)	1) 883-6863
Unit Aviation	Unit Aviation Officer:			Chad Bergren ((54)	1) 947-6296
Runway 14-3	Runway Weight Limits Runway 14-32 Published: Overweight Agreement:			Dual 145		2S 164		2D 230
VLATs	NO	Pit Tot	tal	4	Hot	lot Loading YI		
LATs	YES	Parkin	g Total	73	Fuel	and Load	YES	
MAFFS ¹	R/H ² /F ²	Load S	Simultaneously	2	Hot 1	Refueling		NO
SEATs	YES	Offloa	d Capacity	5,000	Reta	rdant Type		LC 95A
	Old	Lone Pi	Runways: 14/32- Retardant Jett ine Fire: Lat. 42° 3	ison Area(s)	21° 31.	8' W		
Known Hazards:	Caution: B	irds, Mil	itary flight operati	ons, Helicopters	, Crop	dusters.		
Remarks:	Remarks: 1 MAFFS approved to ST 164 per letter of agreement & military waiver. 2 Restricted to 4 MAFFS Aircraft 3 Parking for 4 LATs on site, 3, or 4 off site HOME OF THE TANKER 61 MEMORIAL—tanker61memorial.org							
Shipping Address: Fremont/Winema National Forest 6300 Summers Lane Klamath Falls, OR 97603								
Last Revision	n: 2-13-2018							

LA GRANDE-LGD

La Grande/Union County Airport-Elevation: 2,717'

Airport: 45 17.41N/118 00.42W Base Location on Field: E Quadrant

NORTHWEST

FAX: (541) 663-0824 Email: <u>gewilliams@fs.fed.us</u>			Wallowa-Whitman National Forest Union County Airport 59973 Downs Road La Grande, Oregon 97850 FTR County: Union			USFS			
Base Operation	Base Operations Phone:						(541) 975-5492	
Dispatch Offic	e Phone:		Blue Mountai	n Dispatch Cer	iter		(541) 963-7171	
Dispatch Conta	act Frequency	·:	"La Grai	ıde Dispatch"			164.	150 Tn 123	
Base Manager:	:		Griffit	Griffith Williams			(541) 975-54 Cell(541) 263-08		
Asst. Base Mar	nager:		Darci		(541) 975-5492			
ATB Technicia	an:		(5-) 975-5498	
Air Attack:			Larry Aragon			(541) 975-5417			
Runway Weigl Runway 12-30 Overweight Ag	Published:		Single 65 80	Dual 90 150		S2		D2 130	
VLATs	NO	Pit Tot	al	2	Hot l	Loading		YES	
LATs	YES	Parking	g Total	6	Fuel	and Load		NO	
MAFFS	NO	Load S	imultaneously	1	Hot l	Refueling		NO	
SEATs	YES	Offload	d Capacity	5,000	Reta	rdant Type		LC 95A	

Runways: 12/30-6,260' x 100' Retardant Jettison Area(s) Lat 45° 28.00' N Long. 118° 13.00' W

Known Hazards:	Caution: When applicable, large aircraft restricted from using RW-16/34 for taxi, takeoff, or landing.
Remarks:	When applicable, make right turn ASAP from RW-30 to avoid flying over residential areas.
Shipping Address:	Union County Airport 59973 Downs Road La Grande, OR 97850
Last Revision:	3-19-2018

LAKE CITY-LCQ

Lake City Municipal Airport–Elevation: 201'

Airport: 30 10.88N/82 35.45W Base Location on Field: SW Quadrant

SOUTHERN

	386) 752–890: taten@fs.fed.		National 475 SE C Lake City FTR Cou	USFS				
Base Operatio	ns Phone:						(386	758–9078
Dispatch Office	e Phone:			FICC			(850) 523–8600
Dispatch Cont	act Frequency	/ :	•		168.65	50 Tn 110.9		
Base Manager	:		Rol	(850) 559-2838				
Asst. Base Ma	nager:		Vacant					
Air Attack:								
Forest Aviatio	n Officer:		Charlie Patterson				(850)) 523-8600
Runway Weig Runway 05/2		shed:	Single 115,000	Dual 170,000		2 3¹		2D 100
VLATs	NO	Pit Tot	al	2	Hot Lo	ading		NO
LATs	YES	Parkin	g Total	4	Fuel an	d Load		NO
MAFFS NO Load			Simultaneously	1	Hot Re	fueling		NO
SEATs YES Offloa			d Capacity 5,000 Ret			Retardant Type MVP		

Runways: 10/28–8,003' x 150' Retardant Jettison Area(s)

Contact Base

Known Hazards:	Caution: Check days and hours of airport control tower operation.
Remarks:	
Shipping Address:	Osceola National Forest Lake City Airtanker Base 24874 US Hwy 90 Sanderson, FL 32087
Last Revision:	3-19-2018

McCALL-MYL

McCall Municipal Airport–Elevation: 5,024' Unicom: 122.8/Back Country: 122.9

Airport: 44 53.60N/116 06.28W Base Location on Field: WNW Quadrant

CREAT RASIN

			GREAT 1	BASIN					
,	208) 634-0358 bassett@fs.fed		Payette National Forest Attn. McCall Airtanker Base 605 S. Mission Street McCall, Idaho 83638 FTR County: Valley County				USFS		
Base Operation	ns Phone:						(208) 634-035		
Dispatch Office			Payette Dispatch					3) 634-2757	
Dispatch Cont Payette Flight		7:	6	"FM" 'Victor"		169	.00; T	X/RX110.9 121.725	
1	AWOS		(208	3) 634-7198				119.925	
Base Manager	:		Micl	hael Bassett		(2	208) 63	0357 office 4-6570 cell	
Asst. Base Ma	nager:		De	nny Lewis			,	0356 office 4-9419 cell	
Base Tech/RA		:	Joel Rittenhouse			\ /		5-2899 cell	
Runway 16-3 4	Runway Weight Limits Runway 16-34 Published: Overweight Agreement:			Single Dual 86.5 141		2S 165		2D 261.5	
VLATs	NO	Pit Tot	al	2	Hot Lo	ading		YES	
LATs	YES	Parkin	g Total	6	Fuel an	d Load		NO	
MAFFS	NO	Load S	Simultaneously	2	Hot Re	fueling		SEAT ¹	
SEATs	YES	Offloa	d Capacity	6000	Retarda	ant Type		LC 95A	
	T	La	Runways: 16/34 Retardant Jett at. 44° 49.26' N Lo	ison Area(s)	W				
Known Hazards:			olled Airport with Ster, Back Country,						
Remarks: Only if approved. Download as necessary for departures to the north and/or for periods of high density altitude.									
Payette National Forest Shipping Attn. Mc Call Airtanker Base Address: 605 S. Mission Street McCall, ID 83638 Last Revision: 4-02-2018									
Last Kevision:	4-02-2018								

McCLELLAN-MCC

McClellan Airfield-Elevation 77'

Airport: 39 39.63N/121 23.53W Base Location on Field: E Quadrant

	ı		RTHERN CALI						
FAX: (916) 426-1683 Email: Aeu.mcclellanairtanke	erbase@fire.ca	.gov	McCle 574 McClo FTR Co	CAL	FIRE				
Base Operations Phon	e:						(916) 426-1680 (916) 426-1681		
Dispatch Office Phone	:		С	` ′	647-5220				
Dispatch Contact Free				"Can	nino"		R	X151.190 X151.225	
Base Manager:		FC	Jon (Grissom		Cell	(530) 317- 8379 426-1680		
Base Manager:			D	usty]	Martin		` ′	919-2715	
ATB Technician:									
Air Attack:									
Battalion Chief:			Dusty Martin				Cell (530) 708- 2719 (916) 426-1682		
Runway Weight Lim Overweight Agreemen			Single 155	\mathcal{E}			2S 175		
VLATs	YES	Pit	Total		5	Hot Loading		YES	
LATs	YES	Par	king Total		12	Fuel a	nd Load	YES	
MAFFS	H/F	Loa	ad Simultaneously	7	5	Hot Re	efueling	NO	
SEATs	YES	Of	fload Capacity		25,000	Retard	ant Type	MVP FX	
		Re	ways: 16/34–10,5 etardant Jettison Rosa 38°33.9N/1	Area	a(s)				
Known Hazards:	Caution: U	Itra I	Lights in area, sky al Aviation airport	divin	g 8 miles Wes				
Remarks:	CAL FIRE DC-10 & 74		nker Base						
Shipping Address: McClellan Reload Base 5500 Price Ave. McClellan, CA. 95652									
Last Revision: 3-19-20	018								

McGRATH-PAMC-MCG

McGrath Airport-Elevation: 343'

Airport: 62 56.73N/155 36.52W Location on Field: S Quadrant

]	Location on Field	1: S Q	uadrant				
			ALASI	KA					
Email: norman.	907) 524-3932 mcdonald@alaska nyder@alaska.gov		State of Alaska Southwest Area Forestry PO Box 130 McGrath Alaska 99627 FTR County: Alaska			State of Alaska			
Base Operation	ns Phone:		Ma	att Sn	yder			(907	7) 524-0042
Dispatch Office	e Phone:		McG ₁	rath D	ispatch			(907	7) 524-0054
Dispatch Conta	act Frequency:		"МсСі	rath F	orestry"				132.450
Base Manager:			Thomas ""	TR" E	Baumgartner			(907	') 524-0042
Asst. Base Mar	nager:							(907	′) 524-3010
ATB Technicia	ın:		Tyle	r Sam	uelson			(907	7) 524-3010
Air Attack:									
Runway 16-34	Runway Weight Limits Runway 16-34 Published: Overweight Agreement:				Dual 80		28		2D 120
VLATs	NO	Pit 7	Гotal		2	Hot	Loading		NO
LATs	YES		king Total		3	Fuel and Load			NO
MAFFS	NO		d Simultaneously	У			Refueling		NO
SEATs	YES	_	load Capacity	5.02 (1 1001	Reta	rdant Type		LC 95A
			Runways: 16/34– Retardant Jetti 63° 08.00' N Lor	son A	rea(s)				
Cautions: All single-wheel airtankers exceed runway-bearing strength. Some dual wheel airtankers exceed runway-bearing strength. No overweight agreements exist. Hazards: Moose on airport Migratory waterfowl on and in vicinity of airport. Spring thru Fall. Pedestrians on runway									
Remarks:									
Shipping Southwest Area Forestry Address: PO Box 130 McGrathm, AK 99627									
Last Revision:	3-20-2018								

MEDFORD-MFR

	Ro	_	alley Internation Airport: 42 22.58N ase Location on Fiel	V/122 52.78W		5'		
		D	NORTHV		111			
	541) 779-3098 shannan@fs.fe		600 N Medford,	kiyou National Airtanker Base Jebula Way Oregon 97504 Jinty: Jackson	Forest	USFS		
Base Operation	ns Phone:						(541) 779-0397
Dispatch Offic	ce Phone:		F	RVCC			(541) 618-2505
Dispatch Cont	tact Frequency	' :	"Rogu	e Dispatch"			168.65	60 Tn 110.9
Base Manager	:		Justin	Bohannan		С) 618-2121) 613-6112
Asst. Base Ma	nager:		Benjam	in Crittenden			(541) 779-0397
Base Technici	an:		Caro	ol Adams			(541) 779-0397
Air Attack:			Mike	e Demello			(541	779-0397
Oregon Dept.	of Forestry:		Har	ry Kelley		С	ell(541) 621-4118
Forest Aviation	on Officer:		Amanda Lucas-Rice				(541) 255-6365
Runway Wei Runway 14-32 Overweight A	2 Published:		Single 200	Dual 200			28	
VLATs	YES1	Pit To	tal	2	Hot Lo	pading		YES ²
LATs	YES	Parkin	g Total	8	Fuel an	d Load		YES ²
MAFFS	R	Load S	Simultaneously	2	Hot Re	fueling		NO
SEATs	YES	Offloa	d Capacity	3,000	Retarda	ant Type		LC 95A
			Runways: 14/32– Retardant Jettis line: Lat. 42° 13.05° 42° 22.21' N Long	son Area(s) N Long. 122°				
Known Hazards:								
Remarks:	¹ VLAT Bas ² See base m MAFFS: 1) Normal F	erations se utilize nanager 'low: en	upon arrival for jettes Portable Retardant for details. ter Counter clockwith bearing for C-130	t Base on east		mp.		
Shipping Address: Last Revision	Medford Air 600 Nebula Medford, O	rtanker l Way	Base					
Last Kevision	. 5-17-2010							

MISSOULA-MSO

Missoula International Airport-Elevation: 3,206'

Airport: 46 55.38N/114 05.50W Base Location on Field: NW Quadrant

NORTHERN ROCKIES

,	FAX: (406) 329-4789 Email: jbohrman@fs.fed.us			US Forest Service Aerial Fire Depot 5765 West Broadway Missoula, Montana 59808 FTR County: Missoula					
Base Operation	Base Operations Phone:							5) 829-7325	
Dispatch Office Phone:			Missoula Aircraft Dispatch				(406	5) 829-7060	
Dispatch Contact Frequency:			"Missoula Dispatch"				168.650 Tn 110.9		
Base Manager:			Jared Bohrman				(406) 829-7328 Cell(406) 381-6167		
Asst. Base Mar	nager:		Steve Christiansen				(406	5) 329-4910	
Winter Contac	t:		Jared Bohrman				(406	5) 381-6167	
Runway Weig Runway 11-29 Overweight Ag	Published:		Single 95	Dual 250	28			2D 290	
VLATs	NO	Pit Tot	al	2	Hot Lo	ading		YES	
LATs	LATs YES Parkin			6	Fuel an	d Load		YES	
MAFFS	NO	Load S	imultaneously	1	1 Hot Ret			NO	
SEATs	YES	Offloa	d Capacity	3,000	Retarda	Retardant Type			

Runways: 11/29–9,501' x 150' Retardant Jettison Area(s)

Sawmill Gulch:

Lat. 46° 47.00' N Long. 114° 10.00' W Hellgate/Mt. Sentinel:

Lat. 46° 51.00' N Long. 113° 56.45' W Deep Creek/Albert Creek:

Lat. 46° 56.00' N Long. 114° 13.00' W

If Necessary–Parallel and South of Runway 11/29–Contact Tower

Known Hazards:	Cautions: Taxiways have numerous weight restrictions; check with airtanker base ops for specific information. No locked-wheel turns on the airport.
Remarks:	Flight Following/ (406) 829-7060 or FAX (406) 829-7083. Hot loading for SEATs and LATs if qualified personnel on base. Frank Castillo (winter contact) (406) 829-6929 or (406) 370-5891 Normal Season–April through September
Shipping Address:	Aerial Fire Depot 5765 West Broadway Missoula, MT 59808
Last Revision:	3-19-2018

MOSES LAKE-MWH

		-	MOSES LA		L				
	Grant (County	International	Airport–Elev	ation: 1	l ,189 '			
		·	Airport: 47 11.53	N/110 18 25W					
		Е	Base Location on Fi		nt				
			NORTH	WEST					
Ī	09) 762-6186 Email:		Okanogan/Wenatchee National Forest 8868 Turner Road NE				UAS		
	bs@fs.fed.us ord@fs.fed.us		Moses Lake,	Washington 98 County: Grant	837		USF	7S	
Base Operation	ns Phone:						,	9) 762-6184 9) 762-6185	
Dispatch Offic	e Phone:		(CWICC			(509	9) 884-3473	
Dispatch Conta	act Frequency	:	"Wenate "Na	chee Dispatch" itional FF"		168	.650 T	n 110.9 For Tx and Rx	
Asst. Base Ma	nager:		Sher	ry Crawford			(509	9) 762-6184	
Asst. Base Ma	nager:		Eri	c Toombs			(509	9) 762-6184	
Runway Weig Runway 14L-3 Overweight Ag	32R Published	l:	Single 85	Dual 155	2	2S		2D 320	
Runway 04-22 Overweight Ag	Published:		75	100			175		
VLATs	YES1	Pit To	tal	4	Hot Lo	ading		NO	
LATs	YES	Parkin	g Total	8+	Fuel an	d Load		YES ³	
MAFFS	R/H ² /F ²	Load S	Simultaneously	2	Hot Re			NO	
SEATs	YES	Offloa	d Capacity	15,000	Retarda	ant Type		LC 95A	
	Sa	addle M Moses (AL/32R-13,503' x Retardant Jett ountain: Lat. 46° 4 Coulee: Lat. 47° 23 :: Lat. 47° 36.12' N	ison Area(s) 48.08' N Long.1 3.04' N Long.11	119° 37.31 .9° 54.17'	' W			
Known Hazards:	Caution: He migratory bi	• •	training facility, w	rake turbulence.	Spring &	fall: larg	ge flocl	ζS	
1DC-10 only 28 MAFFS Aircraft authorized Remarks: 3See Base Ops Plan for details MAFFS: 1) Taxiway J non-wt. bearing 2) DC-10 Avoid Taxiway G until repaired.									
Shipping Address:	Moses Lake 8868 Turner Moses Lake	Airtank Road N	ker Base NE						
Last Revision:		, /	-						

PALMER-PAAQ-PAQ

	P	almer I	Municipal Airp	ort–Elevati	on: 24 2	2,		
		_	Airport: 61 35.781					
		Ва	se Location on fie		ant			
	(907) 761-6327 is.olson@alaska		State Divisio 101 A Palmer, FTR Co	State of Alaska				
Base Operat	ions Phone:						(907	7) 761-6326
Dispatch Of	fice Phone:			Area Forestry			(907	7) 761-6239
Dispatch Contact Frequency: "Mat-Su Dispatch" 132.45 "Flight Following" 1(877) 684-563								
Base Manager: Ed Cruise (907) 761-6326 Cell(907) 574-0340								
Asst. Base M	lanager:							
ATB Techni	cian:							
Runway Wo Runway 16- Overweight	34 Published:		Single 180	Dual			2S 175	
VLATs	NO	Pit Tot	al	2	Hot Lo	oading		NO
LATs	YES	Parking	g Total	4	Fuel a	nd Load	NO	
MAFFS	R	Load S	imultaneously	1		efueling		NO
SEATs	YES	Offload	d Capacity		Retard	lant Type		LC 95A
			Runways: 16/34- Retardant Jetti t. 61° 44.00' N Lor	ison Area(s) ng. 148° 58.00'	W			
Known Hazards:	Migratory wa Locally strong	terfowl og glacial		ing to fall.	Septembe	er		
Glider activity on and in vicinity of airport, April thru September MAFFS: 1) Face East Pit 1, Face West Pit 2 (Right side towards pit) 2) Offset approx. 10ft outside standard pit taxi lines for wingtip clearance on other C-130's in pit 3) CFR Needs 2 hr. notice: John McNutt: (907)761-1327 (Palmer Fire Chief), and/or SMSgt Mark Brauneis, (AK ANG (Elmendorf)) (907)249-6155								
Shipping Address: State Of Alaska Division of Forestry 101 Airport Road Palmer, AK 99645								
Last Revisio	n: 3-19-2018	-						

PASO ROBLES-PRB

Paso Robles Municipal Airport-Elevation: 840'

Airport: 35 40.63N/120 38.02W Base Location on Field: NW Quadrant

SOUTHERN CALIFORNIA

			SOUTHI	ERN CALIFORN	NIA				
Email:SLU.Pase	<u>oRoble</u>	5) 239-3129 esAirAttack@: /@fire.ca.gov	fire.ca.gov	3403 Ta Paso Robb FTR	L FIRE axiway "A' es, CA 934 County: uis Obispo		CA	CAL FIRE	
Base Operations	s Phon	e:			(805) 238-187				
Dispatch Office	Phone):		San Lı	uis Obispo		(805	5) 547-9331	
Dispatch Contac	et Freq	uency:		"SLO C	Tx 156.030 Rx 154.385 Tn 82.5				
Battalion Chief/	ATGS	•		Jam	es Tully		(805	5) 903-3418	
Base Managers/		}			Iihalco, FC e Martin		(805	5) 238-1878	
Runway Weigh Runway 01-19 I Overweight Agr	t Lim Publish	ned:		Single 60	Dual 106		2S 130¹	2D 150	
VLATs		NO	Pit Total		3	Hot Loa	ıding	YES	
LATs		YES	Parking '	Total 12+ Fuel and		l and Load			
MAFFS		R	Load Sir	nultaneously	•			NO	
SEATs		YES	Offload	Capacity 0 Retarda			nt Type	MVP FX	
			Retarda	s: 1/19–6,008' x 1 ant Jettison Area Contact Base					
Known Hazards:				504 is at 295 degr d runway 13/31 be			RB VOR.	All	
IMAFFS: 1) Approved to ST159 per letter of agreement. 2) Non-wt. bearing areas for C-130's: RWY 13/31, TWY F, TANSIENT APRON overweight waiver up to ST159 for all other areas. 3) Pits 2 & 3 are preferred for C-130. Helicopter school and radio controlled model aircraft on the field. Contact base for jettison area information.									
Shipping Address:		L FIRE 3 Taxiway "A'	,						

Last Revision: 4-09-2018

POCATELLO-PIH

Pocatello Regional Airport–Elevation: 4,452'

Airport: 42 54.89N/112 34.60W Base Location on Field: NE Quadrant

GREAT BASIN

			GREAT I	BASIN					
	(208) 235-4714 lauphin@blm.g		Bureau of L 1433 Pocatello FTR Cou	BLM					
Base Operation	ons Phone:					(208) 235-4700 (208) 235-4716			
Dispatch Offi	ice Phone:		East	ern Idaho			3) 524-7600		
Dispatch Con	itact Frequency	:	"East	ern Idaho"			168.65	50 Tn 110.9	
Base Manage	r:		Robert	Dauphinais			(208	3) 235-4702	
Asst. Base M	anager:		V	acant			(208	3) 235-4705	
SEAT Manag	ger:		V	acant			(208	3) 235-4706	
UAM:			Robe	ert Barnes			(208	3) 235-4701	
Air Attack:			Gre	g Haxby		(208) 235-4		3) 235-4703	
Runway 03-2	Runway Weight Limits Runway 03-21 Published: Overweight Agreement:			Dual 160				2D 265	
VLATs	YES ³	Pit Tot	al	2	Hot l	Loading	YES ²		
LATs	YES	Parking	g Total	10	Fuel	and Load	YES ²		
MAFFS	R	Load S	imultaneously	2	Hot l	Refueling		NO	
SEATs	YES	Offload	d Capacity	5,000	Reta	rdant Type		LC 95A	
		Lat	s: 3/21–9,060' x 1: Retardant Jett t. 43° 12.12' N Loi	ison Area(s) ng. 112° 51.36'		,			
Known Hazards:	Radio contro	olled airc	waterfowl in vicini craft 1 mile east of	airport below 4	00 ft. A	.GL			
Remarks:	TWY 'G' HA	AS NO E nfirm Cl lanager f	all taxiways rated to DGE LIGHTS OF FR if more than 4 so details	R REFLECTOR	S, RES	TRICTED	TO D	AY USE	
Shipping Address: Bureau of Land Management 1433 Flight line Pocatello, ID 83204									
Last Revision	n: 3-19-2018								

PORTERVILLE-PTV

			SOUTHERN C	ALFORNIA				
FAX: (559) 789-0198 Email: ricontreras@fs.fed.us gratian.bidart@fire.ca.gov			Sequoia N.F./CAL FIRE 2125 South Newcomb Street Porterville, California 93257 FTR County: Tulare			USFS & CAL FIRE		
Base Operation	ons Phone:						,	9) 784-0828
Dispatch Offi	ce Phone:		Porterv	ille Dispatch				9) 782-3120 9) 732-1196
Dispatch Con	tact Frequency	•	"Po	rterville"			(169.150
Base Manage	r:		CAL FIRE E	aul Contreras C: Gratian Bio	lart		(559	9) 789-0191 9) 784-0828
Asst. Base Manager:			USFS Anne Johnson CAL FIRE Capt.: Clint Blackmon			(559) 789-0191 (559) 784-0828		
Air Attack:								
FAO:			Joel Lane			(559) 784-08		
Runway Weight Limits Runway 12-30 Published: Overweight Agreement:			Single 30	Dual 70				2D 110
VLATs	NO	Pit Tot	al	5	Hot	Hot Loading		YES
LATs	YES	Parkin	g Total	12	Fuel	and Load		YES
MAFFS	NO	Load S	Simultaneously	5	Hot 1	Refueling		NO
SEATs	YES	Offloa	d Capacity	6000	Reta	rdant Type		MVP FX
	C	ontact B	Runways: 12/30- Retardant Jett ase: Lat. 36° 01.47	ison Area(s)	° 03.46°	W		
Known Hazards:	Caution: Ul	tralight	traffic on airport					
Remarks:								
Shipping Address: Porterville Air Attack Base 2125 South Newcomb Street Porterville, CA 93257								
Last Revision								

PRESCOTT-PRC

Ernest A. Love Field–Elevation: 5,034'	Ernest A.	Love Field–Elevat	tion: 5,034 '
--	-----------	-------------------	----------------------

Airport: 34 39.42N/112 24.80W Base Location on Field: NE Quadrant

		В	ase Location on Fi	eld: NE Quadra	ınt			
		<u>, </u>	SOUTH	WEST		T		
FAX: (928) 777-5609 Email: cindyamatthews@fs.fed.us			Prescott Fire Center 2400 Melville Road Prescott, Arizona 86301 FTR County: Yavapai			USFS		
Base Operations	s Phone:						(928	3) 777-5690
Dispatch Office	Phone:		Presc	ott Dispatch			(928	3) 777-5700
Dispatch Contac	ct Frequency	:	"Presc	ott Dispatch"				168.650
Base Manager:			Cind	y Matthews			(928	3) 777-5690
Asst. Base Mana	ager:		Jul	ie Podany			(928	3) 777-5692
Air Attack:								
Forest Aviation	Officer:		Jef	f Andrews		(928) 777-5650		3) 777-5650
Runway Weight Limits Runway 03R-21L Published: Overweight Agreement:			Single 63	Dual 80		2S 153¹		2D 100
VLATs	NO	Pit Tot	al	3	Hot Lo	Hot Loading Y		
LATs	YES	Parkin	g Total	7	Fuel an	Fuel and Load		
MAFFS	Н	Load S	Simultaneously	2	Hot Re	Hot Refueling NO		
SEATs	YES	Offloa	d Capacity	5,000	Retarda	Retardant Type LC 95		
	Woo		Runways: 3R/21I Retardant Jett Mountain Lat. 34°	ison Area(s)		W^2		
	Caution: Exwing).	ktensive	student flight train	ing activity on	airport (bo	th helico	pter a	nd fixed-
Remarks: AFFS: MAFFS: 2 Jettison area is approximately 6 miles east of the airport. Base renovations were completed in late 2015 increasing the number of retardant loading pits from two to three.								
Shipping Address: Prescott Fire Center 2400 Melville Road Prescott, AZ 86301								
Shipping Address:								

PUEBLO-PUB

Pueblo Memorial Airport-Elevation: 4,729'

Airport: 38 17.05N/104 29.27W Base Location on Field: E Quadrant

ROCKY MOUNTAIN

			ROCKY MO	DUNTAIN				
FAX: (719) 948-5437 Email: <u>wking@fs.fed.us</u>			US Forest Service CWN Pueblo Memorial Airport Pueblo, CO FTR County: Pueblo			USFS		
Base Operation	ons Phone:					(719	9) 948-5420	
Dispatch Offic	ce Phone:		Puel	olo Dispatch		(719	9) 553-1600	
Dispatch Cont	tact Frequency	·:		blo Dispatch tional FF"		168.6	50 Tn 110.9	
Base Manager			I	Bill King		(719	9) 553-1632	
Asst. Base Ma								
Forest Aviation	on Officer:		F	Bill King		(719	9) 553-1414	
Runway Weight Limits Runway 08L-26R Published: Overweight Agreement: Runway 08R-26L Published: Overweight Agreement: Runway 17-35 Published:		Single 20 75 93	Dual 170 110	2S 40 250 140		2D 170		
Overweight A	1	D'4 TE 4	1		TT 4 T 1'		YES	
VLATs	NO	Pit Tot		1		Hot Loading		
LATs	YES	Parking		1		Fuel and Load		
MAFFS	R		imultaneously	1	Hot Refuel Retardant	NO		
SEATs	YES		d Capacity	1503 15/25 0	Ļ	Турс	LC 95A	
	Kı	•	8R/26L-10,496' Retardant Jett See Map in Base O	tison Area(s)				
Known Hazards:	Caution: Be Pueblo Colo		Intensive USAF St	tudent Training i	n Vicinity of	Colorado S	Springs and	
CWN Heavy Airtanker Base. RWY 8R right traffic. Sequencing for VFR aircraft available. 100LL, Jet A MAFFS: 1) RWY 8L/26R and B twys not suitable C-130's. 2) PIT setup varies dependent on VLAT setup. Follow Parking Tenders, verify wingtip clearance, and use wing walkers if needed.								
Shipping Address:	Pueblo Airtanker Base 31201 Bryan Cir. Pueblo, CO 81001							
Last Revision	: 3-30-2018							

RAMONA-RNM

		Rai	mona Airport– Airport: 30 02.	Elevation: 1,395	,								
		E	Base Location on F	ield: NW Quadrant									
			SOUTHERN (CALIFORNIA	T								
FAX: (760) 788-9634 Email: MVU.RamonaAirAttackBase @fire.ca.gov			Ramona Airport 2498 Montecito Road Ramona, CA 9206 FTR County: San Diego		CAL FIRE								
Base Operation	ns Phone:				(760) 789-1370							
Dispatch Offic	ee Phone:		Monta	Vista ECC	,	619) 401-7787							
Dispatch Cont	act Frequency	y:	"Mon	ta Vista"	Rx 151.190 T-131.8 Tx 159.225 T-131.8								
Base Manager	:		BC Burke	e Kremensky	(760) 789-1370								
Air Tactical G	roup Supervi	sor:	Captain To	odd O'Carroll	(760) 789-1370								
Air Tactical G	roup Supervi	sor:	Captain Sha	ne Montgomery	(760) 789-1370							
Runway Weig Runway 09-27 Overweight Ag	Published:		Single 75	Dual 95	2S 135	2D -							
VLATs	NO	Pit To	tal	3	Hot Loading	YES							
LATs	NO ¹	Parkir	ng Total	10	Fuel and Load	NO							
MAFFS	NO	Load	Simultaneously	3	Hot Refueling	NO							
SEATs	YES	Offloa	nd Capacity	2000	Retardant Type	MVP FX							
Runways: 9/27–5,001' x 150' Retardant Jettison Area(s) Orosco Ridge Lat. N33.06.00 Long. W166.52.09 ²													
Known Hazards:			tankers exceed rund restriction in pla	nway-bearing strengtl .ce–see remarks	1								
USFS contracted LATs are prohibited. ¹In addition to the S-2, the base can accommodate some large airtankers such as BAe-146— see base manager for further information. ²Jettison area is approximately 4 nautical miles north of the airport. Pattern altitude 2395ft. MSL. No overrun on RW-09. FAA tower operation 0900-2000													
Shipping Address:	2498 Monte	ecito Ro				Pattern altitude 2395ft. MSL. No overrun on RW-09. FAA tower operation 0900-2000 Ramona Airport 2498 Montecito Road Ramona, CA 92065							

Last Revision: 3-01-2018

RAPID CITY-RAP

	Raj	oid Cit	y Regional Air	port–Eleva	tion: 320	4'		
		R	Airport: 44 02.131					
		<u> </u>	ROCKY MO	`	diit			
FAX: (605) 393-9935 Email: <u>gjschafer@fs.fed.us</u>			USFS–Black Hills National Forest 4940 FAA Road Rapid City South Dakota 57703 FTR County: Pennington			USFS		
Base Operation	ons Phone:							5) 393-2533 5) 393-9671
Dispatch Offi	ce Phone:		Great Plain	s Dispatch Ce	nter			5) 399-3160
Dispatch Con	tact Frequency	7:	"Gro	eat Plains"		169.950		
Base Manager:			Gordon Schafer			Cell(605) 673-8911 Alt Cell (541)297-6317		
Asst. Base M	anager:		Vacant				-	
Air Attack:								
Forest Aviation	on Officer:		Todd Pech	nota/Forest FN	10		(605	5) 673-9280
Runway Wei Runway 14-3 Overweight A	2 Published:		Single 140	Dual 190		2S 175		2D 300
VLATs	NO	Pit Tot	al	1	Hot Lo	ading		YES
LATs	YES	Parkin	g Total	5	Fuel an	d Load		YES
MAFFS	R	Load S	Simultaneously	1	Hot Re	fueling		NO
SEATs	YES	Offloa	d Capacity	5,000	Retarda	int Type		LC 95A
			Runways: 14/32- Retardant Jetti Contact	ison Area(s)				
Known Hazards: Caution: Military activity within 5-mile radius. (SDANG and EAFB operations)								
Remarks: MAFFS: 1) Enter Counter clockwise, right side to pits due to hose length. 2) North loop taxi centerline gives 25' clearance on TWR fence; Offset approx. 10ft N of pit taxi lines for clearance on tanks/pit buildings.								

Last Revision: 3-19-2018

Shipping

Address:

Black Hill National Forest

Rapid City, SD 57703

4940 FAA Road

REDDING-RDD

Redding Municipal Airport–Elevation: 505' Airport: 40 31.18N/122 17.88W Base Location on Field: NW Quadrant **NORTHERN CALIFORNIA** Shasta-Trinity National Forest - CAL FIRE Shasta-Trinity Unit FAX: **(530) 224-2433** Email: Redding Air Attack Base iridley@fs.fed.us 6101 Airport Road Chris.willson@fire.ca.gov Redding California 96002 **USFS & CAL FIRE** FTR County: Shasta USFS: (530) 226-2745 Base Operations Phone: CAL FIRE: (530) 226-2795 Dispatch Office Phone: Redding ICC (530) 242-2400 Dispatch Contact Frequency: "Redding" 171.575 USFS: Jeff Ridley (530) 226-2796 Base Manager: CAL FIRE: Chris Willson (Detailed) (530) 226-2794 **Assistant ATBM:** Justin Jeude (530) 226-2745 ATB Technician: Brenda Giller (530) 226-2785 (530) 226-2799 ATB Technician: Norman Baker **Runway Weight Limits** Single Dual 2D 2SRunway 16-34 Published: 98 128 195 Overweight Agreement: Runway 12-30 Published: 62 72 110 Overweight Agreement: ATB Ramp Weight Limitation:155,000 lbs. VLATs Pit Total Hot Loading NO 4 YES LATs Fuel and Load YES Parking Total 5 YES **MAFFS** YES 2 NO Load Simultaneously Hot Refueling Retardant Type **SEATs** Offload Capacity YES 9.000 **MVP FX** Runways: 16/34-7,003' x 150' **Retardant Jettison Area(s)** Contact airbase–Multiple jettison areas on the SHF On airport NE of runway 16/34–(emergency use only)

Known Hazards:	Caution: Extensive student flight training and large flocks of migratory birds.
Remarks:	When applicable—Runway 16 departures to avoid populated areas. Climb runway heading until approaching the Sacramento River, then turn left, or right to avoid the town of Anderson.
Shipping Address:	Redding Air Attack Base 6101 Airport Road Redding, CA 96002
Last Revision:	3-1-2018

REDMOND-RDM

Airport: 44 15.57N/121 09.12W Base Location on Field: NE Quadrant

NORTHWEST

FAX: (541) 504-7223 Email: <u>ergraff@fs.fed.us</u>			1740 SI Redmond	s National Fores E Ochoco Way I, Oregon 97756 unty: Deschutes	5		FOREST S USE	S RAGRETURE S	
Base Operation	ns Phone:						(541	1) 504-7220	
Dispatch Office Phone:			Central Oregon Fire Management Dispatch			(541) 316-7777			
Dispatch Cont	act Frequency	' :	"Central C	Oregon Dispatch	'n"	169.875 Tn 103.5			
Base Manager	:		Eric Graff			(541) 504-7220			
Asst. Base Ma	Asst. Base Manager:			Jennifer Moore			(541) 504-7222		
Air Attack:			John Wood			(541) 504-7225			
Forest Aviatio	n Officer:		Scott Chehock			(541) 416-6793			
Runway Weight Limits Runway 11-29 Published: Overweight Agreement:			Single 68 28	Dual 110 40	2	28		2D 200	
VLATs	NO	Pit Tot	al	3	Hot Lo	Hot Loading		YES	
LATs	YES	Parking	g Total	7	Fuel an	Fuel and Load		YES	
MAFFS	NO	Load S	imultaneously	2	Hot Re	fueling		NO	
SEATs	YES	Offload	d Capacity	5,000	Retarda	Retardant Type			

Runways: 5/23–7,038' x 150' 11/29–7,006' x 100' Retardant Jettison Area(s)

Primary: Lat. 44° 15.00' N Long. 121° 07.00' W Secondary: Lat. 44° 07.00' N Long. 121° 06.00' W Secondary: Lat. 44° 16.00' N Long. 121° 22.00' W

Known	Caution: Be alert to runway crossing clearances. Read back of all runway holding
Hazards:	instructions is REQUIRED.
Remarks:	
Shipping	Redmond Airtanker Base
Address:	1740 SE Ochoco Way
Address.	Redmond, OR 97756
Last Revision:	3-19-2018

ROSWELL-ROW

	Rosv	well In	dustrial Air Ce	enter–Elevati	ion: 3,	671'		
		E	Airport: 33 18.321 Base Location on F		t			
			SOUTHV					
FAX: (575) 347-2369 Email: <u>jking@blm.gov</u>			Bureau of Land Management Roswell Industrial Air Center 2909 West 2nd Street Roswell, New Mexico 88201 FTR County: Chaves			BLM		
Base Operatio	ns Phone:						(575	5) 347-0117
Dispatch Office	ce Phone:			nteragency Disp nergency	atch		(87)	5) 437-0778 7) 695-1663 5) 437-2286
Dispatch Cont	act Frequency	:	"Alamogo	ordo Dispatch"			1	168.500
Base Manager	•		Jus	tin King		С		5) 627-0214 5) 626-8887
Asst. Base Ma	nager:							
UAM:			Ty Bryson			(575) 234-5690 Cell (575) 361-5960		
Runway Weight Limits Runway 03-21 Published: Overweight Agreement: Runway 17-35 Published: Overweight Agreement:			Single 100 77	Dual 200 104		2S 175 128		2D 400 165
VLATs	¹YES	Pit Tot	al	1	Hot L	Hot Loading		YES
LATs	YES	Parkin	g Total	10+	Fuel and Load			NO
MAFFS	R	Load S	Simultaneously	1	Hot R	Refueling N		NO
SEATs	YES	Offloa	d Capacity		Retard	Retardant Type		LC 95A
	Rı	ınways:	3/21–13,001' x 15 Retardant Jetti Contact	ison Area(s)	99' x 10	0'		
Known Hazards:	Caution: 74	7 aircra	ft parked along TW	VY may present	wingtip	clearance	hazar	d.
To activate the base contact FMO Ty Bryson at: (575) 234–5960 or Cell(575) 361–5960 Roswell Field Office: (575) 627-00272 Main Runway 13,000 ft. Alternate Runway 10,000 ft. 1DC-10 only MAFFS: 1) Non-wt. bearing for C-130's: Twy A. 2) Large aircraft (i.e., B-747) may be parked too close to pit area and must be removed to provide adequate clearance. Contact Airtanker Base manager if large aircraft are near pit.								
Shipping Address:	Roswell Airtanker Base 1 Jerry Smith Circle Roswell, NM 88203							
Last Revision:	4-05-2018							

SAN BERNARDINO-SBD

	San Ber	nardin	o International	Airpo	ort–Elev	vation:	1,159'		
		B	Airport: 34 06.35 ase Location on Fig			nt			
			SOUTHERN C.		_	10			
	909) 382-7993 Email: <u>rbase@fs.fed.</u>		San Bernard San Bernard 2065 E San Bernardi FTR County	lino Air . Perime no, Cali	tanker Ba eter Rd fornia 92	use 408		FOREST S FOREST S SOTMENT OF	S S FS
Base Operation	ns Phone:							(909	9) 382-4974
Dispatch Office	ee Phone:			FICC				(909	9) 383-5654
Dispatch Cont	act Frequency	·:	"San	Bernara	dino"				171.475
Base Manager	:		Lesl	ie Casa	van		C		9) 382-2992
Asst. Base Ma	nager:		Ke	lly Matl	nis			(909	9) 382-2995
Airbase Techn				Domin			C	`	9) 844-6684
Air Attack:	iioiaii.			Vacant	Sucz			(202	7) 302 2)) 3
Forest Aviatio	n Officer:		M	ike Eato	on		C	`	9) 382-2994
Runway Weig Runway 06-24 Overweight A	Published:		Single Dual 23 97 265 17					2D 890	
VLATs	YES1	Pit To	tal	6+	VLAT	Hot Lo	ading		YES
LATs	YES	Parkin	g Total		12+	Fuel an	d Load		YES
MAFFS	R/H/F	Load S	Simultaneously	4+	VLAT	Hot Re	fueling		NO
SEATs	YES	Offloa	d Capacity	1	0,000	Retarda	nt Type		MVP FX
		La	Runways: 6/24– Retardant Jett at. 34° 11.00' N Lo	ison Ar	rea(s)	W			
Known Hazards:	IFR may rec	quire zer	traffic pattern west to retardant load to der area to North o	meet m					
Remarks:	¹Can handle	DC-10	and 747						
Shipping Address:	San Bernard 2065 East P San Bernard	erimeter	Road						

Last Revision: 3-1-2018

SANTA MARIA-SMX

Santa Maria/Capt. G Allen Hancock Field-Elevation: 261'

Airport: 34 53.50N/120 27.35W Base Location on Field: NE Quadrant

SOUTHERN CALIFORNIA

· I	05) 937-5248 Email: pase@gmail.c		1211 C Santa Ma	s National Fores litation Court aria, CA 93455 y: Santa Barba		USFS		
Base Operations Phone:						(805) 937-5059 X 20		
Dispatch Offic	e Phone:		Los Pac	dres Dispatch		(8	05) 93	8-9142 X 0
Dispatch Conta	act Frequency	' :	"Lo	s Padres"		Rx170.550 Tx169.900 Tn131.8		
Base Manager:			Andrea Helming			(805) 722-25		
Asst. Base Mar	nager:		Dave Sewell				(805	5) 729-7674
Air Attack:			Mark Nunez				(805	5) 895-6620
Forest Aviation	n Officer:		Brian Sexton				(805) 961-5775	
Runway Weig Runway 12-30 Runway 02-20			Single 75 70	Dual 181 90	1	S 75 12		2D 400 150
VLATs	YES1	Pit Tot	al	3	Hot Los	ading		YES
LATs YES Parki		Parkin	g Total	10+	Fuel an	d Load		YES ²
MAFFS R Load			Simultaneously	3	Hot Re	Hot Refueling		NO
SEATs	YES	Offloa	d Capacity	12,500	Retarda	int Type		MVP FX

Runways: 12/30–8,004' x 150' Retardant Jettison Area(s)

On field: Lat. 34 53.38' N/Long. 120 27.53' W Adjacent and parallel to runway 2/20, no agreement, or EA

Known Hazards:	Helicopter Parking is located west of Jet Center and Trailers.
Remarks:	¹ DC-10 only On-site hotel and car rental. 24 hr. on-site ARFF ² See Base Manager for details, select A/C only
Shipping Address:	Santa Maria Airtanker Base 1211 Citation Court Santa Maria, CA 93455
Last Revision:	3-1-2018

SANTA ROSA-STS

Charles M. Shultz-Sonoma County Airport-Elevation: 128'

Airport: 38 30.32N/122 49.32W Base Location on Field: NE Quadrant

NORTHERN CALIFORNIA

Email: <u>lnu.sonom</u>	707) 576-2587 naairattack@fire sek@fire.ca.gov		2235 . Santa Rosa	AL FIRE Airport Blvo , California ounty: Sono l	954	03	CAL FIRE		
Base Operations Ph	one:			(707) 576-2586					
Dispatch Office Pho	one:		St. He	lena Dispato	ch		(7	07) 963-4112	
Dispatch Contact Fi	equency:		"St	t. Helena"				151.460	
Base Manager:			Chi	ris Jurasek			(7	07) 889-4184	
ATB Captain:			Ni	ck Welch			(7	07) 576-2586	
Air Attack:									
Runway Weight L Runway 14-32 Publ Overweight Agreen		Single 120	Dual 184		2	2S	2D 300		
Runway 01-19 Publ Overweight Agreen			109	154				254	
VLATs	NO	Pit Total		4	Н	ot Load	ling	YES	
LATs	YES	Parking T	Total	10	Fuel and L		Load	NO	
MAFFS	NO	Load Sim	nultaneously	ltaneously 4 Hot Refu		Hot Refueling		NO	
SEATs	YES	Offload C	Capacity 5,000 Retardan			t Type	MVP FX		
	Off airpo	Retard	y s: 14/32–6000' lant Jettison A r est of airport–Fro	rea(s)	0° 71	nm			
Known Hazards:									
Noise abatement for all runways. Avoid low flight over houses and ranches north and south. Remarks: Depart straight out from RW-19 past houses and ranches before turning. Turn as needed to avoid houses from RW-14/32 and climb AFAP within safe operating limits. Avoid flat approaches to all runways.									
Shipping Address: CAL FIRE 2235 Airport Blvd. Santa Rosa, CA 95403									
Last Revision: 3-30	-2018								

SILVER CITY-SVC

		Grant (County Airpor	t–Elevation	: 5,446	,		
		D	Airport: 32 37.87					
		В	ase Location on Fi SOUTH		ant			
	(575) 388-8622 ogomez@fs.fed		Gila Na PO Hurley, Ne	ational Forest Box 931 w Mexico 880 ounty: Grant	43		USFS	S
Base Operat	ions Phone:						(575	5) 538-2702
Dispatch Of	fice Phone:		Silver (City Dispatch			(575	5) 538-5371
Dispatch Co	ntact Frequency	:	"Silver (City Dispatch"			Γ)	(x) 169.900 (x) 164.150 (x Cg) 103.5
Base Manag	er:		Buc	k Gomez			(575	5) 538-2702
Asst. Base N	Ianager:		Serg	gio Ochoa			(575	5) 534-7835
Air Attack:								
Forest Aviat	ion Officer:		•	Vacant				
Runway Wo Runway 08- Overweight	26 Published:		Single 75	Dual 100		2S		2D
VLATs	NO	Pit Tota	al	2	Hot L	oading		YES
LATs	YES	Parking	g Total	5	Fuel	and Load		NO
MAFFS	NO	Load S	imultaneously	1		Refueling		NO
SEATs	YES	Offload	l Capacity		Retar	dant Type		MVP FX
			Runways: 8/26- Retardant Jett Contact	ison Area(s)				
Known Hazards:								
Remarks:								
Shipping Address:	Silver City A 158 Airport Hurley, NM	Road	r Base					
Last Revisio	n: 3-01-2018							

SISKIYOU COUNTY-SIY

	C:	i alzirran	County Aims	ut Elava	ti on t	2 (51	19		
	S 1	iskiyot	ı County Airpo	ort–Eleva	tion:	2,65	ľ		
		_	Airport: 41 46.72						
		В	ase Location on Fi NORTHERN C			t			
			NORTHERN C	ALIFORI	IA				
Email: j	842-6953 (disp keiser@fs.fed.u c@gmail.com		1312 F Yreka, C	National Fo airlane Roa alifornia 96 unty: Siskiy	.d 097			FOREST SER FOREST SER FOREST OF AGE	S
Base Operation	ons Phone:							(530)) 459-5116
Dispatch Offi	ce Phone:			YICC				(530	0) 842-3380
Dispatch Con	tact Frequency	/:		Yreka"			Tx 165.4	1125 R	x 171.5250 Tn 127.3
Base Manage	r·			m Davis				,	0) 842-1103
			Matt Libby			Cell (530) 643-			
Asst. Base M	anager:							`	0) 841-4402 0) 841-4619
Air Attack:			Derek Wheeler			Се	`)) 355-3274	
Forest Aviation	on Officer:		Jet	f Keiser			Co	`)) 841-4430)) 598-1590
Runway Wei Runway 17-3 Overweight A	5 Published:		Single Dual 180			2S 175	11 (33)	2D 270	
VLATs	NO	Pit Tot	al	2		Hot L	oading		YES
LATs	YES	Parkin	g Total	5+		Fuel a	nd Load		NO
MAFFS	NO	Load S	Simultaneously	1			efueling		YES
SEATs	YES	Offloa	d Capacity	NO)	Retard	lant Type		LC 95A
		La	Runways: 17/35 Retardant Jett at. 41° 46.40' N Lo	ison Area(s	s)	V			
Known Hazards:			ope on/near runwa Maintenance adjac		ays a	nd taxiv	ways.		
Remarks:	100LL and	Jet A fu	el card lock and fu	el truck on	airpoi	rt. Chec	k NOTAN	∕I's	
Shipping Address: Klamath National Forest 1711 South Main Yreka, CA 96097									

Last Revision: 2-13-2018

STEAD/RENO-RTS

			SIEADI		NO-KIS						
			Airport: 39 3	- 39.581	-Elevation: 5 N/119 52.15W						
		В	ase Location	on Fi	eld: SE Quadran	ıt					
			GRE	EAT E	BASIN						
FAX: (Email: <u>mk</u>	775) 972 kidwell@		146 Re	600 M eno, N	and Managemen aryland Street levada 89506 unty: Washoe	nt	•	NATIONAL SYSTEM OF U.S. DEPARTMENT OF SOUTHAL OF LAND ME SOUTHAL OF LA	TRIBUTE LAND		
Base Operation	ns Phon	e:	Ste	ead Ai	r Attack Base			(77:	5) 972-9201		
Dispatch Offic	ce Phon	e:	Sierra I	Front	Dispatch (SFID	C)		(77:	5) 883-5995		
Dispatch Con	tact Fred	quency:	Local FF: 1	168.42	25 Toned 114.8	Rx/Tx	NF	110	3.650 Toned 3.9 Tx & Rx		
Base Manager	r:	Michael Kidwell (775) 972- Cell (775) 721-									
Asst. Base Ma	Manager: Kim Hartweg (775) 972-9										
SEAT Manager: Andy Garrell (775) 997-9									5) 997-9011		
Air Attack:				Scot	t Morrow			(77	5) 434-4065		
Runway Wei Runway 14-32 Overweight A Runway 08-20 Overweight A	2 Publish greement Publish	hed: nt: hed:	Single 75 N/A 60 N/A		Dual 200 N/A 100 N/A	1	2S N/A 155 N/A 155		2D 320 N/A 150 N/A		
VLATs	No	Pit Total			2	Hot L	oading		Yes		
LATs	Yes	Parking Tota	1		12	Fuel a	nd Load		Yes		
MAFFS	R	Load Simulta	neously		21	Hot R	efueling		Yes		
SEATs	Yes	Offload Capa	icity		5,000	Retard	dant Type		LC 95A		
		·	Retardant	t Jetti	50' 8/26–7,608 son Area(s) niles NNW at B						
Known Hazards:	Skydiv	vers and Nationa	l Guard helico	pters i	n area, extensive	training	on weeken	ds.			
Remarks:	Base				Aviation Manaş 30. Unicom 12		okejumpe	r Opei	rations.		
Shipping Address:	14600	Sureau of Land Management 4600 Maryland Street eno, NV 89506									

Last Revision: 2-14-2018

TANACROSS-TSG

Tanacross Airport–Elevation: 1,549'

Airport: 63 22.30N/143 20.38W Location on Field: E Quadrant

ALASKA

			TALITA	O11/1					
	907) 883-5135 .taulus@alask		Division B Tok, Al	of Alaska n of Forestry ox 10 laska 99780 unty: Alaska		State of Alaska			
Base Operation	ons Phone:						(907) 883-5845		
Dispatch Off	ice Phone:		Tok Ar	ea Forestry			(907) 883-5681		
Dispatch Cor	ntact Frequency	y:	"Tok Fore.	stry Dispatch	,,		132.450		
Base Manage	er:		Chr	is Cook		C	(907) 883-5845 ell (907) 940-6701		
Asst. Base M	anager:								
ATB Technic	cian:		Jame	es Wright					
Air Attack:									
Runway We Runway 06-2 Overweight A	4 Published:		Single	Dual 1		2S	2D 1		
VLATs	NO	Pit To	otal	3	Hot Lo		NO		
LATs	YES		ng Total	3		nd Load	NO		
MAFFS	NO		Simultaneously			fueling	NO		
SEATs	YES		ad Capacity		_	ant Type	LC95A		
]		ys: 6/24–4,963' x 1 Retardant Jet Lat. 63° 25.00' N L	ttison Area(s)		50'			
Known Hazards:	Caution: Ro	cks up	to 2" on taxiway ap	oproaching run	nway 06.				
Remarks:	One-hour no	tice is r	asphalt in poor con equired to activate perations during su	this airtanker		ay 12			

Last Revision: 3-19-2018

Box 10

Tok, AK 99780

Shipping

Address:

State of Alaska Division of Forestry

TWIN FALLS-TWF

Joslin Field/Magic Valley Regional Airport–Elevation: 4,154'

Airport: 42 28.98N/114 28.65W Base Location on Field: W Quadrant

GREAT BASIN

		GREAT E	710111					
FAX: (208) 735-6 Email: <u>bmartens@bl</u>		Bureau of Land Mar 371 Joslin Way Twin Falls, Idaho FTR County: Twi	Box 10 83301	BLM				
Base Operations Phon	ne:				(208) 735-6505			
Dispatch Office Phon	ie.	South Idaho	n		(208) 732-7247			
Disparen emile i non					(208) 886-2373 RX: 170.100			
Dispatch Contact		"South Idaho Dis	Pispatch" TX: 16					
Frequency:		"Local Flight Foli	lowing"	ving" T:1				
Base Manager:								
SEAT Manager:		Jasper Lloy	d		(208) 735-6505			
ATB Technician:		Matt James	5		(208) 735-6514			
Air Attack:		Shayler Soren	sen		(208) 559-6291			
Unit Aviation Manag	er:	J. Erich Gleckler			(208) 451-0396			
Runway Weight Lin Runway 08-26 Publis Overweight Agreeme	shed:	Single 75	Dual 200	2S 175	2D 250			
VLATs	NO	Pit Total	2	Hot Loading	YES			
LATs	YES	Parking Total	6+	Fuel and Load	YES			
MAFFS	R	Load Simultaneously	1	Hot Refueling	NO			
SEATs	YES	Offload Capacity	10,000	Retardant Type	LC 95A			
		ways: 8/26–8,703' x 150'F Lat. 42° 26.27'N Lon Mile NW of Berger Butte-	g. 114° 39.08'	W				
Known Hazards:								
Remarks:	MAFF	only loading available and S: S Bi-Directional, West fac	•		dvise			
Shipping Address:	371 Jo Twin I	Falls Airtanker Base slin Way Box 10 Falls, ID 83301						
Last Revision: 3-19-2	2018							

UKIAH-UKI

Ukiah Municipal Airport-Elevation: 617'

Airport: 39 07.60N/123 12.18W Base Location on Field: NW Quadrant

NORTHERN CALIFORNIA

		1,01(1)	EIG CHEIL O	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
	X: (707) 462-6539 <u>iahairattackbase@fi</u>	re.ca.gov	1475 Sou Ukiah, Ca	AL FIRE ath State Stralifornia 95 aty: Mendo	482	C	CAL FIRE		
Base Operation	s Phone:			(7	07) 462-6102				
Dispatch Office	e Phone:		Howard I	Forest Dispa	atch	(7	(07) 459-7403		
Dispatch Conta	ct Frequency:		"How	ard Forest'	,		151.385		
Base Manager:			Ra	y Taglio		(7	07) 462-6102		
Asst. Base Man	ager:		Matt	McElhnny					
ATB Technicia	n:								
Air Attack:			Taglio	Taglio/ McElhnny					
Runway Weigh Runway 15-33 Overweight Ag	Published:		Single 28	Dual		2S	2D		
VLATs	NO	Pit Total		3 Hot Load		ading	YES		
LATs	NO	Parking T	otal 6 Fuel and I		d Load	NO			
MAFFS	NO	Load Sim	ultaneously 3 Hot Refu			fueling	NO		
SEATs	NO	Offload C	Capacity	int Type	P-100				
	Off Air	Retard	s: 15/33–4,423' ant Jettison Ard Mountain From	ea(s)	7nm				
Known Hazards:									
S-2 only. Noise abatement procedure when applicable for RW-33: 15 degree right turn at 1500 feet, then parallel railroad to freeway. Noise abatement procedure when applicable for RW-15: 20 degree left turn at 4,000 foot marker, climb straight out.									
Shipping Address: CAL FIRE 1475 South State Street Ukiah, CA 95482 Last Revision: 4-10-2018									
Last Revision:	4-10-2018								

WEST YELLOWSTONE-WYS

		Yello	wstone Airport	–Elev	ration: 6	,649	,,				
			Airport: 44 41.75								
		В	sase Location on Fi NORTHERN			t					
								cet era			
`	06) 646-9598 ben@charter		Gallatin N Bo West Yellow FTR Cou	ox 610 stone, N	MT 59758			USFS	a Service Serv		
Base Operation	ns Phone:							(406	6) 646-7691		
Dispatch Offic	e Phone:		Bozeman D	Dispatch	Center			(406	6) 587-6719		
Dispatch Conta	act Frequency	<i>'</i> :	"Bozema	ın Disp	atch"			168.6	50 Tn 110.9		
Base Manager:			Billy	Benne	tt			(864	4) 426-5941		
Asst. Base Ma	nager:										
Air Attack:											
Runway Weig Runway 01-19 Overweight Ag	1-19 Published: 90 150 280										
VLATs	NO	Pit To	tal		1	Hot	Loading		YES		
LATs	YES	Parkin	g Total		4	Fue	l and Load		YES		
MAFFS	NO	Load S	Simultaneously		1		Refueling		NO		
SEATs	YES	Offloa	d Capacity	1	0,000	Reta	ardant Type		MVP FX		
Vassassa	Lat. 44	4° 41.18	Runways: 1/19- Retardant Jett ' N Long. 111° 07.	ison A	rea(s)	e of R	Runway)				
Known Hazards:											
Air Idaho Medical helicopter @ terminal Car rental service @ terminal Commercial airline regional jet service—2 flights daily June-September Smokejumper Base @ Airtanker Base-several practice jump spots within 5 miles of base. Letter of Authorization from Montana Department of Transportation, Yellowstone Airport, for C-130 operations. AWOS: 118.1											
Shipping Address: West Yellowstone Airtanker Base 670 Aircenter Rd. West Yellowstone, MT 59758											
Last Revision:	4-02-2018										

WINSLOW-INW

Winslow/Lindberg Regional Airport-Elevation: 4,941'

Airport: 35 01.27N/110 43.12W Base Location on Field: NE Quadrant

SOUTHWEST

,	928) 289-2535 ivan01@fs.fe		Winslow, A	ves National Fo rigan Road Arizona 86047 anty: Navajo	rest	USFS		
Base Operation	ns Phone:						(928	3) 289-8810
Pilot Lounge:						(928) 289-88		
Dispatch Office Phone:			Show Lo	w Dispatch			(928	3) 532-2700
Dispatch Contact Frequency:			"Sho	w Low"				169.950
Base Manager	•		Jerry Sullivan			(928) 289-88		
Asst. Base Ma	nager:		Enrique Pacheco				(928	3) 289-8812
Air Attack:								
Interagency A	viation Office	r:	Mark Empey			(928	3) 532-2712	
Runway Weig Runway 11-29 Overweight A Runway 04-22 Overweight A	Published: greement: Published:		Single 60 Yes 50 Yes	Dual 70 80		2S		2D 110 125
VLATs	NO	Pit Tot	al	3	Hot	Loading		YES
LATs	LATs YES Parki		g Total	5	Fue	l and Load		NO
MAFFS	MAFFS NO Load			1	Hot	Refueling		NO
SEATs	SEATs YES Offlo			3,000	Ret	ardant Type	De LC 95A	
			11/20 7 1001 1	503 4/22 5 40	.01 1	= 0.		

Runways: 11/29–7,100' x 150' 4/22–7,499' x 150' Retardant Jettison Area(s)

Lat. 34° 57.72' N long. 110° 51.15' W

Known Hazards:	Caution: Aircraft with wingspan over 79ft. should back taxi on that portion of runway 29 near terminal building and fuel farm.
Remarks:	Unicom 122.800 AWOS 118.875 FBO 928-289-0100
Shipping Address:	Winslow Airtanker Base 542 Barrigan Road Winslow, AZ 86047
Last Revision:	3-20-18

TEMPORARY AIRTANKER BASE:

TEMPORARY AIRTANKER BASE:								
		Airport:						
FAX: Email:								
Base Operations Phone:								
Pilot Lounge:								
Base Contact Frequency:								
Dispatch Office Phone:								
Dispatch Contact Frequency:								
Base Manager:								
Asst. Base Manager:								
Airtanker Contract COR:								
Air Attack:								
Forest Aviation Officer:								
Runway Weight Limits Runway Published: Overweight Agreement: Runway Published: Overweight Agreement:		Single	Dual	2	2S	2D		
VLATs		Pit Total		Hot Load	ling			
LATs		Parking Total		Fuel and	Load			
MAFFS		Load Simultaneously		Hot Refu	eling			
SEATs		Offload Capacity						
]	Retardant Jettison Area(s)	1					
Known Hazards:								
Remarks:	Unic AWO FBO	OS						
Last Revision:								

Single Engine Airtanker Bases

ALLIANCE SEAT-AIA

		Allia	nce Municipal-	-Elevation	n: 3,93	31'			
		В	Airport: 42 03.322 ase Location on fie						
			ROCKY MC	UNTAIN		ı			
FAX: (308) 432-6187 Email: sethpeterson@unl.edu		Nebraska Forest Service 430 E 2 nd St Chadron, NE 69337-2433 FTR County: Box Butte			Net	Nebraska State			
Base Operation	ns Phone:						(402	2) 366-3540	
Dispatch Office	ce Phone:		Great Pla	ins Dispatch	1		(605	5) 399-3161	
Dispatch Cont	act Frequency						F.N.	169.175 Tx Tn 103.5	
SEAT Manage	er:		Seth Peterson				(402) 366-3540		
Runway: 8/26-17/35	Runway Weight Limits Runway: 8/26–12/30 17/35 Overweight Agreement:		Single 36.0 24.0	Dual 48.0 30.0		28		2D 80.0	
VLATs	NO	Pit To	tal	1	I	Hot Loading		YES	
LATs	NO	Parkin	g Total	3	F	Fuel and Load		NO	
MAFFS	NO	Load S	Simultaneously	1	I	Hot Refueling		YES	
SEATs	YES	Offloa	d Capacity						
		4	Retardant Jett Adjacent or Paralle						
Known Hazards:	Cautions:	General	Aviation and Com	mercial Avia	ation.				
Remarks: 100 LL and Jet A available through FBO Unicom 123.00 Contracted Vender may Hot Refuel.									
Alliance SEAT Base/Airport Shipping Address: Alliance SEAT Base/Airport 5631 Sarpy Rd Alliance, NE 69301									
Last Revision:	2-14-2018								

AMARILLO SEAT-AMA

Rick Husband International Airport–Elevation–3,607'

Airport: 35 13.16N/101 42.35W Base Location on Field: NE Quadrant

SOUTHERN

Rick Husba Internatio Amari	Forest Service and Amarillo anal Airport illo, TX anty: Taylor	TEX FORE	AS A&M		
	<i>j</i> : - - <i>j</i>	, , , , , ,	ST SERVICE		
	Established up				
Merkel	Dispatch		(325) 261-3620		
"Local	al FF"	RX 159.330, tn 225.7 TX 151.385 tn 173.8 155.370 tone 156.7 168.650 tone 110.9			
As As	ssigned				
As As	As Assigned				
As As	ssigned				
As As	ssigned				
Cynthi	a Foster		(979) 458-7308		
Single 100.0 100.0	Dual 200.0 200.0	2S 200.0	2D 400.0 400.0		
t Total	2	Hot Loading	YES		
arking Total	6	Fuel and Load	NO		
oad Simultaneously	2	Hot Refueling	NO		
ffload Capacity	Offload Capacity 5,000				
1	Merkel "Abilene "Loc "Natio As As As As As As Cynthi Single 100.0 100.0 Total rking Total and Simultaneously	As Assigned As Assigned Cynthia Foster Single	Established Merkel Dispatch "Abilene Repeater" RX 15 TX 1 "Local FF" 155 168 As Assigned As Assigned As Assigned As Assigned Cynthia Foster Single Dual 2S 100.0 200.0 200.0 100.0 2		

Retardant Jettison Area

Bearing 296 Magnetic 6.8 miles from AMA

35 17.123 N 101 48.664 W

Known Hazards:	Caution: Commercial Air Traffic, multiple in, and around area.
Remarks:	Base staffed and operational as needed. http://txforestservice.tamu.edu
Shipping Address:	FBO-TAC Air 10610 American Dr. Amarillo, TX 79111
Last Revision: 3-	23-2018

BUFFALO SEAT-9D2

Harding County Airport–Elevation: 2,573'

Airport: 45 55.17N/102 06.55W Base Location on Field: South end of the ramp

ROCKY MOUNTAIN

FAX: (605) 393-8044 Email: winston.cadotte@state.sd.us			South Dakota V 3305 Wes Rapid City, So	ontact: Wildland Fire Div. t South Street outh Dakota 57702 Harding County	South Dakota Wildland Fire			
Base Operati	ons Phone:					SEMG cell		
Dispatch Off	ice Phone:		Miles City	y Interagency	(60	05) 399-3161		
Dispatch Con	ntact Frequenc	ey:	"Mil	es City"	168.650	Rx/Tx 110.9		
Base Manage	er:		Winsto	on Cadotte	(60	05) 381-7267		
Asst. Base M	fanager:							
Air Attack:								
Aviation Ope	erations:		Winsto	on Cadotte	(605) 381-7267			
Runway We Runway 12-3	30 Published:		Single 12.5	Dual	2S	2D		
VLATs	NO	Pit To	tal	1	Hot Loading	YES		
LATs	NO	Parkir	ng Total	3	Fuel and Load	NO		
MAFFS	NO	Load	Simultaneously	1	Hot Refueling	YES*		
SEATs	YES	Offloa	nd Capacity	800				
		Northe	Retardant Jet ast edge parallel t	tison Area(s) to main Runway 12	-30			
Known Hazards:	Caution: B	Birds, ot	her wildlife					
Remarks:	100LL Category II	100LL						

Last Revision: 3-20-2018

Shipping

Address:

*Vendor carded hot fuel only

3305 West South Street

Rapid City, SD 57702

South Dakota Wildland Fire Div.

BURNS SEAT-BNO

Burns Municipal Airport-Elevation: 4,148'

Airport: 43 35.22N/118 57.38W Base Location on Field: SW Quadrant

NORTHWEST

FAX: (541) 573-3600 Email: <u>jlsherwood@blm.gov</u>			Ma 28910 I Hines	ict Bureau of La nagement Hwy 20 West s, Or. 97738 bunty: Harney	and		NATIONAL SYSTEM OF U.S. DEPARTMENT OF BUREAU OF LINE M. BUREAU OF LINE M. BL. II.	THIN REPORT		
Base Operations Phone:			Main Airbase l	Line–(541)-573	-3244	SEAT Operations (541) 573-5113				
Dispatch Office	ee Phone:		Burns Dispa	ntch-Aircraft De	esk		(541) 573-4549		
Dispatch Cont	Dispatch Contact Frequency:			"Burns Dispatch" "Flight Follow Direct"				172.500 Tn 77.0		
SEAT Base M	lanager:		Josh Fulton (Detail)			(775) 525-4668				
Unit Aviation	Officer:		Jessica Sherwood				(541) 589-0004			
Air Attack:			Albert Linch			(208) 830-1101				
Runway Weig Runway Publi Runway Publi	shed: 12-30		Single 30 30	Dual 50				2D 90		
VLATs	NO	Pit To	tal	1-2	Hot Lo	ading		YES		
LATs	NO	Parkir	ng Total	4-8	Fuel ar	nd Load		NO		
MAFFS	NO	Load	Simultaneously	1	Hot Refueling			YES if vendor is carded		
SEATs	YES	Offloa	ad Capacity	800-1600						

Retardant Jettison Area

Lat: 43° 40.4 x Long: 119° 1.7

SEAT Base

Lat: 43° 35.2 Long: 110° 57.5

Known Hazards:	Caution: Birds: Feb-May, Sep-Oct Ultralights SEAT Base is located in same area as Helibase near end of runway 03
Remarks:	Fuel: 100LL Low-Lead, Jet A–FBO/SEMG will arrange additional AC FBO:541-573-6139 or 541-620-4188—Parking when SEAT ramp is full at 4
Shipping Address:	Burns SEAT Base 70342 Heliport Way Burns, OR 97720
Last Revision	: 02-13-2018

CANON CITY SEAT-1V6

	Canon (City/F1	remont County	Airport–Ele	evatio	on: 5,439 °		
			Airport: 38 25.82					
		В	ase Location on Fi ROCKY MO	`	ant			
FAX: (719) 784-4062 Email: <u>c1hammon@blm.gov</u>		Bureau of Land Management Fremont County Airport Canon City, CO 81240 FTR County: Fremont			BLM			
Base Operation	ns Phone:						(719	9) 784-4499
Dispatch Offic	e Phone:		Pueblo	Dispatch			(719	9) 553-1600
Dispatch Conta	act Frequency	':	"Pueblo	Dispatch"			168.65	50 Tn 110.9
Base Manager:	:		Ed S	kerjanec			(719	9) 269-8561
Runway Weight Limits Runway 11-29 Published: Overweight Agreement:			Single 26	Dual 26		28		2D
VLATs	NO	Pit To	tal	1	Hot	lot Loading		YES
LATs	NO	Parkin	g Total	4	Fue	el and Load		NO
MAFFS	NO	Load S	Simultaneously	1	Hot	ot Refueling N		NO
SEATs	YES	Offloa	d Capacity					
		See m	Retardant Jett ap posted in the Ba		Trailer			
Known Hazards:		operatio	e jumping and mili ns Be Alert: Intens Colorado					
Remarks: Category 1 SEAT base Unicom 122.8 100LL, Jet A								
Shipping Address: Canon City SEAT Base Fremont County Airport Canon City, CO 81240								
Last Revision:	2-13-2018							

CHADRON SEAT-CDR

		Chad	ron Municipal-	–Elev	vation: 3,	297	,		
		В	Airport: 42 50.42 ase Location on fie			t.			
			Rocky Mo						
FAX: (308) 432-6187 Email: sethpeterson@unl.edu			Nebraska Forest Service 430 E 2 nd St Chadron, NE 69337-2433 FTR County: Dawes			Nebraska State			
Base Operation	ns Phone:							(402	2) 366-3540
Dispatch Offic	e Phone:		Great Pla	ains D	ispatch			(605	5) 399-3161
Dispatch Conta	act Frequency	7 :		at Plai rest Ne			169	.175	Γx Tn 103.5
SEAT Manage	r:		Seth	Peters	son			(402	2) 366-3540
Runway: 2/20 11/29	•		Single 30.0 21.0		Dual 55.0 30.0	28		2D 90.0	
VLATs	NO	Pit To	tal		1	Hot	Loading		YES
LATs	NO	Parkin	g Total		3	Fue	l and Load		NO
MAFFS	NO	Load S	Simultaneously		1	Hot	Refueling		YES
SEATs	YES	Offloa	d Capacity						
		1	Retardant Jett Adjacent or Paralle						
Known Hazards:	Cautions:	General	Aviation and Com	merci	al Aviation				
Remarks: 100 LL and Jet A available through FBO/Self-service Contracted Vender may Hot Refuel Unicom 122.8									
Shipping Address: Chadron SEAT Base/ Airport 90 Airport Rd, Chadron, NE 69337									
Last Revision:	3-21-2018								

CORTEZ SEAT-CEZ

	Co	rtez/M	Iontezuma Cou	nty–Elevatio	on: 5,	909'		
		В	Airport: 37 18.15 ase Location on Fig	eld: NW Quadra	ınt			
			ROCKY MO	DUNTAIN		1		
	FAX: ammon@blm.	<u>gov</u>	Montezuma Cra	and Managemer County Airpor aig, CO y: Montezuma		National Strate of Palant Contin U.S. Stransment of the internation strate or U.Sala distribution		
Base Operation	ns Phone:						BLM (970	0) 769-1023
Dispatch Office			Durano	o Dispatch			`	0) 385-1324
Dispatch Cont		,·	_	rango"				50 Tn110.9
Base Manager		•	Craig	(970) 375-3322				
Runway Weight Limits Runway 03-21 Published: Overweight Agreement:			Single 4	Dual 56		28		2D
VLATs	NO	Pit To	tal	1	Hot	Loading		YES
LATs	NO	Parkin	g Total	4	Fue	l and Load		NO
MAFFS	NO	Load S	Simultaneously	1	Hot	Refueling		NO
SEATs	YES	Offloa	d Capacity					
		See m	Retardant Jett ap posted in the Ba		Γrailer			
Known Hazards:			y birds on and in v		t, sprii	ng, and fall.		
Remarks: Unicom 122.8 100LL, Jet A								
Shipping Address:	Cortez SEA 22894 Coun Cortez, CO	ty Rd F						

Last Revision: 3-21-2018

CRAIG SEAT-CAG

		Craig/	Moffat County	–Elevation:	6,393	3,			
		D	Airport: 40 29.58		. 4				
		В	ase Location on Fi ROCKY MO		11				
FAX: Email: <u>c1hammon@blm.gov</u>			Bureau of Land Management Moffat County Airport Craig, CO 81625 FTR County: Moffat				BLM		
Base Operatio	ons Phone:							SEMG cell	
Dispatch Office	ce Phone:		Craig	Dispatch			(970) 826-5037	
Dispatch Cont	tact Frequency	7:	"Craig	Dispatch"			168.65	0 Tn 110.9	
Base Manager	::		James	s Michels		(970) 826-501) 826-5012	
Runway 07-25	Runway Weight Limits Runway 07-25 Published: Overweight Agreement:			Dual 40		2S		2D	
VLATs	NO	Pit Tot	al	1	Hot	Loading		YES	
LATs	NO	Parkin	g Total	4	Fue	l and Load NO		NO	
MAFFS	NO	Load S	Simultaneously	1	Hot	Refueling		NO	
SEATs	YES	Offloa	d Capacity						
		•	Retardant Jett ire scar (28 nm. NV ire scar (14nm. SW	W of Craig) at 4					
Known Hazards:	Cautions: F	RWY 25	has +75 ft. trees 4	,000 ft. from thr	esholo	l.			
Remarks: Category 1 SEAT base. Unicom 122.8 100LL, Jet A									
Shipping Address:	Shipping Criag SEAT Base Moffat County Airport								
Last Revision	: 4-02-2018								

EUREKA SEAT-05U

			ECKERTS						
	Eureka Airport–Elevation: 5,958'								
	Airport: 39 36.23N/116 00.22W Base Location on Field: SW Quadrant								
		D	GREAT I	1	ш				
FAX: Email: <u>mloan@blm.gov</u>			Battle Mo P.O. Eureka,	Battle Mountain District P.O. Box 206 Eureka, NV 89316 FTR County: Eureka			BLM		
Base Operati	ons Phone:								
Dispatch Off	ice Phone:		CNIDC A	Aircraft Desk				623-1555	
Dispatch Cor	ntact Frequency	·:	"National Fligh	t Following (NF	FF) "	1	68.650	Tn 110.9	
Base Manage	er:								
UAM:			Mar	y Loan			(775)	623-2397	
Runway 13-	Runway Weight Limits Runway 13-31 Published: Overweight Agreement:			Dual		2S		2D	
VLATs	NO	Pit Tot	tal	1	Hot	t Loading		YES	
LATs	NO	Parkin	g Total	3-4	Fue	el and Load		NO	
MAFFS	NO	Load S	Simultaneously	1	Hot	t Refueling		NO	
SEATs	YES	Offloa	d Capacity	1500					
			Retardant Jett Contac	ison Area(s) et Base.					
Known Hazards:	Coution: Military SI A /training rolling in area								
Remarks: Base set up seasonal as determined by area conditions. Contact UAM Mary Loan 775-623-2397 for more information.									
Shipping Address: Battle Mountain District P.O.Box 206 Eureka, NV 89316									

Last Revision: 3-23-2018

FILLMORE SEAT-U19

Fillmore Municipal Airport–Elevation: 4,988'	

Airport: 38 57.73N/112 21.27W Base Location on Field: N Quadrant

GRE	ΛT	D A	CIN

	GREAT DASIN							
FAX: (435) 743-3135 Email: <u>jseng@blm.gov</u>			35 East Fillmore	nd Managemen 500 North , UT 84631 nty: Millard	t		BLM	The state of the s
Base Operation	ns Phone:							
Dispatch Offic	Dispatch Office Phone:			ragency Dispato	h		(435	5) 896-8404
Dispatch Conta	Dispatch Contact Frequency:			"Richfield Dispatch"				
Base Manager:			Carol Adam (801) 5) 503-8337		
UAM:			Jeren	remy Seng (602) 3			2) 361-4753	
Runway 04-2 2	Runway Weight Limits Runway 04-22 Published: Overweight Agreement:		Single 12.5	Dual		2S		2D
VLATs	NO	Pit Tot	al	1	Hot	Hot Loading		YES
LATs	NO	Parkin	g Total	3	Fue	Fuel and Load NO		NO
MAFFS	NO	Load S	Simultaneously	1	Hot	Refueling		NO
SEATs	YES	Offloa	d Capacity					

Retardant Jettison Area(s) Contact Base:

Known Hazards:	Caution: Mountains to east. RAMP is currently under construction—NO SEAT Ops until further notice.
Remarks:	Runway length 5,050', CTAF 122.8, 100LL, and Jet A
Shipping Address:	Fillmore BLM Jeremy Seng 95 East 500 North Fillmore, UT 84631
Last Revision:	3-21-2018

FORT COLLINS SEAT-FNL

Fort Collins /Loveland Municipal Airport-Elevation 5,016'

Airport: 40 26.78N/105 00.45W Base Location on Field: SW Quadrant

ROCKY MOUNTAIN

		ROCKY MOUNTAI	N			
FAX: N Email: <u>vince.welba</u>		Colorado Divisio Prevention and C FTR County: Larim	COLORADO Division of Fire Prevention & Control Department of Public Safety Colorado State			
Base Operations Photo	ne:			(9	970) 829-7413	
Dispatch Office Phor	ne:	Ft. Collins Dis	patch	(9	970) 295-6800	
Dispatch Contact Fre	quency:	"Ft. Collin	s"			
Base Manager:		Allyn Herring	gton	(9	970) 829-7413	
Asst. Base Manager:						
Air Attack:						
Runway Weight Limits Runway 15-33 Published: Overweight Agreement:		Single 50	Dual 65	2S	2D	
VLATs	NO	Pit Total	2	Hot Loading YES		
LATs	NO	Parking Total	21	Fuel and Loa	d NO	
MAFFS	NO	Load Simultaneously	2	Hot Refueling	g NO	
SEATs	YES	Offload Capacity				
		Retardant Jettison Are nway 33—15 Depending		nd		
Known Hazards:	Caution: Birds,	other wildlife//Daily He	licopter Train	ning (flight scho	ol).	
Remarks:	100LL //Jet A ¹Anchored Tie Downs At FBO and 2 at SEAT Base Water Enhancer Available					
Shipping Address: Please Contact Base Manager						
Last Revision: 4-02-1	18					

FORT STOCKTON SEAT-FST

Fort Stockton-Pecos County Airport–Elevation: 3,011'								
	Airport: 30 54.92N/102 54.77W Base Location on Field: NW Quadrant							
			SOUTI		aurani	,		
FAX: (830) 997-3763 Email: dispatch@tfs.tamu.edu			Texas Fores Fort Stockton-P Airpo Fort Stock FTR Count	et Service Pecos County ort ton, TX	7	TEX FORI	AS EST S	A&M Service
Base Operation	ons Phone:					Established	upor	activation
Dispatch Offi	ice Phone:		Fredericksbur	g Dispatch		` ′		5426 Ext. 6
Dispatch Contact Frequency:			"Fredericksbur "Local	FF/"	,		55.37	127.3 0 Tn 156.7
D M			"Nationa			10	58.65	0 Tn 110.9
Base Manage			As Assi					
Asst. Base M	anager:		As Assi	<u> </u>				
Air Attack: As Assigned Forest Aviation Officer: Cynthia Foster (979) 458) 458-7308			
Runway We Runway 12-3 Overweight	ight Limits	:	Single Dual 24.0			2S		2D
VLATs	NO		Pit Total	2		Hot Loading		YES
LATs	NO		Parking Total	6		Fuel and Load		NO
MAFFS	NO	Loa	d Simultaneously	1		Hot Refuelin	g	NO
SEATs	YES	C	offload Capacity	5,000				
			Retardant Jet Any grassy area 30 54.55 N/1	on the airpo				
Known Hazards:	Caution:	3,210	Ft Tower 2 mi NE.					
Remarks: http://txforestservice.tamu.edu								
Shipping Address: Fort Stockton SEAT Base 1523 Airport Dr. Fort Stockton, TX 76067								
Last Revision	n: 3-23-2018	3						

FREDERICKSBURG SEAT-T82

Gillespie County Airport–Elevation: 1,695 ' Airport: 30 14.59N/98 54.55W								
			Base Location on					
FAX: (830) 997-3763 (Dispatch) Email: Fredericksburg dispatch@tfs.tamu.edu			Texas A&M Fredericksburg, Air Frederick	Forest Service		TEXAS A&M FOREST SERVICE		
Base Operati	ons Phone:					Established	l upon activation	
Dispatch Off	ice Phone:		Fredericksb	urg Dispatch		(830)	997-5426 ext. 6	
Dispatch Contact Frequency:			"Loca	urg Repeater' al FF/" nal FF"	,	155	TX 151.2125 Tn 127.3 5.370 tone 156.7 8.650 tone 110.9	
Base Manage	er:		As As	signed				
Asst. Base M	Asst. Base Manager: As Assigned							
Airtanker Co	ntract COR:		As As	signed				
Air Attack:			As As	signed				
State Aviatio	n Officer:		Cynthi	a Foster			(979) 458-7308	
Runway We Runway 14-3			Single 30.0	Dual		2S	2D	
VLATs	NO	Pit T	otal	2	I	Hot Loading	YES	
LATs	NO	Parki	ng Total	6	I	Fuel and Load	NO	
MAFFS	NO	Load	Simultaneously	2	I	Hot Refueling	NO	
SEATs	YES	Offic	oad Capacity	5,000				
	Retardant Jettison Area(s) Any grassy area on airport. Lat: 30 14 35 N Long: 98 54 33 W							
Known Hazards:	Caution: I	Power	distribution lines,	buildings, and	l develo	oped areas.		
Remarks:	Remarks: Base staffed and operational as needed. http://txforestservice.tamu.edu							
Shipping Address: Fredericksburg FBO 217 Airport Road Fredericksburg, TX								
Last Revision	n: 3-23-2018							

GIDDINGS SEAT-GYB

Lee County Airport–Elevation: 484'

Airport: 30 10.15N/96 58.80W Base Location on Field: NE Quadrant

SOUTHERN								
FAX: (979) 968-5113 (Dispatch) Email: lagrangedispatch@tfs.tamu.edu			Texas A&M Giddings, Lee Giddin FTR Co	Coungs,	nty Airport TX	TEXAS A&M FOREST SERVICE		
Base Operations	Phone:					Established	upon activation	
Dispatch Office F	Phone:		Lagrange	e Dis	spatch		(979) 968-5555	
Dispatch Contact	Frequency:		"Lagrange Repeater" "Local FF/" "National FF"			Rx 159.330 Tn 186.2 Tx151.310, Tn 179.9 155.370 tone 156.7 168.650 tone 110.9		
Base Manager:			As As					
Asst. Base Manag	ger:		As As	ssign	ned			
Airtanker Contrac	et COR:		As As	ssign	ned			
Air Attack:			As Assigned					
State Aviation Of	ficer:		Cynthi	a Fo	ster	((979) 458-7308	
Runway Weight Limits Runway 17-35 Published: overweight agreement			Single 12.5		Dual	2S	2D	
VLATs	NO	Pit To	otal		2	Hot Loading	YES	
LATs	NO	Parkii	ng Total		6	Fuel and Load	NO	
MAFFS	NO	Load	Simultaneously	Į.	1	Hot Refueling	NO	
SEATs	YES	Offloa	ad Capacity		5,000			
	Retardant Jettison Area(s) West end of the runway. 30 10.16N 96 58.80W							
Known Hazards:	None							
Remarks:	Base staffed and operational as needed.							
Shipping Address:	Contact Ba	Contact Base Management for address						

Last Revision: 3-23-2018

GRANGEVILLE SEAT-GIC

Idaho	County	Airport—	Elevation:	3.310
Idailo	Count	Timport.	Lie valion.	

Airport: 45 56.45N/116 07.20W Base Location on Field: SE Quadrant

NORTHERN ROCKIES

FAX: (208) 983-9587 Email: <u>dvankomen@fs.fed.us</u>			104 Air Grangeville	National Forest rport Road e, Idaho 83530 unty: Idaho			USFS	S S
Base Operation	ns Phone:						(208	3) 983-1964
Dispatch Offic	e Phone:		Grangeville 1	Dispatch Center			(208	3) 983-6800
Dispatch Conta	Dispatch Contact Frequency:			"Grangeville Dispatch" "National Flight Following (NFF)" 168.650 Tn			50 Tn 110.9	
Base Manager:	:		Donnie Van Komen (208) 98			3) 983-9577		
Unit Aviation	Officer:		Willy Acton				(208	8) 983 9571
Runway 07-25	Runway Weight Limits Runway 07-25 Published: Overweight Agreement:		Single 75	Dual 95				2D 145
VLATs	NO	Pit To	al	2	Hot	Hot Loading		YES
LATs	NO	Parkin	g Total	5	Fue	l and Load		NO
MAFFS	NO	Load S	Simultaneously	1	Hot	Refueling		YES
SEATs	YES	Offloa	d Capacity					

Retardant Jettison Area(s) 45 51.38/116 10.68

Known Hazards:	Caution: Significant crosswind routinely encountered in afternoons. Deer on runway, airport not fenced.
Remarks:	
Shipping Address:	Grangeville SEAT Base 104 Airport Road Grangeville, ID 83530
Last Revision:	3-21-18

GREYBULL SEAT-GEY

South Big Horn County Airport-Elevation: 3,941'

Airport: 44 31.07N/108 04.97W Base Location on Field–South end of ramp

			ROCKY MO	DUNTAIN					
FAX: (307) 578-5759 Cody Dispatch Email: <u>rzimmerl@blm.gov</u>			Bureau of Land Management South Big Horn Airport Greybull, WY			Committee of the commit			
			FTR County: Big Horn			BLM			
Base Operations Phone:						SEMG Cell			
Dispatch Office Phone:			Cody Dispatch			(800) 295-9954			
Dispatch Contact Frequency:			"Cody Dispatch"			168.650 TX Tn 110.9			
SEAT Manager:			No permanent management						
Unit Aviation Manager:			Rich Zimmerlee			(307) 347–5188			
Runway Weight Limits Runway 16/34 Published: Overweight Agreement:			Single 85	Dual 150		ST		DT	
VLATs	NO	Pit To	tal	1	Hot 1	Hot Loading YES		YES	
LATs	NO	Parkin	g Total	4	Fuel	and Load	NO		
MAFFS	NO	Load S	Simultaneously	1	Hot	Hot Refueling NO			
SEATs	YES	Offloa	d Capacity						
Known		44	Retardant Jett 1 32' 07 X 108 05' 10 1 29' 55 X 108 04' 40	0 North of GI 0 South of GI					
Hazards:	Caution: A	Caution: Aerial Hazards Map posted at Base.							
Remarks:	 Unicom/CTAF: 122.9. For aircraft/fuel services 0800-1700 call 307-431-1464 (after-hours same). Terrain 1,066' above airport elevation 4-5 miles North & NE of Airport. Potential for wildlife in and around runway area. 								
Shipping Address:	Cody BLM Field Office 1002 Blackburn Street Cody, WY 82414								
Last Revisio	n: 4-04-18								

HAMILTON SEAT-6S5

	F	Ravalli	County Airpor	rt–Elevation	: 3,64	42'			
			Airport: 46 15.12						
		Ва	se Location on Fig NORTHERN	`	ant				
FAX: (406) 363-7131 Email: dbitterman@fs.fed.us			Bitterroot National Forest 1801 N. First Street Hamilton, MT 59840 FTR County: Ravalli				USFS		
Base Operation	ns Phone:						TBD		
Dispatch Office	ee Phone:		Hamilto	on Dispatch			(406) 363-7133		
Dispatch Cont	act Frequency	:	"Hamilto	on Dispatch"			169.625 Tn 146.2		
SEAT Manage	er:						(406) 363-7162		
Forest Aviatio	n Officer:		Dean Bitterman						
Runway Weight Limits Runway 16-34 Published: Overweight Agreement:			Single 17	Dual 25		2S 2D			
VLATs	NO	Pit Tot	al	1-2	Hot	t Loading	YES		
LATs	NO	Parking	g Total	1-5	Fue	el and Load	NO		
MAFFS	NO	Load S	imultaneously	1	Ho	t Refueling	Refueling NO		
SEATs	YES	Offload	d Capacity						
Known	<u> </u>		Retardant Jett etween airstrip and rain on North dep	l fence/ditch ald					
Hazards:	entry/depart	ure area.	uth departure RW Helibase North of	f SEAT base.	r traffi	c crossing S	EAT base ramp		
Remarks: Shipping	May be set u	up as relo EAT Bas	oad base or full ser		g on no	eed.			
Address:	533 Airport Hamilton, M)						
Last Revision:	3-21-2018								

HOT SPRINGS SEAT-HSR

Hot Springs Municipal–Elevation: 3,150'

Airport: 43 22.17N/103 23.50W Base Location on Field: South end of the ramp

ROCKY MOUNTAIN

			KOCK I WI	OUNTAIN				
Base FA	(605) 393-804 X: (605)745-49 Email: eadotte@state.s	973	South Dakota 3305 Wes Rapid City, So	ontact: Wildland Fire Div. It South Street Outh Dakota 57702 Ity: Fall River	South Dakota V	South Dakota Wildland Fire		
Base Operat	tions Phone:				(6	505) 745-4972		
Dispatch Of	fice Phone:		Great Pla	nins Dispatch	(6	505) 399-3161		
Dispatch Co	ontact Frequenc	ey:		at Plains" rest Net"	169.17	'5 Tx Tn103.5		
Base Manag	ger:		Winsto	on Cadotte	(6	605) 381-7267		
Asst. Base I	Manager:							
Air Attack:								
Aviation Op	perations:		Winsto	on Cadotte	(6	505) 381-7267		
Runway 1-1	Runway Weight Limits Runway 1-19 Published: Overweight Agreement:			Dual	2S	2D		
VLATs	NO	Pit To	tal	1	Hot Loading	YES		
LATs	NO	Parkir	ng Total	3	Fuel and Load	NO		
MAFFS	NO	Load	Simultaneously	1	Hot Refueling	¹YES		
SEATs	YES	Offloa	nd Capacity	800				
		Eas	Retardant Jest side parallel to	ttison Area(s) main Runway 1-19)			
Known Hazards:	Caution: S	kydivin	g, gliders, Nation	nal Guard Blackhav	vks train in the are	ea.		
Remarks:	100LL only. Category II SEAT base Contact base manager for recommended flight pattern. Nearest Jet A Custer, SD. Next Chadron, Neb. 1 Vendor carded hot fuel only`							
Shipping Address:	3305 West	Vendor carded hot fuel only` South Dakota Wildland Fire Div. 3305 West South Street Rapid City, SD 57702						

Last Revision: 3-23-2018

Rapid City, SD 57702

JEAN SEAT-0L7

Jean Airport–Elevation: 2,832'									
Airport: 35 46.37N/115 19.75W									
Base Location on Field: NW Quadrant GREAT BASIN									
	(02) 874-2364 johns@blm.g		Bureau of Land Management Jean Airport Road Jean, Nevada 89019 FTR County: Clark			BLM			
Base Operation	ns Phone:					Cal	(702	2) 874-2363	
Dispatch Offic			Las Vegas Int	teragency Cente	er	Ce		2) 467-4437 2) 515-5300	
Dispatch Conta		/:	" Las	s Vegas" Repeater"			050 C	G/Rx 114.8 G/ Tx 136.5	
Base Manager:	•		Steve McCl	intock AD/EFF			(702	2) 874-2363	
SND AV Mgr.	:		Randy	Johnson		Се	11 (775	5) 296-0814	
State Aviation	Manager:		Alec Goico	echea (acting)			(775) 748-405		
Runway Weight Limits Runway 02L-20R Published: Overweight Agreement: Runway 02R-20L Published: Overweight Agreement:			Single 12.5 12.5	Dual		2S		2D	
VLATs	NO	Pit Tot	al	1	Hot	Loading	YES		
LATs	NO	Parkin	g Total	3	Fue	l and Load	NO		
MAFFS	NO	Load S	Simultaneously	1	Hot	Refueling		NO	
SEATs	YES	Offloa	d Capacity						
			Retardant Jett 1 mile east o	` '					
Known Hazards:	Ultralight ac	ctivity or	re glider activity in n airport. Skydiving 2 miles west						
Remarks: Glider parking east side of field. Power aircraft use traffic pattern west of runway; make entry from west. Power aircraft parking west side of field. * Base Operations–Memorial Day to Labor Day									
Shipping Address: Jean SEAT Base Jean Airport Road Jean, NV89019									
Last Revision:	4-04-2018								

JOHN DAY SEAT-GCD

Grant County Regional/Ogilvie Field-Elevation: 3,697'

Airport: 44 24.40N/118 57.70W Base Location on Field: NE Quadrant

NORTHWEST

			HORTH	,, ESI					
È	FAX: (541) 575-3382 Email: johndayseat@gmail.com			ational Forest Regional Airpo irport Road Oregon 97845 anty: Grant	ort		OREST SERV	ICE STATE OF THE S	
Base Operation	ns Phone:						(541) 575-3384	
Dispatch Offic	e Phone:		John Da	y Dispatch			(541) 575-3110		
Dispatch Conta	act Frequency	' :	" John Do	ay Dispatch"		172.400			
SEAT Manage	r:		Chuc	Chuck Howe (541) 57) 575-3377		
Unit Aviation	Officer:		Anthony	Hernandez		(541) 575-3371			
Runway 17-35 Overweight Ag	Runway Weight Limits Runway 17-35 Published: Overweight Agreement: Runway 09-27 Published: Overweight Agreement:		Single 12.5 12.5	Dual		2S 2D			
VLATs	NO	Pit Tot	al	2	Hot	Loading		YES	
LATs	NO	Parking	g Total	4	Fue	l and Load		NO	
MAFFS	NO	Load S	imultaneously	1	1 Hot Refueling			NO	
SEATs	YES	Offload	d Capacity						

Retardant Jettison Area(s) Lat. 44° 18.35' N Long. 119° 06.5' W

Known Hazards:	Cautions: Active Helibase
Remarks:	Shut down on initial load if first time at John Day base. Loading Ramp Location on northeast end of airport. 24hr self-service Jet A, 100LL.
Shipping Address:	John Day SEAT Base Grant County Regional Airport 72000 Airport Road John Day, OR 97845
Last Revision:	4-10-2018

KINGMAN SEAT-IGM

		King	gman Airport–l	Elevation: 3	,449°			
		R	Airport: 35 15.95 ase Location on Fig					
		D(SOUTH	-	unt			
FAX: (928) 692-695 Email:			Bureau of Land Management Kingman Municipal Airport Kingman, AZ 86401 FTR County: Mojave			BLM		
Base Operation	ns Phone:						(928	8) 692-6982
Dispatch Office	ee Phone:		Prescott D	ispatch Center			(928	8) 777-5700
Dispatch Contact Frequency:			"Presco	tt Dispatch"		168.650 Tn 110.9		
Base Manager	•							
Runway 03-2 Overweight A Runway 17-3	Runway Weight Limits Runway 03-21 Published: Overweight Agreement: Runway 17-35 Published: Overweight Agreement:			Dual 85 60				2D 125
VLATs	NO	Pit To	tal	1	Hot	Loading		YES
LATs	NO	Parkin	g Total	6	Fue	and Load		NO
MAFFS	NO	Load S	Simultaneously	1	Hot	Refueling		NO
SEATs	YES	Offloa	d Capacity					
		La	Retardant Jett t. 35° 14.24' N Lo		, M			
Known Hazards:	Cautions:	Ultraligh	nt activity to the SV	W. Frequent M	ilitary I	Helicopter tra	affic.	
Remarks:	Unicom 122	2.8, Can	load up to 7 SEAT	s safely with	3 pits			
Shipping Address:	Kingman SH Kingman M Kingman, A	unicipal	Airport					

Last Revision: 4-02-2018

LAKEVIEW SEAT-LKV

Lake County Airport–Elevation: 4,733'

Airport: 42 09.35N/120 24.50W Base Location on Field: SW Ouadrant

		В	ase Location on Fi	eld: SW Quadra	ınt			
			NORTH	WEST		,		
	(541) 947-6191 herwood@blm.		Lake Co Lakeview,	iew BLM unty Airport Oregon 97630 unty: Lake		S. SOMMERS OF SHIP LANDS S. SOMMERS OF SHIP RESIDENCE BLM		
Base Operati	ions Phone:				(54)	1) 947-6190		
Dispatch Office Phone:			Lakevie	w Dispatch			(54)	1) 947-6315
Dispatch Contact Frequency:			"La	keview"				167.175
Base Manage	er:		V	acant				
Unit Aviation	n Officer:		Chad	Bergren			(54)	1) 947-6296
Runway Weight Limits Runway 16-34 Published: Overweight Agreement:		Single 74	Dual 86		28		2D	
VLATs	NO	Pit Tot	al	1	Hot	Loading		YES
LATs	NO	Parkin	g Total	3	Fue	l and Load		NO
MAFFS	NO	Load S	Simultaneously	1	Hot	Refueling		NO
SEATs	YES	Offloa	d Capacity					
		L	Retardant Jett at. 42° 05.1' N Lo		W			
Known Hazards:	Firefighting	aircraft	ang Gliders, Ultra summers. eable in emergency					
Remarks:								
Shipping Address:	Lakeview A 1000 South Lakeview, 0	9th Stree	t					

Last Revision: 4-02-2018

Lakeview, OR 97630

LEMMON SEAT-LEM

Lemmon Municipal–Elevation: 2,573'

Airport: 45 55.17N/102 06.55W Base Location on Field: South end of the ramp

ROCKY MOUNTAIN

) E	05) 393-8044 Email: lotte@state.se		South Dakota V 3305 West Rapid City, So	ntact: Wildland Fire Div. t South Street uth Dakota 57702 nty: Perkins	South Dakot	a Wil	dland Fire
Base Operatio	ns Phone:					S	SEMG cell
Dispatch Office	ee Phone:		Great Pla	ins Dispatch	((605)	399-3161
Dispatch Cont	act Frequenc	y:	"For	est Net"	169.175 Tx Tn 103.		
Base Manager	:		Winsto	Winston Cadotte (605) 38			381-7267
Asst. Base Ma	ınager:						
Air Attack:							
Aviation Oper	rations:		Winsto	n Cadotte	(605) 381-726		
Runway 11-29	Runway Weight Limits Runway 11-29 Published: Overweight Agreement:		Single 12.5	Dual	28		2D
VLATs	NO	Pit To	tal	1	Hot Loading	Ţ,	YES
LATs	NO	Parkin	g Total	3	Fuel and Loa	Fuel and Load	
MAFFS	NO	Load S	Simultaneously	1	Hot Refuelin	ng	¹ YES
SEATs	YES	Offloa	d Capacity	800			

Retardant Jettison Area(s)

Northeast edge parallel to main Runway 11-29

Known Hazards:	Caution: Birds, Spray Operations
Remarks:	100LL, Jet A Category II SEAT base Call for fuel service 1Vendor carded hot fuel only
Shipping Address:	South Dakota Wildland Fire Div. 3305 West South St. Rapid City, SD 57702
Last Revision	: 3-23-2018

LEWISTOWN SEAT-LWT

]	Lewist	own Municipa	l–Elevation:	4,16	7'		
			Airport: 47 02.00					
			Base Location on I					
FAX: (406) 538-1062 Email: <u>blm_mt_lec@blm.gov</u>			North Central MT Fire District Mailing: 920 NE Main St Physical: 303 E Aztec Dr. Lewistown, MT 59457 FTR County: Fergus			BLM		
Base Operation	ns Phone:		Manager	/Pilot Office			(400	6) 538-1072
Dispatch Offic	e Phone:		Lewisto	wn Dispatch			(400	6) 538-1072
Dispatch Contact Frequency:				on Dispatch" onal FF"		168	3.650 I	Rx/Tx 110.9
Base Manager:	Base Manager:			Farrell			(400	6) 538-1072
Runway Weig Runway 08-20 Overweight Ag	6 Published:		Single 40	Dual 55		2S		2D 95
Runway 03-21 Overweight Ag	Published:		12	80				120
VLATs	NO	Pit To	tal	2	Hot	t Loading		YES
LATs	NO	Parkin	g Total	5	Fue	l and Load		NO
MAFFS	NO	Load S	Simultaneously	1	Hot	Refueling		NO
SEATs	YES	Offloa	d Capacity					
		La	Retardant Jett at: 47° 02.00' N Lo		W			
Known Hazards:		•	20 Poor surface. ilitary Helicopter to	raffic.				
Remarks:	-		ion (406) 538-8150 t Manager (406) 33		A avai	lable		
Shipping Address: North Central MT Fire District 920 NE Main St Lewiston, MT 59457								
Last Revision:	3-23-2018							

McDERMITT SEAT-26U

	McDer	mitt S	tate Airport (O	R/NV) - Ele	vatio	n: 4,478 '			
			Airport: 42 00.62	N/117 43.63W					
		Е	Base Location on Fi	eld: SE Quadra	nt				
			GREAT	BASIN		-			
FAX: (541) 522-8702 Email: <u>mloan@blm.gov</u>			Bureau of Land Management Winnemucca District 5100 E. Winnemucca Blvd Winnemucca, NV 89445 FTR County: Humboldt, NV				BLM		
Base Operation	s Phone:						(541) 522-8701	
Dispatch Office	e Phone:		Central Nevada I	nteragency Dispenser	atch		(775	5) 623-1555	
Dispatch Contact Frequency:				ollowing "Centi vada"	ral		169.0	0875 Tx/Rx Tn 114.8	
Base Manager:				(541) 5) 522-8701		
UAM:			Mary Loan				(775) 623-2397		
Runway Weight Limits Runway 16-34 Published: Overweight Agreement:			Single 125	Dual		2S 2D		2D	
VLATs	NO	Pit To	tal	1	Hot	Loading	YES		
LATs	NO	Parkin	g Total	3	Fue	l and Load	NO		
MAFFS	NO	Load S	Simultaneously	1	Hot	Refueling		NO	
SEATs	YES	Offloa	d Capacity	1500					
			Retardant Jett Contact						
Known Hazards:			directly adjacent to ted with some vegeta						
Remarks: NO FUEL. Base is located just N of NV/OR state line in Malheur County, OR; lodging in McDermitt, NV, or Winnemucca, NV (Humboldt County, NV).									
Shipping Address: Winnemucca District BLM 5100 E. Winnemucca Blvd. Winnemucca, NV 89445									
Last Revision:	3-23-2018								

MESQUITE SEAT-67L

Airport: 36 49.97N/114 03.52W Base Location on Field: SW Quadrant

GREAT BASIN

F	02) 346-7405 Email: tbase@yahoo		Mesquite Mesquite	nd Management ite Airport e, NV 89027 unty: Clark	t		BLM		
Base Operations Phone:						(702) 346-7404 Cell (702) 274-3279			
Dispatch Office	e Phone:		•	ragency Dispate	ch		2) 515-5300		
Dispatch Conta	act Frequency	:		as Dispatch" ntain repeater"			G/Rx 114.8 G/Tx 156.7		
Base Manager:			Bryan	Bryan or Dave			(702) 5		
SND Av. Mgr.	:		Randy Johnson			Се	:11 (775	5) 296-0814	
State Aviation	Manager:		Alec Goico	echea (Acting)			(775	5) 748-4059	
Runway Weig Runway 01-19 Overweight Ag	Published:		Single 30	Dual		2S		2D	
VLATs	NO	Pit Tot	al	2	Hot	ot Loading		YES	
LATs	NO	Parkin	g Total	3	Fue	Fuel and Load		NO	
MAFFS	NO	Load S	Simultaneously	1	Hot	Refueling	NO		
SEATs	YES	Offloa	d Capacity						

Retardant Jettison Area(s)

Contact Base

Known Hazards:	Cautions: Mountains to east. Sky Diving and Glider operations
Remarks:	Runway length 5,100', CTAF 122.8, 100LL & Jet A
Shipping Address:	Mesquite SEAT Base Mesquite Airport Mesquite, NV 89027
Last Revision:	4-04-2018

MILES CITY SEAT-MLS

Airport: 46 25.57N/105 52.62W Base Location on Field: NE Quadrant

NORTHERN ROCKIES

FAX: (406) 234-5470 Email: <u>elespito@blm.gov</u>			Eastern Mor 111 Garr Miles City	na/Dakotas Dis MDD) ntana Fire Zond yowen Road y, MT 59301 nnty: Custer			BLM	•
Base Operation	ns Phone:						(406)	234-7592
Dispatch Offic	e Phone:		Miles Ci	ty Dispatch			(406)	233-2900
Dispatch Cont	act Frequency	/:	Miles City Dispatch			168.650 Rx/Tx 110		
Unit Aviation	Manager:		Ric	k Lang		(406) 234-759 Cell (406) 853-028		
Runway 04-22 Overweight Ag Runway 12-30	Runway Weight Limits Runway 04-22 Published: Overweight Agreement: Runway 12-30 Published: Overweight Agreement:		Single 24 38	Dual 24 55		28		2D 85
VLATs	NO	Pit Tot	al	2	Hot	Loading		YES
LATs	NO	Parkin	g Total	4-6	Fue	and Load		NO
MAFFS	NO	Load S	Simultaneously	1	Hot	t Refueling NO		
SEATs	YES	Offloa	d Capacity					

Retardant Jettison Area(s)
Contact Base: (NW area of airport on north side of runway 12) Lat. 46° 25.98N, Long. 105° 53.33W.

Diagram in unit SEAT supplement.

Known Hazards:	Cautions: Airline commuter and Ag/Spray aircraft. Other fire aircraft common
Remarks:	FBO available, AV Gas, and Jet A, evening call out for fuel. Self-serve AV gas also. Airbase hosts SMJ spike base, helicopters, and air attack platforms.
Shipping Address:	
Last Revision:	2-21-2017

MINDEN-TAHOE SEAT-MEV

	N	Minder	n-Tahoe Airpoi	rt–Elevation: 4,	722'						
Airport: 39 00.58N/119 45.30W Base Location on Field: NW Quadrant											
		D.	GREAT								
FAX: Email: <u>scharley@blm.gov</u>			Humbold	on City District & t Toiyabe NF nty: Douglas	USFS & BLM	A & NDF					
Base Operation	ns Phone:		Admin. Conta	act Shane Charley	,	(5) 885-6182 (5) 720-3411					
Dispatch Offic	e Phone:		Minde	n Dispatch	,	(5) 782-1401					
Dispatch Conta	act Frequency	7:		n Dispatch" Local"		.9875 Rx/Tx Rx/Tx 110.9					
Base Manager:			Andy	y Garrell	(77	(5) 721-7401					
Project Inspect	tors:			y (775) 720-3411 I (775) 721-7401							
Runway Weig Runway 16-34 Overweight Ag Runway 12-36 Overweight Ag	Published: greement: Published:		Single Dual 75.0 50.0		2S	2D					
VLATs	NO	Pit To	tal	2	Hot Loading	YES					
LATs	NO	Parkin	g Total	4-6	Fuel and Load	NO					
MAFFS	NO	Load S	Simultaneously	2	Hot Refueling	NO					
SEATs	YES	Offloa	d Capacity								
		LA	Retardant Jett AT: 39 04' 34" L								
Known Hazards:	Cautions: S	Sailplane	and parachute act	ivity on/in vicinity	of airport.						
Remarks:	FBO available, AV Gas, and Jet A. Airbase can host T1, T2, T3 helicopters, and air attack platforms. CWN Base with 10K LC tank in place, activated when needed.										
Shipping Address:											
Last Revision:	4-15-2018										

MOUNTAIN HOME SEAT-U76

	Mounta	ain Ho	me Municipal	Airport–Ele	vatio	n: 3,164'		
		•	Airport: 43 07.70					
		Ŀ	Base Location on Fi GREAT	1	ınt			
FAX: (208) 587-9752 Email: nstrohme@blm.gov		2620 Airbase Road Mountain Home, ID 83647 FTR County: Elmore				U.S. BEAMINING OF THE OUTCOME. BLM		
Base Operation	ns Phone:						(208	3) 587-5281
Dispatch Offic	e Phone:		Boise Interagen	cy Dispatch Co	enter		(208	3) 384-3398
Dispatch Conta	act Frequency	:	"Boise	Dispatch"				168.425
Base Manager:	•		Migu	el Bilbao			(208	3) 871-7549
Runway 10-28	Runway Weight Limits Runway 10-28 Published: Overweight Agreement:		Single 42	Dual 53		28		2D
VLATs	NO	Pit To	tal	2	Ho	t Loading		YES
LATs	NO	Parkin	g Total	6	Fue	el and Load		NO
MAFFS	NO	Load S	Simultaneously	2	Ho	t Refueling		YES
SEATs	YES	Offloa	d Capacity	N/A				
	Lockman l	Butte N.	Retardant Jett side of I-84: Lat. 4		ong. 1	15° 43.30' W	,	
Known Hazards:	Cautions: Air Force Base (Class D Airspace), 7 Miles SW of airport. AFB approach 124.8, NDB 333 STI, 3.3nm east of AFB. High performance military aircraft operations in area. 2 Restricted areas nearby: R-3202 and R-3202. All airspace south of the Snake River is							
Remarks:	Aircraft parking at GA ramp, loading at east end of runway 28. FBO lounge available,							
Shipping Address:								
Last Revision:	4-04-2018							

OMAK SEAT-OMK

Omak Airport–Elevation: 1,305'										
Airport: 48 27.53N/119 31.07W										
Base Location on Field: Quadrant NORTHWEST										
FAX: (509) 826-5 FAX: (509) 63 Email: omak.airbase(Colville I P.0 Kelle	ndiaı D. Bo er, W	n Reservation ox 325 'A 99140 : Okanogan		BIA					
Base Operations Phon	ie:						(509	9) 826-1609		
Dispatch Office Phone	e:	Mt. Tolma	ın Di	ispatch Center			(509	9) 634-3105		
Dispatch Contact Free	quency:	"M	t. To	olman"				172.300		
Base Manager:		Deb	ra T	onasket			(509	9) 634-3114		
Runway 17-35 Publis	Runway Weight Limits Runway 17-35 Published: Overweight Agreement:			Dual 200	28		2D 400			
VLATs No	O Pit T	`otal	ı	2	Hot	Loading	l	YES		
LATs No	O Park	ing Total		4	Fue	l and Load		NO		
MAFFS No	O Load	l Simultaneously		1	Hot	Refueling		NO		
SEATs YI	ES Offic	oad Capacity								
		Retardant Jo	ettiso	on Area(s)						
Known Hazards: Cauti	ions:									
Remarks:										
	Omak Airpor x, WA 98841									
Last Revision: 3-2-20	18									

ONTARIO SEAT-ONO

		Onta	rio Municipal-	Elevation: 2	2,193'			
		n	Airport: 44 01.32					
		Е	Base Location on Fig NORTHY	`	anı			
Email: <u>brindlis@blm.gov</u>			Vale District Bureau of Land Management 581 SW 33 rd ST. Suite# 104 Ontario, Oregon 97914 FTR County: Malheur			BLM		
Base Operatio	ns Phone:						(541	1) 889-4267
Dispatch Offic	ce Phone:		Vale	e Dispatch			(541	1) 473-6295
Dispatch Cont	tact Frequency	•		"Vale" dan Direct"		17	72.112	5 RX & TX
SEAT Base M	lanager:		Brian R.	Rindlisbacher	•		(208	3) 741-0723
Unit Aviation	Officer:		Jessic	a Sherwood			(541	1) 589-0004
Air Attack:			Alt	ert Linch			(208	3) 830-1101
Runway 03R-	Runway Weight Limits Runway 03R-21L Published: Overweight Agreement:			Dual 50	2	2S		2D
VLATs	NO	Pit To	tal	2	Hot Lo	ading		YES
LATs	NO	Parkin	ıg Total	8	Fuel an	d Load		NO
MAFFS	NO	Load	Simultaneously	1	Hot Re	fueling		YES
SEATs	YES	Offloa	nd Capacity	800				
			Retardant Jetti Contact					
Known Hazards:	Caution: 2 October. Bi		raying operations w Models	orking out of a	irport fron	n early A	pril int	to late
Remarks:	Fuel: 100L Frazier Avi Hours: Mon Phone Num	ation n–Sat, 8	:00 AM-6:00 PM					
Shipping Address:	Ontario SEA 3200 SW 4 ^{tl} Ontario, OR	Ave.	,					
Last Revision	: 4-10-2018							

PANACA SEAT-1L1

Lincoln County Airport–Elevation: 2,193'

Airport: 37 47.53N/114 25.18W Base Location on Field: SE Quadrant

		В	ase Location on Fi		nt			
			GREAT 1	BASIN				
FAX: (775) 728-4511 Email: <u>r50johns@blm.gov</u>			Bureau of Land Management Airport Road Panaca, Nevada 89042 FTR County: Lincoln			BLM		
Base Operation	ns Phone:					Ce	,	5) 728-4204 5) 293-3291
Dispatch Office	e Phone:		ELY Interager	ncy Comm. Cent	er		(775	5) 289-1925
Dispatch Conta	act Frequency	:	"Ely l	Dispatch"		1	70.025	5 CG Tx/Rx 123.0
Base Manager:			As a	nssigned		Се		5) 728-4204 5) 293-3291
ELD Av. Mgr.:	:		Randy	y Johnson		Ce	ell (775	5) 296-0814
State aviation N	Manager:		Alec Gioc	oehea (acting)			(775	5) 748-4059
Runway 17-35	Runway Weight Limits Runway 17-35 Published: Overweight Agreement:		Single 12.5	Dual		2S 2E		2D
VLATs	NO	Pit To	tal	2	Hot	Loading		YES
LATs	NO	Parkin	g Total	3	Fue	l and Load		NO
MAFFS	NO	Load S	Simultaneously	1	Hot	Refueling		NO
SEATs	YES	Offloa	d Capacity					
			Retardant Jett 1 Mile west	` '				
Known Hazards:		_	lume Military train e–Desert MOA	ing activity.				
Remarks:	Base Operat Local Unico		id May to early Se	ptember				
Shipping Address:								
Last Revision:	4-04-2018							

PIERRE SEAT-PIR

		Pier	re Regional–E	levation: 1,744	,		
			Airport: 44 03.53				
		Base		d: SW edge of ramp			
			ROCKY MO	DUNTAIN			
FAX: (605) 393-8044 Email: winston.cadotte@state.sd.us		Contact: South Dakota Wildland Fire Div. 3305 West South Street Rapid City, South Dakota 57702 FTR County: Hughes		South Dakota	South Dakota Wildland Fire		
Base Operation	ons Phone:					S	SEMG cell
Dispatch Offi	ce Phone:		Great Pla	ins Dispatch	(605)	399-3161
Dispatch Con	tact Frequenc	ey:		t Plains" est Net"	169.17	/5 Tz	x Tn 103.5
Base Manager	r:		Winsto	on Cadotte	(605)	381-7267
Asst. Base Ma	anager:						
Air Attack:							
Aviation Oper	rations:		Winsto	on Cadotte	(605)	381-7267
Runway Wei Runway 13-3 Runway 7-25	1 Published:		Single 91 91	Dual 108 114	2S 137 145		2D 168 180
VLATs	NO	Pit To	tal	1	Hot Loading		YES
LATs	NO	Parkin	ıg Total	1	Fuel and Loa	ıd	NO
MAFFS	NO	Load	Simultaneously	1	Hot Refuelin	g	YES1
SEATs	YES	Offloa	nd Capacity	800			
		Northe	Retardant Jett ast edge parallel to	ison Area(s) o main Runway 13-	31		
Known Hazards:	Caution: N	lo line o	of sight on ends of	runway, aircraft w/	o radios.		
Remarks: 100LL, Jet A Category II SEAT base Spray plane operations 1Vendor Carded Hot fuel only							
Shipping Address:	South Dake 3305 West Rapid City	South S					

Last Revision: 3-23-2018

PLAINS SEAT-S34

Plains Airport–Elevation: 2,462'								
	Airport: 47 28.45N/114 54.30W Base Location on Field: Quadrant							
			NORTHERN 1		<u>. </u>			
FAX: (406) 826-4044 Email: bbennett02@fs.fed.us			Lolo National Forest Building 24 Fort Missoula Missoula, MT 59804 FTR County: Sanders			USFS		
Base Operation	ns Phone:						(406	6) 826-3061
Dispatch Offic	e Phone:		Plains	Dispatch			(400	6) 826-3061
Dispatch Conta	act Frequency	:	"Plains	Dispatch"		1	64.912	25 Tn 123.0
SEAT Manage	er:		Bobbie	Bennett		(406) 826-30		
Forest Aviation	n Officer:		Beau Dobberstien (406)			6) 329-1075		
MT-DNRC NV	WLO AFMO:		Jesse Best				(406	6) 751-2243
Runway Weig Runway 13-31 Overweight Ag	Published:		Single 12.5	Dual 18		2S		2D
VLATs	NO	Pit To	tal	1	Hot	Loading		YES
LATs	NO	Parkin	g Total	1-5	Fue	l and Load		NO
MAFFS	NO	Load S	Simultaneously	1	Hot	Refueling		NO
SEATs	YES	Offloa	d Capacity					
Retardant Jettison Area(s) LAT: N 47 36.821 LONG: W 115 04.069								
Known Hazards:								
Remarks:	Remarks: The jettison area is a ridgetop 11 miles northwest of Plains airport. The area is on top of an old wildfire and the retardant would cause no environmental concerns. Runway Length: 4,650 ft.							
Shipping Address:	11 0 1 haa limherwolf Parkway Ne l							
Last Revision:	3-23-2018							

PRINCETON SEAT-PNM

Princeton Municipal Airport-Elevation: 979' Airport: 45 33.65N/93 36.37W Base Location on Field: E Quadrant **EASTERN** Princeton Airport Minnesota FAX: (218) 327-4528 Dept. of Natural Resources Email: 402 SE 11th St. matthew.woodwick@state.mn.us NATURAL RESOURCES Grand Rapids, MN 55744 Minnesota DNR FTR County: Mille Lacs Base Operations Phone: Open as needed1 (763) 389-7845 MN Interagency Coordination Dispatch Office Phone: (218) 327-4582 Center Air Net-151.370 Dispatch Contact Frequency: "Fire Center" Tn 136.5 Base Manager: Asst. Base Manager: Dual **Runway Weight Limits** Single 2S2D Runway 15-33 Published: Overweight Agreement: Pit Total YES² **VLATs** NO 1 Hot Loading LATs 3 Fuel and Load NO Parking Total NO **MAFFS** NO Load Simultaneously 1 Hot Refueling NO **SEATs** YES Offload Capacity **Retardant Jettison Area(s)** Lat: 45° 25' 39.660" N Long: 93° 43' 12.180" W Known Hazards: ¹Please call Fixed-Wing Operations Specialist for status. Paul Wannarka. (218)322-2728. ²Hot Loading for SEATs only. Remarks: Contact base by radio for parking instructions (120.1250) No cross wind runway. Shipping Address:

Last Revision: 02-14-2017

RAWLINS SEAT-RWL

Airport: 41 47.98N/107 12.42W Base Location on Field: E Quadrant

ROCKY MOUNTAIN

FAX: (307) 328-7107 Email: mrandall@blm.gov			Rawlins Mu Rawli	nd Management nicipal Airport ins, WY nty: Carbon		BLM		
Base Operation	ns Phone:					(307) 328-710		
Dispatch Offic	e Phone:		Rawlins	Dispatch		(800) 295-9953		
Dispatch Conta	act Frequency	' :	"Rawlins Dispatch"			168.650 Tn 110.9		
Base Manager:	Base Manager:			ıcant				
Unit Aviation	Manager:		Mark Randall			(307) 367-5350		
Runway 04-2 2	Runway Weight Limits Runway 04-22 Published: Overweight Agreement:		Single 30	Dual 60		2S		2D
VLATs	NO	Pit To	tal	1	Hot	lot Loading		YES
LATs	NO	Parkin	ng Total 4 Fuel			el and Load		NO
MAFFS	NO	Load S	Simultaneously	ly 1 Hot Refueling			NO	
SEAT	YES	Offloa	d Capacity					

Retardant Jettison Area(s)

41° 54.28' N x 107° 11.7' W (7 miles N of RWL) 41° 50.06' N x 107° 23.55' W (11 miles WNW of RWL)

Known Hazards:	Cautions: Runway 10/28 Large Cracks–Sloughing Edges Birds Feb-May, Sep-Oct Runway 10/28 Crane often parked 1,452 ft. from approach, 64 ft. above runway end. 7,800' Mt. 3 miles W. 7200' Mt. 3 miles SW. 7200' Mt. 3 miles NE. Runway 10/28 limited to aircraft less than 12,000 lbs. GWT.						
Remarks:	Unicom 123.0100 LL, Jet A						
Shipping Address:	High Desert District 1300 N. Airport Road Rawlins, WY 82301						
Last Revision: 4-04-2018							

RIFLE SEAT-RIL

Rifle/Garfield County Regional Airport-Elevation: 6,813'

Airport: 39 31.43N/107 43.15W

Base Location on Field: West end of ramp, N of the fuel station.

ROCKY MOUNTAIN

	ROCKI MOCHIMI							
Elhamm	FAX: Email: non@blm.gov num@state.co		Garfield Co Rif	nd Managemen ounty Regional le, CO nty: Garfield	t		BLM	AND THE PROPERTY OF THE PROPER
Base Operation	ns Phone:							SEMG cell
Dispatch Office Phone:			Grand Junction Dispatch (9			(970) 257-4800	
Dispatch Conta	act Frequency	' :	"Grand Junction Dispatch" 168.65			50 Tn 110.9		
Base Manager:				Goeden Bellinger		(970) 683-7710 (303) 880-0169		
Runway Weight Limits Runway 08-26 Published: Overweight Agreement:			Single 90	Dual 200		2S 2D 250		
VLATs	NO	Pit Tota	al	1	Hot	ot Loading		YES
LATs	NO	Parking	g Total	4+	Fue	l and Load		NO
MAFFS	NO	Load S	imultaneously	1	Hot	Refueling	NO	
SEATs	YES	Offload	l Capacity					

Retardant Jettison Area(s) 39 36.00N/170 42.00W

Known Hazards:	Cautions: Parachuting on and in vicinity of airport. Runway slick when wet.
Remarks:	 RWY 26 right traffic. Fuel available 24 hours, self-service. 100LL, Jet A. Category 1 SEAT Base. Water Enhancer available.
Shipping Address:	2-13-2018

RIVERTON SEAT-RIW

Riverton Regional Airport–Elevation: 5,528'

Airport: 43 03.85N/108 27.58W Base Location on Field–South end of ramp

	Base Location on Field–South end of ramp							
			ROCKY MO	DUNTAIN				
FAX: (307) 578-5759 Cody Dispatch Email: rzimmerl@blm.gov			Bureau of Land Management Riverton Regional Airport Riverton, WY FTR County: Fremont			BLM		
Base Operation	ns Phone:							SEMG Cell
Dispatch Offic	e Phone:		Cody	Dispatch			(800)) 295-9954
Dispatch Cont	act Frequency	:	"Cody	Dispatch"		168	.650 T	X Tn 110.9
SEAT Manage	er:		No permano	ent management	;			
Unit Aviation	Manager:		Rich Z	Zimmerlee		(307) 347-5188		7) 347-5188
Runway Weig Runway 10-28 Overweight A	Published:		Single 85	Dual 110		ST DT		DT
VLATs	NO	Pit To	tal	1	Hot 1	Loading		YES
LATs	NO	Parkin	g Total	4	Fuel	el and Load NO		NO
MAFFS	NO	Load S	Simultaneously	1	Hot 1	t Refueling NO		
SEATs	YES	Offloa	d Capacity					
	43 55'47.26	" N 107	Retardant Jett 56' 33.14" W (app		South o	f the airpor	t)	
Known Hazards: Caution: Aerial Hazards Map posted at Base.								
Remarks: • Unicom/CTAF: 122.8 • WX ASOS: 121.425 • For service outside of 0700-1700 call 307-856-3599 • GA aircraft not authorized on West ramp								
Shipping Address: Riverton SEAT Base 1335 Main Street Lander, WY 82520								
Last Revision:	4-04-2018							

RONAN SEAT-7SO

Ronan Ai	rport–Elevati	on: 3.086 °
I COIIWII I II	ipoit Littinui	

Airport: 47 34.00N/114 06.17W Base Location on Field: Mid field, North ramp

NORTHERN ROCKIES

NORTHERN ROCKIES								
FAX: (406) 676-2554 Email: toddc@cskt.org			CS&KT 44592 Olo Ronan,	nd Agency /Div of Fire 1 US Hwy 93 MT 59864 unty: Lake		TO THE PARTY OF TH	OF INDIA	NOR SHE
Base Operation	ns Phone:		Todd Couture (406) 6			6) 676-2550		
Dispatch Offic	e Phone:		Missoula Dispatch			(406) 676-2550		
Dispatch Contact Frequency:			"Missoula Dispatch"			166.925 Tx Rx		
SEAT Manage	er:		Robert D. McCrea			(406) 676-2550		
Runway Weight Limits Runway 16-34 Published: Overweight Agreement:		Single	Dual		2S		2D	
VLATs	NO	Pit Tot	al	1	Hot	Hot Loading		YES
LATs	NO	Parking	g Total	1-5	Fue	Fuel and Load		NO
MAFFS	NO	Load S	Simultaneously	1	Hot	Refueling		NO
SEATs	YES	Offload	d Capacity					

Retardant Jettison Area(s)

Between Taxiway and Runway, North end

Known Hazards:	Cautions: 15' road, 1,125' from runway 16
Remarks:	Runway length-4800'
Shipping Address:	Flathead Agency CS&KT/Div of Fire 44592 Old US Hwy 93 Ronan, MT 59864
Last Revision:	4-10-2018

RUIDOSO SEAT-SRR

Sierra Blanco Regional Airport-Elevation: 6,814'

Airport: 33 27.92N/105 31.12W Base Location on Field: NE Quadrant.

			SOUTH	WEST				
FAX: (505) 336-1533 Email:			Ruidoso Mu Ruidoso	vice/BLM/BIA unicipal Airport , NM 88312 unty: Lincoln		Here	S DIA	A O DIA
Daga Omanatio	na Dhana.					USFS		1 & BIA
Base Operation	iis Filone.					(505) 336-1263		
Dispatch Office	e Phone:		Alamogordo Dispatch			(505) 434-2286		
Dispatch Cont	act Frequency	<i>/</i> :	"Alamogordo Dispatch"			169.125		
Base Manager	:							
Runway 06-2	Runway Weight Limits Runway 06-24 Published: Overweight Agreement:		Single 60	Dual 115		2S		2D
VLATs	NO	Pit Tot	al	1	Loading		YES	
LATs	NO	Parkin	ng Total 6		Fue	uel and Load		NO
MAFFS	NO	Load S	Simultaneously	1	Hot	Refueling	NO	
SEATs	YES	Offloa	d Capacity				_	

Retardant Jettison Area(s)

Known Hazards:	Cautions: White Sands Missile Range and numerous restricted areas. Brief with Base Manager about contact with Cherokee control.					
Remarks:	Contact Alamogordo Dispatch for activation information.					
Shipping Address:	Ruidoso SEAT Base Ruidoso Municipal Airport Ruidoso, NM 88312					
Last Revision:	Last Revision: 4-10-2018					

SAFFORD SEAT-SAD

	Sa	afford	Regional Airpo	ort–Elevation	n: 3,1	177'		
Airport: 32 51.15N/109 38.42W Base Location on Field: Central								
			SOUTH\					
FAX: (928) 348-8075 Email:			BLM Safford Air Operations Center Airport Road Safford, AZ 85546 FTR County: Graham			BLM		
Base Operation	ns Phone:						(928	3) 348-9120
Dispatch Offic	e Phone:		Tucson Intera	agency Dispatch	h		(520	0) 202-2710
Dispatch Conta	act Frequency	<i>'</i> :	"Tucson	Dispatch"				
SEAT Manage	er:		V	acant				
Runway 12-30	Runway Weight Limits Runway 12-30 Published: Overweight Agreement:			Dual		2S		2D
VLATs	NO	Pit To	tal	2	Ho	t Loading	YES	
LATs	NO	Parkin	g Total	2	Fue	el and Load No		NO
MAFFS	NO	Load S	Simultaneously	1	Ho	t Refueling		NO
SEATs	YES	Offloa	d Capacity					
	Direc	tly nortl	Retardant Jett n of the BLM Air O		er insi	de fence		
Known Hazards:	Cautions:	Possible	mine blasting just	north of airport				
Remarks:	FBO: (928) 428-7670							
Shipping Address:								
Last Revision:	4-04-2018							

SHOW LOW SEAT-SOW

Show	Low Air	nort_El	levation:	6.415
SHOW.		port L	ic valion.	U,TIJ

Airport: 34 15.92N/110 0.340W Base Location on Field: Center of Field

SO	יודר	ГЦ	XX	FST

		SOU'	THWEST						
Email: <u>Showlowseat</u>	base@gmail.com	Bureau of Indian Affairs Ft. Apache Fire and Aviation PO Box 560 Whiteriver, AZ 85941 FTR County: Navajo				BIA			
Base Operations Pho	ne:								
Dispatch Office Phon	ne:	Show Low Dispatch Center			(928) 532-2700				
Dispatch Contact Fre	Dispatch Contact Frequency:			"Show Low"			NNF 168.650 Tn110.9 TX/RX		
SEAT Manager:		Mark Empey			Cell(928) 245-1798				
Unit Aviation Office	r:	Mark Empey			Cell(928) 245-1798				
Runway Weight Limits 03/21, 06/24			Single 35	Dual		2S		2D	
VLATs	NO	Pit Total 1 H		ot Loading	5	YES			
LATs	NO	Parking Total 4 Fu		uel and Loa	ad	NO			
MAFFS	NO	Load Sim	ultaneously	N/A	Н	ot Refuelir	ng	NO	
SEATs	YES	Offload C	apacity	1500					

Retardant Jettison Area(s) North side of field 34 15.9467N/110 0.7841W Notify FBO prior on 123.0

Known Hazards:	Cautions: Military Traffic Near Airport Part 77 Obstructions—Wind Sock in 7/1/Transition
Remarks:	Runway 06/24 7200' x 100' Runway 03/21 Runway 03/21938' x 60' Call FBO on 123.0 for full service fuel or (928) 532-4192
Shipping Address:	1400 Airport Drive Show Low, AZ 85901
Last Revision: 4-10-	2018

TOOELE SEAT-TVY

Airport: 40 36.53N/112 20.88W Base Location on Field: S Quadrant

GREAT BASIN

FAX: (435) 843-5170 Email: <u>jseng@blm.gov</u>			Tooele Valle	District– BLM cy–Erda Airport inty: Tooele			BLM	AND THE PROPERTY OF THE PROPER	
Base Operations Phone:							(435) 843-5302	
Dispatch Offic	ce Phone:		Northern U	Jtah Dispatch		(801) 495-76			
Dispatch Cont	Dispatch Contact Frequency:			"Northern Utah"			170.5125Rx 163.025 Tn 13		
SEAT Manage	er:		Carol Adams			(801) 503-83			
UAM:			Jeremy Seng			(602) 361-4753			
Runway 17-3	Runway Weight Limits Runway 17-35 Published: Overweight Agreement:		Single 30	Dual		2S		2D	
VLATs	NO	Pit Tot	al	1	Hot	Hot Loading		YES	
LATs	NO	Parkin	g Total	3	Fue	el and Load	NO		
MAFFS	NO	Load S	Simultaneously	1	Hot	Hot Refueling			
SEATs	YES	Offloa	d Capacity	NONE		·			

Retardant Jettison Area(s)
Lat. 40° 27.51' N Long 112° 25.29' W (11 Miles SW of airport)

Known Hazards:	Cautions: Sky Dive operations/BLM Helibase at the same location to the North. NO Jet A for sale.
Remarks:	 Runway length 6,100', X 100' CTAF/Unicom 123.0 Self-Serve 100LL available WX AWOS-3: 119.725–(435) 882-6648
Shipping Address:	Tooele SEAT Base C/O Jeremy Seng UAM 2370 S. Decker Lake Blvd. WVC, UT 84119
Last Revision:	4-10-2018

VALENTINE SEAT-VTN

Valentine Municipal–Elevation: 2,59	1'
-------------------------------------	----

Airport: 42 51.78N/100 33.43W Base Location on field: S Quadrant

ROCKY MOUNTAIN

	ROCKY MOUNTAIN									
Email: jnickless@unl.edu			Nebraska Forest Service 113 N Woodward St Ste A Ainsworth, NE 69210 FTR County: Cherry			Nebraska State				
Base Operation	Base Operations Phone:						(402	2) 760-1930		
Dispatch Offic	e Phone:		Great Plai	ns Dispatch			(605	5) 399-3161		
Dispatch Conta	Dispatch Contact Frequency: "			" Great Plains Dispatch" Forest Net			169.175 Tx Tn103.5			
SEAT Manage	r:		Justin Nickless		(402) 760-1930		2) 760-1930			
Runway: 14/32 3/21	Runway Weight Limits Runway: 14/32 3/21 Overweight Agreement			Dual 42.5		2S		2D		
VLATs	NO	Pit Tot	al	1 Hot Loading		Loading		YES		
LATs	NO	Parkin	g Total	3	Fue	l and Load	NO			
MAFFS	NO	Load S	Simultaneously	1	Hot	Refueling	¹YES			
SEATs	YES	Offloa	d Capacity							

Retardant Jettison Area(s)
Adjacent or Parallel to the Runway away from city well north side of property.

Known Hazards:	Cautions: General Aviation and Commercial Aviation.
Remarks:	100 LL & Jet A Unicom 122.8 ¹ Contracted Vender Hot Refueling only
Shipping Address:	Valentine SEAT Base 500 N S Hall ST Valentine, NE 69201-0177
Last Revision:	3-23-2018

VERNAL SEAT-VEL

Vernal Regional Airport-Elevation: 5,278'

Airport: 40 26.45N/109 30.58W Base Location on Field: NW Quadrant

GREAT BASIN

FAX: (435) 789-9795 Dispatch Email: cnelson@fs.fed.us			Vernal BLM Fire Center 430 E. 100S. Vernal, UT 84078 FTR County: Uintah			CAS SUPPLIES OF FIRE CARRY CAS SUPPLIES OF THE CARRY BLM		
Base Operations Phone:								None
Dispatch Office	ce Phone:						(435) 789-7021
Dispatch Cont	tact Frequenc	ey:					168.65	0 Tn 110.9
Base Manager	••							None
Asst. Base Ma	ınager:							None
Air Attack:								None
Unit Aviation	Manager:		Christopher Deets		(435) 630-5929) 630-5929	
Runway Weight Limits Runway 16/34 Published: Overweight Agreement:			Single 45,000	Dual 55,000	2	2S		2D
VLATs	NO	Pit To	tal	1	Hot Lo	ading		YES
LATs	NO	Parkin	ng Total 3 Fuel and Load			NO		
MAFFS	NO	Load S	Simultaneously	1	Hot Re	Hot Refueling		NO
SEATs	YES	Offloa	d Capacity	0				

Retardant Jettison Area(s) Lat. 40° 20' 13.28"N Long.109° 39' 07.5"W

Known Hazards:	Caution:				
Remarks:	Call dispatch for information.				
Shipping Address:					
Last Revision: 12-03-2015					

WARROAD SEAT-RRT

Warroad International Airport–Elevation: 1,076' Airport: 48 56.80N/95 21.50W Base Location on Field: SC Quadrant **EASTERN** Warroad Airport Minnesota FAX: (218) 327-4528 Dept. of Natural Resources Email: 402 SE 11th St. matthew.woodwick@state.mn.us NATURAL RESOURCES Grand Rapids, MN 55744 Minnesota DNR FTR County: Roseau ¹Open as needed Base Operations Phone: (218) 386-1132 MN Interagency Coordination Dispatch Office Phone: (218) 327-4582 Center Air Net-151.370 Dispatch Contact Frequency: "Fire Center" Tn 136.5 Base Manager: Asst. Base Manager: Dual **Runway Weight Limits** Single 2S2D Runway 13-31 Published: Overweight Agreement: Pit Total YES² **VLATs** NO 1 Hot Loading LATs 3 Fuel and Load NO Parking Total NO **MAFFS** NO Load Simultaneously 1 Hot Refueling NO **SEATs** YES Offload Capacity **Retardant Jettison Area(s)** Lat: 48° 55.33' N Long: 95° 20.12' W Known Hazards: ¹Please call Fixed-Wing Operations Specialist for status. Paul Wannarka. (218)322-2728. ²Hot Loading for SEATs only. Remarks: Contact base by radio for parking instructions (120.1250) Shipping Address:

Last Revision: 03-1-2017

WELLS SEAT-LWL

Wells Municipal/Harriet Field-Elevation: 5,772'

Airport: 41 06.90N/114 55.57W Base Location on Field: SW Quadrant

			GREAT I	BASIN				
FAX: (775) 752-2190 Email: <u>mmichelsen@blm.gov</u>			Bureau of Land Management 3900 East Idaho Street Elko, Nevada 89801			VANCOUS STITLE OF PARK LANDS		
			FTR Co	ounty: Elko			BLM	
Base Operations Phone:						(775) 752-2190		
Dispatch Office Phone:				Dispatch		(775) 748-4000		
Dispatch Contact Frequency:			"Elko" "Local FF"			172.750 Tone: RX/TX 123.0		
SEAT Manag	ger:		V	acant		(775) 752-2190		
UAM:			Alec G	foicoechea		(775) 748-4023		
Runway Weight Limits Runway 08-26 Published: Overweight Agreement:		Single 25	Dual		2S		2D	
VLATs	NO	Pit Tot	al	2	Hot	Hot Loading		YES
LATs	NO	Parkin	g Total	4	Fue	Fuel and Load		NO
MAFFS	NO	Load S	Simultaneously	1	Hot	Hot Refueling		NO
SEATs	YES	Offloa	d Capacity	5,000				
			Retardant Jett Contact					
Known Hazards:	None							
Remarks:	Base Operat	tions–Ju	ne 01 to September	r 30				
Shipping Address:								

Last Revision: 2-15-2017

WINNEMUCCA SEAT-WMC

Winnemucca Municipal Airport-Elevation: 4,308'

Airport: 40 53.80N/117 48.35W Base Location on Field: NW Quadrant

GREAT BASIN

FAX: (775) 623-6726 Email: <u>mloan@blm.gov</u>			Bureau of Land Management Winnemucca Airport 5500 Jay's Road Winnemucca, Nevada 89445 FTR County: Humboldt			BLM		
Base Operations Phone:						(775) 623-2397		
Dispatch Office Phone:			Central Nevada (CNIDC) Aircraft Desk			(775) 623-1555 (775) 623-1558		
Dispatch Contact Frequency:			Local Flight Following "Central Nevada"			169.0875 Tx/Rx Tn 114.8		
Base Manager:			Mary Loan			(775) 623-2397 Cell (775) 304-1021		
Zone UAM:			Mary Loan		(775) 623-2397			
Runway Weight Limits Runway 14-32 Published: Overweight Agreement:			Single 75	Dual 125		2S		2D 200
VLATs	NO	Pit Tot	al	2	Hot Loading			YES
LATs	NO	Parking	g Total	5	Fuel and Load			NO
MAFFS	NO	Load S	imultaneously	1	Hot Refueling			NO
SEATs	YES	Offload	l Capacity	3,000				

Retardant Jettison Area(s)

Lat. 41° 01.12' N

Long. 117° 46.48' W (North side of Winnemucca Mtn.)

Known Hazards:	Cautions: General Aviation Traffic, Military SUA/ training routes in area				
Remarks:	FBO (775) 623-5091/After-Hours Fuel: (775) 304-5885 Google Loon Project (balloon launching) at airport, just N of base				
Shipping Address:	Contact Base Manager				
Last Revision: 4-10-2018					

Portable SEAT

Portable Location								
Airport:								
			ARE	Z A				
FAX: Email:								
Base Operation	ns Phone:							
Dispatch Offic	e Phone:							
Dispatch Conta	act Frequency	<i>'</i> :						
SEAT Manage	r:							
Runway Weight Limits			Single	Dual		2S	2D	
VLATs		Pit Tot	al		Hot Loading			
LATs		Parkin	g Total		Fuel and Load			
MAFFS		Load S	Simultaneously		Hot Refueling			
SEATs	YES	Offloa	d Capacity					
Retardant Jettison Area(s)								
Known Hazards:	Cautions:							
Remarks:								
Last Revision:								

The *NWCG Airtanker Base Directory* is developed and maintained by the Interagency Airtanker Base Subcommittee (IABS), under the direction of the National Interagency Aviation Committee (NIAC), an entity of the National Wildfire Coordinating Group (NWCG).

Previous editions: 2017, 2016, 2015, 2014, 2013, 2010.

While they may still contain current or useful information, previous editions are obsolete. The user of this information is responsible for confirming that they have the most up-to-date version. NWCG is the sole source for the publication.

This publication is available electronically at https://www.nwcg.gov/publications/507.

Printed copies of this guide may be ordered from the Great Basin Cache at the National Interagency Fire Center in Boise, Idaho. Refer to the annual *NWCG NFES Catalog Part 2: Publications* and find ordering procedures at https://www.nwcg.gov/catalogs-ordering-quicklinks.

Comments, questions, and recommendations shall be submitted to the appropriate agency program manager assigned to the National Interagency Aviation Committee (NIAC). View the complete roster at https://www.nwcg.gov/committees/national-interagency-aviation-committee/roster.

Publications and training materials produced by NWCG are in the public domain. Use of public domain information, including copying, is permitted. Use of NWCG information within another document is permitted if NWCG information is accurately credited to NWCG. The NWCG logo may not be used except on NWCG authorized information. "National Wildfire Coordinating Group," "NWCG," and the NWCG logo are trademarks of NWCG.

The use of trade, firm, or corporation names or trademarks in NWCG products is solely for the information and convenience of the reader and does not constitute endorsement by NWCG or its member agencies or any product or service to the exclusion of others that may be suitable.

This NWCG publication may contain links to information created and maintained by other non-Federal public and/or private organizations. These organizations may have different policies from those of NWCG. Please note that NWCG does not control and cannot guarantee the relevance, timeliness, or accuracy of these outside materials.