Rough Patch/Jack Accountable Property

Date: 9/13/2021 10:45 AM

Date: 9/13/2021 10:45 AM								
Label I	FeatureCategor	ry Trackable ID	Serial Number	IncidentSupplyNumber	Latitude WGS84 DDM	Longitude WGS84 DDM	1 Property Statu	S Comments
P-11	Pump	NRK-1222-52		,	43° 23.371' N	122° 37.222' W	In Field	Volume pump in use
P-12	Pump	NWK-1222-150	GC04-3950459	Nfes 001222	43° 14.740' N	122° 43.016' W	In Field	Honda GX 240 Volume pump with draft hose/accessory kit
P-14	Pump		NWK-0148-413		43° 14.382' N	122° 40.325' W	Unknown	Mark 3 pump. Shown at Cinderella springs. Not at Cinderella springs 9/5/21.
P-15	Pump		NWK-1222-176		43° 13.539' N	122° 41.003' W	In Field	Volume pump. Pilfered WP P15 and p42 shown at limply sump. Only 1 pump. Both pumps show same property number. Tank and 1 pump plumbed.
P-28	Pump		NWK-0148-326		43° 14.382' N	122° 40.325' W	Unknown	Mark 3 pump. Shown at Cinderella springs. Not at Cinderella springs 9/5/21.
P-29	Pump		NWK-0148-400		43° 14.382' N	122° 40.325' W	In Field	Mark 3 pump. Shown at Cinderella springs. Not at Cinderella springs 9/5/21.
P-33	Pump		NWk-0148-545		43° 13.508' N	122° 39.013' W	Unknown	
P-38	Pump	Nwk 0148 413			43° 12.555' N	122° 37.920' W	Unknown	Mark 3 pump with fuel and pump kit . Pump and tanks not at this location. Delete 9/6/21.
P-39	Pump	NWK-1222-214	WT30XK4C		43° 26.984' N	122° 35.534' W	In Field	Volume pump at 38 and 3821 roads.
P-40	Pump	NWK-1222-07	HS3560033		43° 11.293' N	122° 41.894' W	In Field	In field, recorded 8_5_21. * Honda GX240 3" trash pump. Not in use* 9/9/21. **Reassign to Devils Knob. Requested by Branch 5 Rough Patch/
P-41	Pump	NWK-1222-216	0786102001755		43° 11.293' N	122° 41.893' W	In Field	Jack due to fire zoning effective 9/10/21.** Honda GX 270 volume pump w/ kit and 6 fuel cans.
P-42	Pump	nwk-1222-216	0786102001755		43° 13.596' N	122° 41.009' W	In Field	Honda GX 270 volume pump with kit and 2 fuel cans
P-44	Pump	11WK 1222 170	0,00102001,33	111 23 301222	43° 29.213' N	122° 38.272' W	Unknown	Tionaa GA 270 Volume pump With Ricana 2 Tuer cans
P-45	Pump		NWK-0148-159		43° 24.704' N	122° 36.618' W	Unknown	
P-46	Pump	NWK-1222-210	WT30XK4AC		43° 28.166′ N	122° 44.734' W	In Field	added screen 82320, Honda trash pump WT30x. MB 9/21/21 pump is no longer at creek, is now up on road, looks like it was replaced by other
								pump.
P-47	Pump		NWK-0148-300		43° 26.919' N	122° 36.042' W	In Field	Mark35 mile marker on the 3821 road.
P-48 P-49	Pump Pump		NWK-0148-97 NWK-0148-407		43° 24.704' N 43° 24.704' N	122° 36.618' W 122° 36.618' W	Unknown	
P-52	Pump		NWK-1222-59		43° 33.639' N	122° 44.537' W	Unknown	
P-53	Pump	NWK-1222-201	1444K 1222 33		43° 35.108' N	122° 44.748' W	Unknown	Pump is located at the confluence of Sharps creek and Martin creek. Hazmat mitigation in place. Screen on hose. SB 82721. Validated MB 9/5/21
	р							Honda volume pump
P-54	Pump	NWK-1222-99	GC04-3952189	NFES 001222	43° 04.950' N	122° 38.844' W	In Field	Honda GX 240 Volume Pump on S. Umpqua River. Hay spread 08/25. *still present 9/7* **Assign to Devils Knob Zone. Requested by Branch 5
D 62	Di :	CAV 0140 0CF	LID2425		420 21 002LN	1220 41 000 144	Tm. F: -1 1	Rough Patch/Jack due to fire zoning decision effective 9/10/21** Wick 375 pump with kit
P-62 P-59	Pump	SAK-0148-065 NWK-0148-152	HP2425 110427		43° 31.903' N 43° 32.258' N	122° 41.998' W 122° 41.440' W	In Field In Field	Wick-375 pump with kit Pump in use, mark III
P-59 P-55	Pump Pump	NWK-0148-152 NWK-0148-379	11042/		43° 32.258° N 43° 33.412' N	122° 41.440° W	In Field In Field	Mark III pump with kit
P-58	Pump	HWK 0170-3/3			43° 35.156' N	122° 40.831 W	Unknown	i laik III panip widi kit
P-71	Pump	NWK-0148-800			43° 34.052' N	122° 39.691' W	Unknown	Mark 3 pump
P-72	Pump	NW-0148-188			43° 34.055' N	122° 39.693' W	Unknown	Mark 3 pump
P-70	Pump	NWK-1222-64			43° 13.697' N	122° 51.780' W	In Field	
P-74	Pump	NW-0148-09			43° 34.872' N	122° 40.343' W	Unknown	Mark 3 pump
P-75	Pump	NW-0148-11			43° 34.966' N	122° 39.719' W	Unknown	Mark3 pump
P-73	Pump	NW-0148-626			43° 34.900' N	122° 39.328' W	Unknown	Mark 3
P-76	Pump	NW-0148-93			43° 34.902' N	122° 39.329' W	Unknown	Still in box 9/2/21
P-77	Pump	NW-0148-93	0706102001755		43° 34.717' N	122° 38.024′ W	Unknown	Mark 3
P-78 P-79	Pump Pump	NWK-1222-208 LSK-1222-04	0786102001755		43° 15.941' N 43° 28.176' N	122° 31.193' W 122° 44.753' W	In Field Unknown	Honda GX 270 volume pump w/ kit and 2 fuel cans. Road to water source needs gravel off the pavement Honda volume pump. At the creek.
P-81	Pump	NWK-0148-715			43° 10.812' N	122° 40.769' W	Unknown	Pump tied to 2 foldatanks. **Reassign to Devils Knob Complex. Requested by Branch 5 Rough Patch/Jack due to fire zoning effective 9/10/21.**
P-80	Pump	NWK-148-142			43° 11.285' N	122° 39.888' W	In Field	Mark3 at DP 79
P-82	Pump	NWK-0148-545			43° 10.889' N	122° 40.008' W	Unknown	Pump tied to 2 foldatanks. **Assign to Devils Knob Complex. Requested by Branch 5 Rough Patch/Jack due to fire zoning effective 9/10/21.**
P-83	Pump		NWK-0148-149		43° 24.305' N	122° 34.280' W	Unknown	
P-85	Pump	NWK-1222-219			43° 35.108' N	122° 44.741' W	In Field	Honda WTX 30
P-84	Pump	NWK-0148-528			43° 10.792' N	122° 40.763' W	In Field	Mark3 at DP 79. Returned to supply 9/10/21 Rough Patch
P-69	Pump	NWK-0148-400			43° 09.971' N	122° 38.993' W	Unknown	Deleted Nws-0148-200. Not accurate property number removed as of 9/11/21
P-68	Pump	Nwk-0148-414, Nwk-148-120	0		43° 09.464' N	122° 38.848' W	Unknown	removed as of 9/11/21
WT-1	Water Tank	NFES-0664			43° 23.376' N	122° 37.215′ W	In Field	1 of 2 1500g snap tanks (with 3000 gallon capacity)each constructed July 9. Drafting out of steamboat creek.
WT-2 WT-3	Water Tank Water Tank				43° 17.971' N 43° 17.972' N	122° 35.002' W 122° 35.002' W	Unknown	DFPA tank, being pulled today along with DFPA hoselay DFPA tank, being pulled today along with DFPA hoselay
WT-5	Water Tank			Nfes 0568	43° 15.815' N	122° 43.305′ W	In Field	1, 3000 gal pumpkin with hose going down hill
WT-7	Water Tank			, 55 5555	43° 14.950' N	122° 36.256' W	Unknown	_, occo gan panniphan man nece genig acom min
WT-8	Water Tank				43° 14.949' N	122° 36.257' W	In Field	
WT-9	Water Tank				43° 14.949' N	122° 36.252' W	In Field	
WT-12	Water Tank				43° 16.035' N	122° 42.926' W	Unknown	2 tanks, repair to condition prior to fire suppression activities including recontouring soils and dispersing slash and logs *tank no longer at this
VAT 40					420 42 500 N	4222 20 0451 111		location* 9/9/21
WT-13 WT-14	Water Tank Water Tank				43° 13.508' N 43° 12.982' N	122° 39.016' W 122° 38.284' W	Unknown	Two fold a tanks
WT-21	Water Tank Water Tank	1500 gallons			43° 12.982° N 43° 15.647' N	122° 38.284° W	Unknown In Field	full of water. Pump and fuel staged at toketee spike to prevent theft.
WT-21	Water Tank	1300 gallons			43° 15.639' N	122° 30.294 W	Unknown	one of two 1500 gallon tanks full of water. Pump and fuel is staged at toketee spike to prevent theft.
WT-23	Water Tank Water Tank				43° 15.639' N	122° 29.439' W	Unknown	one of two 1500 gallon tanks. Both are full. pumps and fuel staged at toketee spike to prevent theft
WT-24	Water Tank				43° 15.469' N	122° 29.126' W	Unknown	This tank is full. Pump and fuel staged at toketee spike to prevent theft.
WT-25	Water Tank				43° 12.093' N	122° 40.106' W	Unknown	No pump as of 8/20. Escape ramp added.
WT-26	Water Tank				43° 11.729' N	122° 40.080' W	Unknown	With one pump. Escape ramp added.8/20. Tank and pump not at location 9/5/21.
WT-27	Water Tank				43° 10.798' N	122° 40.768' W	In Field	1500g snap tank at DP 79. 2 of 2
WT-28	Water Tank		NFES 000664		43° 24.213' N	122° 34.914' W	Unknown	1500 gallon fold da tank
WT-29	Water Tank	nfes-066, 0664		NEEC OCCA	43° 10.888' N	122° 40.012' W	Unknown	Two foldatanks.
WT-30 WT-31	Water Tank Water Tank		NFES 000664	NFES 0664	43° 24.672' N 43° 24.213' N	122° 41.560' W 122° 34.909' W	Unknown	(2 each) 1500gl folda tanks no pump 8/22 @ 1000 1500 gallon Foldatank
WT-31	Water Tank Water Tank		NI L3 000004		43° 24.213 N 43° 34.848' N	122° 34.909 W	Unknown	3 fold a tanks
WT-32	Water Tank Water Tank			SSTFS-3000	43° 31.902' N	122° 41.997' W	In Field	Pumpkin tank 1500gal
WT-37	Water Tank			Nfes0508	43° 32.256' N	122° 41.441' W	In Field	1500 gal pumpkin
WT-39	Water Tank			Nfes 56	43° 33.409' N	122° 40.846' W	In Field	3000 gal pumpkin in use
WT-41	Water Tank			Nfes 0664	43° 29.473' N	122° 43.793' W	In Field	1500 gal fold a tank
WT-42	Water Tank				43° 34.904' N	122° 39.329' W	Unknown	Fold-a-tank NFES-0664 and pumpkin NFES-6031
WT-44	Water Tank				43° 34.054' N	122° 39.693' W	Unknown	4800 gallon pumpkin
WT-45	Water Tank	AIFFO OCC.			43° 34.057' N	122° 39.691' W	Unknown	4800 gallon pumpkin, two of them
WT-51	Water Tank	NFES 0664			43° 23.376' N	122° 37.230' W	In Field	2 of 2 1500g tanks at this location
WT-53	Water Tank				43° 34.865' N 43° 34.975' N	122° 40.326' W	Unknown	Fold a tank 1500 gallon
WT-55 WT-54	Water Tank Water Tank				43° 34.975' N 43° 34.902' N	122° 39.719' W 122° 39.329' W	Unknown	3000 gallon pumpkin 1500 gallon fold tank and 6000 gallon pumpkin
WT-56	Water Tank Water Tank				43° 34.902 N 43° 34.716' N	122° 39.329 W	Unknown	Pumpkin 6000 gallon Pumpkin 6000 gallon
WT-57	Water Tank				43° 34.709' N	122° 38.024 W	Unknown	Pumpkin Pumpkin
WT-58	Water Tank				43° 11.286' N	122° 39.884' W	Unknown	Two fold-a-tanks NFES 000664
WT-60	Water Tank				43° 11.284' N	122° 39.896' W	Unknown	2 fold a tanks and pump
WT-59	Water Tank				43° 13.862' N	122° 52.265' W	Unknown	
WT-61	Water Tank				43° 10.798' N	122° 40.771' W	In Field	1500g snap tank at DP 79. 1 of 2
WT-62	Water Tank				43° 10.796' N	122° 40.770' W	In Field	1800g pumpkin in "box." At DP 79. 1 of 2.
MIT 62	Water Tank				430 10 706' N	1220 40 760' W	Linknown	

43° 10.796' N

122° 40.769' W

Unknown

WT-63 Water Tank