

ID	Name	Feature/Category	Label	Collector Name	Comments	ID	Label	Feature Category (Point Type)	Collector Name	Trackable ID	Serial Number	Repair Status	Comments
600	Drop Point		DP 250	ortega	Parking area expanded by dozers, excavator needed to pull back berm. Block parking access.	1	Pump	Mesher Rad, update F0BS Franks	NRK-048-5607			Unknown	Cabin #2 pump, folds tank and hose/sprinklers. Pump next to creek
601	Drop Point		DP 200	adama		2	Pump	E 661	NRK-048-5694		141380	Unknown	Mark 3 + kit
602	Drop Point		DP 300	A Lipp			Water Tank	Daniel Perkins, Name #1	NES-056-523			Unknown	2x 1000 gal
603	Drop Point		DP 375	Adam Ziegler	Station 2		Pump	Daniel Perkins, Name #1	NRK-048-5837		NRK-048-5837	Unknown	Mark 3
604	Drop Point		DP 500	Adam Ziegler		5	Water Tank	Daniel Perkins, CRWB Maine #1, F0BS				Unknown	2x 1000 gal, no pump
	Retardant in Avoidance Area			Phohn	Per the Forest READ- Greenback Cutthroat. 600 ft buffer on all forks.	6	Pump	E 661			141633	Unknown	
	Retardant in Avoidance Area			Phohn	Per READ- Greenback Cut throat. 600 ft. Buffer to all forks		Pump	TFLD Bolan	NRK-048-1782			In Use - Fire Management	
605	Drop Point		DP 10	Phohn	Joe Wright Reservoir parking Area		Pump	Daniel Perkins, CRWB Maine #1	NRK-1222-81		NRK-1222-81	Unknown	Honda GX 270 volume pump
606	Helispot		H-510	Toelle	Approved for Type 3 only		Pump	Daniel Perkins, CRWB Maine #1	NRK-1222-24		NRK-1222-24	Unknown	Honda volume pump
607	Drop Point		DP 400	Phil Graham	Jacks Gulch Camp burned fire	10	Water Tank	Daniel Perkins, CRWB Maine #1				Unknown	3000gal
608	Helispot		H-150	Bickford	Approved Type 2, Could fit a Type 1 or multiple aircraft for PSD ops.	11	Water Tank	Daniel Perkins, CRWB Maine #1				Unknown	3000gal
609	Water Source		E112				Water Tank	TFLD Bolan	6030 and 0568			Unknown	Honda volume pump
610	Drop Point		DP 520	Adam Ziegler		14	Pump	Greg Gilbert, TFLD			NRK-1222-36	Unknown	2 pumps
611	Drop Point		DP 220	PHOHN	Per DIV L. Good spot to sent heavy equipment.	15	Pump	Greg Gilbert, TFLD			NRK-1222-36	Unknown	Honda pump
612	Drop Point		DP 154	FISH Hatchery	FISH Hatchery FOB		Pump	TFLD Bolan			NRK-048-2069	Unknown	Pump only
613	Drop Point		DP 120	DIVZ F	Possible FOB		Pump	E 661			NK-6493	In Use - Fire Management	
614	Drop Point		DP 100	Mike Megel		20	Water Tank	Greg Gilbert, TFLD				Unknown	
615	Drop Point		DP 92	Mike Megel		19	Water Tank	Daniel Perkins, CRWB Maine #1				Unknown	3000gal
616	Drop Point		DP 125	Mike Megel		20	Pump	Daniel Perkins, CRWB Maine #1	NRK-048-6429			Unknown	Mark 3
617	Drop Point		DP 152	Mike Megel			Pump	Daniel Perkins, CRWB Maine #1	NRK-048-6540			Unknown	Mark 3
618	Drop Point		DP 160	Mike Megel			Pump	Yeoman updated 10/13/2020 F0BS Franks	NRK-5787			Unknown	Mark 3 with hose lay to east and water structures, sprinklers
619	Drop Point		DP 170	Mike Megel		23	Pump	Daniel Perkins, CRWB Maine #1	NRK-048-5829			Unknown	Mark 3
620	Helispot		H-225	Toelle	Type 3 only	24	Pump	Daniel Perkins, CRWB Maine #1	NRK-048-6146			Unknown	Wick 375
621	Helispot		H-390	Toelle	Approved for Type 3 or Type 2		Pump	NRK-048-104				Unknown	Copied from initial polygon creation. Cabin #1 Pump
622	Drop Point		DP 385	Phil Graham	44H There's a pullout just to the east Pinegrove Park Road on CR 44H.		Pump	Daniel Lowell	GK 048 650	GK 048 650		Unknown	Pump only
623	Helispot		H-185	Hallam		27	Pump	Nighthawk			214363	Unknown	Pump only
624	Water Development or Draft Site			Pawik	Potential fill site from pump in river	28	Pump	Greg Gilbert, TFLD				Unknown	
625	Water Development or Draft Site			T. Stevens		29	Pump	F0BS Franks				Unknown	Plumbing structures to H (La Poudre Pass Ranger Station and 2 other structures)
626	Stream Crossing			T. Stevens	Dozer line on both sides, riparian zone has no line cut lock due road becoming primary line	32	Water Tank	Yeoman	NRK-048-1641			Unknown	Pump and pumpkins
626	Gate			Gate		33	Pump	Wesley Hatch			NRK-1222-50	Unknown	Honda Volume pump
627	Drop Point		DP 122	ortega	Drop point requested by branch #1 at four corners.	33	Pump	TFLD Phillips			Sak-0148-051	Unknown	Pump and pumpkins
628	Drop Point		DP 310	Phohn	pushed by dozer		Pump	TFLD Hatch	GK-0148-1612	6101246	6101246	Unknown	Pump and pumpkins
629	Bridge			Geoff Butler	OK for pickups, no engines	36	Pump	Blotwick			NRK-048-1694	Unknown	No Repair Needed
630	Helispot		H-93	Moore, READ Carroll	Approved for Type 2	37	Pump	Blotwick	NRK-1504			Unknown	Pump only
631	Dip Site			Joe Wright Res		37	Pump	Scott Headrick TFLD(I)			NRK-048-915	Unknown	Set up and sprinklers around structures
632	Dip Site			Chambers Lake		38	Pump	F0BS Franks			NRK-048-109	Unknown	Set up and sprinkling around structure
633	Dip Site			Barnes Res		39	Pump	Scott Headrick TFLD (I)			NRK-048-964	Unknown	Set up and sprinkling around structure
634	Dip Site			Peterson Lake		41	Pump	Scott Headrick TFLD(I) / F0BS Franks			NRK-048-1219	Unknown	Mark III with hose lay
635	Dip Site			Laramie Lake		42	Pump	Scott Headrick TFLD(I)			NRK-048-1683	Unknown	Mark III set up supplying water to sprinklers around structure
636	Dip Site			Laramie Ford	small pond	42	Pump	Scott Headrick TFLD (I)			NRK-048-1793	Unknown	Mark III set up supplying water to sprinklers around structure
637	Dip Site			Grass Lake	small pond	45	Pump	Scott Headrick TFLD (I)			NRK-048-1775	Unknown	Mark III and pumpkins
638	Dip Site			Browns Lake		46	Pump	F0BS Franks	NRK-6235			Unknown	Mark 3 installed 9/16/20 at creek supplying sprinklers around structures. Switched pumps at some point. From GSK-0184-777 NRK-6235
639	Dip Site			Comanche Res	LUA in process	46	Pump	Nbasford	NRK-048-1250			Unknown	West side of Manhattan road next to gate entrance. Hook up propane tank for house during repair. Pumpkin at site.
640	Dip Site			Hourglass Res	LUA in process	47	Pump	Nbasford	GK-048-1743			Unknown	Wear men cab
641	Helispot		H-169	Donley	Approved for T-2 or T-3 Helicopter. Trees at NE corner	50	Pump	Nbasford	NRK-048-5806	NRK-5806	NRK-5806	Unknown	Barn out road south of main cabin
642	Water Source			Donley	Draft site for T3 engines, water tender, or portable pump.	51	Pump	F0BS Franks	NRK-5376	NRK-5376		Unknown	Mark 3 setup supply water to sprinklers around structures
643	Water Source			Donley	Proposed portable pump site	50	Pump	F0BS Franks	NRK-5376	NRK-5376		Unknown	Mark 3 setup at pond supplying water to sprinklers around structures up road
644	Helispot		H-123	AODB	Type 3. Private. No LUA. Minimize use. Verbal authorization from Scott Butcher, Diamond Trail Ranch (970) 491-9659	51	Pump	F0BS Franks	NRK-048-777			Unknown	Mark 3. Pump Number 70, NRK-6235 is not at this location
645	Helispot		H-600	AODB	Type 2 and Type 3	51	Pump	F0BS Franks	NRK-048-523			Unknown	#2 pond between main house and 5th wheel
646	Dip Site			DIV 4 dip		56	Pump	Yeoman	NRK-048-96032			Unknown	Not pump Gab-0148-1243. Pump setup supplying water to sprinklers around structures
11,800	Repeater		CMX-10 (Crown Point)	INCM		57	Pump	Scott Headrick TFLD(I)			NRK-048-5728	Unknown	Mark 3 setup supplying water to sprinklers around yurt
6,800	Repeater		CMX-11	INCM	Red	57	Pump	Yeoman	Rmk-0148-98			Unknown	Mark III and pumpkins
647	Drop Point		DP 148	Mogel DIVF		61	Pump	Yeoman	Rmk-0148-112			Unknown	Pump and pumpkins
648	Drop Point		DP 156	Adam Ziegler		62	Pump	Yeoman	NK-6492			Unknown	Pump only
649	Gate			T. Stevens	Locked, Yale key	63	Pump	Yeoman	Rmk-0148-28			Unknown	Pump only
650	Helispot		H-189	Hallam		63	Pump	Yeoman	NK-6238		21	Unknown	Pump only
651	Unimproved Landing Area			T. Stevens	Possible helispot, needs 1 hr prep work. Very tight fit for a type 2	66	Pump	Yeoman	NRK-048-1750			Unknown	Pump only
652	Drop Point		DP 397	Phil Graham	CSU DP	67	Pump	Pisnamaker			NRK-0148-98	Unknown	Pump with pumpkin and hose lay
653	Water Source			Mogel DIVF		67	Pump	Pisnamaker			NRK-0148-112	Unknown	NRK-0148-112
654	Drop Point		DP 130	Jake Wolff (DIV F trainee)		71	Water Tank	A Rogers			NES-0568	Unknown	Pump gone. Duplicate is #55 and both in same location on map. Delete both
655	Water Source			Lipp	Fill site at Red Feather Fire Station. Need to contact FD for access to fill site.	70	Pump	Daniel Lowell				Unknown	
656	Water Source			Lipp	Hydrant at private lake.	71	Pump	Daniel Lowell			NRK-6492	Unknown	River supplied.
657	Helispot		H-187	T. Stevens		71	Pump	Pisnamaker	NRK-0148-88			Unknown	Pump is across river
658	Fence - Cut/Damaged			T. Stevens	Fence may not be maintained	70	Pump	Yeoman	NRK-048-1633			Unknown	Mark III setup supplying water to sprinklers around structures
659	Stream Crossing			T. Stevens	Trail ford	75	Pump	Yeoman	GK 048 1742			Unknown	Mark III supplying water to sprinklers around structure
660	Water Source			Jake Wolff DIV F Trainee		76	Pump	Yeoman	GK 048 596			Unknown	Mark 3 setup supplying water to sprinklers around structure. 2nd pump and pumpkin at 8020, this location
661	Helispot		H-133	Jake Wolff DIV F - Approved AOB	Approved for Type 2 and Type 3	79	Pump	Yeoman	GK 048 596			Unknown	Mark III setup supplying water to sprinklers around structure
662	Helispot		H-139	Jake Wolff DIV F - Approved AOB	Approved for Type 2 and Type 3	79	Pump	Yeoman	NRK-0148-0136			Unknown	Mark 3 setup supplying water to sprinklers around structures
663	Helispot		H-325	Jake Wolff DIV F - Approved AOB	Approved for Type 2 or LUA	80	Pump	F0BS Franks	NRK-048-0763			Unknown	Mark 3 setup supplying water to sprinklers around structures
664	Repeater		CMX-8 (Glacier)	Paul Swedhin	Type 3. Private. No LUA. Minimize use. Verbal authorization from owner Kevin and Vaundene Bachus (970) 491-9659	81	Pump	F0BS Franks	NRK-048-0011			Unknown	Mark 3 setup supplying water to sprinklers around structures
11,600	Repeater		CMX-9 (Diamond)	Paul Swedhin	Red	81	Pump	F0BS Franks	NRK-048-0017			Unknown	Mark 3 setup supplying water to sprinklers around structures
664	Gate			T. Stevens	Locked, Yale lock	84	Pump	F0BS Franks	Rmk 048 252			Unknown	Mark 3 setup supplying water to sprinklers around structures
665	Gate			T. Stevens	Locked, Yale lock	85	Pump	F0BS Franks	GK 048 564			Unknown	Mark III and pumpkins
666	Helispot		H-135		Type 2	85	Pump	F0BS Franks	NRK-048-2063			Unknown	Waterax setup next to creek supplying water to sprinklers around structures
667	Helispot		H-102		Type 2	85	Pump	TFLD Bolan	NRK-048-1601			Unknown	In Use - Fire Management
668	Water Source			Jake Wolff DIV F Trainee, READ Carroll		88	Pump	F0BS Franks	NRK-048-961			Unknown	In Use - Fire Management
669	Safety Zone			Jake Wolff DIV F Trainee, READ Carroll	Dozer pushed safety zone approx 250' x 400'	89	Water Tank	T Bruch			NRK-6490	Unknown	Waterax setup at creek supplying water to sprinklers around structures. NOT pump SAM-0148-015
670	Drop Point		DP 410	No Engines		89	Water Tank	T Bruch - F0BS				Unknown	Mark 3 setup supplying water to hose lay
671	Bridge			No Engines	No Engines	--	Water Tank	T Bruch - F0BS			NRK-6197	Unknown	1500 gallon fold a tank
672	Gate				Rough road. T6 questionable.	93	Pump	T Bruch - F0BS			NRK-1687	Unknown	Mark III pump with 1500 gallons fold a tank
673	Gate				Rough road. T6 questionable.	94	Water Tank	Daniel Perkins, F0BS update F0BS Franks			NRK-0148-236	Unknown	Wick 375 Spire pump and hose and fuel not in use
674	Gate				USFS Gate, Yale Key	93	Water Tank	Yeoman				Unknown	1500 gal snap tank, no water update on 19/2020; still in place
675	Water Source			Jake Wolff DIV F Trainee		97	Water Tank	Yeoman				Unknown	Field a tank only, yellow
676	Drop Point		DP 530	TFLD (T) Eng O-202	Paved Loop with outhouse at summit of Cameron Pass	97	Water Tank	Yeoman				Unknown	Field a tank only may belong to Vn
677	Drop Point		DP 430	S.McCormick	Buckhorn Guard Station	98	Water Tank	TFLD Phillips	NES-0568			Unknown	Pump and pumpkins
678	Water Source			Jake Wolff DIV F Trainee		0	Water Tank	Scott Headrick TFLD (I)				Unknown	Mark III and pumpkins
679	Drop Point		DP 540		Cragg State Park Entrance	0	Water Tank	Scott Headrick TFLD (I)				Unknown	Mark III and pumpkins
680	Unimproved Landing Area					102	Water Tank	Scott Headrick TFLD (I)				Unknown	Mark III and pumpkins
681	Drop Point		DP 400	Ken Hehr		103	Water Tank	Yeoman				Unknown	Mark III and pumpkins
682	Gate			DIVS R- Turnbull		4	Water Tank	Nbasford				Unknown	South side of road at intersection towards cabin. Mark III, pumpkins, and fold-a-tank
683	Unimproved Landing Area				wide open medivac helispot for Div U spike camp	5	Water Tank	Nbasford				Unknown	West side of Manhattan road next to gate entrance. Hook up propane tank for house during repair. Pumpkin at site.
684	Sling Site		S1		sling for spike camps	106	Water Tank	F0BS Franks				Unknown	Pump and pumpkins
685	Unimproved Landing Area				medivac/helispot	107	Water Tank	Yeoman				Unknown	2-1500 gallon pumpkins
686	Drop Point		DP 515	Columbie WFM	Fold a tank present	107	Water Tank	Yeoman				Unknown	Mark III and pumpkins plus one additional pumpkin with no water
687	Helispot		H-90	Bickford	Helispot along 103rd in Div A. Approved Type 2.	9	Water Tank	Yeoman				Unknown	2nd pump and pumpkin at 8020
688	Gate			mcobb_nfc</									