

ID	Name	Feature Category	Label	Collector Name	Comments	Label	Feature Category (Point Type)	Collector Name	Trackable ID	Serial Number	Repair Status	Comments
601	Drop Point	DP 250	ortega		Parking area expanded by dozers, excavator needed to pull back berm. Block parking access.	1	Pump	Mesher Rad. update FOBS Franks	NRK-048-5607		Unknown	Cabin #2 pump, folds-tank and hose/sprinklers. Pump next to creek
602	Drop Point	DP 200	adama			2	Pump	E 661	NRK-048-5694	141380	Unknown	Mark 3 + bit
603	Drop Point	DP 300	A Lupp				Water Tank	NFES 0661	NRK-048-5661		Unknown	2x 3000 gal
604	Drop Point	DP 375	Adam Ziegler		DIV R		Pump	Daniel Perkins, Water #1	NRK-048-5837	NRK-048-5837	Unknown	Mark 3
604	Drop Point	DP 500	Adam Ziegler		Water Tank	5	Water Tank	Daniel Perkins, CWB Mane #1, FOBS			Unknown	2x 1000 gal, no pump
	Retardant in Avoidance Area		PHohn		Per the Forest READ - Greenback Cutthroat. 600 ft. Buffer to all forks.	6	Pump	E 661	NRK-048-5661	141633	Unknown	
	Retardant in Avoidance Area		PHohn		Per READ - Greenback Cut throat. 600 ft. Buffer to all forks.		Pump	TLFD Bolan	GBK-0148-1782		In Use - Fire Management	
605	Drop Point	DP 10	PHohn		Joe Wright Reservoir parking Area		Pump	Daniel Perkins, CWB Mane #1	NRK-1222-81	NRK-1222-81	Unknown	Honda GX270 volume pump
606	HeliSpot	H-510	Toelle		Approved for Type 3 only		Pump	Daniel Perkins, CWB Mane #1	NRK-1222-24	NRK-1222-24	Unknown	Honda volume pump
607	Drop Point	DP 400	Phil Graham		Jacks Gulch Camp, burned off.	10	Water Tank	Daniel Perkins, CWB Mane #1			Unknown	3000gal
608	HeliSpot	H-150	Bickford		Approved Type 2, Could fit a Type 1 or multiple aircraft for PSD ops.	11	Water Tank	Daniel Perkins, CWB Mane #1			Unknown	3000gal
609	Water Source	E112					Water Tank	TLFD Bolan	6030 and 0568		Unknown	Honda volume pump
610	Drop Point	DP 520	Adam Ziegler		Per DIV L. Good spot to sent heavy equipment.	14	Pump	Greg Gilbert - TLFD	NRK-1222-36	NRK-1222-36	Unknown	2 pumps
611	Drop Point	DP 220	PHCHN		Per DIV L. Good spot to sent heavy equipment.	15	Pump	Greg Gilbert - TLFD	NRK-1222-36	NRK-1222-36	Unknown	Honda pump
612	Drop Point	DP 154	DIVZ F		FISH Hatchery FOB		Pump	TLFD Bolan	GBK-0148-2069		In Use - Fire Management	Pump only
613	Drop Point	DP 120	DIVZ F		Possible FOB		Pump	E 661	Nk-6493		Unknown	(Removed 11/3 to DP 385)
614	Drop Point	DP 100	Mike Megel				Water Tank	Greg Gilbert - TLFD			Unknown	
615	Drop Point	DP 92	Mike Megel			20	Water Tank	Daniel Perkins, CWB Mane #1	NRK-0148-6429		Unknown	3000gal
616	Drop Point	DP 125	Mike Megel				Pump	Daniel Perkins, CWB Mane #1	NRK-0148-6540		Unknown	Mark 3
617	Drop Point	DP 152	Mike Megel				Pump	Yeoman updated 10/13/2020 FOBS Franks	NRK-5787		Unknown	Mark 3 with hose lay to east and west structures, sprinklers
618	Drop Point	DP 160	Mike Megel			23	Water Tank	Daniel Perkins, CWB Mane #1	NRK-0148-6529		Unknown	Mark 3
619	Drop Point	DP 170	Mike Megel			24	Pump	Daniel Perkins, CWB Mane #1	NRK-0148-6146		Unknown	Wick 375
620	HeliSpot	H-225	Toelle		Type 3 only		Pump	TLFD Bolan	NRK-0148-104		Unknown	Copied from initial polygon creation. Cabin #1 Pump
621	HeliSpot	H-390	Toelle		Approved for Type 3 or Type 2	1	Pump	Gsk 0148 650	Gsk 0148 650	Unknown	Unknown	Pump only
622	Drop Point	DP 385	Phil Graham		44H There's a pullout just to the east Pinegrove Park Road on CR 44H.	27	Pump	Daniel Lowell	NRK-0148-1237	214363	Unknown	Pump only
623	HeliSpot	H-185	Hallam			28	Pump	Nighthawk	NRK-6481	NRK-6481	Unknown	Pump only
624	Water Development or Draft Site	FXwik	T. Stevens		Potential fill site from pump in river	29	Pump	Yeoman	NRK-0148-1251		Unknown	Pumping structures to H (La Poudre Pass Ranger Station and 2 other structures)
625	Stream Crossing	T. Stevens	T. Stevens		Dozer line on both sides, riparian zone has no line cut lock due road becoming primary line	32	Water Tank	Yeoman	NRK-1222-50		Unknown	Pump and pumpkin
626	Gate	ortega	ortega		Drop point requested by branch #1 at four corners. pushed by dozer	33	Pump	TLFD Phillips	Sak-0148-051		Unknown	Pump and pumpkin
627	Drop Point	DP 122	PHohn				Pump	TLFD Hatch	Gsk-0148-1612	610246	Unknown	Mark III
628	Bridge	DP 310	ortega				Pump	Bostwick	NRK-0148-1694		Unknown	No Repair Needed
629	HeliSpot	H-93	Geoff Butler		OK for pickups, no engines	36	Pump	Bostwick	NRK-1504		Unknown	Pump only
630	HeliSpot	H-93	Moore, READ Carroll		Approved for Type 2	37	Pump	Scott Headrick TLD(I)			Unknown	Set up with sprinklers around structures
631	Dip Site	Joe Wright Res					Pump	FOBS Franks	NRK-0148-109		Unknown	Set up and supplying water to sprinklers around structure
632	Dip Site	Chambers Lake					Pump	Scott Headrick TLD (I)	NRK-0148-1219		Unknown	Mark III with hose lay
633	Dip Site	Barnes Res					Pump	Scott Headrick TLD(I) / FOBS Franks	NRK-0148-1683		Unknown	Mark III set up supplying water to sprinklers around structure
634	Dip Site	Patermon Lake					Pump	Scott Headrick TLD(I)	NRK-0148-1793		Unknown	Mark III set up supplying water to sprinklers around structure
635	Dip Site	Laramie Lake					Pump	Scott Headrick TLD (I)	NRK-0148-1775		Unknown	Mark III set up supplying water to sprinklers around structure
636	Dip Site	Laramie Lake			small pond		Pump	Scott Headrick TLD (I)			Unknown	Mark III and pumpkin
637	Dip Site	Grass Lake			small pond		Pump	FOBS Franks	NRK-6235		Unknown	Mark 3 installed 9/16/20 at creek supplying sprinklers around structures. Switched pumps at some point. From GBK-0184-777 to NRK-6235
638	Dip Site	Browns Lake				45	Pump	Nbsford	NRK-0148-1250		Unknown	West side of Manhattan road next to gate entrance. Hook up propane tank for house during repair. Pumpkin at site.
639	Dip Site	Comanche Res			LUA in process		Pump	Nbsford	NRK-0482		Unknown	Neer main cabin
640	Dip Site	Hounglass Res			LUA in process		Pump	Nbsford	NRK-048-1743		Unknown	Bar on road south of main cabin
641	HeliSpot	H-169	Dorley		Approved for T-2 or T-3 Helicopter. Trees at NE corner	50	Pump	FOBS Franks	NRK-5376	NRK-5376	Unknown	Mark 3 setup up pump supplying water to sprinklers around structures
642	Water Source	Dorley			Draft site for T3 engines, water tender, or portable pump.	51	Pump	FOBS Franks	NRK-0148-777		Unknown	Mark 3 setup. Pump Number 70, NRK-6235 is not at this location
643	Water Source	Dorley			Proposed portable pump site	50	Pump	Nbsford	NRK-0148-523		Unknown	#2 pond between main house and 5th wheel
644	HeliSpot	H-123	AOBD		Type 3. Private. No LUA. Minimize use. Verbal authorization from Scott Butcher, Diamond Trail Ranch (970) 491-9659	1	Pump	Yeoman	NRK-0148-96032		Unknown	Not pump Gab-0148-1243. Pump setup supplying water to sprinklers around structures
645	HeliSpot	H-600	AOBD		Type 2 and Type 3	56	Pump	Scott Headrick TLD(I)	NRK-0148-5728		Unknown	Mark 3 setup supplying water to sprinklers around yurt
646	Dip Site	DIV A dip	AOBD			57	Pump	Yeoman	NRK-0148-98		Unknown	Mark III and pumpkin
647	Repeater	CMX-10 (Crown Point)	INCM		Red		Pump	Yeoman	Nk-1616		Unknown	Pump and pumpkin
648	Drop Point	DP 148	Mogel DIVF		Red		Pump	Yeoman	Rmk-0148-112		Unknown	Pump and pumpkin
649	Drop Point	DP 156	Adam Ziegler			62	Pump	Yeoman	Nk-6492		Unknown	Pump only
649	Gate	T. Stevens			Locked, Yale key	63	Pump	Yeoman	Nk-6218		Unknown	Pump only
650	HeliSpot	H-189	Hallam				Pump	Yeoman	Gsk 0148 1750		Unknown	Pump only
651	Unimproved Landing Area	T. Stevens			Possible helispot, needs 1 hr prep work. Very tight fit for a type 2	66	Pump	Pilmaier	NRK-0148-98		Unknown	Pump with pumpkin and hose lay
652	Drop Point	DP 397	Phil Graham		CSU DP	67	Pump	A Rogers	NRK-0148-112		Unknown	
653	Water Source	Mogel DIVF					Water Tank	Daniel Lowell	NFES 0568		Unknown	Pump gone. Duplicate is #55 and both in same location on map. Delete both
654	Drop Point	DP 130	Jake Wolff (DIV F trainee)				Pump	Daniel Lowell	NRK-6492		Unknown	River supplied.
655	Water Source	Lipp			Fill site at Red Feather Fire Station. Need to contact FD for access to fill site.	70	Pump		NRK-0148-99		Unknown	River fed
656	Water Source	Hydrant			Hydrant at private lake.	71	Pump		Gsk 0148 774		Unknown	
657	HeliSpot	H-187	T. Stevens		Fence may not be maintained	77	Pump	Pilmaier	NRK-0148-88		Unknown	Pump is across river
658	Stream Crossing	T. Stevens			Trail ford	76	Pump	Yeoman	Gsk 0148 1633		Unknown	Mark III supplying water to sprinklers around structure
659	Water Source	Jake Wolff DIV F Trainee				75	Pump	Yeoman	Gsk 0148 1742		Unknown	Mark 3 setup supplying water to sprinklers around structure. 2nd pump and pumpkin at 8020, this location
660	HeliSpot	H-137	Jake Wolff DIV F - Approved AOB		Approved for Type 2 and Type 3		Pump	Yeoman/	NRK-0148-0136		Unknown	Mark III setup supplying water to sprinklers around structures
661	HeliSpot	H-133	Mogel DIVF, READ Carroll		Type 2 and Type 3		Pump	FOBS Franks	NEX 0418 0763		Unknown	Wick 375 setup supplying water to sprinklers around structures
662	HeliSpot	H-139	Jake Wolff DIV F - Approved AOB		Approved for Type 3 or Type 3 or LUA	79	Pump	FOBS Franks	NRK-0148-0011		Unknown	Mark 3 setup supplying water to sprinklers around structures
663	HeliSpot	H-325	David Swedlin		Type 2/3. Private. No LUA. Minimize use. Verbal authorization from owner Kevin and Vaundeen Bachus (970) 491-9659	80	Pump	FOBS Franks	Nk 0148 0017		Unknown	Mark 3 setup supplying water to sprinklers around structures
664	Repeater	CMX-9 (Glacier)	Paul Swedlin		Red	81	Pump	FOBS Franks	Nk 0148 0111		Unknown	Mark 3 setup supplying water to sprinklers around structures
665	Repeater	CMX-9 (Diamond)	Paul Swedlin		Red	82	Pump	FOBS Franks	NRK 0148 252		Unknown	Mark 3 setup supplying water to sprinklers around structures
666	Gate	T. Stevens			Locked, Yale lock	84	Pump	Yeoman	Gsk 0148 187		Unknown	Mark III and pumpkin
665	Gate	T. Stevens			Locked, Yale lock	85	Pump	Yeoman	NRK-0148-2063		Unknown	Mark III and pumpkin
666	HeliSpot	H-135			Type 2		Pump	TLFD Bolan	NRK-0148-1601		Unknown	In Use - Fire Management Waterax setup next to creek supplying water to sprinklers around structures (Removed 11/2 to DP 385)
667	HeliSpot	H-102			Type 2		Pump	FOBS Franks	NRK-0148-961		Unknown	In Use - Fire Management Waterax setup at creek supplying water to sprinklers around structures. NOT pump SAK-0148-015 (Removed 11/2 to DP 385)
668	Water Source	Jake Wolff DIV F Trainee, READ Carroll				88	Water Tank	FOBS Franks	NRK-0148-0124		Unknown	Mark 3 setup supplying water to hose lay
669	Safety Zone	Jake Wolff DIV F Trainee, READ Carroll			Dozer pushed safety zone approx: 230' x 400'	89	Water Tank	T Bruch		none	Unknown	1500 gallon fold a tank
670	Drop Point	DP 410	No Engines		No Engines		Water Tank	T Bruch - FOBS	NRK 6197		Unknown	1500 gallon fold a tank
671	Bridge	No Engines	Nighthawk				Pump	T bruch - FOBS	NRK 1687	NRK 0148-1687	Unknown	Mark III
672	Gate				Rough road. To questionable.	93	Pump	T bruch FOBS	NRK 0148-236		Unknown	Wick 375 spare pump and hose and fuel not in use
673	Gate				Rough road. To questionable.	94	Water Tank	Daniel Perkins, FOBS update FOBS Franks			Unknown	1500 gal snap tank, no water update 10/19/2020: still in place
674	Gate				USFS Gate. Yale Key	93	Water Tank	Yeoman			Unknown	Field tank only, yellow
675	Water Source	Jake Wolff DIV F Trainee				97	Water Tank	Yeoman			Unknown	Field a tank only may belong to Vth
676	Drop Point	DP 530	TLFD (T) Eng O-202		Paved Loop with outhouse at summit of Cameron Pass	98	Water Tank	TLFD Phillips	NFES 0568		Unknown	Pump and pumpkin
677	Drop Point	DP 430	S.McCormick		Buckhorn Guard Station		Water Tank	Scott Headrick TLD(I)			Unknown	Pump and pumpkin
678	Water Source	Jake Wolff DIV F Trainee				0	Water Tank	Scott Headrick TLD (I)			Unknown	Mark III and pumpkin
679	Drop Point	DP 540			Cragg State Park Entrance	1	Water Tank	Scott Headrick TLD (I)			Unknown	Mark III and pumpkin
680	Unimproved Landing Area	DP 400	Ken Hehr			102	Water Tank	Scott Headrick TLD (I)			Unknown	Mark III and pumpkin
681	Drop Point	DP 400	Ken Hehr			103	Water Tank	Yeoman			Unknown	South side of road at intersection towards cabin. Mark III, pumpkin, and fold-a-tank
682	Gate	DIVS R- Turnbow				4	Water Tank	Nbsford			Unknown	West side of Manhattan road next to gate entrance. Hook up propane tank for house during repair. Pumpkin at site.
683	Unimproved Landing Area				wide open med/walk helispot for Div U spike camp	5	Water Tank	Yeoman			Unknown	Pump and pumpkin
684	Sling Site	S1			sling for spike camps	106	Water Tank	FOBS Franks			Unknown	2-1500 gallon pumpkins
685	Unimproved Landing Area				med/walk helispot	100	Water Tank	Yeoman			Unknown	Mark III and pumpkin plus one additional pumpkin with no water
686	Drop Point	DP 515	Columbie WFM		Fold-a-tank present	9	Water Tank	Yeoman			Unknown	2nd camp and pumpkin at 8020
687	HeliSpot	H-90	Bickford		Helispot along 103rd in Div A. Approved Type 2.	9	Water Tank	Yeoman			Unknown	Mark III and pumpkin
688	Gate	mcobb_nfc			keep locked - combination-8239	110	Water Tank	Yeoman			Unknown	3000 gallon pumpkin
689	Drop Point	DP 183	Furr		Please add drop point into the 300/leadman road intersection.	111	Water Tank	FOBS Franks			Unknown	1000 gallon pumpkin
690	Gate	DIVS R- Turnbow				112	Water Tank	Yeoman			Unknown	1000 gallon pumpkin
691	Drop Point	DP 270	Nbsford		Intersection 5010 north RM	4	Water Tank	Yeoman			Unknown	1500 gallon pumpkin
692	Drop Point	DP 260	Nbsford		Intersection of north rim and deep cut road	115	Water Tank	Yeoman			Unknown	Mark III and pumpkin
693	Drop Point	DP 263	Nathan Bnsford		Glacier View fire station #1	116	Water Tank	Yeoman			Unknown	Mark III and pumpkin
694	Drop Point											