PointName	FeatureCategory	Label	Collector Name	Comments
600	Drop Point	DP 250	ortega	Parking area expanded by dozers, excavator needed to pull back berm. Block parking access.
601	Drop Point	DP 200	ortega	
602	Drop Point	DP 300	A Lipp	DIV R
603	Drop Point	DP 375	Adam Ziegler	Station 2
604	Drop Point	DP 500	Adam Ziegler	
	Retardant in Avoidance Area		PHohn	Per the Forest READ- Greenback Cutthroat. 600 ft buffer on all forks.
	Retardant in Avoidance Area		PHohn	Per READ- Greenback Cut throat. 600 ft. Buffer to all forks
605	Drop Point	DP 10	PHohn	Joe Wright Reservoir parking Area
606	Helispot	H-510	Toelle	Approved for Type 3 only
607	Drop Point	DP 420	Phil Graham	Jacks Gulch Camp burned over.
608	Helispot	H-150	Bickford	Approved Type 2, Could fit a Type 1 or multiple aircraft for PSD ops.
609	Water Source		E112	
610	Drop Point	DP 520	Adam Ziegler	
611	Drop Point	DP 220	PHOHN	Per DIV L. Good spot to sent heavy equipment.
612	Drop Point	DP 154	PHohn	FISH Hatchery FOB
613	Drop Point	DP 120	DIVZ F	Possible FOB
614	Drop Point	DP 100	Mike Megel	
615	Drop Point	DP 92	Mike Megel	
616	Drop Point	DP 125	Mike Megel	
617	Drop Point	DP 152	Mike Megel	
618	Drop Point	DP 160	Mike Megel	
619	Drop Point	DP 170	Mike Megel	
620	Helispot	H-225	Toelle	Type 3 only
621	Helispot	H-390	Toelle	Approved for Type 3 or Type 2
622	Drop Point	DP 385	Phil Graham	44H There's a pullout just to the east Pingree Park Road on CR 44H.
623	Helispot	H-185	Hallam	
624	Water Development or Draft Site		Pawlik	Potential fill site from pump in river
625	Fence - Cut/Damaged		T. Stevens	
	Stream Crossing		T. Stevens	Dozer line on both sides, riparian zone has no line
626	Gate		ortega	cut lock due road becoming primary line
627	Drop Point	DP 122	PHohn	Drop point requested by branch II at four corners.
628	Drop Point	DP 310	ortega	pushed by dozer
629	Bridge	bridge (no engines)	Geoff Butler	Ok for pickups, no engines
630	Helispot	H-93	Moore, READ Carroll	Approved for Type 2
631	Dip Site	Joe Wright Res		
632	Dip Site	Chambers Lake		
633	Dip Site	Barnes Res		
634	Dip Site	Peterson Lake		
635	Dip Site	Laramie Lake		
636	Dip Site	Laramie Pond		small pond
637	Dip Site	Grass Lake		small pond
638	Dip Site	Browns Lake		
639	Dip Site	Comanche Res		LUA in process
640	Dip Site	Hourglass Res		LUA in process
641	Helispot	H-169	Donley	Approved for T-2 or T-3 Helicopter. Trees at NE corner
642	Water Source		Donley	Daft site for T3 engines, water tender, or portable pump.
643	Water Source		Donley	Proposed Portable pump site
644	Helispot	H-123	AOBD	Type 3. Private. No LUA. Minimize use. Verbal authorization fromScott Butcher, Diamond Trail Ranch (970) 491-9659
645	Helispot	H-600	AOBD	Type 2 and Type 3
646	Dip Site	DIV A dip	AOBD	
11,600	Repeater	CMD-10 (Crown Point)	INCM	Red
6,800	Repeater	CMD-11	INCM	Red
647	Drop Point	DP 148	Megel DIVF	
648	Drop Point	DP 156	Adam Ziegler	
649	Gate		T. Stevens	Locked, Yale key
650	Helispot	H-189	Hallam	
651	Unimproved Landing Area		T. Stevens	Possible helispot, needs 1 hr prep work. Very tight fit for a type 2
652	Drop Point	DP 397	Phil Graham	CSU DP
653	Water Source		Megel DIVF	
654	Drop Point	DP 130	Jake Wolff (DIV F trainee)	
655	Water Source		Lipp	Fill site at Red Feather Fire Station. Need to contact FD for access to fill site.
656	Water Source		Lipp	Hydrant at private lake.
657	Helispot	H-187		
658	Fence - Cut/Damaged		T. Stevens	Fence may not be maintained
	Stream Crossing		T. Stevens	Trail ford
659	Water Source		Jake Wolff DIV F Trainee	
660	Helispot	H-137	Jake Wolff DIV F - Approved AOBD 8/30/20 1800	Approved for Type 2 and Type 3
661	Helispot	H-133	Megel DIVF, READ Carroll	Type 2 and Type 3
662	Helispot	H-139	Jake Wolff DIV F - Approved AOBD 8/30/20 1800	Approved for Type 2 or Type 3
663	Helispot	H-320	David Toelle	Type 2/3. Private. No LUA. Minimize use. Verbal authorization from owner Kevin and Vaundeen Bachus (970) 491-9659
7,300	Repeater	CMD-8 (Glacier)	Paul Swedhin	Red
11,600	Repeater	CMD-9 (Diamond)	Paul Swedhin	Red
664	Gate		T. Stevens	Locked, Yale lock
665	Gate		T. Stevens	Locked, Yale lock
666	Helispot	H-135		Type 2
667	Helispot	H-102		Type 2
668	Water Source		Jake Wolff DIV F Trainee, READ Carroll	
669	Safety Zone		Jake Wolff DIV F Trainee, READ Carroll	Dozer pushed safety zone approx: 250' x 400'
670	Drop Point	DP 410		
671	Bridge	No Engines	Nighthawk	No Engines
672	Gate			Rough road. T6 questionable.
673	Gate			Rough road. T6 questionable.
674	Gate			USFS Gate. Yale Key
675	Water Source		Jake Wolff DIV F Trainee	
676	Drop Point	DP 530	TFLD (T) Engel O-202	Paved Loop with outhouse at summit of Cameron Pass
677	Drop Point	DP 430	S.Mcormick	Buckhorn Guard Station
678	Water Source		Jake Wolff DIV F Trainee	
679	Drop Point	DP 540		Cragg State Park Entrance
680	Unimproved Landing Area			
681	Drop Point	DP 400	Ken Hehr	
682	Gate		DIVS R- Turnbow	
683	Unimproved Landing Area			wide open medivac/ helispot for Div U spike camp
684	Sling Site	S1		sling for spike camps
685	Unimproved Landing Area			medivac/helispot
686	Drop Point	DP 515	Columbine WFM	Fold-a-tank present
687	Helispot	H-90	Bickford	Helispot along 103rd in Div A. Approved Type 2.
688	Gate		mcobb_nifc	keep locked - combination-8239
689	Drop Point	DP 183	Furr	Please add drop point the the 300/deadman road intersection.
690	Gate		DIVS R- Turnbow	
691	Drop Point	DP 270	Nbasford	Intersection 5010 north Rim
692	Drop Point	DP 260	Nbasford	Intersection of north rim and deep cut road
693	Drop Point	DP 263	Nathan Basford	Glacier View fire station #1
694	Drop Point	DP 273	Nbasford/ updated by FOBS Franks	Intersection of Many Thunder Mountain Dr & Forest Access Rd. Update: large cache of supplies; hose, nozzles, other accessories
	Branch Break			Branch III west end and Branch II
	Branch Break			Branch III east end and Branch I
695	Drop Point	DP 175	Furr	Please add a drop point for divs L
696	Drop Point	DP 475	Stafford MM(t)	Glenhaven Fire Station 1 and Town Hall next door
697	Drop Point	DP 470	Stafford MM(t)	Dunraven trail head
698	Dip Site	Chick Dip		
699	Dip Site	Dutch Town Dip		
700	Dip Site	Poudre Lake		
701	Dip Site	Potts Puddle		
702	Dip Site	Haiyaha Dip		
703	Dip Site	Bierstadt Dip		
704	Dip Site	Sprauge Dip		
707	Drop Point		Nbasford	Gate #1 Glacier view
708	Bridge		Bostwick	
709	Gate		Stafford	Locked gate
710	Gate		Stafford	Locked gate
711	Water Source		Stafford MM trainee	Glen Haven Fire draft pipe. 2.5 in NH fitting. 10,000 gallon tank
712	Water Source		Stafford MM trainee	Glen Haven Fire draft pipe. 2.5 inch NH fitting. Fed by creek.
713	Gate		Stafford MM trainee	Locked gate. Combo is 2443
714	Gate		Stafford MM trainee	Locked gate combo lock. Combo unknown
715	Drop Point	DP 576	David Wolf	Across from Endovalley Rd. Small cul-de-sac.
716	Drop Point	DP 587	David Wolf	In campground. Tucked back and secured from public.
717	Gate		DIV VV	FS gate with FS lock
718	Unimproved Landing Area		Stafford MM trainee	On private. Has been used by Glen Haven Fire in the past.
719	Water Development or Draft Site		Bostwick	Lake
720	Dozer Push		Chris Masson, HEQB	This area can be used to safely park up to six individual pieces of equipment in the event of fire encroachment.
721	Helispot	H-550		Parking lot AVC. Requires coordination with ROMO.
722	Helispot	H-485		Track # days A/C land at site for LUA 1282AT20K5051
	Repeater	Buckhorn AirLink		Black
	Repeater	C2 Storm Mtn		Red
	Repeater	C1 Twin Sister		Red
724	Gate		DIV VV	Multiple locks. FS lock and combo lock. 3507 is the combo code
725	Gate		DIV VV	Unlocked
726	Gate		DIV VV	Locked gate. FS lock, combo lock: 7053
727	Safety Zone		DIV VV	Open grass area.
728	Safety Zone		Nbasford	Also good lookout spot
729	Bridge		Bostwick	
730	Water Source		DIV VV	Small pond with room for a snap tank next to it.
731	Gate		DIV VV	FS gate and lock
732	Helispot	H-579	David Wolf	RMNP approved site
733	Bridge		Bostwick	
734	Helispot	H-525	READ Carroll	Type II/III elev 9,900'
735	Helispot	H-515		Type II/III elev 10,200'
736	Helispot	H-535		Type II/III elev 10,300'
737	Helispot	H-176		Type I/II elev 10,900'
738	Dip Site	Parvin Lake		Approved 9/18 George Schitzler, Wildlife Manager (970) 420-1466
739	Water Source		Stafford MM trainee	Glen Haven Fire draft pipe. 10,000 gal. 2.5 inch NH fitting.
740	Water Source		Cash Jessop	Set up for apparatus to draft from stand pipe.
741	Water Source			draft site next to bridge
742	Water Source			draft spot with tender turn around
743	Bridge		Bostwick	
744	Dip Site	Mirror Lake		
745	Water Source		tobates_nifc	
746	Helispot	H-145		10,400' Approved 9/14 Type 2/3
747	Helispot	H-140		10,200' Approved 9/14 Type 2/3
748	Helispot	H-141		9,950' Approved 9/14 Type 2/3
749	Helispot	H-95		10,100' Approved 9.14 Type 2/3
750	Helispot	H-470		7.800' Approved 9/14 Type 2/3
751	Water Source		Bostwick	Mark III possible site
752	Water Source		Jeremy Sones	Hydrant appears to be RMNP's..unknown if limited supply & psi.
753	Helispot	H-395		9,200' Approved 9/15 Type 2/3
754	Helispot	H-520		8,400' Approved 9/15 Type 2/3
755	Helispot	H-491		8,000 Approved 9/15 Type 2/3
756	Dip Site	Long Draw Reservoir		Water may be used in RMNP
757	Safety Zone			
758	Gate		C. Kopek	Electronic Gate (keycode required) into McGraw Ranch Complex
759	Gate		C. Kopek	Electronic Gate (keycode required) at entrance to Macgregor Ranch
760	Helispot	H-190		8,400' Type 2/3. Private. No LUA. Minimize use. Redfeather FD Chief Hill (720) 427-3893 indicates unknown owneship and they use it all the time.
761	Water Source		Cash Jessop.	Under ground tank fed by spring. Will need to draft.
762	Gate		Mario Orozco	Locked Gate. Contact DIVS for combo.
763	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
764	Water Source		Jeremy Sones	High pressure hydrant per Estes Park Fire Chief D. Wolf
765	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
766	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
767	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
768	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
769	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
770	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
771	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
772	Water Source		Jeremy Sones	High Pressure hydrant system per Estes Park Fire Chief D. Wolf
773	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
774	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
775	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
776	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
777	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
778	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
779	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
780	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
781	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
782	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
783	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
784	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
785	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
786	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
787	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
788	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
789	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
790	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
791	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
792	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
793	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
794	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
795	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
796	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
797	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
798	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
799	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
800	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf
801	Water Source		Jeremy Sones	High pressure hydrant system per Estes Park Fire Chief D. Wolf

Label	Feature Category (Point Type)	Collector Name	TrackableI D	Serial Number	Repair Status	Comments
1	Pump	Meshel Rad: update FOBS Franks	NRK-0148-5607		Unknown	Cabin #2 pump, folda-tank and hose/sprinklers. Pump next to creek
2	Pump	E 661	NRK 01486494	141380	Unknown	Mark 3 + kit
	Water Tank	Daniel Perkins, Maine #1	NFES 0661		Unknown	2x 1000 gal
	Pump	Daniel Perkins, Maine #1	NRK-0148-5837	NRK-0148-5837	Unknown	Mark 3
5	Water Tank	Daniel Perkins, CRWB Maine #1, FOBSt			Unknown	2x 1000 gal, no pump
6	Pump	E 661	NRK 6483	141633	Unknown	
	Pump	TFLD Bollan	GBK-0148-1782	GBK-0148-1782	In Use - Fire Management	
	Pump	Daniel Perkins, CRWB Maine #1	RMK-1222-81	RMK-1222-81	Unknown	Honda GX 270 volume pump
	Pump	Daniel Perkins, CRWB Maine #1	RMK-1222-24	RMK-1222-24	Unknown	Honda volume pump
10	Water Tank	Daniel Perkins, CRWB Maine #1			Unknown	3000gal
11	Water Tank	Daniel Perkins, CRWB Maine #1			Unknown	3000gal
	Pump	Daniel Perkins, CRWB Maine #1	RMK-1222-82	R!K-1222-82	Unknown	Honda volume pump
	Water Tank	TFLD Bollan	6030 and 0568		Unknown	2 pumpkins
14	Pump	Greg Gilbert- TFLD	RMK-1222-36	RMK-1222-36	Unknown	Honda pump
15	Pump	Greg Gilbert- TFLD	RMK-0148-48	RMK-0148-48	Unknown	Pump only
	Pump	TFLD Bollan	GBK-0148-2069	GBK-0148-2069	In Use - Fire Management	
	Pump	E 661	Nrk-6493		Unknown	(Removed 11/3 to DP 385)
	Water Tank	Greg Gilbert- TFLD			Unknown	
19	Water Tank	Daniel Perkins, CRWB Maine #1			Unknown	3000gal
20	Pump	Daniel Perkins, CRWB Maine #1	NRK-0148-6429		Unknown	Mark 3
	Pump	Daniel Perkins, CRWB Maine #1	NRK-0148-6540		Unknown	Mark 3
	Pump	Yeoman updated 10/13/2020 FOBS Franks	NRK 5787		Unknown	Mark 3 with hose lays to east and west structures, sprinklers
23	Pump	Daniel Perkins, CRWB Maine #1	NRK-0148-5829		Unknown	Mark 3
24	Pump	Daniel Perkins, CRWB Maine #1	NRK-0148-6146		Unknown	Wick 375
	Pump		RMK-0148-104		Unknown	Copied from initial polygon creation. Cabin #1 Pump
	Pump	Nighthawk	Gbk 0148 650	Gbk 0148 650	Unknown	Pump only
27	Pump	Daniel Lowell	Gbk 0148 1237	214363	Unknown	
28	Pump	Nighthawk	NRK 6481	NRK 6481	Unknown	Pump only
29	Pump	FOBS Franks	RMK-0148-251		Unknown	Plumbing structures to NE (La Poudre Pass Ranger Station and 2 other structures)
	Pump	Yeoman	GBK 0148 1641		Unknown	Pump and pumpkin
	Pump	Daniel Perkins, CRWB Maine #1	RMK-1222-50		Unknown	Honda Volume pump
32	Water Tank	Wesley Hatch			Unknown	
33	Pump	TFLD Phillips	Sak-0148-051	Sak-0148-051	Unknown	Pump and pumpkin
	Pump	TFLD Hatch	Gbk-0148-1612	6101246	Unknown	Mark III
	Pump	JBostwick	GBK-0148-1694	GBK-0148-1694	No Repair Needed	Pump only
36	Pump	Bostwick	NRK 1504		Unknown	Pump only
37	Pump	Scott Headrick TFLD(t)	GBK-0148-915	GBK-0148-915	Unknown	Set up with sprinklers around structures
	Pump	FOBS Franks	RMK-0148-109	RMK-0148-109	Unknown	
	Pump	Scott Headrick TFLD (t)	GBK-0148-1128	GBK-0148-1128	Unknown	Set up and supplying water to sprinklers around structure
	Pump	Scott Headrick TFLD (t)/ FOBS Franks	GBK-0148-1219	GBK-0148-1219	Unknown	Mark III with hose lay
41	Pump	Scott Headrick TFLF(t)	GBK-0148-1683	GBK-0148-1683	Unknown	Mark III set up supplying water to sprinklers around structure
42	Pump	Scott Headrick TFLD (t)	GBK-0148-1793	GBK-0148-1793	Unknown	Mark III setup supplying water to sprinklers around structure
	Pump	Scott Headrick TFLD (t)	NRK 6440	NRK 6440	Unknown	Mark III setup supplying water to sprinklers around structures
	Pump	Scott Headrick TFLD (t)	GBK-0148-1775	GBK-0148-1775	Unknown	Mark III and pumpkin
45	Pump	FOBS Franks	NRK-6235		Unknown	Mark 3 installed 9/16/20 at creek supplying sprinklers around structures. Switched pumps at some point. From GBK-0184-777 to NRK-6235
46	Pump	Nbasford	Gbk-0148-1250		Unknown	West side of Manhattan road next to gate entrance. Hook up propane tank for house during repair. Pumpkin at site.
	Pump	Nbasford	NRK 6482		Unknown	Near main cabin
	Pump	Nbasford	Gbk-0148-1743		Unknown	Barn out road south of main cabin
	Pump	FOBS Franks	NRK-0148-5806	NRK-5806	Unknown	Mark 3 setup supplying water to sprinklers around structures
50	Pump	FOBS Franks	NRK-5376	NRK-5376	Unknown	Mark 3 setup at pond supplying sprinklers around structures up road
51	Pump	FOBS Franks	GBK-0148-777		Unknown	Mark 3. Pump Number 70, NRK-6235 is not at this location
	Pump	Nbasford	Gbk-0148-523		Unknown	At pond between main house and 5th wheel
	Pump	Yeoman	NRK-0148-98032		Unknown	Not pump Gab-0148-1243. Pump setup supplying water to sprinklers around structures
56	Pump	Scott Headrick TFLD(t)	NRK-0148-5728	NRK-0148-5728	Unknown	Mark 3 setup supplying water to sprinklers around yurt
57	Pump	Yeoman	Rmk-0148-98		Unknown	Mark III and pumpkin
	Pump	Yeoman	Nrk-1616		Unknown	Pump and pumpkin
	Pump	Yeoman	Rmk-0148-112		Unknown	Pump and pumpkin
61	Pump	Yeoman	Nrk-6492		Unknown	Pump only
62	Pump	Yeoman	Rmk-0148-28		Unknown	Pump only
63	Pump	21	Nrk 6218		Unknown	Pump only
	Pump	Yeoman	Gbk 0148 1750		Unknown	Pump only
	Pump	Pilsmaker	RMK-0148-98	RMK-0148-98	Unknown	Pump with pumpkin and hose lay
66	Pump	Pilsmaker	RMK-0148-112	RMK-0148-112	Unknown	
67	Pump	A.Rogers	RMK-1222-19	RMK-1222-19	Unknown	Pump gone. Duplicate is #65 and both in same location on map. Delete both
	Water Tank	Daniel Lowell	NFES 0568		Unknown	
	Pump	Daniel Lowell	NRK 6492	NRK 6492	Unknown	River supplied.
70	Pump	Daniel Lowell	RMK-0148-99	RMK-0148-99	Unknown	River fed
71	Pump		Gbk 0148 774	Gbk 0148 774	Unknown	
72	Pump	Pilsmaker	RMK-0148-88	Unknown	Unknown	Pump is across river
	Pump	Yeoman	Gbk 0148 1118	Gbk 0148 1118	Unknown	Mark III setup supplying water to sprinklers around structures
	Pump	Yeoman	Grk 0148 1633		Unknown	Mark III supplying water to sprinklers around structure
75	Pump	Yeoman	Gbk 0148 1742		Unknown	Mark 3 setup supplying water to sprinklers around structure. 2nd pump and pumpkin at 8020, this location
76	Pump	Yeoman	Gbk 0148 596		Unknown	Mark III setup supplying water to sprinklers around structures
	Pump	Yeoman/	NEK-0148-0136	NEK-0148-0136	Unknown	Mark 3 setup supplying water to sprinklers around structures
	Pump	FOBS Franks	NEK 0418 0763		Unknown	Wick 375 setup supplying water to sprinklers around structures
79	Pump	FOBS Franks	Nek 0148 0013		Unknown	Mark 3 setup supplying water to sprinklers around structures
80	Pump	FOBS Franks	Nek 0148 0088		Unknown	Mark 3 setup supplying water to sprinklers around structures
81	Pump	FOBS Franks	Nek 0148 0117		Unknown	Mark 3 setup supplying water to sprinklers around structures
	Pump	FOBS Franks	Rmk 0148 252		Unknown	Mark 3 setup supplying water to sprinklers around structures
	Pump	Yeoman	Gbk 0148 664		Unknown	Mark III and pumpkin
84	Pump	Yeoman	Gbk 0148 1287		Unknown	Mark III and pumpkin
85	Pump	FOBS Franks	GBK-0148-2063		In Use - Fire Management	Waterax setup next to creek supplying water to sprinklers around structures (Removed 11/2 to DP 385)
	Pump	TFLD Bollan	GBK-0148-1601		In Use - Fire Management	Mark 3 w/2x 1500 gal snap tank supplying hoselay and sprinklers (Removed 11/2 to DP 385)
	Pump	FOBS Franks	NWK-0148-861		In Use - Fire Management	Waterax setup at creek supplying water to sprinklers around structures. NOT pump SAK-0148-015 (Removed 11/2 to DP 385)
88	Pump	FOBS Franks	NEK-0148-0124		Unknown	Mark 3 setup supplying water to hose lay
89	Water Tank	T Bruch	none	none	In Use - Fire Management	1500 gallon fold a tank
	Water Tank	T Bruch - FOBS			Unknown	1500 gallon fold a tank
	Pump	T Bruch - FOBS	NRK 6197		Unknown	Mark III pump with 1500 gallons fold a tank
	Pump	T bruch FOBS	NRK 0148-1687	NRK 0148-1687	Unknown	Mark III
93	Pump	T Bruch FOBS	RMK 0148-236		Unknown	Wick 375 Spare pump and hose and fuel not in use
94	Water Tank	Daniel Perkins, FOBSt update FOBS Franks			Unknown	1500 gal snap tank, no water update 10/19/2020: still in place
	Water Tank	Yeoman			Unknown	Fold a tank only, yellow
	Water Tank	Yeoman			Unknown	Fold a tank only may belong to VFD
97	Water Tank	Yeoman			Unknown	Pump and pumpkin
98	Water Tank	TFLD Philips	NFES 0568		Unknown	Pump and pumpkin
	Water Tank	Scott Headrick TFLF(t)			Unknown	Mark III and pumpkin
0	Water Tank	Scott Headrick TFLD (t)			Unknown	Mark III and pumpkin
101	Water Tank	Scott Headrick TFLD (t)			Unknown	Mark III and pumpkin
102	Water Tank	Scott Headrick TFLD (t)			Unknown	Mark III and pumpkin
103	Water Tank	Yeoman			Unknown	South side of road at intersection towards cabin. Mark III, pumpkin, and fold-a-tank
4	Water Tank	Nbasford			Unknown	West side of Manhattan road next to gate entrance. Hook up propane tank for house during repair. Pumpkin at site.
5	Water Tank	Yeoman			Unknown	Pump and pumkin
106	Water Tank	FOBS Franks			Unknown	2-1500 gallon pumpkins
107	Water Tank	Yeoman			Unknown	Mark III and pumpkin plus one additional pumpkin with no water
8	Water Tank	Yeoman			Unknown	2nd pump and pumpkin at 8020
9	Water Tank	Yeoman			Unknown	Mark III and pumpkin
110	Water Tank	Yeoman			Unknown	3000 gallon pumpkin
111	Water Tank	FOBS Franks			Unknown	1000 gallon pumpkin
112	Water Tank	Yeoman			Unknown	1000 gallon pumpkin
3	Water Tank	Yeoman			Unknown	1000 gallon pumpkin
4	Water Tank	Yeoman			Unknown	1500 gallon pumpkin
115	Water Tank	Yeoman			Unknown	Mark III and pumpkin
116	Water Tank	Yeoman			Unknown	Mark III and pumpkin
7	Water Tank	Yeoman			Unknown	Mark III and pumpkin
8	Water Tank	T Bruch FOBS			Unknown	1500 gallon fold a tank
119	Pump	Daniel Perkins, FOBSt	NRK-0148-1587		Unknown	2x 1500 gal snap tanks (Removed 11/2 to DP 385)
120	Pump	Daniel Perkins, FOBSt	GBK-0148-688		Unknown	1500 gal snap tank
121	Pump	Daniel Perkins, FOBSt	GBK-0148-2076		Unknown	1500 gal snap tank
2	Pump	Daniel Perkins, FOBSt	GBK-0148-1216	GBK-0148-1216	Unknown	3x 1500 gal snap tank
3	Pump	Daniel Perkins, FOBSt	NRK-0148-6491		Unknown	1500 gal snap tank
124	Pump	Daniel Perkins, FOBSt	NRK-0148-5841		Unknown	2x 1500 gal snap tank
125	Pump	Daniel Perkins, FOBSt	NRK-0148-1508		In Use - Fire Management	Mark 3 setup next to creek supplying water to sprinklers around structures (Removed 11/2 to DP 385)
6	Water Tank	Yeoman			Unknown	3000 gallon pumpkin
7	Water Tank	FOBS Franks			Unknown	1500 gallon pumpkin
128	Water Tank	Yeoman			Unknown	1500 gallon pumpkin
129	Pump	Yeoman	Nek 0148 0161		Unknown	Mark III
130	Water Tank	Yeoman			Unknown	Pumpkin 1800 gallon
1	Pump	Yeoman	0870 nek 0148 0052		Unknown	Mark III
132	Water Tank	Yeoman			Unknown	Pumpkin 1800 gallon
133	Pump	Daniel Perkins, FOBSt	GBK-0148-1245		Unknown	Mark 3 set up with sprinklers around structures
134	Pump	Yeoman	Nek 0148 0090		Unknown	Mark III AND PUMPKIN
5	Water Tank	Yeoman			Unknown	Pumpkin
6	Water Tank	Yeoman			Unknown	Pumpkin
137	Pump	Yeoman	Rmk 0148 324		Unknown	Water ax Mark 3 with kit. Set up with sprinklers around structures
138	Water Tank	Yeoman			Unknown	Pumpkin
9	Pump	Daniel Perkins, FOBSt	NEK-0148-0099		Unknown	Pump hooked up next to creek feeding sprinklers around structure, pump kit next to garage
0	Pump	Update FOBS Franks	GBK-0148-1255		Unknown	Not hooked up, sitting next to RMK-0148-211
141	Pump	FOBS Franks	RMK-0148-186		Unknown	Wick 375: setup feeding sprinklers around structure
142	Pump	Daniel Perkins, FOBSt	NEK-0148-0005		Unknown	
143	Pump	Daniel Perkins, FOBSt	GBK-0148-1214		Unknown	
4	Pump	Daniel Perkins, FOBSt	RMK-0148-317		Unknown	
5	Pump	Daniel Perkins, FOBSt	RMK-0148-311	108286	Unknown	Waterax portable Mark 3 with sprinklers set up
146	Pump	Daniel Perkins, FOBSt/ update FOBS Franks	RMK-0148-10		Unknown	Mark 3 set up with sprinklers
147	Pump	FOBS Franks	GBK-0148-555		Unknown	Mark 3 with kit, set up next to pond feeding sprinklers to the south around a structure
8	Pump	Daniel Perkins, FOBSt update FOBS Franks	RMK-1222-10		Unknown	Volume Pump at shoreline with hose stretched to parking lot. Day use area needs garbage grid
9	Pump	Daniel Perkins FOBSt update FOBS Franks 10/20/2020	GBK-0148-2073		Unknown	Update: pump has been removed
150	Pump	Daniel Perkins, FOBSt/ FOBS Franks	NEK-0148-0085		Unknown	Mark 3 setup supplying water to sprinklers around structures
151	Pump	Daniel Perkins, FOBSt	NEK-0148-0158		Unknown	Mark 3 setup supplying water to sprinklers around structures
152	Pump	Daniel Perkins, FOBSt/ FOBS Franks	NEK-0148-0142		Unknown	Mark 3 setup supplying water to sprinklers around structures
3	Pump	Daniel Perkins, FOBSt/FOBS Franks	NEK-0148-0035		Unknown	Mark 3 setup supplying water to sprinklers around structures
4	Pump	Daniel Perkins, FOBSt	NEK-0148-0144		Unknown	Mark 3 setup supplying water to sprinklers around structures
155	Pump	FOBS Franks	GBK-0148-1736		Unknown	Not pump # NEK-0148-0018. Mark 3 setup supplying water to sprinklers around structures
157	Pump	Daniel Perkins, FOBSt	NEK-0148-0072		Unknown	Setup supplying water to sprinklers around structures
8	Pump	FOBS Franks	NEK-0148-0164		Unknown	Mark 3 setup supplying water to sprinklers around structures.
9	Pump	FOBS Franks	NEK-0148-0051		Unknown	Mark 3 setup supplying water to sprinklers around structures
160	Pump	Daniel Perkins, FOBSt	NEK-0148-0160		Unknown	Waterax setup supplying water to sprinklers around structures
161	Pump	Daniel Perkins, FOBSt	NEK-0148-0067		Unknown	Mark 3 setup supplying water to sprinklers around structures
162	Pump	Daniel Perkins, FOBSt	NEK-0148-0112		Unknown	Mark 3 setup supplying water to sprinklers around structures
3	Pump	Daniel Perkins, FOBSt	NEK-0148-0095		Unknown	Mark 3 setup supplying water to sprinklers around structures
4	Pump	Daniel Perkins, FOBSt	NEK-0148-0046		Unknown	spare not hooked up Mark 3
165	Pump	Daniel Perkins, FOBSt	NEK-0148-0015		Unknown	Mark 3 setup supplying water to sprinklers around structures, east and west
166	Pump	Daniel Perkins, FOBSt	NEK-0148-0119		Unknown	Mark 3 setup supplying water to sprinklers around RV
7	Pump	Daniel Perkins, FOBSt	NRK-0148-0115		Unknown	NOT NRK-0148-6488. Mark 3 setup supplying water to sprinklers around structures
8	Pump	Daniel Perkins, FOBSt	NRK-0148-0024		Unknown	Updated FOBS Avesing. Mark 3 with 3,000 gal pumpkin supplying sprinkler system
169	Pump	Daniel Perkins, FOBSt	NRK-0148-0114		Unknown	Updated FOBS Avesing. Mark 3 with 1,800 gal pumpkin supplying sprinkler system
170	Pump	Daniel Perkins, FOBSt	RMK-1222-19		Unknown	volume pump
171	Pump	Daniel Perkins, FOBSt	GBK-0148-630		Unknown	Updated FOBS Avesing. Mark 3 with 1,500 gal snap tank supplying sprinkler systems
2	Pump	Daniel Perkins, FOBSt	NEK-0148-0029		Unknown	Updated FOBS Avesing. Mark 3 with 2x 3,000 gal pumpkin supplying sprinkler system
173	Pump	Daniel Perkins, FOBSt	NEK-0148-0017		Unknown	Updated FOBS Avesing. Mark 3 with 3,000 gal pumpkin supplying sprinkler system
174	Pump	Daniel Perkins, FOBSt	RMK-0148-203		Unknown	Updated FOBs Avesing. Mark 3 with 3,000 gal pumpkin supplying sprinkler system
175	Pump	Daniel Perkins, FOBSt	RMK-0148-0156		Unknown	Updated FOBS Avesing. Mark 3 with 1,500 gal snap tank supplying sprinkler system
6	Pump	Daniel Perkins, FOBSt	RMK-0148-75	RMK-0148-75	Unknown	Updated FOBS Avesing. Mark 3 with 3,000 gal pumpkin supplying sprinklers
7	Pump	Daniel Perkins, FOBSt	GBK-0148-613	GBK-0148-613	Unknown	Updated FOBS Avesing. Spare Mark 3 at pump site.
178	Pump	Daniel Perkins, FOBSt	RMK-0148-282	RMK-0148-282	Unknown	Updated by FOBS Avesing. Mark 3 with 3,000 gal pumpkin supplying sprinkler system
179	Water Tank	T Bruch Fobs			Unknown	pumpkin only no pump
0	Pump	FOBS Franks	NEK 0148 0030	NEK 0148 0030	Unknown	mark III set up supplying hose lay at beaver pond
1	Pump	D. Perkins	NEK-0148-016		Repair Needed	D. Perkins sent email on 9/31/2020 with location of 5 burned pumps at this location. Unsure if same as NEK 0148 0161 in layer (north of this location)
182	Pump	T Bruch Fobs	GBK 0148 1250		Unknown	Updated FOBS Avesing. Mark III supplying sprinkler system. Also 4-5 gallon jerries
183	Water Tank	T Bruch Fobs			Unknown	2 - 3000 gallon pumpkins here
184	Pump	T Bruch Fobs	RMK-0148-44		Unknown	Mark III with sprinkler system
5	Water Tank	T Bruch Fobs			Unknown	3000 gallon pumpkin
6	Pump	T Bruch Fobs	RMK 1222 39		Unknown	volume/ trash pump used to fill tenders/ engines. 2-5 gallon jerries w/pump
187	Pump	Yeoman	Gbk 0148 901		Unknown	Mark III only
188	Pump	Yeoman	Nek 0148 0115		Unknown	Mark III
9	Water Tank	Yeoman			Unknown	Pumpkin
0	Pump	Yeoman	Gbk 0148 1708	GBK-0148-1708	Unknown	Mark III
191	Water Tank	Yeoman			Unknown	Pumpkin
192	Water Tank	Yeoman			Unknown	2:1500 gal fold a tank
193	Pump	FOBS Franks	GBK-0148-1708	GBK-0148-1708	Unknown	Set up with sprinklers
4	Water Tank				Unknown	
5	Pump	FOBS Franks	GBK-0148-760		Unknown	
196	Water Tank				Unknown	
197	Water Tank	FOBS Franks			Unknown	Empty pumpkin as of 10/17/2020
8	Water Tank				Unknown	1500 gallon pumpkin
9	Water Tank	Yeoman			Unknown	Fold a tank
200	Pump	TFLD Bollan	GBK-0148-1755	GBK-0148-1755	Unknown	(Removed 11/3 to DP 385)
201	Pump	TFLD Bollan	RMK-0148-155		Unknown	2 1500 gal tanks
202	Pump	TFLD Bollan	RMK-0148-85		In Use - Fire Management	Mark 3 w/1500 gal snap tank supplying hoselay and sprinklers
3	Pump	TFLD Bollan	NRK-97457		In Use - Fire Management	Single pump
4	Pump	FOBS Franks	RMK-0148-319		In Use - Fire Management	Spare, not currently being used
205	Pump	TFLD Bollan	GBK-0148-1621		In Use - Fire Management	
206	Pump	FOBS Franks	RMK-0148-304		Unknown	Hose lay to sprinklers around multiple structure to the north
7	Pump	FOBS Franks	GBK-0148-1641		Unknown	Mark 3 by river supplying water to houses to the west
8	Water Tank	FOBS Franks	SSTFS-4800, NFES-6030		Unknown	Moved from Red Feather Spike to "Upper Landing". 4800 gallon pumpkin
209	Pump	FOBS Franks	GBK-0148-1243		Unknown	Mark 3 moved from Red Feather Spike to Upper Landing. Pump kit
210	Pump	FOBS Franks	GBK-0148-780		Unknown	Mark 3 pump moved from Red Feather Spike to Upper Landing. Pump kit
211	Pump	FOBS Franks	RMK-1222-48		Unknown	Volume pump and accessories
2	Pump	FOBS Franks	NWK-1222-59		Unknown	Volume pump with accessories
214	Pump	TFLD Bollan	NWK-0148-06		In Use - Fire Management	
215	Pump	TFLD Bollan	GBK-0148-1614		In Use - Fire Management	(Removed 11/3 to DP 385)
216	Pump	TFLD Bollan	NRK-5377		In Use - Fire Management	(Removed 11/3 to DP 385)
7	Pump	TFLD Bollan	NW-0148-489		In Use - Fire Management	
8	Pump	TFLD Bollan	RMK-0148-97		In Use - Fire Management	(Removed on 11/1 to DP 395)
219	Pump	TFLD Bollan	NWK-0148-93		In Use - Fire Management	
220	Pump	TFLD Bollan	NWK-0148-570		In Use - Fire Management	
1	Pump	TFLD Bollan	NWK-0148-398		In Use - Fire Management	
2	Pump	Bollan	GBK-0148-2028		No Repair Needed	
223	Pump	Bollan	NRK-6487		Repair Needed	
224	Pump	Bollan	NRK-6486		Repair Needed	
225	Pump	Bollan	RMK-0148-54		Repair Needed	
6	Pump	Bollan	RMK-0148-13		Repair Needed	
7	Pump	Bollan	NRK-6490		Repair Needed	
228	Pump	Bollan	GBK-0148-731		Repair Needed	
229	Pump	Bollan	RMK-0148-52		Repair Needed	
0	Pump	David Wolf			Unknown	Trash pump to 2-1/2" hose, through gate. Green flagging
1	Pump	David Wolf	RMK-1222-50	RMK-1222-50	Unknown	Updated Fobs Avesing Trash pump with 2-1/2" hose. Green flagging
232	Water Tank	FOBS Franks			Unknown	Yellow folds-tanks. According to land owner, might belong Red Feather Lake Fire. Multiple green bags of fittings and accessories near folda-tank
233	Water Tank	FOBS Franks			Unknown	3000 gallon pumpkin
234	Water Tank	FOBS Franks			Unknown	1800 gallon pumpkin
5	Water Tank	FOBS Franks			Unknown	1800 gallon pumpkin
6	Pump	FOBS Franks	RMK-0148-211		Unknown	Old number 185, moved to this location: set up with kits: feeding sprinklers around structures.
237	Water Tank	FOBS Franks			Unknown	3000 gallon pumpkin
238	Water Tank	FOBS Franks			Unknown	1800 gallon pumpkin
9	Water Tank	FOBS Franks			Unknown	1800 gallon pumpkin
0	Water Tank	FOBS Franks			Unknown	1800 gallon pumpkin
241	Pump	FOBS Franks	RMK-0148-312		Unknown	Set up with sprinklers around structure.
242	Water Tank	FOBS Franks			Unknown	1500 gallon pumpkin