

ID	Name	Feature/Category	Label	Collector Name	Comments	Label	Feature Category (Point Type)	Collector Name	Trackable ID	Serial Number	Repair Status	Comments
601	Drop Point	DP 250	ortega		Parking area expanded by dozers, excavator needed to pull back berm. Block parking access.	1	Pump	Mesher Rad, update FOBS Franks	NRK-048-5607		Unknown	Cabin #2 pump, fold-tank and hose/sprinklers. Pump next to creek
602	Drop Point	DP 200	ortega			2	Pump	E 661	NRK-048-5661	141380	Unknown	Mark 3 + kit
603	Drop Point	DP 300	A Lupp				Water Tank	WES 5661	NRK-048-5661	2x 3000 gal	Unknown	2x 3000 gal
604	Drop Point	DP 375	Adam Ziegler				Pump	Daniel Perkins, Maine #1	NRK-048-5837	NRK-048-5837	Unknown	Mark 3
604	Drop Point	DP 500	Adam Ziegler			5	Water Tank	Daniel Perkins, CWB Maine #1, FOBS	NRK-048-5837		Unknown	2x 1000 gal, no pump
	Retardant in Avoidance Area		PHohn		Per the Forest READ - Greenback Cutthroat. 600 ft buffer on all forks.	6	Pump	E 661	NRK-048-5661	141633	Unknown	
	Retardant in Avoidance Area		PHohn		Per READ - Greenback Cut throat. 600 ft. Buffer to all forks	-	Pump	Greg Gilbert, CWB Maine #1	NRK-1222-81	NRK-1222-81	Unknown	
605	Drop Point	DP 110	PHohn		Joe WRIGHT Reservoir parking Area	-	Pump	Daniel Perkins, CWB Maine #1	NRK-1222-24	NRK-1222-24	Unknown	Honda GX270 volume pump
606	Helispot	H-510	Toelle		Approved for Type 3 only	-	Pump	Daniel Perkins, CWB Maine #1	NRK-1222-24	NRK-1222-24	Unknown	Honda volume pump
607	Drop Point	DP 420	Phil Graham		Jacks Gulch Camp burned off.	10	Water Tank	Daniel Perkins, CWB Maine #1	NRK-1222-82	NRK-1222-82	Unknown	3000gal
608	Helispot	H-150	Bickford		Approved Type 2, could fit a Type 1 or multiple aircraft for PSD ops.	11	Water Tank	Daniel Perkins, CWB Maine #1	NRK-1222-82	NRK-1222-82	Unknown	3000gal
609	Water Source		E112				Water Tank	TLD Bolan	6030 and 0568		Unknown	2 pumps
610	Drop Point	DP 520	Adam Ziegler			14	Pump	Greg Gilbert - TLD	NRK-1222-36	NRK-1222-36	Unknown	Honda pump
611	Drop Point	DP 220	PHOHN		Per DIV L. Good spot to sent heavy equipment.	15	Pump	Greg Gilbert - TLD	NRK-048-2069	NRK-048-2069	In Use - Fire Management	Pump only
612	Drop Point	DP 154	A Lupp		FISH Hatchery FOB	-	Pump	TLD Bolan	NRK-048-2069	NRK-048-2069	In Use - Fire Management	(Removed 11/3 to DP 385)
613	Drop Point	DP 120	DIVZ F		Possible FOB	-	Pump	E 661	NK-6493		Unknown	
614	Drop Point	DP 100	Mike Megel			20	Water Tank	Greg Gilbert, TLD	NRK-048-6249		Unknown	3000gal
615	Drop Point	DP 92	Mike Megel			20	Water Tank	Daniel Perkins, CWB Maine #1	NRK-048-6249		Unknown	Mark 3
616	Drop Point	DP 125	Mike Megel				Pump	Daniel Perkins, CWB Maine #1	NRK-048-6540		Unknown	Mark 3
617	Drop Point	DP 152	Mike Megel				Pump	Yeoman updated 10/13/2020 FOBS Franks	NRK-5787		Unknown	Mark 3 with hose lay to east and west structures, sprinklers
618	Drop Point	DP 160	Mike Megel			23	Water Tank	Daniel Perkins, CWB Maine #1	NRK-048-6249		Unknown	Mark 3
619	Drop Point	DP 170	Mike Megel			24	Pump	Daniel Perkins, CWB Maine #1	NRK-048-6146		Unknown	Wick 375
620	Helispot	H-225	Toelle		Type 3 only		Pump	NRK-048-104			Unknown	Copied from initial polygon creation. Cabin #1 Pump
621	Helispot	H-390	Toelle		Approved for Type 3 or Type 2		Pump	Gsk 0148 650	Gsk 0148 650		Unknown	Pump only
622	Drop Point	DP 385	Phil Graham		44H There's a pulloft just to the east Pngree Park Road on CR 44H.	28	Pump	Daniel Lowell	Gsk 0148 1237	214963	Unknown	Pump only
623	Helispot	H-185	Hallam			28	Pump	Nighthawk	NRK 6481	NRK 6481	Unknown	Pump only
624	Water Development or Draft Site		Pawlik		Potential fill site from pump in river	29	Pump	FOBS Franks	NRK-048-251		Unknown	Plumbing structures to E (La Poudre Pass Ranger Station and 2 other structures)
625	Water Development or Draft Site		T. Stevens			29	Pump	Yeoman	Gsk 0148 1641		Unknown	Pump and pumpkins
626	Stream Crossing		T. Stevens		Dozer line on both sides, riparian zone has no line cut lock due road becoming primary line	32	Water Tank	Daniel Perkins, CWB Maine #1	NRK-1222-50		Unknown	Honda Volume pump
626	Gate		ortega			33	Pump	Wesley Hatch			Unknown	
627	Drop Point	DP 122	PHohn		Drop point requested by branch #1 at four corners.	33	Pump	TLD Phillips	Sak-0148-051	Sak-0148-051	Unknown	Pump and pumpkins
628	Drop Point	DP 310	ortega		pushed by dozer		Pump	TLD Hatch	Gsk-0148-1612	610246	Unknown	Mark III
629	Bridge	bridge (no engines)	Scott Butler				Pump	Bostwick	NRK-048-1694		Unknown	No Repair Needed
630	Helispot	H-93	Moore, READ Carroll		OK for pickups, no engines	36	Pump	Bostwick	NRK 1504		Unknown	Pump only
631	Dip Site	Joe Wright Res			Approved for Type 2	37	Pump	Scott Headwick TRLD(I)	NRK-048-915	NRK-048-915	Unknown	Set up with sprinklers around structures
632	Dip Site	Chambers Lake				37	Pump	FOBS Franks	NRK-048-109	NRK-048-109	Unknown	Set up and supplying water to sprinklers around structure
633	Dip Site	Barnes Res				37	Pump	Scott Headwick TRLD (I)	NRK-048-1228	NRK-048-1228	Unknown	Mark III with hose lay
634	Dip Site	Patermon Lake				41	Pump	Scott Headwick TRLD (I)	NRK-048-1229	NRK-048-1229	Unknown	Mark III set up supplying water to sprinklers around structure
635	Dip Site	Laramie Lake				42	Pump	Scott Headwick TRLD (I)	NRK-048-1683	NRK-048-1683	Unknown	Mark III set up supplying water to sprinklers around structure
636	Dip Site	Laramie Lake			small pond	42	Pump	Scott Headwick TRLD (I)	NRK-048-1793	NRK-048-1793	Unknown	Mark III set up supplying water to sprinklers around structure
637	Dip Site	Grass Lake			small pond	42	Pump	Scott Headwick TRLD (I)	NRK-048-1793	NRK-048-1793	Unknown	Mark III set up supplying water to sprinklers around structure
638	Dip Site	Browns Lake				45	Pump	FOBS Franks	NRK-4235		Unknown	Mark 3 installed 9/16/20 at creek supplying structures. Switched pumps at some point. From GSK-0184-777 to NRK-6235
639	Dip Site	Comanche Res			LUA in process	46	Pump	Nbasford	Gsk-0148-1250		Unknown	West side of Manhattan road next to gate entrance. Hook up propane tank for house during repair. Pumpkin at site.
640	Dip Site	Hounglass Res			LUA in process	--	Pump	Nbasford	NRK-6482		Unknown	Wear main cabin
641	Helispot	H-169	Dorley		Approved for T-2 or T-3 Helicopter. Trees at NE corner	--	Pump	Nbasford	Gsk-0148-1743		Unknown	Bar on road south of main cabin
642	Water Source		Dorley		Draft site for T3 engines, water tender, or portable pump.	50	Pump	FOBS Franks	NRK-048-5806	NRK-5806	Unknown	Mark 3 setup supplying water to sprinklers around structures
643	Water Source		Dorley		Proposed portable pump site	51	Pump	FOBS Franks	NRK-5376	NRK-5376	Unknown	Mark 3 setup up pump supplying water to sprinklers around structures up road
644	Helispot	H-123	AOBD		Type 3. Private. No LUA. Minimize use. Verbal authorization from Scott Butcher, Diamond Trail Ranch (970) 491-9659	51	Pump	FOBS Franks	NRK-048-523		Unknown	Mark 3 setup supplying water to sprinklers around structures
645	Helispot	H-600	AOBD		Type 2 and Type 3	56	Pump	Nbasford	NRK-048-9602		Unknown	Mark 3 setup supplying water to sprinklers around structures
646	Dip Site	DIV 4 (A) AOB				57	Pump	Scott Headwick TRLD(I)	NRK-048-5728	NRK-048-5728	Unknown	Mark 3 setup supplying water to sprinklers around yurt
11,200	Repeater	CMD-10 (Crown Point)	INCM			57	Pump	Yeoman	NRK-048-98		Unknown	Mark III and pumpkin
6,800	Repeater	CMD-11	INCM			--	Pump	Yeoman	NK-1616		Unknown	Pump and pumpkin
647	Drop Point	DP 148	Megel DIVF			62	Pump	Yeoman	Rmk-0148-112		Unknown	Pump and pumpkins
648	Drop Point	DP 156	Adam Ziegler			62	Pump	Yeoman	NK-6492		Unknown	Pump only
649	Gate		Hallam		Locked, Yale key	63	Pump	Yeoman	NK 6218	21	Unknown	Pump only
650	Helispot	H-189	Hallam			63	Pump	Yeoman	Gsk 0148 1750		Unknown	Pump only
651	Unimproved Landing Area		T. Stevens		Possible helispot, needs 1 hr prep work. Very tight fit for a type 2	66	Pump	Pilamaker	NRK-048-98	NRK-048-98	Unknown	Pump with pumpkin and hose lay
652	Drop Point	DP 307	Phil Graham		CSU DP	67	Pump	Pilamaker	NRK-048-112	NRK-048-112	Unknown	
653	Water Source		Megel DIVF			67	Water Tank	A Rogers	NRK-1222-158	NRK-1222-158	Unknown	Pump gase. Duplicate is #55 and both in same location on map. Delete both
654	Drop Point	DP 130	Jake Wolff (DIV F trainee)			70	Pump	Daniel Lowell	NFS 0568		Unknown	River supplied.
655	Water Source		Lipp		Fill site at Red Feather Fire Station. Need to contact FD for access to fill site.	70	Pump	Daniel Lowell	NRK 6492	NRK 6492	Unknown	River supplied.
656	Water Source		Hydrant		Hydrant at private lake.	71	Pump	Gsk 0148 774	Gsk 0148 774		Unknown	River feed
657	Helispot	H-187	T. Stevens			72	Pump	Pilamaker	NRK-048-88		Unknown	Mark III across river
658	Fence - Cut/Damaged		T. Stevens		Fence may not be maintained	75	Pump	Yeoman	Gsk 0148 1118	Gsk 0148 1118	Unknown	Mark III set up supplying water to sprinklers around structures
659	Stream Crossing		T. Stevens		Trail ford	75	Pump	Yeoman	Gsk 0148 1633		Unknown	Mark III supplying water to sprinklers around structure
659	Water Source		Jake Wolff DIV F Trainee			76	Pump	Yeoman	Gsk 0148 1742		Unknown	Mark 3 setup supplying water to sprinklers around structure. 2nd pump and pumpkin at 8020, this location
660	Helispot	H-137	Jake Wolff DIV F - Approved AOB/D 8/30/20 1800		Approved for Type 2 and Type 3	76	Pump	Yeoman	Gsk 0148 596		Unknown	Mark III set up supplying water to sprinklers around structures
661	Helispot	H-133	Megel DIVF, READ Carroll		Type 2 and Type 3	79	Pump	Yeoman/	NRK-048-0136	NRK-048-0136	Unknown	Mark 3 setup supplying water to sprinklers around structures
662	Helispot	H-139	Jake Wolff DIV F - Approved AOB/D 8/30/20 1800		Type 2 and Type 3 or LUA	79	Pump	FOBS Franks	NEX 0418 0763		Unknown	Wick 375 setup supplying water to sprinklers around structures
663	Helispot	H-235	David Toelle		Type 2/3. Private. No LUA. Minimize use. Verbal authorization from owner Kevin and Vaundeen Buchas (970) 491-9659	80	Pump	FOBS Franks	NK 0148 0013		Unknown	Mark 3 setup supplying water to sprinklers around structures
11,600	Repeater	CMD-9 (Diamond)	Paul Swedhin			81	Pump	FOBS Franks	NK 0148 0017		Unknown	Mark 3 setup supplying water to sprinklers around structures
664	Gate		T. Stevens		Locked, Yale lock	84	Pump	Yeoman	Rmk 0148 252		Unknown	Mark 3 setup supplying water to sprinklers around structures
665	Gate		T. Stevens		Locked, Yale lock	85	Pump	FOBS Franks	Gsk-0148-2063		Unknown	Mark III and pumpkin
666	Helispot	H-135			Type 2	85	Pump	TLD Bolan	NRK-048-1601		Unknown	In Use - Fire Management Waterax setup next to creek supplying water to sprinklers around structures (Removed 11/2 to DP 385)
667	Helispot	H-102			Type 2	85	Pump	FOBS Franks	NRK-048-961		Unknown	In Use - Fire Management Waterax setup at creek supplying water to sprinklers around structures. NOT pump SAK-0148-015 (Removed 11/2 to DP 385)
668	Water Source		Jake Wolff DIV F Trainee, READ Carroll			88	Water Tank	FOBS Franks	NRK-048-0124		Unknown	Mark 3 setup supplying water to hose lay
669	Safety Zone		Jake Wolff DIV F Trainee, READ Carroll		Dozer pushed safety zone approx: 250' x 400'	89	Water Tank	T Bruch	none	none	Unknown	1500 gallon fold a tank
670	Drop Point	DP 410				--	Water Tank	T Bruch - FOBS	NRK 6157		Unknown	1500 gallon fold a tank
671	Bridge	No Engines	Nighthawk		No Engines	--	Pump	T Bruch - FOBS	NRK 0148-1687	NRK 0148-1687	Unknown	Mark III
672	Gate				Rough road. T6 questionable.	93	Pump	T Bruch FOBS	NRK 0148-236		Unknown	1500 gallon fold a tank
673	Gate				Rough road. T6 questionable.	94	Water Tank	Daniel Perkins, FOBS update FOBS Franks			Unknown	1500 gal snap tank, no water update 10/19/2020; still in place
674	Gate				USFS Gate, Yale Key	93	Water Tank	Yeoman			Unknown	Field tank only, yellow
675	Water Source		Jake Wolff DIV F Trainee			97	Water Tank	Yeoman			Unknown	Field a tank only may belong to Stb
676	Drop Point	DP 530	TFLD (T) Eng O-202		Paved Loop with outhouse at summit of Cameron Pass	97	Water Tank	Yeoman			Unknown	Pump and pumpkins
677	Drop Point	DP 430	S.McCormick		Buckhorn Guard Station	98	Water Tank	TLD Phillips	NFS 0568		Unknown	Pump and pumpkins
678	Water Source		Jake Wolff DIV F Trainee			0	Water Tank	Scott Headwick TRLD (I)			Unknown	Mark III and pumpkin
679	Drop Point	DP 540			Cragg State Park Entrance	0	Water Tank	Scott Headwick TRLD (I)			Unknown	Mark III and pumpkin
680	Unimproved Landing Area					1	Water Tank	Scott Headwick TRLD (I)			Unknown	Mark III and pumpkin
681	Drop Point	DP 400	Ken Hehr			102	Water Tank	Scott Headwick TRLD (I)			Unknown	Mark III and pumpkin
682	Gate		DIVS R- Turnbull			103	Water Tank	Yeoman			Unknown	South side of road at intersection towards cabin. Mark III, pumpkin, and fold-a-tank
683	Unimproved Landing Area				wide open med/walk helispot for Div U spike camp	4	Water Tank	Nbasford			Unknown	West side of Manhattan road next to gate entrance. Hook up propane tank for house during repair. Pumpkin at site.
684	Sling Site	S1			sling for spike camps	5	Water Tank	Yeoman			Unknown	Pump and pumpkin
685	Unimproved Landing Area				med/walk helispot	106	Water Tank	FOBS Franks			Unknown	2-1500 gallon pumpkins
686	Drop Point	DP 515	Columbine WFM		Fold-a-tank present	107	Water Tank	Yeoman			Unknown	Mark III and pumpkin plus one additional pumpkin with no water
687	Helispot	H-90	Bickford		Helispot along 103rd in Div A. Approved Type 2.	8	Water Tank	Yeoman			Unknown	2nd pump and pumpkin at 8020
688	Gate		mcobb_nfc		Gate locked - combination 4239	9	Water Tank	Yeoman			Unknown	Mark III and pumpkin
689	Drop Point	DP 183	Furr									