## Southern Area Blue Team LCES Analysis of Tactical Actions

Incident Name:	dent Name:											Operational Period:	
Wranglers Fire													
	Divisions/Groups							Divisions/Groups					
TACTICAL HAZARDS	Α	В	С	D	E		Staging at ICP						Mitigations
Powerlines													Contact power company. Follow pgs. 12 & 13 in the IRPG.
Downhill Fireline													LCES; Follow Downhill Checklist, IRPG p.8.
Underslung Fireline													Post Experienced Lookouts. LCES.
Indirect Fireline													LCES; IRPG Pg. 10, Indirect Attack; Burnout as possible. Reevaluate as the work progresses during shift.
Mid-Slope Fireline													LCES. Use Lookouts for Snags, Rolling Material and Spot Fires below line.
Anchor Points													Ensure fireline is anchored. Use natural features when possible. Use local RA for natural features.
Extreme Conditions (Spotting, Wind)													LCES, Maintain Situational Awareness. Establish Lookouts as needed
Unburned Area Reburn Potential													LCES, Utilize Air Attack if Available. Know Predicted Weather and Fire Behavior Forecast.
Hazard Trees													IRPG Pg. 80, Identify and flag hazard trees. Look Up, Down and Around. Only Certified Fallers will clear hazard areas prior to crews working. Stay 2 1/2 tree lengths away from felling operation.
Steep Terrain (footing, rocks)													Watch footing and maintain spacing. Be aware and notify others of rolling material.
Hazardous Materials													IRPG Pg. 26-27, HAZMAT. Identify and map propane tanks, electric lines, septic tanks and determine bridge wgt. limits prior to use.
Vehicle Use (Travel 1HR+, Roads)													Park vehicles for egress. Use seat belts, drive with headlights on and keep windshields clean. Use spotters. Drive Defensively. Use multiple camp locations to reduce drive time. Slow on narrow roads.
Communications													Ensure radio is cloned with the current communications plan. Test prior to engaging fire, check during operational period. Use human repeater if needed.
Structure Protection													Use structure protection checklist, PPE, Triage. Utilize Local Fire Departments. Slow speed on narrow roads.
Air Operations (multiple aircraft, line support)  Mechanical Equipment													Monitor Air Guard at all times. Flight follow through Incident Air Attack. Helibase will direct take off and landings. Keep drop areas clear of personnel. IRPG pg 46  Use PPE, ensure all safety devices are functional. Operator must see you before approaching equipment. Maintain proper distance away from equipment working in the area.  SZs (p. 7 IRPG) will be located & established during line construction. Locations and the route to them
Escape Routes Safety Zones													must be shared with all. Lookouts will be posted to give sufficient warning in periods of good visibility. Divisions in patrol status monitor closely any changes in fire status. Current SZ locations will be mapped.
Burnout ops													Ensure LCES is in place, Notify adjoining resources prior to ignition, post lookouts for spotting.
Wildlife													Keep food items off the line and use refuse containers in camp.
Exposure to sun													Use sunblock when conditions dictate.
Rattlesnakes and Scorpions													Watch were you walk and where you place your hands.
Bees/Hornets													Run away from nest as fast as you can if attacked.  Anyone can develop allergies to stings. Tell supervisor about known allergies.
Prepared	I	<u>I</u>	<u>I</u>	1	1	1	Safety Offic Brian Beisel		Pat She	eridan, S0	OF1(T)	1	