Incident: Hidden Pines

1. Incident Name:	dden Pines	2.	Inciden	t Numbe	er: TX-TXS-0	04036	
3. Report Version (check one box): Initial X Update Final	4. Incident C Organization	ommander(s) & Ag : Mark Morales	ency or	Organi	dent Manageme	ent	6. Incident Start Date/Time: Date: 10/13/2015 Time: 1246 CDT
7. Current Incident Size or Area Involved (use unit label – e.g., "Acres", "Square Miles"): 4582 Acres	8a. Percent (%) Contained or Completed: 80 % b. Total Percentage (%) of Perimeter that will be Contained or Completed: 100 %	9. Incident Type: Wildfire B. Incident Descrip C. Cause: Unknown D. Fire Suppressio Strategy Monitor Confine Point Zone Protection Full Suppression	n Strate		Complexity Level: X Single	From D 10/21 To Dat	port Time Period: Date/Time: ./2015 0800 CDT e/Time: ./2015 2000 CDT
12. Prepared By: Print Name: Steve Poll Date/Time Prepared: 10 CDT 14. Date/Time Submitte 10/21/2015 1803 0	0/21/2015 17 :	13. Approve Print Name: Signature: 15. Primary Location SACC	Mark N			it To:	
	17. County / Par Bastrop	ish / Borough:					City: ithville
- "	Incident Jurisdi	ction: 21. Incide	nt Locati	ion Own	ership (if differ	ent tha	n jurisdiction):
22. Latitude/Longitude: Latitude: 30º 4' 31" Longitude: 97º 8' 57	Grid x-C	JS National Grid Re d Zone: oordinate: oordinate:	ference:		24. Legal [Principal Township 1/4 Sec:	Meridia): f	n: Range: Section:
25. Short Location or Ar Four miles north of S		list all affected area	s or a re	eference	point):	Z	. UTM Coordinates: one: Easting: lorthing:
27. Note any geospatial	data available (indicate data forma	t, conter	nt, and o	collection time i	nforma	tion and labels):
28. Observed Fire Behav terminology. For non-fire Moderate Smoldering							

Incident: Hidden Pines

Creeping

Narrative:

Given the elevated fine fuel moisture and significant cloud cover today, the Probability of Ignition (PIG) is 40%, so new fire activity is unlikely. Expect continued smoldering of snags, stumps and heavy downed fuels throughout the day.

29. Primary Fuel Model, Materials, or Hazards Involved (hazardous chemicals, fuel types, infectious agents, radiation, etc):

Timber (Litter and Understory)
Short Grass (1 foot)
Tall Grass (2.5 feet)

Narrative:

Clouds and RH are on the rise but winds will increase and overall fuel dryness is extreme.

30. Damage Assessment Information (summarize A. Structural Summary B. # Threatened (up C. # D. # damage and/or restriction of use or availability to to 72 hrs) Damaged Destroyed residential or commercial property, natural resources, E. Single Residences 95 64 critical infrastructure and key resources, etc): 0 F. Multiple Residences 0 0 G. Mixed Commercial / 0 0 0 Residential H. Nonresidential 0 0 7 **Commercial Property**

I. Other Minor Structures

31. Public Status Summary:			32. Responder Status Summary:						
C. Indicate the Number of <u>Civil</u>	l <u>ians</u> (Pub	olic) Below		C. Indicate the Number of Res		Below:			
	Previous Report Total	A. # this Reporting Period	B. Total # to- date		Previous Report Total	A. # this Reporting Period	B. Total # to- date		
D. Fatalities	0		0	D. Fatalities	0		0		
E. With Injuries/Illness	0		0	E. With Injuries/Illness	0		0		
F. Trapped/In Need of Rescue	0		0	F. Trapped/In Need of Rescue	0		0		
G. Missing	0		0	G. Missing	0		0		
H. Evacuated	1,200	0	1,200	H. Evacuated	0		0		
I. Sheltering in Place	0		0	I. Sheltering in Place	0		0		
J. In Temporary Shelters	208	0	208	J. In Temporary Shelters	0		0		
K. Have Received Mass Immunizations	0		0	K. Have Received Mass Immunizations	0		0		
L. Require Immunizations	0		0	L. Require Immunizations	0		0		
M. In Quarantine	0		0	M. In Quarantine	0		0		
N. Total # Civilians (Public) Affected:	1,408	0	1,408	N. Total # Responders Affected:	0		0		

33. Life, Safety, and Health Status/Threat Remarks:

Buesher State Campground remains closed to public at this time. Residents affected by fire have been allowed to return to their homes. 34. Life, Safety, and Health Threat Management:

0

0

70

Incident: Hidden Pines

35. Weather Concerns (synopsis of current and predicted weather; discuss		Active?
related factors that may cause concern): Current: 83 degrees, RH of 54%, and winds SE at 11-15 gusting to	A. No Likely Threat	
20 MPH.	B. Potential Future Threat	
Thursday: Mostly cloudy with a 80% chance of showers and storms.	C. Mass Notifications in Progress	
Winds SE 12-16 with higher gusts. Minimum RH for forecast for	D. Mass Notifications Completed	
Wed. is 65% with Temps topping out at 82 degrees.	E. No Evacuation(s) Imminent	
sday: Mostly cloudy with a 80% chance of showers and storms	F. Planning for Evacuation	
	G. Planning for Shelter-in-Place	
	H. Evacuation(s) in Progress	
	I. Shelter-in-Place in Progress	
	J. Repopulation in Progress	
	K. Mass Immunization in Progress	
	L. Mass Immunization Complete	
	M. Quarantine in Progress	
	N. Area Restriction in Effect	
	O. Road Closure	
	P. Trail Closure	х
	Q. Area Closure	
36. Projected Incident Activity, Potential, Movement, Escalation, or Spread and operational period and in 12-, 24-, 48-, and 72-hour time frames:	influencing factors during the n	ext

Minimal fire growth is projected outside containment lines; Unburned/partially burned fuels 12 hours: interior will continue to ignite and burn causing potential for surface fire, torching and spotting with forecasted winds.

Minimal fire growth is projected outside containment lines; Unburned/partially burned fuels 24 hours: interior will continue to ignite and burn causing potential for surface fire, torching and spotting with forecasted winds.

48 hours:

72 hours:

Anticipated after 72 hours:

37. Strategic Objectives (define planned end-state for incident):

Ensure public and firefighter safety throughout the incident.

Continue suppression operations to limit structure loss and negative impact to environmentally sensitive areas. Continue to establish control lines

Convey damage assessment to Bastrop County for analysis of loss.

Maintain open communications with public and media.

Assess and implement erosion control measures.

- 38. Current Incident Threat Summary and Risk Information in 12-, 24-, 48-, and 72-hour timeframes and beyond. Summarize primary incident threats to life, property, communities and community stability, residences, health care facilities, other critical infrastructure and key resources, commercial facilities, natural and environmental resources, cultural resources, and continuity of operations and/or business. Identify corresponding incident-related potential economic or cascading impacts:
- Continued threat to approximately 95 homes inside burned area. Buesher State Park and MD 12 hours: Anderson Research Facility remain closed to public access.
- Continued threat to approximately 95 homes inside burned area. Buesher State Park and MD 24 hours: Anderson Research Facility remain closed to public access.

Incident: Hidden Pines

48 hours: Continued threat to approximately 95 homes inside burned area. Buesher State Park and MD
Anderson Research Facility remain closed to public access.

72 hours:

Anticipated after 72 hours:

39. Critical Resource Needs in 12-, 24-, 48-, and 72-hour timeframes and beyond to meet critical incident objectives. List resource category, kind, and/or type, and amount needed, in priority order:

12 hours: No critical unmet needs at this time.

24 hours: No critical unmet needs at this time.

48 hours:

72 hours:

Anticipated after 72 hours:

- 40. Strategic Discussion: Explain the relation of overall strategy, constraints, and current available information to:
- 1) critical resource needs identified above,
- 2) the Incident Action Plan and management objectives and targets,
- 3) anticipated results.

Explain major problems and concerns such as operational challenges, incident management problems, and social, political, economic, or environmental concerns or impacts.

A full suppression strategy has currently contained much of the fire spread. Spotting and extremely dry conditions make overall control difficult. Highly sensitive fire due to its proximity to Austin and because it is burning next to the 2011 Bastrop fire scar that destroyed hundreds of homes. Additional safety concerns with high volume of traffic on Hwy 71 bordering fire edge.

41. Planned Actions for Next Operational Period:

Continue direct suppression operations; limit structure loss; continue to monitor and recheck structures within the burned area; continue to improve control line; mop-up around homes and structures; assess and implement erosion control measures; patrolling.

- 42. Projected Final Incident Size/Area (use unit label e.g., "Acres", "Square Miles"): 4,582
- 43. Anticipated Incident Containment or Completion Date: 10/23/2015
- 44. Projected Significant Resource Demobilization Start Date:
- 45. Estimated Incident Costs to Date: \$811,815.00
- 46. Projected Final Incident Cost Estimate: \$0.00
- 47. Remarks (or continuation of any blocks above list block number in notation):

Fire area has been reopened to residents.

49. Resources (summarize resources by category, kind, and/or type; show # of resources on top ½ of box, show # of personnel associated with resource on bottom ½ of box):

48. Agency or Org		CR2IA	HEL1	HEL3	ENG3	ENG4	ENG6	DOZR	WTDS	AA	SEAT	50. Ovhd	51. Tot Pers
BIA	Rsrc	2	0	0	0	0	0	0	0	0	0		
BIA	Pers	40	0	0	0	0	0	0	0	0	0	0	40
DI M	Rsrc	0	0	0	0	0	0	0	0	0	4		
BLM	Pers	0	0	0	0	0	0	0	0	0	8	1	9
FC	Rsrc	0	0	0	0	0	0	0	0	1	0		
FS	Pers	0	0	0	0	0	0	0	0	2	0	58	60
FWS	Rsrc	0	0	0	0	0	0	0	0	0	0		

Incident: Hidden Pines

FWS	Pers	0	0	0	0	0	0	0	0	0	0	1	1
NG	Rsrc	0	0	0	0	0	0	0	0	0	0		
NG	Pers	0	0	0	0	0	0	0	0	0	0	0	0
NPS	Rsrc	0	0	0	0	0	0	0	0	0	0		
NPS	Pers	0	0	0	0	0	0	0	0	0	0	1	1
NWS	Rsrc	0	0	0	0	0	0	0	0	0	0		
HWS	Pers	0	0	0	0	0	0	0	0	0	0	1	1
OTHR	Rsrc	0	0	0	0	0	0	0	0	0	0		
OTHK	Pers	0	0	0	0	0	0	0	0	0	0	5	5
PRI	Rsrc	0	0	0	0	0	0	0	0	0	0		
PKI	Pers	0	0	0	0	0	0	0	0	0	0	3	3
ST	Rsrc	0	0	0	5	1	16	0	4	0	0		
31	Pers	0	0	0	24	2	46	0	9	0	0	51	132
TFS	Rsrc	0	0	0	0	0	3	2	0	0	0		
1173	Pers	0	0	0	0	0	6	4	0	0	0	1	11
52. Total Resources		2	0	0	5	1	19	2	4	1	4		263

53. Additional Cooperating and Assisting Organizations Not Listed Above: **Assisting VFD's include Smithville VFD and Heart of Pines VFD.**